

Subject index

Acetonitrile

Role of substrate's electrophilicity in base catalysis by zeolites: alkylation of acetonitrile with methanol (Sooknoi, T. (211) 155)

Acidity

Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)

Adsorption

Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)

Alkali metal (oxide)

Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)

Alkane cracking

Acidic property of modified ultra stable Y zeolite: increase in catalytic activity for alkane cracking by treatment with ethylenediaminetetraacetic acid salt (Katada, N. (211) 119)

Al-MCM-41

A comparative study on the catalytic activity of Zn and Fe containing Al-MCM-41 molecular sieves on *t*-butylation of phenol (Savidha, R. (211) 165)

Alumina

Physicochemical attributes of oxide supported Mo₂N catalysts synthesised via sulphide nitridation (Lee, Y.J. (211) 191)

Ammonia synthesis

Ammonia synthesis on graphitic-nanofilament supported Ru catalysts (Li, Z. (211) 103)

Antimony

An inexpensive and simple process for the preparation of antimony(III) and bismuth(III) triflates (Peyronneau, M. (211) 89)

Aromatization

Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana-zirconia catalyst. Part II. Theoretical investigations of stabilities of reactant and intermediate structures (Breitkopf, C. (211) 111)

Asymmetric cyclopropanations

Efficient P,N,N-type ligands for Ru(II)-catalyzed asymmetric cyclopropanations (Dai, H. (211) 17)

Base catalysis

Role of substrate's electrophilicity in base catalysis by zeolites: alkylation of acetonitrile with methanol (Sooknoi, T. (211) 155)

Baylis–Hillman reaction

The DABCO-catalysed Baylis–Hillman reactions in the chloroaluminate room temperature ionic liquids: rate promoting and recyclable media (Kumar, A. (211) 43)

Benzaldehyde

Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)

Benzene

Bimetallic Ru-(Cr, Ni, or Cu) and La-(Co or Mn) incorporated MCM-41 molecular sieves as catalysts for oxidation of aromatic hydrocarbons (Părvulescu, V. (211) 143)

Benzyl alcohol

Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)

Bimetallic modification

Bimetallic Ru-(Cr, Ni, or Cu) and La-(Co or Mn) incorporated MCM-41 molecular sieves as catalysts for oxidation of aromatic hydrocarbons (Părvulescu, V. (211) 143)

BINAP

Enantioselective hydrogenation of tiglic acid in methanol and in dense carbon dioxide catalyzed by a ruthenium–BINAP complex substituted with OCF₃ groups (Dong, X. (211) 73)

Biphasic

Biphasic catalysis for a selective oxo–Mannich tandem synthesis of methacrolein (Deshpande, R.M. (211) 49)

Biphasic catalysis

Hydroformylation of 1-hexene catalyzed by water soluble CoCl₂(TPPTS)₂ in biphasic medium (Parmar, D.U. (211) 83)

2,6-Bis(imino)pyridyl ligand

A new iron catalyst for ethylene polymerization (Paulino, I.S. (211) 55)

Bismuth

An inexpensive and simple process for the preparation of antimony(III) and bismuth(III) triflates (Peyronneau, M. (211) 89)

Brønsted acid site

Acidic property of modified ultra stable Y zeolite: increase in catalytic activity for alkane cracking by treatment with ethylenediaminetetraacetic acid salt (Katada, N. (211) 119)

t-Butyl acetate

A comparative study on the catalytic activity of Zn and Fe containing Al-MCM-41 molecular sieves on *t*-butylation of phenol (Savidha, R. (211) 165)

4-*t*-Butyl phenol

A comparative study on the catalytic activity of Zn and Fe containing Al-MCM-41 molecular sieves on *t*-butylation of phenol (Savidha, R. (211) 165)

t-Butylation

A comparative study on the catalytic activity of Zn and Fe containing Al-MCM-41 molecular sieves on *t*-butylation of phenol (Savidha, R. (211) 165)

tert-Butyl hydroperoxide

New dioxomolybdenum(VI) complexes of tetradentate Schiff base as catalysts for epoxidation of olefins (Ambroziak, K. (211) 9)

Caesium

Role of substrate's electrophilicity in base catalysis by zeolites: alkylation of acetonitrile with methanol (Sooknoi, T. (211) 155)

Catalysts

An inexpensive and simple process for the preparation of antimony(III) and bismuth(III) triflates (Peyronneau, M. (211) 89)

Catalytic filamentous carbon

Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)

- CO₂**
Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)
- Co–B**
Liquid phase hydrogenation of crotonaldehyde over Sn-promoted amorphous Co–B catalysts (Pei, Y. (211) 243)
- Cobalt**
Hydroformylation of 1-hexene catalyzed by water soluble CoCl₂(TPPTS)₂ in biphasic medium (Parmar, D.U. (211) 83)
Cobalt–acetato complexes immobilised on PYPA-organomodified silica: a case study of different ways of immobilisation (Pruß, T. (211) 209)
- Conformer analysis**
Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana–zirconia catalyst. Part II. Theoretical investigations of stabilities of reactant and intermediate structures (Breitkopf, C. (211) 111)
- Crotonaldehyde**
Liquid phase hydrogenation of crotonaldehyde over Sn-promoted amorphous Co–B catalysts (Pei, Y. (211) 243)
- Crotyl alcohol**
Liquid phase hydrogenation of crotonaldehyde over Sn-promoted amorphous Co–B catalysts (Pei, Y. (211) 243)
- Cyclic voltammetry**
Study of the catalytic species metallocene/MAO and metallocene/TMA by cyclic voltammetry (Costa, F.G. (211) 67)
- Cyclohexene hydroformylation**
Effects of supported donor ligands on the activity and stability of tethered rhodium complex catalysts for hydroformylation (Huang, L. (211) 23)
- DABCO**
The DABCO-catalysed Baylis–Hillman reactions in the chloroaluminate room temperature ionic liquids: rate promoting and recyclable media (Kumar, A. (211) 43)
- Dawson-type structure**
Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)
- De-*tert*-butylation of 2,6-di-*tert*-butyl-4-methylphenol**
Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)
- Diamond catalysis**
Direct formation of formaldehyde from methane and carbon dioxide over vanadium oxide catalysts (Shimamura, T. (211) 97)
- 4,6-Dimethyldibenzothiophene**
Acid–base properties of NiW/Al₂O₃ sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)
- Dioxomolybdenum complex**
Chiral dioxomolybdenum(VI) and oxovanadium(V) complexes anchored on modified USY-zeolite and mesoporous MCM-41 as solid selective catalysts for oxidation of sulfides to sulfoxides or sulfones (Fuerte, A. (211) 227)
- Dioxomolybdenum(VI) complexes of tetradentate Schiff bases**
New dioxomolybdenum(VI) complexes of tetradentate Schiff base as catalysts for epoxidation of olefins (Ambroziak, K. (211) 9)
- Enantio-differentiating**
Enantio-differentiating hydrogenation of methyl acetoacetate over asymmetrically modified reduced nickel catalysts. The effects of the nickel sources on the enantio-differentiating ability (Osawa, T. (211) 93)
- Epoxidation**
New dioxomolybdenum(VI) complexes of tetradentate Schiff base as catalysts for epoxidation of olefins (Ambroziak, K. (211) 9)
- ESR**
Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)
- Ethylene**
Study of the catalytic species metallocene/MAO and metallocene/TMA by cyclic voltammetry (Costa, F.G. (211) 67)
- Ethylene polymerization**
A new iron catalyst for ethylene polymerization (Paulino, I.S. (211) 55)
- Ethylenediaminetetraacetic acid treatment**
Acidic property of modified ultra stable Y zeolite: increase in catalytic activity for alkane cracking by treatment with ethylenediaminetetraacetic acid salt (Katada, N. (211) 119)
- Fe–Al–MCM-41 molecular sieves**
A comparative study on the catalytic activity of Zn and Fe containing Al–MCM-41 molecular sieves on *t*-butylation of phenol (Savidha, R. (211) 165)
- Fischer Tropsch reaction**
Physicochemical attributes of oxide supported Mo₂N catalysts synthesised via sulphide nitridation (Lee, Y.J. (211) 191)
- Fluorinated ligands**
Enantioselective hydrogenation of tiglic acid in methanol and in dense carbon dioxide catalyzed by a ruthenium–BINAP complex substituted with OCF₃ groups (Dong, X. (211) 73)
- Fluorine**
Decomposition of nonafluoropentanoic acid by heteropolyacid photocatalyst H₃PW₁₂O₄₀ in aqueous solution (Hori, H. (211) 35)
- Formaldehyde**
Direct formation of formaldehyde from methane and carbon dioxide over vanadium oxide catalysts (Shimamura, T. (211) 97)
- Functional gel-type resin**
Generation of a silica skeleton inside of gel-type functional resins supporting catalytically active palladium nanoclusters (Corain, B. (211) 237)
- Graphitic-nanofilaments**
Ammonia synthesis on graphitic-nanofilament supported Ru catalysts (Li, Z. (211) 103)
- Heck reaction**
Heterogeneous Heck reaction catalyzed by a series of amine–palladium(0) complexes (Zhao, S.F. (211) 139)
- Heterogenisation**
Chiral dioxomolybdenum(VI) and oxovanadium(V) complexes anchored on modified USY-zeolite and mesoporous MCM-41 as solid selective catalysts for oxidation of sulfides to sulfoxides or sulfones (Fuerte, A. (211) 227)
- Heteropoly acid**
Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)
- Heteropolyacid**
Decomposition of nonafluoropentanoic acid by heteropolyacid photocatalyst H₃PW₁₂O₄₀ in aqueous solution (Hori, H. (211) 35)
- Hydrodesulfurization**
Acid–base properties of NiW/Al₂O₃ sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)
- Hydroformylation**
Biphasic catalysis for a selective oxo–Mannich tandem synthesis of methacrolein (Deshpande, R.M. (211) 49)
Hydroformylation of 1-hexene catalyzed by water soluble CoCl₂(TPPTS)₂ in biphasic medium (Parmar, D.U. (211) 83)
- Hydrogenation**
Enantioselective hydrogenation of tiglic acid in methanol and in dense carbon dioxide catalyzed by a ruthenium–BINAP complex substituted with OCF₃ groups (Dong, X. (211) 73)
Enantio-differentiating hydrogenation of methyl acetoacetate over asymmetrically modified reduced nickel catalysts. The effects of the nickel sources on the enantio-differentiating ability (Osawa, T. (211) 93)

- Acid–base properties of NiW/Al₂O₃ sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)
- Liquid phase hydrogenation of crotonaldehyde over Sn-promoted amorphous Co–B catalysts (Pei, Y. (211) 243)
- Ionic liquid**
- The DABCO-catalysed Baylis–Hillman reactions in the chloroaluminate room temperature ionic liquids: rate promoting and recyclable media (Kumar, A. (211) 43)
- Iron(II) complex**
- A new iron catalyst for ethylene polymerization (Paulino, I.S. (211) 55)
- Isomer**
- Efficient P,N,N-type ligands for Ru(II)-catalyzed asymmetric cyclopropanations (Dai, H. (211) 17)
- Isomerization**
- Acid–base properties of NiW/Al₂O₃ sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)
- Keggin-type structure**
- Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)
- Kinetics**
- Ammonia synthesis on graphitic-nanofilament supported Ru catalysts (Li, Z. (211) 103)
- Lanthanum (oxide)**
- Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)
- Ligand**
- Efficient P,N,N-type ligands for Ru(II)-catalyzed asymmetric cyclopropanations (Dai, H. (211) 17)
- Mannich**
- Biphasic catalysis for a selective oxo–Mannich tandem synthesis of methacrolein (Deshpande, R.M. (211) 49)
- MCM-41 catalysts**
- Bimetallic Ru-(Cr, Ni, or Cu) and La-(Co or Mn) incorporated MCM-41 molecular sieves as catalysts for oxidation of aromatic hydrocarbons (Părvulescu, V. (211) 143)
- Mesoporous materials**
- Bimetallic Ru-(Cr, Ni, or Cu) and La-(Co or Mn) incorporated MCM-41 molecular sieves as catalysts for oxidation of aromatic hydrocarbons (Părvulescu, V. (211) 143)
- Metal catalyst**
- Catalyzed sulfonation of methane to methanesulfonic acid (Mukhopadhyay, S. (211) 59)
- Methacrolein**
- Biphasic catalysis for a selective oxo–Mannich tandem synthesis of methacrolein (Deshpande, R.M. (211) 49)
- Methane**
- Catalyzed sulfonation of methane to methanesulfonic acid (Mukhopadhyay, S. (211) 59)
- Plasma treatment of Ni catalyst via a corona discharge (Li, Z.-H. (211) 149)
- Methanesulfonic acid**
- Catalyzed sulfonation of methane to methanesulfonic acid (Mukhopadhyay, S. (211) 59)
- Methanol**
- Role of substrate's electrophilicity in base catalysis by zeolites: alkylation of acetonitrile with methanol (Sooknoi, T. (211) 155)
- Modified nickel catalyst**
- Enantio-differentiating hydrogenation of methyl acetoacetate over asymmetrically modified reduced nickel catalysts. The effects of the nickel sources on the enantio-differentiating ability (Osawa, T. (211) 93)
- Molecular mechanics**
- Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana–zirconia catalyst. Part II. Theoretical investigations of stabilities of reactant and intermediate structures (Breitkopf, C. (211) 111)
- Molecular oxygen**
- Catalyzed sulfonation of methane to methanesulfonic acid (Mukhopadhyay, S. (211) 59)
- Molybdenum nitride**
- Physicochemical attributes of oxide supported Mo₂N catalysts synthesised via sulphide nitridation (Lee, Y.J. (211) 191)
- H-mordenite**
- Catalytic polymerization of *N,N*-diethanol acrylamide with phthalic anhydride in the presence of H-mordenite and Fe-mordenite zeolites (Mohamed, M.M. (211) 199)
- N,N*-Diethanol acrylamide**
- Catalytic polymerization of *N,N*-diethanol acrylamide with phthalic anhydride in the presence of H-mordenite and Fe-mordenite zeolites (Mohamed, M.M. (211) 199)
- NaZSM-5**
- Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)
- Ni**
- Plasma treatment of Ni catalyst via a corona discharge (Li, Z.-H. (211) 149)
- Nickel hydroxide**
- Enantio-differentiating hydrogenation of methyl acetoacetate over asymmetrically modified reduced nickel catalysts. The effects of the nickel sources on the enantio-differentiating ability (Osawa, T. (211) 93)
- Nickel oxide**
- Enantio-differentiating hydrogenation of methyl acetoacetate over asymmetrically modified reduced nickel catalysts. The effects of the nickel sources on the enantio-differentiating ability (Osawa, T. (211) 93)
- NiW/Al₂O₃**
- Acid–base properties of NiW/Al₂O₃ sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)
- Olefins**
- Hydroformylation of 1-hexene catalyzed by water soluble CoCl₂(TPPTS)₂ in biphasic medium (Parmar, D.U. (211) 83)
- Organic silica**
- Heterogeneous Heck reaction catalyzed by a series of amine–palladium(0) complexes (Zhao, S.F. (211) 139)
- Organic synthesis**
- An inexpensive and simple process for the preparation of antimony(III) and bismuth(III) triflates (Peyronneau, M. (211) 89)
- Organic–inorganic nanocomposites**
- Generation of a silica skeleton inside of gel-type functional resins supporting catalytically active palladium nanoclusters (Corain, B. (211) 237)
- Oxidation**
- Bimetallic Ru-(Cr, Ni, or Cu) and La-(Co or Mn) incorporated MCM-41 molecular sieves as catalysts for oxidation of aromatic hydrocarbons (Părvulescu, V. (211) 143)
- Cobalt–acetato complexes immobilised on PYP A-organommodified silica: a case study of different ways of immobilisation (Pruß, T. (211) 209)
- Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)
- Oxidation with CO₂**
- Direct formation of formaldehyde from methane and carbon dioxide over vanadium oxide catalysts (Shimamura, T. (211) 97)

Oxovanadium complex

Chiral dioxomolybdenum(VI) and oxovanadium(V) complexes anchored on modified USY-zeolite and mesoporous MCM-41 as solid selective catalysts for oxidation of sulfides to sulfoxides or sulfones (Fuerte, A. (211) 227)

Palladium complex

Heterogeneous Heck reaction catalyzed by a series of amine-palladium(0) complexes (Zhao, S.F. (211) 139)

Partial oxidation

Plasma treatment of Ni catalyst via a corona discharge (Li, Z.-H. (211) 149)

Perfluorinated acid

Decomposition of nonafluoropentanoic acid by heteropolyacid photocatalyst $H_3PW_{12}O_{40}$ in aqueous solution (Hori, H. (211) 35)

Photocatalyst

Decomposition of nonafluoropentanoic acid by heteropolyacid photocatalyst $H_3PW_{12}O_{40}$ in aqueous solution (Hori, H. (211) 35)

Plasma

Plasma treatment of Ni catalyst via a corona discharge (Li, Z.-H. (211) 149)

Polyesteramide formation

Catalytic polymerization of *N,N*-diethanol acrylamide with phthalic anhydride in the presence of H-mordenite and Fe-mordenite zeolites (Mohamed, M.M. (211) 199)

Polymerization

Study of the catalytic species metallocene/MAO and metallocene/TMA by cyclic voltammetry (Costa, F.G. (211) 67)

Promoter

Ammonia synthesis on graphitic-nanofilament supported Ru catalysts (Li, Z. (211) 103)

Rates

The DABCO-catalysed Baylis-Hillman reactions in the chloroaluminate room temperature ionic liquids: rate promoting and recyclable media (Kumar, A. (211) 43)

Recycling

Chiral dioxomolybdenum(VI) and oxovanadium(V) complexes anchored on modified USY-zeolite and mesoporous MCM-41 as solid selective catalysts for oxidation of sulfides to sulfoxides or sulfones (Fuerte, A. (211) 227)

resin/ Pd^0/SiO_2

Generation of a silica skeleton inside of gel-type functional resins supporting catalytically active palladium nanoclusters (Corain, B. (211) 237)

Rhodium complex

Effects of supported donor ligands on the activity and stability of tethered rhodium complex catalysts for hydroformylation (Huang, L. (211) 23)

Ru

Ammonia synthesis on graphitic-nanofilament supported Ru catalysts (Li, Z. (211) 103)

Silica

Physicochemical attributes of oxide supported Mo_2N catalysts synthesised via sulphide nitridation (Lee, Y.J. (211) 191)

Cobalt-acetato complexes immobilised on PYPA-organomodified silica: a case study of different ways of immobilisation (Pruß, T. (211) 209)

Silica catalysts

Direct formation of formaldehyde from methane and carbon dioxide over vanadium oxide catalysts (Shimamura, T. (211) 97)

 SiO_2

Effects of supported donor ligands on the activity and stability of tethered rhodium complex catalysts for hydroformylation (Huang, L. (211) 23)

Effect of alkali metal added to supported La catalysts on the catalytic activity in the gas-phase catalytic oxidation of benzyl alcohol (Furukawa, M. (211) 219)

Spectroscopic measurements

Catalytic polymerization of *N,N*-diethanol acrylamide with phthalic anhydride in the presence of H-mordenite and Fe-mordenite zeolites (Mohamed, M.M. (211) 199)

Styrene

Bimetallic Ru-(Cr, Ni, or Cu) and La-(Co or Mn) incorporated MCM-41 molecular sieves as catalysts for oxidation of aromatic hydrocarbons (Părvulescu, V. (211) 143)

Sulfide oxidation

Chiral dioxomolybdenum(VI) and oxovanadium(V) complexes anchored on modified USY-zeolite and mesoporous MCM-41 as solid selective catalysts for oxidation of sulfides to sulfoxides or sulfones (Fuerte, A. (211) 227)

Sulfonation

Catalyzed sulfonation of methane to methanesulfonic acid (Mukhopadhyay, S. (211) 59)

Sulfur trioxide

Catalyzed sulfonation of methane to methanesulfonic acid (Mukhopadhyay, S. (211) 59)

Supercritical CO_2

Enantioselective hydrogenation of tiglic acid in methanol and in dense carbon dioxide catalyzed by a ruthenium-BINAP complex substituted with OCF_3 groups (Dong, X. (211) 73)

Supported catalysts

Cobalt-acetato complexes immobilised on PYPA-organomodified silica: a case study of different ways of immobilisation (Pruß, T. (211) 209)

Supported donor ligand

Effects of supported donor ligands on the activity and stability of tethered rhodium complex catalysts for hydroformylation (Huang, L. (211) 23)

Tandem

Biphasic catalysis for a selective oxo-Mannich tandem synthesis of methacrolein (Deshpande, R.M. (211) 49)

Temperature-programmed desorption of ammonia

Acidic property of modified ultra stable Y zeolite: increase in catalytic activity for alkane cracking by treatment with ethylenediaminetetraacetic acid salt (Katada, N. (211) 119)

TEMPOL

Filamentous carbons as a support for heteropoly acid (Timofeeva, M.N. (211) 131)

Tethered catalyst

Effects of supported donor ligands on the activity and stability of tethered rhodium complex catalysts for hydroformylation (Huang, L. (211) 23)

Thiophene

Acid-base properties of NiW/ Al_2O_3 sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)

Tiglic acid

Enantioselective hydrogenation of tiglic acid in methanol and in dense carbon dioxide catalyzed by a ruthenium-BINAP complex substituted with OCF_3 groups (Dong, X. (211) 73)

Tin

Liquid phase hydrogenation of crotonaldehyde over Sn-promoted amorphous Co-B catalysts (Pei, Y. (211) 243)

Titania

Physicochemical attributes of oxide supported Mo_2N catalysts synthesised via sulphide nitridation (Lee, Y.J. (211) 191)

TPPTS

Hydroformylation of 1-hexene catalyzed by water soluble $CoCl_2(TPPTS)_2$ in biphasic medium (Parmar, D.U. (211) 83)

Triflate

An inexpensive and simple process for the preparation of antimony(III) and bismuth(III) triflates (Peyronneau, M. (211) 89)

Ultra stable Y zeolite

Acidic property of modified ultra stable Y zeolite: increase in catalytic activity for alkane cracking by treatment with ethylenediaminetetraacetic acid salt (Katada, N. (211) 119)

Vanadium oxide

Direct formation of formaldehyde from methane and carbon dioxide over vanadium oxide catalysts (Shimamura, T. (211) 97)

Water

Decomposition of nonafluoropentanoic acid by heteropolyacid photocatalyst $H_3PW_{12}O_{40}$ in aqueous solution (Hori, H. (211) 35)

Xylenes

Acid–base properties of NiW/Al₂O₃ sulfided catalysts: relationship with hydrogenation, isomerization and hydrodesulfurization reactions (Zuo, D. (211) 179)

Zeolites

Role of substrate's electrophilicity in base catalysis by zeolites: alkylation of acetonitrile with methanol (Sooknoi, T. (211) 155)

Zirconia

Physicochemical attributes of oxide supported Mo₂N catalysts synthesised via sulphide nitridation (Lee, Y.J. (211) 191)

Zirconocenes

Study of the catalytic species metallocene/MAO and metallocene/TMA by cyclic voltammetry (Costa, F.G. (211) 67)

Zn–Al–MCM-41

A comparative study on the catalytic activity of Zn and Fe containing Al–MCM-41 molecular sieves on *t*-butylation of phenol (Savidha, R. (211) 165)