

Author index

- Afonso, C.A.M., see Rosa, J.N. (214) 161
- Anjaiah, S., Chandrasekhar, S. and Grée, R.
Carbon-Ferrier rearrangements in ionic liquids using $\text{Yb}(\text{OTf})_3$ as catalyst (214) 133
- Basset, J.-M., see Vallée, C. (214) 71
- Bediouï, F., see Gaillon, L. (214) 91
- Beller, M., see Frisch, A.C. (214) 231
- Bouquillon, S., see Ganchegui, B. (214) 65
- Breitenlechner, S., Fleck, M., Müller, T.E. and Suppan, A.
Solid catalysts on the basis of supported ionic liquids and their use in hydroamination reactions (214) 175
- Briel, O., see Frisch, A.C. (214) 231
- Brito, J.L. and Griffe, B.
'Vibrational frequencies of CO adsorbed on silica-supported Mo atoms from density functional calculations': a re-interpretation of results reported by N. López, F. Illas, G. Pacchioni (214) 249
- Cacchi, S., Fabrizi, G. and Goggiamani, A.
The palladium-catalyzed hydroarylation of propargylic alcohols in room temperature ionic liquids (214) 57
- Calò, V., Nacci, A. and Monopoli, A.
Regio- and stereo-selective carbon–carbon bond formation in ionic liquids (214) 45
- Campos-Martin, J.M., see Martos-Calvente, R. (214) 269
- Cao, X., see Zhu, X. (214) 293
- Carrié, D., see Lozano, P. (214) 113
- Casagrande Jr., O.L., see Furlan, L.G. (214) 207
- Chand, S., see Maurya, M.R. (214) 257
- Chandrasekhar, S., see Anjaiah, S. (214) 133
- Chauvin, Y., see Olivier-Bourbigou, H. (214) 9
- Chauvin, Y., see Vallée, C. (214) 71
- Crestini, C., see Saladino, R. (214) 219
- Dai, J., see Howarth, J. (214) 143
- Daniel, T., see Nadaf, R.N. (214) 155
- Das, J., see Wali, A. (214) 253
- De Diego, T., see Lozano, P. (214) 113
- de la Peña O'Shea, V.A., see Martos-Calvente, R. (214) 269
- de Souza, R.F., see Furlan, L.G. (214) 207
- Didillon, B., see Vallée, C. (214) 71
- Dimitrov, L., see Dimitrova, R. (214) 265
- Dimitrova, R., Gunduz, G., Dimitrov, L., Tsioncheva, T., Yialmaz, S. and Urquieta-Gonzalez, E.A.
Acidic sites in beta zeolites in dependence of the preparation methods (214) 265
- Duerr, B.F., see Siedle, A.R. (214) 187
- Dyson, P.J., see Zhao, D. (214) 19
- Faber, K., see Kaftzik, N. (214) 107
- Fabrizi, G., see Cacchi, S. (214) 57
- Fan, L., see Zhang, L. (214) 199
- Feng, X., see Zhu, X. (214) 293
- Fierro, J.L.G., see Martos-Calvente, R. (214) 269
- Fleck, M., see Breitenlechner, S. (214) 175
- Forbes, D.C. and Weaver, K.J.
Brønsted acidic ionic liquids: the dependence on water of the Fischer esterification of acetic acid and ethanol (214) 129
- Formentín, P., García, H. and Leyva, A.
Assessment of the suitability of imidazolium ionic liquids as reaction medium for base-catalysed reactions. Case of Knoevenagel and Claisen-Schmidt reactions (214) 137
- Frisch, A.C., Zapf, A., Briel, O., Kayser, B., Shaikh, N. and Beller, M.
Comparison of palladium carbene and palladium phosphine catalysts for catalytic coupling reactions of aryl halides (214) 231
- Furlan, L.G., Kunrath, F.A., Mauler, R.S., de Souza, R.F. and Casagrande Jr., O.L.
Linear low density polyethylene (LLDPE) from ethylene using $\text{Tp}^{\text{Ms}}\text{NiCl}$ (Tp^{Ms} = hydridotris(3-mesitylpyrazol-1-yl)) and Cp_2ZrCl_2 as a tandem catalyst system (214) 207
- Gaillon, L. and Bediouï, F.
Voltammetric analysis of the catalytic reactivity of electrogenerated $\text{Co}^{\text{I}}\text{-salen}$ with organohalogenated derivatives in an ionic liquid at room temperature (214) 91
- Galland, J.-C., see Vallée, C. (214) 71
- Gambaro, L.A.
Methanol adsorption–oxidation over V_2O_5 —a mass spectrometry study (214) 287
- Ganchegui, B., Bouquillon, S., Hénin, F. and Muzart, J.
Palladium-catalyzed isomerization of (homo-)allylic alcohols in molten tetrabutylammonium bromide, a recyclable system (214) 65
- García, H., see Formentín, P. (214) 137
- Gil Santos, A., see Rosa, J.N. (214) 161
- Goggiamani, A., see Cacchi, S. (214) 57
- Gong, J., see Wang, S. (214) 273
- Grée, R., see Anjaiah, S. (214) 133
- Griffe, B., see Brito, J.L. (214) 249
- Gunduz, G., see Dimitrova, R. (214) 265
- Guo, H., see Wang, S. (214) 273
- Gutiérrez-Puebla, E., see Martos-Calvente, R. (214) 269
- Hagiwara, H., Okabe, T., Hoshi, T. and Suzuki, T.
Catalytic asymmetric 1,4-conjugate addition of unmodified aldehyde in ionic liquid (214) 167
- Hanson, B.E., see Sullivan, J.T. (214) 213
- Hemeon, I. and Singer, R.D.
Recyclable palladium(0)-catalysed silylstannation of terminal alkynes in ionic liquids (214) 33
- Hénin, F.V., see Ganchegui, B. (214) 65
- Hilgers, C., see Wasserscheid, P. (214) 83
- Hoshi, T., see Hagiwara, H. (214) 167
- Howarth, J., James, P. and Dai, J.
An exploration of the catalytic Sakurai reaction in the moisture stable ionic liquids $[\text{bmim}] \text{PF}_6^-$ and $[\text{bmim}] \text{BF}_4^-$ (214) 143
- Huang, J., see Wu, T. (214) 227
- Iborra, J.L., see Lozano, P. (214) 113
- James, P., see Howarth, J. (214) 143

- Johnson, K.E., see Xiao, L. (214) 121
 Jovel, I., see Paetzold, E. (214) 241
- Kaftzik, N., Kroutil, W., Faber, K. and Kragl, U.
 Mandelate racemase activity in ionic liquids: scopes and limitations (214) 107
- Kayser, B., see Frisch, A.C. (214) 231
 Keim, W., see Wasserscheid, P. (214) 83
 Kragl, U., see Kaftzik, N. (214) 107
 Kroutil, W., see Kaftzik, N. (214) 107
 Kunrath, F.A., see Furlan, L.G. (214) 207
- Lahoti, R.J., see Nadaf, R.N. (214) 155
 Laurenczy, G., see Zhao, D. (214) 19
 Leung, P.C., see Siedle, A.R. (214) 187
 Leyva, A., see Formentín, P. (214) 137
 Li, C.-J., see Yang, X.-F. (214) 147
 Li, J., see Zhu, X. (214) 293
 Li, Z. and Xia, C.-G.
 Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (214) 95
- Lozano, P., De Diego, T., Carrié, D., Vaultier, M. and Iborra, J.L.
 Synthesis of glycidyl esters catalyzed by lipases in ionic liquids and supercritical carbon dioxide (214) 113
- Ma, X., see Wang, S. (214) 273
 Martos-Calvente, R., de la Peña O'Shea, V.A., Campos-Martin, J.M., Fierro, J.L.G. and Gutiérrez-Puebla, E.
 Synthesis of bis[N,O-{2'-pyridyl-methanolate}]dioxomolybdenum(VI) epoxidation catalyst and novel crystal structure derived from X-ray diffraction and DFT calculations (214) 269
- Mastrorilli, P., Nobile, C.F., Paolillo, R. and Suranna, G.P.
 Catalytic Pauson-Khand reaction in ionic liquids (214) 103
- Mathews, C.J., Smith, P.J. and Welton, T.
 N-donor complexes of palladium as catalysts for Suzuki cross-coupling reactions in ionic liquids (214) 27
- Mauler, R.S., see Furlan, L.G. (214) 207
 Maurya, M.R., Titinchi, S.J.J. and Chand, S.
 Catalytic activity of chromium(III), iron(III) and bismuth(III) complexes of 1,2-bis(2-hydroxybenzamido)ethane (H_2hybe) encapsulated in zeolite-Y for liquid phase hydroxylation of phenol (214) 257
- Monopoli, A., see Calò, V. (214) 45
 Müller, T.E., see Breitenlechner, S. (214) 175
 Muthukumar Pillai, S., see Wali, A. (214) 253
 Muzart, J., see Ganchegui, B. (214) 65
- Nacci, A., see Calò, V. (214) 45
 Nadaf, R.N., Siddiqui, S.A., Daniel, T., Lahoti, R.J. and Srinivasan, K.V.
 Room temperature ionic liquid promoted regioselective synthesis of 2-aryl benzimidazoles, benzoxazoles and benzthiazoles under ambient conditions (214) 155
- Nait Ajjou, A. and Pinet, J.-L.
 The biphasic transfer hydrogenation of aldehydes and ketones with isopropanol catalyzed by water-soluble rhodium complexes (214) 203
- Neri, V., see Saladino, R. (214) 219
 Newmark, R.A., see Siedle, A.R. (214) 187
 Niccolai, G.P., see Vallée, C. (214) 71
 Nobile, C.F., see Mastrorilli, P. (214) 103
- Oehme, G., see Paetzold, E. (214) 241
 Okabe, T., see Hagiwara, H. (214) 167
 Olivier-Bourbigou, H. and Chauvin, Y.
 Editorial (214) 9
- Paetzold, E., Jovel, I. and Oehme, G.
 Suzuki reactions in aqueous multi-phase systems promoted by supported detergents (214) 241
- Paolillo, R., see Mastrorilli, P. (214) 103
 Patel, A., see Sharma, P. (214) 281
 Pinet, J.-L., see Nait Ajjou, A. (214) 203
- Qian, Y., see Wu, T. (214) 227
- Ravindranathan, M., see Wali, A. (214) 253
 Rosa, J.N., Gil Santos, A. and Afonso, C.A.M.
 Enantioselective addition of alkynes to imines in ionic liquids (214) 161
- Rosso, R.J., see Sullivan, J.T. (214) 213
- Sadula, J., see Sullivan, J.T. (214) 213
 Saladino, R., Neri, V., Crestini, C. and Tagliatesta, P.
 Oxidation of adenine and adenosine derivatives by dimethyldioxirane (DMDO) using halogenated metalloporphyrins as catalysts (214) 219
- Santini, C.C., see Vallée, C. (214) 71
 Scott McIndoe, J., see Zhao, D. (214) 19
 Shaikh, N., see Frisch, A.C. (214) 231
 Sharma, P., Vyas, S. and Patel, A.
 Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (214) 281
- Shen, Z., see Zhang, L. (214) 199
 Siddiqui, S.A., see Nadaf, R.N. (214) 155
 Siedle, A.R., Newmark, R.A., Duerr, B.F. and Leung, P.C.
 Synthesis of unsymmetrical *ansa*-fluorenyl metallocenes (214) 187
- Singer, R.D., see Hèmeon, I. (214) 33
 Smith, P.J., see Mathews, C.J. (214) 27
 Srinivasan, K.V., see Nadaf, R.N. (214) 155
 Sullivan, J.T., Sadula, J., Hanson, B.E. and Rosso, R.J.
 The hydroformylation of 4-penten-1-ol and 3-buten-1-ol in water with HRh(CO)(TPPTS)₃ and the effects of solution ionic strength (214) 213
- Suppan, A., see Breitenlechner, S. (214) 175
 Suranna, G.P., see Mastrorilli, P. (214) 103
 Suzuki, T., see Hagiwara, H. (214) 167
- Tagliatesta, P., see Saladino, R. (214) 219
 Titinchi, S.J.J., see Maurya, M.R. (214) 257
 Treble, R.G., see Xiao, L. (214) 121
 Tsioncheva, T., see Dimitrova, R. (214) 265
- Urquieta-Gonzalez, E.A., see Dimitrova, R. (214) 265
- Valério, C., see Vallée, C. (214) 71
 Vallée, C., Valério, C., Chauvin, Y., Niccolai, G.P., Basset, J.-M., Santini, C.C., Galland, J.-C. and Didillon, B.
 The catalytic isomerization reactions of 2-methyl-3-butenenitrile into 3-pentenenitrile in ionic liquids (214) 71
- Varma, R.S., see Yang, X.-F. (214) 147
 Vaultier, M., see Lozano, P. (214) 113
 Vyas, S., see Sharma, P. (214) 281
- Wali, A., Das, J., Muthukumar Pillai, S. and Ravindranathan, M.
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (214) 253
- Wang, M., see Yang, X.-F. (214) 147
 Wang, S., Ma, X., Guo, H., Gong, J., Yang, X. and Xu, G.
 Characterization and catalytic activity of TiO₂/SiO₂ for transesterification of dimethyl oxalate with phenol (214) 273
- Wasserscheid, P., Hilgers, C. and Keim, W.
 Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (214) 83
- Weaver, K.J., see Forbes, D.C. (214) 129
 Welton, T., see Mathews, C.J. (214) 27
 Wilkes, J.S.
 Properties of ionic liquid solvents for catalysis (214) 11

- Wu, T., Qian, Y. and Huang, J.
Catalytic trimerization of ethylene by half-sandwich titanium complexes bearing a pendant ethereal group (214) 227
- Xia, C.-G., see Li, Z. (214) 95
- Xiao, L., Johnson, K.E. and Treble, R.G.
Alkane cracking, alkene polymerization, and Friedel-Crafts alkylation in liquids containing the acidic anions HX_2^- , $\text{XH}(\text{AlX}_4)^-$, $\text{XH}(\text{Al}_2\text{X}_7)^-$, and Al_2X_7^- (X = chlorine, bromine) (214) 121
- Xu, G., see Wang, S. (214) 273
- Yang, X., see Wang, S. (214) 273
- Yang, X.-F., Wang, M., Varma, R.S. and Li, C.-J.
Ruthenium-catalyzed tandem olefin migration—aldol- and Mannich-type reactions in ionic liquid (214) 147
- Yialmaz, S., see Dimitrova, R. (214) 265
- Yu, C., see Zhang, L. (214) 199
- Yuan, C., see Zhu, X. (214) 293
- Zapf, A., see Frisch, A.C. (214) 231
- Zhang, L., Shen, Z., Yu, C. and Fan, L.
Characteristics and mechanism of L-lactide polymerization by lanthanide 2,6-dimethylaryloxide (214) 199
- Zhao, D., Dyson, P.J., Laurenczy, G. and Scott McIndoe, J.
On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (214) 19
- Zhu, X., Feng, X., Yuan, C., Cao, X. and Li, J.
Photocatalytic degradation of pesticide pyridaben in suspension of TiO_2 : identification of intermediates and degradation pathways (214) 293