

Subject index

Absorption

Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)

Acid beta zeolites

Acidic sites in beta zeolites in dependence of the preparation methods (Dimitrova, R. (214) 265)

Addition

Solid catalysts on the basis of supported ionic liquids and their use in hydroamination reactions (Breitenlechner, S. (214) 175)

Adenine derivatives

Oxidation of adenine and adenosine derivatives by dimethyldioxirane (DMDO) using halogenated metalloporphyrins as catalysts (Saladino, R. (214) 219)

Adenosine derivatives

Oxidation of adenine and adenosine derivatives by dimethyldioxirane (DMDO) using halogenated metalloporphyrins as catalysts (Saladino, R. (214) 219)

Aldehyde

Catalytic asymmetric 1,4-conjugate addition of unmodified aldehyde in ionic liquid (Hagiwara, H. (214) 167)

The biphasic transfer hydrogenation of aldehydes and ketones with isopropanol catalyzed by water-soluble rhodium complexes (Nait Ajjou, A. (214) 203)

Aldol- and Mannich-type reactions

Ruthenium-catalyzed tandem olefin migration—aldol- and Mannich-type reactions in ionic liquid (Yang, X.-F. (214) 147)

Alkynes

Recyclable palladium(0)-catalysed silylstannation of terminal alkynes in ionic liquids (Hemeon, I. (214) 33)

The palladium-catalyzed hydroarylation of propargylic alcohols in room temperature ionic liquids (Cacchi, S. (214) 57)

Allyl coupling

An exploration of the catalytic Sakurai reaction in the moisture stable ionic liquids [bmim]PF₆ and [bmim]BF₄ (Howarth, J. (214) 143)

Amidate ligand

Catalytic activity of chromium(III), iron(III) and bismuth(III) complexes of 1,2-bis(2-hydroxybenzamido)ethane (H₂hybe) encapsulated in zeolite-Y for liquid phase hydroxylation of phenol (Maurya, M.R. (214) 257)

Amines

Solid catalysts on the basis of supported ionic liquids and their use in hydroamination reactions (Breitenlechner, S. (214) 175)

Applied biocatalysis

Synthesis of glycidyl esters catalyzed by lipases in ionic liquids and supercritical carbon dioxide (Lozano, P. (214) 113)

Aqueous

The hydroformylation of 4-penten-1-ol and 3-buten-1-ol in water with HRh(CO)(TPPTS)₃ and the effects of solution ionic strength (Sullivan, J.T. (214) 213)

2-Aryl benzimidazoles

Room temperature ionic liquid promoted regioselective synthesis of 2-aryl benzimidazoles, benzoxazoles and benzthiazoles under ambient conditions (Nadaf, R.N. (214) 155)

Aryl halides

Comparison of palladium carbene and palladium phosphine catalysts for catalytic coupling reactions of aryl halides (Frisch, A.C. (214) 231)

Benzoxazoles

Room temperature ionic liquid promoted regioselective synthesis of 2-aryl benzimidazoles, benzoxazoles and benzthiazoles under ambient conditions (Nadaf, R.N. (214) 155)

Benzoyl chlorides

Room temperature ionic liquid promoted regioselective synthesis of 2-aryl benzimidazoles, benzoxazoles and benzthiazoles under ambient conditions (Nadaf, R.N. (214) 155)

Benzthiazoles

Room temperature ionic liquid promoted regioselective synthesis of 2-aryl benzimidazoles, benzoxazoles and benzthiazoles under ambient conditions (Nadaf, R.N. (214) 155)

Benzyl chloride

Voltammetric analysis of the catalytic reactivity of electrogenerated Co^I-salen with organohalogenated derivatives in an ionic liquid at room temperature (Gaillon, L. (214) 91)

Biphasic catalysis

On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)

The catalytic isomerization reactions of 2-methyl-3-butenitrile into 3-pentenitrile in ionic liquids (Vallée, C. (214) 71)

Biphasic reaction

Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (Wasserscheid, P. (214) 83)

bis[N,O-{2'-pyridyl-methanolate}] dioxomolybdenum(VI)

Synthesis of bis[N,O-{2'-pyridyl-methanolate}]dioxomolybdenum(VI) epoxidation catalyst and novel crystal structure derived from X-ray diffraction and DFT calculations (Martos-Calvente, R. (214) 269)

Bridged fluorenyl metallocenes

Synthesis of unsymmetrical *ansa*-fluorenyl metallocenes (Siedle, A.R. (214) 187)

n-Butanol

Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (Sharma, P. (214) 281)

Carbene ligands

Comparison of palladium carbene and palladium phosphine catalysts for catalytic coupling reactions of aryl halides (Frisch, A.C. (214) 231)

Carbon dioxide fixation

Regio- and stereo-selective carbon-carbon bond formation in ionic liquids (Calò, V. (214) 45)

Carbon-carbon coupling

Suzuki reactions in aqueous multi-phase systems promoted by supported detergents (Paetzold, E. (214) 241)

Carbon-Ferrier rearrangement

Carbon-Ferrier rearrangements in ionic liquids using Yb(OTf)₃ as catalyst (Anjaiah, S. (214) 133)

Catalysis

On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)

- The hydroformylation of 4-penten-1-ol and 3-buten-1-ol in water with $\text{HRh}(\text{CO})(\text{TPPTS})_3$ and the effects of solution ionic strength (Sullivan, J.T. (214) 213)
- Catalyst**
An exploration of the catalytic Sakurai reaction in the moisture stable ionic liquids $[\text{bmim}]\text{PF}_6$ and $[\text{bmim}]\text{BF}_4$ (Howarth, J. (214) 143)
Synthesis of unsymmetrical *ansa*-fluorenyl metallocenes (Siedle, A.R. (214) 187)
Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (Sharma, P. (214) 281)
- Catalyst recycling**
Ruthenium-catalyzed tandem olefin migration—aldol- and Mannich-type reactions in ionic liquid (Yang, X.-F. (214) 147)
- Catalytic activity**
Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (Wasserscheid, P. (214) 83)
- Catechol and hydroquinone formation**
Catalytic activity of chromium(III), iron(III) and bismuth(III) complexes of 1,2-bis(2-hydroxybenzamido)ethane (H_2hybe) encapsulated in zeolite-Y for liquid phase hydroxylation of phenol (Maurya, M.R. (214) 257)
- Characteristics**
Characteristics and mechanism of L-lactide polymerization by lanthanide 2,6-dimethylaryloxide (Zhang, L. (214) 199)
- Chromenes**
The palladium-catalyzed hydroarylation of propargylic alcohols in room temperature ionic liquids (Cacchi, S. (214) 57)
- Clusters**
On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)
- Cobalt**
Catalytic Pauson–Khand reaction in ionic liquids (Mastrorilli, P. (214) 103)
- 1,4-Conjugate addition**
Catalytic asymmetric 1,4-conjugate addition of unmodified aldehyde in ionic liquid (Hagiwara, H. (214) 167)
- Cracking**
Alkane cracking, alkene polymerization, and Friedel–Crafts alkylation in liquids containing the acidic anions HX_2^- , $\text{XH}(\text{AlX}_4)^-$, $\text{XH}(\text{Al}_2\text{X}_7)^-$, and Al_2X_7^- (X = chlorine, bromine) (Xiao, L. (214) 121)
- Cross-coupling reaction**
N-donor complexes of palladium as catalysts for Suzuki cross-coupling reactions in ionic liquids (Mathews, C.J. (214) 27)
- Cyclic voltammogram**
Voltammetric analysis of the catalytic reactivity of electrogenerated Co^{I} -salen with organohalogenated derivatives in an ionic liquid at room temperature (Gaillon, L. (214) 91)
- Cyclocarbonylation**
Catalytic Pauson–Khand reaction in ionic liquids (Mastrorilli, P. (214) 103)
- Cyclohexanol**
Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (Sharma, P. (214) 281)
- Density**
Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- Dichloroacetic acid**
Voltammetric analysis of the catalytic reactivity of electrogenerated Co^{I} -salen with organohalogenated derivatives in an ionic liquid at room temperature (Gaillon, L. (214) 91)
- Dimethyl oxalate**
Characterization and catalytic activity of $\text{TiO}_2/\text{SiO}_2$ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- Dimethyldioxirane**
Oxidation of adenine and adenosine derivatives by dimethyldioxirane (DMDO) using halogenated metalloporphyrins as catalysts (Saladino, R. (214) 219)
- Diphenyl carbonate**
Characterization and catalytic activity of $\text{TiO}_2/\text{SiO}_2$ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- Diphenyl oxalate**
Characterization and catalytic activity of $\text{TiO}_2/\text{SiO}_2$ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- 2,5-Di-tert-butylhydroquinone**
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- Dynamic resolution**
Mandelate racemase activity in ionic liquids: scopes and limitations (Kaftzik, N. (214) 107)
- Empirical solvent parameters**
Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- Enantioselective catalysis**
Enantioselective addition of alkynes to imines in ionic liquids (Rosa, J.N. (214) 161)
- Encapsulation**
Catalytic activity of chromium(III), iron(III) and bismuth(III) complexes of 1,2-bis(2-hydroxybenzamido)ethane (H_2hybe) encapsulated in zeolite-Y for liquid phase hydroxylation of phenol (Maurya, M.R. (214) 257)
- Esterification**
Brønsted acidic ionic liquids: the dependence on water of the Fischer esterification of acetic acid and ethanol (Forbes, D.C. (214) 129)
Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (Sharma, P. (214) 281)
- Ethylene**
Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (Wasserscheid, P. (214) 83)
- Ethylene copolymerization**
Linear low density polyethylene (LLDPE) from ethylene using $\text{Tp}^{\text{Ms}}\text{NiCl}$ (Tp^{Ms} = hydridotris(3-mesitylpyrazol-1-yl)) and Cp_2ZrCl_2 as a tandem catalyst system (Furlan, L.G. (214) 207)
- Ethylene trimerization**
Catalytic trimerization of ethylene by half-sandwich titanium complexes bearing a pendant ethereal group (Wu, T. (214) 227)
- Frontier electron density (FED)**
Photocatalytic degradation of pesticide pyridaben in suspension of TiO_2 : identification of intermediates and degradation pathways (Zhu, X. (214) 293)
- GC–MS**
Alkane cracking, alkene polymerization, and Friedel–Crafts alkylation in liquids containing the acidic anions HX_2^- , $\text{XH}(\text{AlX}_4)^-$, $\text{XH}(\text{Al}_2\text{X}_7)^-$, and Al_2X_7^- (X = chlorine, bromine) (Xiao, L. (214) 121)
- Glycal**
Carbon-Ferrier rearrangements in ionic liquids using $\text{Yb}(\text{OTf})_3$ as catalyst (Anjaiah, S. (214) 133)
- Glycidol**
Synthesis of glycidyl esters catalyzed by lipases in ionic liquids and supercritical carbon dioxide (Lozano, P. (214) 113)
- Green chemistry**
Brønsted acidic ionic liquids: the dependence on water of the Fischer esterification of acetic acid and ethanol (Forbes, D.C. (214) 129)
- Haloaluminates**
Alkane cracking, alkene polymerization, and Friedel–Crafts alkylation in liquids containing the acidic anions HX_2^- , $\text{XH}(\text{AlX}_4)^-$, $\text{XH}(\text{Al}_2\text{X}_7)^-$, and Al_2X_7^- (X = chlorine, bromine) (Xiao, L. (214) 121)
- Halohydrogenates**
Alkane cracking, alkene polymerization, and Friedel–Crafts alkylation in liquids containing the acidic anions HX_2^- , $\text{XH}(\text{AlX}_4)^-$, $\text{XH}(\text{Al}_2\text{X}_7)^-$, and Al_2X_7^- (X = chlorine, bromine) (Xiao, L. (214) 121)

- Heat capacity
Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- Heck reaction
Regio- and stereo-selective carbon–carbon bond formation in ionic liquids (Calò, V. (214) 45)
- Hemilabile ligand
Catalytic trimerization of ethylene by half-sandwich titanium complexes bearing a pendant ethereal group (Wu, T. (214) 227)
- High-pressure NMR spectroscopy
On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)
- H-MCM-41
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- (Homo-)allylic alcohols
Palladium-catalyzed isomerization of (homo-)allylic alcohols in molten tetrabutylammonium bromide, a recyclable system (Ganchegui, B. (214) 65)
- Homogeneous catalysis
Comparison of palladium carbene and palladium phosphine catalysts for catalytic coupling reactions of aryl halides (Frisch, A.C. (214) 231)
- Hydroarylation
The palladium-catalyzed hydroarylation of propargylic alcohols in room temperature ionic liquids (Cacchi, S. (214) 57)
- Hydroformylation
The hydroformylation of 4-penten-1-ol and 3-buten-1-ol in water with $\text{HRh}(\text{CO})(\text{TPPTS})_3$ and the effects of solution ionic strength (Sullivan, J.T. (214) 213)
- Hydrogenation
On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)
- Imines
Enantioselective addition of alkynes to imines in ionic liquids (Rosa, J.N. (214) 161)
- Immobilized amphiphiles
Suzuki reactions in aqueous multi-phase systems promoted by supported detergents (Paetzold, E. (214) 241)
- Immobilized technologies
Brønsted acidic ionic liquids: the dependence on water of the Fischer esterification of acetic acid and ethanol (Forbes, D.C. (214) 129)
- InCl_3
An exploration of the catalytic Sakurai reaction in the moisture stable ionic liquids $[\text{bmim}]\text{PF}_6$ and $[\text{bmim}]\text{BF}_4$ (Howarth, J. (214) 143)
- Iodobenzene diacetate
The catalytic isomerization reactions of 2-methyl-3-butenitrile into 3-pentenitrile in ionic liquids (Vallée, C. (214) 71)
Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (Li, Z. (214) 95)
Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (Li, Z. (214) 95)
Ruthenium-catalyzed tandem olefin migration—aldol- and Mannich-type reactions in ionic liquid (Yang, X.-F. (214) 147)
Solid catalysts on the basis of supported ionic liquids and their use in hydroamination reactions (Breitenlechner, S. (214) 175)
- Ionic liquids
On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)
N-donor complexes of palladium as catalysts for Suzuki cross-coupling reactions in ionic liquids (Mathews, C.J. (214) 27)
Recyclable palladium(0)-catalyzed silylstannation of terminal alkynes in ionic liquids (Hemeon, I. (214) 33)
Regio- and stereo-selective carbon–carbon bond formation in ionic liquids (Calò, V. (214) 45)
The palladium-catalyzed hydroarylation of propargylic alcohols in room temperature ionic liquids (Cacchi, S. (214) 57)
Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (Wasserscheid, P. (214) 83)
Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (Li, Z. (214) 95)
Catalytic Pauson–Khand reaction in ionic liquids (Mastrorilli, P. (214) 103)
Mandelate racemase activity in ionic liquids: scopes and limitations (Kaftzik, N. (214) 107)
Synthesis of glycidyl esters catalyzed by lipases in ionic liquids and supercritical carbon dioxide (Lozano, P. (214) 113)
Alkane cracking, alkene polymerization, and Friedel–Crafts alkylation in liquids containing the acidic anions HX_2^- , $\text{XH}(\text{AlX}_4)^-$, $\text{XH}(\text{Al}_2\text{X}_7)^-$, and Al_2X_7^- (X = chlorine, bromine) (Xiao, L. (214) 121)
Carbon–Ferrier rearrangements in ionic liquids using $\text{Yb}(\text{OTf})_3$ as catalyst (Anjaiah, S. (214) 133)
An exploration of the catalytic Sakurai reaction in the moisture stable ionic liquids $[\text{bmim}]\text{PF}_6$ and $[\text{bmim}]\text{BF}_4$ (Howarth, J. (214) 143)
Room temperature ionic liquid promoted regioselective synthesis of 2-aryl benzimidazoles, benzoxazoles and benzthiazoles under ambient conditions (Nadaf, R.N. (214) 155)
Enantioselective addition of alkynes to imines in ionic liquids (Rosa, J.N. (214) 161)
Catalytic asymmetric 1,4-conjugate addition of unmodified aldehyde in ionic liquid (Hagiwara, H. (214) 167)
- Ionic phosphine
The catalytic isomerization reactions of 2-methyl-3-butenitrile into 3-pentenitrile in ionic liquids (Vallée, C. (214) 71)
- Isomerization
Palladium-catalyzed isomerization of (homo-)allylic alcohols in molten tetrabutylammonium bromide, a recyclable system (Ganchegui, B. (214) 65)
- Isomerization of 2-methyl-3-butenitrile
The catalytic isomerization reactions of 2-methyl-3-butenitrile into 3-pentenitrile in ionic liquids (Vallée, C. (214) 71)
- Isopropanol
The biphasic transfer hydrogenation of aldehydes and ketones with isopropanol catalyzed by water-soluble rhodium complexes (Nait Ajjou, A. (214) 203)
- 5-Keto-aldehyde
Catalytic asymmetric 1,4-conjugate addition of unmodified aldehyde in ionic liquid (Hagiwara, H. (214) 167)
- Ketones
The biphasic transfer hydrogenation of aldehydes and ketones with isopropanol catalyzed by water-soluble rhodium complexes (Nait Ajjou, A. (214) 203)
- Kinetics
The hydroformylation of 4-penten-1-ol and 3-buten-1-ol in water with $\text{HRh}(\text{CO})(\text{TPPTS})_3$ and the effects of solution ionic strength (Sullivan, J.T. (214) 213)
- Lanthanide 2,6-dimethylaryloxide
Characteristics and mechanism of L-lactide polymerization by lanthanide 2,6-dimethylaryloxide (Zhang, L. (214) 199)
- Lipases
Synthesis of glycidyl esters catalyzed by lipases in ionic liquids and supercritical carbon dioxide (Lozano, P. (214) 113)
- L-Lactide
Characteristics and mechanism of L-lactide polymerization by lanthanide 2,6-dimethylaryloxide (Zhang, L. (214) 199)

- LLDPE**
Linear low density polyethylene (LLDPE) from ethylene using $\text{Tp}^{\text{Ms}}\text{NiCl}$ (Tp^{Ms} = hydridotris(3-mesitylpyrazol-1-yl)) and Cp_2ZrCl_2 as a tandem catalyst system (Furlan, L.G. (214) 207)
- Mandelate racemase**
Mandelate racemase activity in ionic liquids: scopes and limitations (Kaftzik, N. (214) 107)
- Manganese porphyrin**
Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (Li, Z. (214) 95)
- Mass spectrometry**
Methanol adsorption–oxidation over V_2O_5 —a mass spectrometry study (Gambaro, L.A. (214) 287)
- Mechanism**
Characteristics and mechanism of L-lactide polymerization by lanthanide 2,6-dimethylaryloxide (Zhang, L. (214) 199)
- Mechanisms**
Photocatalytic degradation of pesticide pyridaben in suspension of TiO_2 : identification of intermediates and degradation pathways (Zhu, X. (214) 293)
- Melting and glass transition temperatures**
Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- Mesoporous catalyst**
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- Mesostructured beta seeds**
Acidic sites in beta zeolites in dependence of the preparation methods (Dimitrova, R. (214) 265)
- Metalloporphyrins**
Oxidation of adenine and adenosine derivatives by dimethyldioxirane (DMDO) using halogenated metalloporphyrins as catalysts (Saladino, R. (214) 219)
- Methanol**
Methanol adsorption–oxidation over V_2O_5 —a mass spectrometry study (Gambaro, L.A. (214) 287)
- Methanol conversion**
Acidic sites in beta zeolites in dependence of the preparation methods (Dimitrova, R. (214) 265)
- Methyl phenyl oxalate**
Characterization and catalytic activity of $\text{TiO}_2/\text{SiO}_2$ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- Molten ammonium salt**
Palladium-catalyzed isomerization of (homo-)allylic alcohols in molten tetrabutylammonium bromide, a recyclable system (Ganchevui, B. (214) 65)
- Nanoparticles**
On the catalytic activity of cluster anions in styrene hydrogenation: considerable enhancements in ionic liquids compared to molecular solvents (Zhao, D. (214) 19)
- Neutral alumina**
Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (Sharma, P. (214) 281)
- Nickel**
Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (Wasserscheid, P. (214) 83)
- Nickel and zirconocenes catalysts**
Linear low density polyethylene (LLDPE) from ethylene using $\text{Tp}^{\text{Ms}}\text{NiCl}$ (Tp^{Ms} = hydridotris(3-mesitylpyrazol-1-yl)) and Cp_2ZrCl_2 as a tandem catalyst system (Furlan, L.G. (214) 207)
- 1-Octene**
Synthesis of bis[N,O-{2'-pyridyl-methanolate}]dioxomolybdenum(VI) epoxidation catalyst and novel crystal structure derived from X-ray diffraction and DFT calculations (Martos-Calvente, R. (214) 269)
- Olefin polymerization**
Synthesis of unsymmetrical *ansa*-fluorenyl metallocenes (Siedle, A.R. (214) 187)
- Oligomerization**
Ionic liquids—weakly-coordinating solvents for the biphasic ethylene oligomerization to α -olefins using cationic Ni-complexes (Wasserscheid, P. (214) 83)
- Organocatalyst**
Catalytic asymmetric 1,4-conjugate addition of unmodified aldehyde in ionic liquid (Hagiwara, H. (214) 167)
- Oxidation**
Oxidation of adenine and adenosine derivatives by dimethyldioxirane (DMDO) using halogenated metalloporphyrins as catalysts (Saladino, R. (214) 219)
Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (Li, Z. (214) 95)
- Oxidation of phenol**
Catalytic activity of chromium(III), iron(III) and bismuth(III) complexes of 1,2-bis(2-hydroxybenzamido)ethane (H_2hybe) encapsulated in zeolite-Y for liquid phase hydroxylation of phenol (Maurya, M.R. (214) 257)
- Palladium**
Recyclable palladium(0)-catalysed silylstannation of terminal alkynes in ionic liquids (Hemeon, I. (214) 33)
The palladium-catalyzed hydroarylation of propargylic alcohols in room temperature ionic liquids (Cacchi, S. (214) 57)
Comparison of palladium carbene and palladium phosphine catalysts for catalytic coupling reactions of aryl halides (Frisch, A.C. (214) 231)
- Palladium imidazole complexes**
N-donor complexes of palladium as catalysts for Suzuki cross-coupling reactions in ionic liquids (Mathews, C.J. (214) 27)
- Palladium-catalysis**
Palladium-catalyzed isomerization of (homo-)allylic alcohols in molten tetrabutylammonium bromide, a recyclable system (Ganchevui, B. (214) 65)
- Pauson–Khand reaction**
Catalytic Pauson–Khand reaction in ionic liquids (Mastrorilli, P. (214) 103)
- Pd-nanoparticles**
Regio- and stereo-selective carbon–carbon bond formation in ionic liquids (Calò, V. (214) 45)
- Phosphine ligands**
Comparison of palladium carbene and palladium phosphine catalysts for catalytic coupling reactions of aryl halides (Frisch, A.C. (214) 231)
- Photocatalysis**
Photocatalytic degradation of pesticide pyridaben in suspension of TiO_2 : identification of intermediates and degradation pathways (Zhu, X. (214) 293)
- Propargylamines**
Enantioselective addition of alkynes to imines in ionic liquids (Rosa, J.N. (214) 161)
- Pyridaben**
Photocatalytic degradation of pesticide pyridaben in suspension of TiO_2 : identification of intermediates and degradation pathways (Zhu, X. (214) 293)
- Recyclable**
Recyclable palladium(0)-catalysed silylstannation of terminal alkynes in ionic liquids (Hemeon, I. (214) 33)
- Recycling**
Palladium-catalyzed isomerization of (homo-)allylic alcohols in molten tetrabutylammonium bromide, a recyclable system (Ganchevui, B. (214) 65)
Enantioselective addition of alkynes to imines in ionic liquids (Rosa, J.N. (214) 161)

- Reuse
 Brønsted acidic ionic liquids: the dependence on water of the Fischer esterification of acetic acid and ethanol (Forbes, D.C. (214) 129)
 Enantioselective addition of alkynes to imines in ionic liquids (Rosa, J.N. (214) 161)
- Ring-opening polymerization
 Characteristics and mechanism of L-lactide polymerization by lanthanide 2,6-dimethylaryloxide (Zhang, L. (214) 199)
- Ruthenium catalyst
 Ruthenium-catalyzed tandem olefin migration—aldol- and Mannich-type reactions in ionic liquid (Yang, X.-F. (214) 147)
- Sakurai
 An exploration of the catalytic Sakurai reaction in the moisture stable ionic liquids [bmim]PF₆ and [bmim]BF₄ (Howarth, J. (214) 143)
- Silylstannanes
 Recyclable palladium(0)-catalysed silylstannylation of terminal alkynes in ionic liquids (Hemeon, I. (214) 33)
- Solventless reaction
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- Stereocontrol
 Regio- and stereo-selective carbon–carbon bond formation in ionic liquids (Calò, V. (214) 45)
- Stopped-flow
 Oxidation of hydrocarbons with iodobenzene diacetate catalyzed by manganese(III) porphyrins in a room temperature ionic liquid (Li, Z. (214) 95)
- Supercritical CO₂
 Synthesis of glycidyl esters catalyzed by lipases in ionic liquids and supercritical carbon dioxide (Lozano, P. (214) 113)
- Supported catalysts
 Solid catalysts on the basis of supported ionic liquids and their use in hydroamination reactions (Breitenlechner, S. (214) 175)
- Surface tension
 Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- Suzuki reaction
 Suzuki reactions in aqueous multi-phase systems promoted by supported detergents (Paetzold, E. (214) 241)
- Tandem catalyst system
 Linear low density polyethylene (LLDPE) from ethylene using Tp^{Ms}NiCl (Tp^{Ms} = hydridotris(3-mesitylpyrazol-1-yl)) and Cp₂ZrCl₂ as a tandem catalyst system (Furlan, L.G. (214) 207)
- Task-specific ionic liquids
 Brønsted acidic ionic liquids: the dependence on water of the Fischer esterification of acetic acid and ethanol (Forbes, D.C. (214) 129)
- tert*-Butylhydroquinone
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- tert*-Butylphenols
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- Thermal conductivity
 Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- Thermal stability
 Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- TiO₂
 Photocatalytic degradation of pesticide pyridaben in suspension of TiO₂: identification of intermediates and degradation pathways (Zhu, X. (214) 293)
- TiO₂/SiO₂
 Characterization and catalytic activity of TiO₂/SiO₂ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- Titanium complexes
 Catalytic trimerization of ethylene by half-sandwich titanium complexes bearing a pendant ethereal group (Wu, T. (214) 227)
- Toxicity
 Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- TPPTS
 The hydroformylation of 4-penten-1-ol and 3-buten-1-ol in water with HRh(CO)(TPPTS)₃ and the effects of solution ionic strength (Sullivan, J.T. (214) 213)
- Trans tert*-butylation
tert-Butylation of hydroquinone with *tert*-butylphenols catalyzed by H-MCM-41 (Wali, A. (214) 253)
- Transesterification
 Characterization and catalytic activity of TiO₂/SiO₂ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- Transfer hydrogenation
 The biphasic transfer hydrogenation of aldehydes and ketones with isopropanol catalyzed by water-soluble rhodium complexes (Nait Ajjou, A. (214) 203)
- 12-Tungstophosphoric acid
 Heteropolyacid supported onto neutral alumina: characterization and esterification of 1° and 2° alcohol (Sharma, P. (214) 281)
- Two-phase catalysis
 Solid catalysts on the basis of supported ionic liquids and their use in hydroamination reactions (Breitenlechner, S. (214) 175)
- Two-phase system
 Suzuki reactions in aqueous multi-phase systems promoted by supported detergents (Paetzold, E. (214) 241)
- Viscosity
 Properties of ionic liquid solvents for catalysis (Wilkes, J.S. (214) 11)
- V₂O₅
 Methanol adsorption–oxidation over V₂O₅—a mass spectrometry study (Gambaro, L.A. (214) 287)
- Water activity
 Mandelate racemase activity in ionic liquids: scopes and limitations (Kaftzik, N. (214) 107)
- Water-soluble catalyst
 The biphasic transfer hydrogenation of aldehydes and ketones with isopropanol catalyzed by water-soluble rhodium complexes (Nait Ajjou, A. (214) 203)
- Water-soluble phosphines
 Suzuki reactions in aqueous multi-phase systems promoted by supported detergents (Paetzold, E. (214) 241)
- Weak Lewis acid sites
 Characterization and catalytic activity of TiO₂/SiO₂ for transesterification of dimethyl oxalate with phenol (Wang, S. (214) 273)
- X-ray diffraction
 Synthesis of bis[N,O-{2'-pyridyl-methanolate}]dioxomolybdenum(VI) epoxidation catalyst and novel crystal structure derived from X-ray diffraction and DFT calculations (Martos-Calvente, R. (214) 269)
- Ytterbium triflate
 Carbon-Ferrier rearrangements in ionic liquids using Yb(OTf)₃ as catalyst (Anjaiah, S. (214) 133)
- Zeolite-Y
 Catalytic activity of chromium(III), iron(III) and bismuth(III) complexes of 1,2-bis(2-hydroxybenzamido)ethane (H₂hybe) encapsulated in zeolite-Y for liquid phase hydroxylation of phenol (Maurya, M.R. (214) 257)