

## Subject index

- Acetic acid**  
Manganese(III) acetate as catalyst for the direct acetylation of alcohols with acetic acid (Gowda, S. (217) 27)
- Acetophenone**  
Side-chain oxidation of ethylbenzene with *tert*-butylhydroperoxide over mesoporous Mn-MCM-41 molecular sieves (Vetrivel, S. (217) 165)
- Acrylic resin**  
An innovative approach to the design of plastic antibodies: molecular imprinting via a non-polar transition state analogue (Busi, E. (217) 31)
- Adsorption**  
New fluorinated carbon support for catalysts (Timofeeva, M.N. (217) 155)  
Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)
- Alkylation of thiols**  
Simple, solvent free syntheses of unsymmetrical sulfides from thiols and alkyl halides using hydrotalcite clays (Vijaikumar, S. (217) 117)
- Alkylation**  
Selective alkylation and disproportionation of ethylbenzene in the presence of other aromatics (Sharanappa, N. (217) 185)
- Alumina**  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Amines**  
Oxidation of secondary and tertiary amines by a solid base catalyst (Choudary, B.M. (217) 81)
- Aromatic hydrocarbons**  
Hydrogen peroxide oxidation of aromatic hydrocarbons by immobilized iron(III) (Monfared, H.H. (217) 161)
- Aryl chloride**  
In situ generated palladium catalysts bearing 1,3-dialkylperimidin-2-ylidene ligands for Suzuki reactions of aryl chlorides (Özdemir, İ. (217) 37)
- Asymmetric reduction**  
The role of acid in accelerating the asymmetric reduction of methyl acetoacetate with BINAP-chloro-(*p*-cymene)-Ru chloride complex (Wolfson, A. (217) 21)
- Asymmetric**  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Benzoyl chloride**  
Friedel–Crafts benzoylation of diphenyl oxide over zirconia supported 12-tungstophosphoric acid (Sawant, D.P. (217) 211)
- Benzoylation**  
Friedel–Crafts benzoylation of diphenyl oxide over zirconia supported 12-tungstophosphoric acid (Sawant, D.P. (217) 211)
- Biginelli reaction**  
In(OTf)<sub>3</sub>-catalysed one-pot synthesis of 3,4-dihydropyrimidin-2(IH)-ones (Ghosh, R. (217) 47)
- BINAP**  
The role of acid in accelerating the asymmetric reduction of methyl acetoacetate with BINAP-chloro-(*p*-cymene)-Ru chloride complex (Wolfson, A. (217) 21)
- Biphasic catalysis**  
Supramolecular calixarene-based catalytic systems in the Wacker-oxidation of higher alkenes (Maksimov, A.L. (217) 59)
- Brønsted acidity**  
New fluorinated carbon support for catalysts (Timofeeva, M.N. (217) 155)
- tert*-Butyl hydroperoxide**  
Epoxidation of cyclohexene catalyzed by transition-metal substituted  $\alpha$ -titanium arsenate using *tert*-butyl hydroperoxide as an oxidant (Khare, S. (217) 51)
- Calixarenes**  
Supramolecular calixarene-based catalytic systems in the Wacker-oxidation of higher alkenes (Maksimov, A.L. (217) 59)
- Catalysis**  
In(OTf)<sub>3</sub>-catalysed one-pot synthesis of 3,4-dihydropyrimidin-2(IH)-ones (Ghosh, R. (217) 47)  
An efficient and selective method for the epoxidation of olefins using urea-hydrogen peroxide and methyltrioxorhenium (VII) (MTO) catalyst with heterocyclic aromatic amines (da Palma Carreiro, E. (217) 69)  
Anionic iron(III) porphyrin immobilized on silanized kaolinite as catalyst for oxidation reactions (Nakagaki, S. (217) 121)
- Catalyst recycling**  
Homogeneously catalysed reduction of carbon dioxide with silanes: a study on solvent and ligand effects and catalyst recycling (Jansen, A. (217) 41)
- Catalyst**  
Selective alkylation and disproportionation of ethylbenzene in the presence of other aromatics (Sharanappa, N. (217) 185)
- Chemisorption**  
Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)
- Cinchonidine**  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Cinnamaldehyde hydrogenation**  
Selective hydrogenation of cinnamaldehyde over Ru/Y zeolite (Hájek, J. (217) 145)
- Cinnamylalcohol**  
Selective hydrogenation of cinnamaldehyde over Ru/Y zeolite (Hájek, J. (217) 145)
- CO<sub>2</sub> activation**  
Homogeneously catalysed reduction of carbon dioxide with silanes: a study on solvent and ligand effects and catalyst recycling (Jansen, A. (217) 41)
- CO<sub>2</sub>**  
Dehydrogenation of ethylbenzene in the presence of CO<sub>2</sub> over catalysts prepared from hydrotalcite-like precursors (Ye, X. (217) 103)
- Cobalt oxide**  
Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)
- Copper(II) macrocycle**  
Zeolite-encapsulation copper(II) complexes with 14-membered hexaaza macrocycles: synthesis, characterization and catalytic activity (Salavati-Niasari, M. (217) 87)

- Cross-coupling  
In situ generated palladium catalysts bearing 1,3-dialkylperimidin-2-ylidene ligands for Suzuki reactions of aryl chlorides (Özdemir, I. (217) 37)
- Cyclohexene  
Epoxidation of cyclohexene catalyzed by transition-metal substituted  $\alpha$ -titanium arsenate using *tert*-butyl hydroperoxide as an oxidant (Khare, S. (217) 51)
- Deactivation  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- Degradation  
Photocatalytic degradation of trichloroethylene in dry and humid atmospheres: role of gas-phase reactions (Amama, P.B. (217) 109)
- Dialkylperimidinium halide  
In situ generated palladium catalysts bearing 1,3-dialkylperimidin-2-ylidene ligands for Suzuki reactions of aryl chlorides (Özdemir, I. (217) 37)
- Diethylbenzene  
Selective alkylation and disproportionation of ethylbenzene in the presence of other aromatics (Sharanappa, N. (217) 185)
- Dihydropyrimidinone  
In(OTf)<sub>3</sub>-catalysed one-pot synthesis of 3,4-dihydropyrimidin-2(1H)-ones (Ghosh, R. (217) 47)
- Dimerisation of cyclohexene  
New fluorinated carbon support for catalysts (Timofeeva, M.N. (217) 155)
- Diphenyl oxide  
Friedel–Crafts benzylation of diphenyl oxide over zirconia supported 12-tungstophosphoric acid (Sawant, D.P. (217) 211)
- Direct acetylation  
Manganese(III) acetate as catalyst for the direct acetylation of alcohols with acetic acid (Gowda, S. (217) 27)
- Disproportionation  
Selective alkylation and disproportionation of ethylbenzene in the presence of other aromatics (Sharanappa, N. (217) 185)
- DRIFTS  
Hydrogenation of hexanal over sulfided Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)
- Enantioselective  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Encapsulation  
Zeolite-encapsulation copper(II) complexes with 14-membered hexaaza macrocycles: synthesis, characterization and catalytic activity (Salavati-Niasari, M. (217) 87)
- Epoxidation  
A convenient preparation of polymer-supported manganese porphyrin and its use as hydrocarbon monooxygenation catalyst (Moghadam, M. (217) 9)  
Epoxidation of cyclohexene catalyzed by transition-metal substituted  $\alpha$ -titanium arsenate using *tert*-butyl hydroperoxide as an oxidant (Khare, S. (217) 51)  
An efficient and selective method for the epoxidation of olefins using urea-hydrogen peroxide and methyltrioxorhenium (VII) (MTO) catalyst with heterocyclic aromatic amines (da Palma Carreiro, E. (217) 69)
- Ethylbenzene dehydrogenation  
Dehydrogenation of ethylbenzene in the presence of CO<sub>2</sub> over catalysts prepared from hydrotalcite-like precursors (Ye, X. (217) 103)
- Ethylbenzene  
Side-chain oxidation of ethylbenzene with *tert*-butylhydroperoxide over mesoporous Mn-MCM-41 molecular sieves (Vetrivel, S. (217) 165)  
Selective alkylation and disproportionation of ethylbenzene in the presence of other aromatics (Sharanappa, N. (217) 185)
- Fluorinated carbon  
New fluorinated carbon support for catalysts (Timofeeva, M.N. (217) 155)
- FTIR  
Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)
- Gas-phase  
Photocatalytic degradation of trichloroethylene in dry and humid atmospheres: role of gas-phase reactions (Amama, P.B. (217) 109)
- Heck vinylation  
Pyridine-derived palladium complexes immobilized on ordered mesoporous silica as catalysts for Heck-type reactions (Horniakova, J. (217) 73)
- Heptane  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- N*-heterocyclic carbene  
In situ generated palladium catalysts bearing 1,3-dialkylperimidin-2-ylidene ligands for Suzuki reactions of aryl chlorides (Özdemir, I. (217) 37)
- Heterogeneous catalysis  
Epoxidation of cyclohexene catalyzed by transition-metal substituted  $\alpha$ -titanium arsenate using *tert*-butyl hydroperoxide as an oxidant (Khare, S. (217) 51)  
Oxidation of secondary and tertiary amines by a solid base catalyst (Choudary, B.M. (217) 81)  
Hydrogen peroxide oxidation of aromatic hydrocarbons by immobilized iron(III) (Monfared, H.H. (217) 161)
- Heterogenized homogeneous catalysts  
Pyridine-derived palladium complexes immobilized on ordered mesoporous silica as catalysts for Heck-type reactions (Horniakova, J. (217) 73)
- Heteropoly acid  
New fluorinated carbon support for catalysts (Timofeeva, M.N. (217) 155)
- Hexaazacyclotetradecane  
Zeolite-encapsulation copper(II) complexes with 14-membered hexaaza macrocycles: synthesis, characterization and catalytic activity (Salavati-Niasari, M. (217) 87)
- Hexanal hydrogenation  
Hydrogenation of hexanal over sulfided Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)
- Humic acids  
Effects of peat humic acids on the catalytic oxidation of pentachlorophenol using metalloporphyrins and metallophthalocyanines (Ris-mayani, S. (217) 13)
- Hydrogen peroxide  
Hydrogen peroxide oxidation of aromatic hydrocarbons by immobilized iron(III) (Monfared, H.H. (217) 161)
- Hydrogenation  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Hydrosilylation  
Homogeneously catalysed reduction of carbon dioxide with silanes: a study on solvent and ligand effects and catalyst recycling (Jansen, A. (217) 41)
- Hydrotalcite  
Simple, solvent free syntheses of unsymmetrical sulfides from thiols and alkyl halides using hydrotalcite clays (Vijaikumar, S. (217) 117)
- Hydrotalcite-like compounds  
Dehydrogenation of ethylbenzene in the presence of CO<sub>2</sub> over catalysts prepared from hydrotalcite-like precursors (Ye, X. (217) 103)
- Hydroxyl groups  
Hydrogenation of hexanal over sulfided Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)

## Hydroxylation

A convenient preparation of polymer-supported manganese porphyrin and its use as hydrocarbon monooxygenation catalyst (Moghadam, M. (217) 9)

## Imprinted polymer

An innovative approach to the design of plastic antibodies: molecular imprinting via a non-polar transition state analogue (Busi, E. (217) 31)

## Indium triflate

In(OTf)<sub>3</sub>-catalysed one-pot synthesis of 3,4-dihydropyrimidin-2(IH)-ones (Ghosh, R. (217) 47)

## Ion exchange

Preparation, characterization and application of a new type of ion exchanger and solid acid zirconium sulfonated oligo-polystyrenylphosphonate-phosphate supported on ZrO<sub>2</sub> (Sui, Y. (217) 133)

## Iron oxide

Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)

## Isatine derivatives, Isatide

Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)

## Kaolinite

Anionic iron(III) porphyrin immobilized on silanized kaolinite as catalyst for oxidation reactions (Nakagaki, S. (217) 121)

## Limonene

Solvent-free liquid-phase autoxidation of monoterpenes catalyzed by sol-gel Co/SiO<sub>2</sub> (Robles-Dutenhefner, P.A. (217) 139)

## Manganese(III) acetate

Manganese(III) acetate as catalyst for the direct acetylation of alcohols with acetic acid (Gowda, S. (217) 27)

## MCM-41

Side-chain oxidation of ethylbenzene with *tert*-butylhydroperoxide over mesoporous Mn-MCM-41 molecular sieves (Vetrivel, S. (217) 165)

## Metallophthalocyanines

Effects of peat humic acids on the catalytic oxidation of pentachlorophenol using metalloporphyrins and metallophthalocyanines (Ris-mayani, S. (217) 13)

## Metalloporphyrins

Effects of peat humic acids on the catalytic oxidation of pentachlorophenol using metalloporphyrins and metallophthalocyanines (Ris-mayani, S. (217) 13)

## Methanol oxidation

Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)

## Methyl acetoacetate

The role of acid in accelerating the asymmetric reduction of methyl acetoacetate with BINAP-chloro-(*p*-cymene)-Ru chloride complex (Wolfson, A. (217) 21)

## Methyltrioxorhenium (VII)

An efficient and selective method for the epoxidation of olefins using urea-hydrogen peroxide and methyltrioxorhenium (VII) (MTO) catalyst with heterocyclic aromatic amines (da Palma Carreiro, E. (217) 69)

## Mg-Al hydrotalcite

Oxidation of secondary and tertiary amines by a solid base catalyst (Choudary, B.M. (217) 81)

## Molecular recognition

Supramolecular calixarene-based catalytic systems in the Wacker-oxidation of higher alkenes (Maksimov, A.L. (217) 59)

## Nanocomposite oxides

Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)

## Nanotubed titanate acid

Effect of annealing temperature on morphology, structure and photocatalytic behavior of nanotubed H<sub>2</sub>Ti<sub>2</sub>O<sub>4</sub>(OH)<sub>2</sub> (Zhang, M. (217) 203)

## Nickel oxide

Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)

## Oligo-polystyrenylphosphonic acid

Preparation, characterization and application of a new type of ion exchanger and solid acid zirconium sulfonated oligo-polystyrenylphosphonate-phosphate supported on ZrO<sub>2</sub> (Sui, Y. (217) 133)

## One-pot template reaction

Zeolite-encapsulation copper(II) complexes with 14-membered hexaaza macrocycles: synthesis, characterization and catalytic activity (Salavati-Niasari, M. (217) 87)

## Ordered mesoporous silica

Pyridine-derived palladium complexes immobilized on ordered mesoporous silica as catalysts for Heck-type reactions (Horniakova, J. (217) 73)

## Oxidation with TBHP

Side-chain oxidation of ethylbenzene with *tert*-butylhydroperoxide over mesoporous Mn-MCM-41 molecular sieves (Vetrivel, S. (217) 165)

## Oxidation

Effects of peat humic acids on the catalytic oxidation of pentachlorophenol using metalloporphyrins and metallophthalocyanines (Ris-mayani, S. (217) 13)

Oxidation of secondary and tertiary amines by a solid base catalyst (Choudary, B.M. (217) 81)

Zeolite-encapsulation copper(II) complexes with 14-membered hexaaza macrocycles: synthesis, characterization and catalytic activity (Salavati-Niasari, M. (217) 87)

Anionic iron(III) porphyrin immobilized on silanized kaolinite as catalyst for oxidation reactions (Nakagaki, S. (217) 121)

Solvent-free liquid-phase autoxidation of monoterpenes catalyzed by sol-gel Co/SiO<sub>2</sub> (Robles-Dutenhefner, P.A. (217) 139)

Hydrogen peroxide oxidation of aromatic hydrocarbons by immobilized iron(III) (Monfared, H.H. (217) 161)

*N*-oxides

Oxidation of secondary and tertiary amines by a solid base catalyst (Choudary, B.M. (217) 81)

## Oxide-based catalysts

Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)

## Palladium catalyst

Pyridine-derived palladium complexes immobilized on ordered mesoporous silica as catalysts for Heck-type reactions (Horniakova, J. (217) 73)

## Palladium-carboimine complex

Pyridine-derived palladium complexes immobilized on ordered mesoporous silica as catalysts for Heck-type reactions (Horniakova, J. (217) 73)

## Pentachlorophenol

Effects of peat humic acids on the catalytic oxidation of pentachlorophenol using metalloporphyrins and metallophthalocyanines (Ris-mayani, S. (217) 13)

 $\alpha$ -Phenylethanol

Side-chain oxidation of ethylbenzene with *tert*-butylhydroperoxide over mesoporous Mn-MCM-41 molecular sieves (Vetrivel, S. (217) 165)

## Phosphines

Homogeneously catalysed reduction of carbon dioxide with silanes: a study on solvent and ligand effects and catalyst recycling (Jansen, A. (217) 41)

## Photocatalysis

Photocatalytic degradation of trichloroethylene in dry and humid atmospheres: role of gas-phase reactions (Amama, P.B. (217) 109)

- Photocatalytic activity  
Effect of annealing temperature on morphology, structure and photocatalytic behavior of nanotubed  $\text{H}_2\text{Ti}_2\text{O}_4(\text{OH})_2$  (Zhang, M. (217) 203)
- Photocatalytic oxidation  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- Photochemical oxidation  
Photocatalytic degradation of trichloroethylene in dry and humid atmospheres: role of gas-phase reactions (Amama, P.B. (217) 109)
- $\alpha$ -Pinene  
Solvent-free liquid-phase autoxidation of monoterpenes catalyzed by sol–gel Co/SiO<sub>2</sub> (Robles-Dutenhefner, P.A. (217) 139)
- $\beta$ -Pinene  
Solvent-free liquid-phase autoxidation of monoterpenes catalyzed by sol–gel Co/SiO<sub>2</sub> (Robles-Dutenhefner, P.A. (217) 139)
- Plastic antibody  
An innovative approach to the design of plastic antibodies: molecular imprinting via a non-polar transition state analogue (Busi, E. (217) 31)
- Platinum  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Porphyrin  
Anionic iron(III) porphyrin immobilized on silanized kaolinite as catalyst for oxidation reactions (Nakagaki, S. (217) 121)
- Reduction  
Enantioselective reduction of isatin derivatives over cinchonidine modified Pt/alumina (Sonderegger, O.J. (217) 93)
- Regeneration  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- Ru/Y catalyst  
Selective hydrogenation of cinnamaldehyde over Ru/Y zeolite (Hájek, J. (217) 145)
- Ruthenium  
Homogeneously catalysed reduction of carbon dioxide with silanes: a study on solvent and ligand effects and catalyst recycling (Jansen, A. (217) 41)
- Silanization  
Anionic iron(III) porphyrin immobilized on silanized kaolinite as catalyst for oxidation reactions (Nakagaki, S. (217) 121)
- Single-electron-trapped oxygen vacancies  
Effect of annealing temperature on morphology, structure and photocatalytic behavior of nanotubed  $\text{H}_2\text{Ti}_2\text{O}_4(\text{OH})_2$  (Zhang, M. (217) 203)
- Sol–gel Co/SiO<sub>2</sub> catalysts  
Solvent-free liquid-phase autoxidation of monoterpenes catalyzed by sol–gel Co/SiO<sub>2</sub> (Robles-Dutenhefner, P.A. (217) 139)
- Solid acid  
Preparation, characterization and application of a new type of ion exchanger and solid acid zirconium sulfonated oligo-polystyrenylphosphonate-phosphate supported on ZrO<sub>2</sub> (Sui, Y. (217) 133)
- Solid base  
Oxidation of secondary and tertiary amines by a solid base catalyst (Choudary, B.M. (217) 81)
- Solvent effect  
Selective hydrogenation of cinnamaldehyde over Ru/Y zeolite (Hájek, J. (217) 145)
- Solvent free synthesis  
Simple, solvent free syntheses of unsymmetrical sulfides from thiols and alkyl halides using hydrotalcite clays (Vijaikumar, S. (217) 117)
- Styrene  
Dehydrogenation of ethylbenzene in the presence of CO<sub>2</sub> over catalysts prepared from hydrotalcite-like precursors (Ye, X. (217) 103)
- Sulfated titania  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- Sulfided Ni–Mo catalysts  
Hydrogenation of hexanal over sulfided Ni–Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)
- Supported metalloporphyrin  
A convenient preparation of polymer-supported manganese porphyrin and its use as hydrocarbon monooxygenation catalyst (Moghadam, M. (217) 9)
- Supramolecular catalysis  
Supramolecular calixarene-based catalytic systems in the Wacker-oxidation of higher alkenes (Maksimov, A.L. (217) 59)
- Surface reactivity  
Surface reactivity of NiO/Co<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite catalysts: interaction with methanol (Natile, M.M. (217) 175)
- Suzuki coupling  
Pyridine-derived palladium complexes immobilized on ordered mesoporous silica as catalysts for Heck-type reactions (Horniakova, J. (217) 73)
- Suzuki  
In situ generated palladium catalysts bearing 1,3-dialkylperimidin-2-ylidene ligands for Suzuki reactions of aryl chlorides (Özdemir, I. (217) 37)
- TEM  
Hydrogenation of hexanal over sulfided Ni–Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)
- TEMPOL  
New fluorinated carbon support for catalysts (Timofeeva, M.N. (217) 155)
- Three component synthesis  
In(OTf)<sub>3</sub>-catalysed one-pot synthesis of 3,4-dihydropyrimidin-2(1H)-ones (Ghosh, R. (217) 47)
- TiO<sub>2</sub>  
Photocatalytic degradation of trichloroethylene in dry and humid atmospheres: role of gas-phase reactions (Amama, P.B. (217) 109)  
Effect of annealing temperature on morphology, structure and photocatalytic behavior of nanotubed  $\text{H}_2\text{Ti}_2\text{O}_4(\text{OH})_2$  (Zhang, M. (217) 203)
- Titania–silica mixed oxide  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- Toluene  
Comparative studies of heterogeneous photocatalytic oxidation of heptane and toluene on pure titania, titania–silica mixed oxides and sulfated titania (Xie, C. (217) 193)
- Transition state analogue  
An innovative approach to the design of plastic antibodies: molecular imprinting via a non-polar transition state analogue (Busi, E. (217) 31)
- Transition state  
An innovative approach to the design of plastic antibodies: molecular imprinting via a non-polar transition state analogue (Busi, E. (217) 31)
- Transition-metal containing cationic exchanger  
Epoxidation of cyclohexene catalyzed by transition-metal substituted  $\alpha$ -titanium arsenate using *tert*-butyl hydroperoxide as an oxidant (Khare, S. (217) 51)
- Trichloroethylene  
Photocatalytic degradation of trichloroethylene in dry and humid atmospheres: role of gas-phase reactions (Amama, P.B. (217) 109)
- 12-Tungstophosphoric acid  
Friedel–Crafts benzylation of diphenyl oxide over zirconia supported 12-tungstophosphoric acid (Sawant, D.P. (217) 211)
- Unsymmetrical sulfides  
Simple, solvent free syntheses of unsymmetrical sulfides from thiols and alkyl halides using hydrotalcite clays (Vijaikumar, S. (217) 117)

## Urea-hydrogen peroxide

An efficient and selective method for the epoxidation of olefins using urea-hydrogen peroxide and methyltrioxorhenium (VII) (MTO) catalyst with heterocyclic aromatic amines (da Palma Carreiro, E. (217) 69)

## Wacker-oxidation

Supramolecular calixarene-based catalytic systems in the Wacker-oxidation of higher alkenes (Maksimov, A.L. (217) 59)

## Water tolerance

Hydrogenation of hexanal over sulfided Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)

## XPS

Hydrogenation of hexanal over sulfided Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)

## XRD

Hydrogenation of hexanal over sulfided Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts (Wang, X. (217) 219)

## Xylene isomers

Selective alkylation and disproportionation of ethylbenzene in the presence of other aromatics (Sharanappa, N. (217) 185)

## Zeolite Y

Zeolite-encapsulation copper(II) complexes with 14-membered hexaaza macrocycles: synthesis, characterization and catalytic activity (Salavati-Niasari, M. (217) 87)

## Zirconia

Friedel-Crafts benzoylation of diphenyl oxide over zirconia supported 12-tungstophosphoric acid (Sawant, D.P. (217) 211)

## Zirconium (sulfonated oligo-polystyrenylphosphonate-phosphate)

Preparation, characterization and application of a new type of ion exchanger and solid acid zirconium sulfonated oligo-polystyrenylphosphonate-phosphate supported on ZrO<sub>2</sub> (Sui, Y. (217) 133)

## Zirconium dioxide

Preparation, characterization and application of a new type of ion exchanger and solid acid zirconium sulfonated oligo-polystyrenylphosphonate-phosphate supported on ZrO<sub>2</sub> (Sui, Y. (217) 133)