

Subject index

Acetonitrile

Selective epoxidation of cyclohexene to cyclohexene oxide catalyzed by Keggin-type heteropoly compounds using anhydrous urea–hydrogen peroxide as oxidizing reagent and acetonitrile as the solvent (Ding, Y. (218) 161)

Acetylene

Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethynylidene-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)

Acidity

Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)

Adsorption

Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethynylidene-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)

Alcohols

RuCl₂[*S*-BINAP]-catalyzed synthesis of aldehydes and ketones by dehydrogenation of alcohols (Meijer, R.H. (218) 29)

Aldehydes

Hydroformylation by rhodium catalysts supported on oligomeric arylamides (Cum, G. (218) 211)

Alkanes

Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)

Alkyl hydroperoxides

Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)

Alkylation

Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)

Allyl alcohol

Liquid phase allylation of anisole using TPA/ZrO₂ catalyst (Shanbhag, G.V. (218) 67)

Allylanisole

Liquid phase allylation of anisole using TPA/ZrO₂ catalyst (Shanbhag, G.V. (218) 67)

Allylation

Liquid phase allylation of anisole using TPA/ZrO₂ catalyst (Shanbhag, G.V. (218) 67)

Allylic alkylation

Chiral ferrocene-based phosphine-imine and sulfur-imine ligands for palladium-catalyzed asymmetric allylic alkylation of cycloalkenyl esters (Hu, X. (218) 107)

Alumina oxide

Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)

β-Amino carbonyl compound

Mannich-type reaction in solvent free condition using reusable polyamine catalyst (Palaniappan, S. (218) 47)

Aniline

Zeolite-promoted selective mono-*N*-methylation of aniline with dimethyl carbonate (Esakkidurai, T. (218) 197)

Anisole

Liquid phase allylation of anisole using TPA/ZrO₂ catalyst (Shanbhag, G.V. (218) 67)

Aromatic aldehydes

Efficient Darzens condensation reactions of aromatic aldehydes catalyzed by polystyrene-supported phase-transfer catalyst (Wang, Z. (218) 157)

Aromatic ketone

A new efficient chiral iridium catalyst for asymmetric transfer hydrogenation of ketones (Li, Y.-Y. (218) 153)

Asymmetric dihydroxylation

Development of protocols for the separation of Os catalysts from organic products in the catalytic dihydroxylation of olefins (Köckritz, A. (218) 55)

Asymmetric transfer hydrogenation

A new efficient chiral iridium catalyst for asymmetric transfer hydrogenation of ketones (Li, Y.-Y. (218) 153)

Asymmetric

Chiral ferrocene-based phosphine-imine and sulfur-imine ligands for palladium-catalyzed asymmetric allylic alkylation of cycloalkenyl esters (Hu, X. (218) 107)

Basic oxides

Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)

Basicity

Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)

Bimetallic MoO₃-SnO₂/SiO₂ catalysts

Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)

Biphenyl

Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)

Bis(imino)pyridyl Fe(II) and bis(imino)pyrimidyl Fe(II) complexes

Influence of electronic effect on catalytic activity of bis(imino)pyridyl Fe(II) and bis(imino)pyrimidyl Fe(II) complexes (Zhang, T. (218) 119)

Brønsted acid catalysis

The reusable couple “PTSA/1-alkyl-3-methylimidazolium ionic liquids”: excellent reagents–catalysts for halogenation of fatty diols (Nguyen, H.-P. (218) 41)

tert-Butyl hydroperoxide

Epoxidation of cyclooctene catalyzed by dioxomolybdenum(VI) complexes in ionic liquids (Valente, A.A. (218) 5)

Butylation

Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)

Catalyst activation

Activator effects in metallocene-based alkene polymerisations: unexpectedly strong dependence of catalyst activity on trityl concentration (Song, F. (218) 21)

Catalyst recycling

Development of protocols for the separation of Os catalysts from organic products in the catalytic dihydroxylation of olefins (Köckritz, A. (218) 55)

- Catalyst recycling
Epoxidation of cyclooctene catalyzed by dioxomolybdenum(VI) complexes in ionic liquids (Valente, A.A. (218) 5)
- Catalyst
Investigation of $[\text{Ni}\{\text{Me}_4\text{Bzo}_2[14]\text{janeN}_4\}]\text{Cl}_2$ catalyzed selective hydroxylation of phenol to catechol by H_2O_2 in the homogeneous medium (Abbo, H.S. (218) 125)
- Catalytic dehydrogenations
 $\text{RuCl}_2[\text{S-BINAP}]$ -catalyzed synthesis of aldehydes and ketones by dehydrogenation of alcohols (Meijer, R.H. (218) 29)
- Catechol
Investigation of $[\text{Ni}\{\text{Me}_4\text{Bzo}_2[14]\text{janeN}_4\}]\text{Cl}_2$ catalyzed selective hydroxylation of phenol to catechol by H_2O_2 in the homogeneous medium (Abbo, H.S. (218) 125)
- Chiral alcohol
A new efficient chiral iridium catalyst for asymmetric transfer hydrogenation of ketones (Li, Y.-Y. (218) 153)
- Chiral iridium complex
A new efficient chiral iridium catalyst for asymmetric transfer hydrogenation of ketones (Li, Y.-Y. (218) 153)
- Chiral ligand
A new efficient chiral iridium catalyst for asymmetric transfer hydrogenation of ketones (Li, Y.-Y. (218) 153)
- CO adsorption
The effect of iron on the adsorption properties of CuMnZrO_2 catalysts studied by temperature-programmed desorption and FTIR spectroscopy (Xu, R. (218) 133)
- Cu/ZrO_2 catalyst
The effect of iron on the adsorption properties of CuMnZrO_2 catalysts studied by temperature-programmed desorption and FTIR spectroscopy (Xu, R. (218) 133)
- CuO/TiO_2 and $\text{CuO-ZrO}_2/\text{TiO}_2$ catalysts
Catalytic activities of CuO/TiO_2 and $\text{CuO-ZrO}_2/\text{TiO}_2$ in $\text{NO} + \text{CO}$ reaction (Xiaoyuan, J. (218) 187)
- Cycloalkenyl esters
Chiral ferrocene-based phosphine-imine and sulfur-imine ligands for palladium-catalyzed asymmetric allylic alkylation of cycloalkenyl esters (Hu, X. (218) 107)
- Cyclohexane
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Cyclohexene
Selective epoxidation of cyclohexene to cyclohexene oxide catalyzed by Keggin-type heteropoly compounds using anhydrous urea-hydrogen peroxide as oxidizing reagent and acetonitrile as the solvent (Ding, Y. (218) 161)
- Darzens condensation
Efficient Darzens condensation reactions of aromatic aldehydes catalyzed by polystyrene-supported phase-transfer catalyst (Wang, Z. (218) 157)
- Degenerate
Degenerate propene metathesis on Mo-alkylidene centres of molybdena-alumina catalyst—a DFT study (Handzlik, J. (218) 91)
- DFT
Degenerate propene metathesis on Mo-alkylidene centres of molybdena-alumina catalyst—a DFT study (Handzlik, J. (218) 91)
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Dichloro[(S)-(-)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) catalyst
 $\text{RuCl}_2[\text{S-BINAP}]$ -catalyzed synthesis of aldehydes and ketones by dehydrogenation of alcohols (Meijer, R.H. (218) 29)
- Dihalogenation
The reusable couple "PTSA/1-alkyl-3-methylimidazolium ionic liquids": excellent reagents-catalysts for halogenation of fatty diols (Nguyen, H.-P. (218) 41)
- Dimethyl oxalate
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- 1,3-Dioxane
Wells-Dawson type molybdovanadophosphoric heteropolyacids catalyzed Prins cyclization of alkenes with paraformaldehyde under mild conditions—a facile and efficient method to 1,3-dioxane derivatives (Li, G. (218) 147)
- Dioxomolybdenum(VI) complexes
Epoxidation of cyclooctene catalyzed by dioxomolybdenum(VI) complexes in ionic liquids (Valente, A.A. (218) 5)
- Diphenyl carbonate
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- Diphenyl oxalate
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- DMSO
Liquid phase reaction of 2'-hydroxyacetophenone and benzaldehyde over ZSM-5 catalysts (Saravanamurugan, S. (218) 101)
- DRIFT
The effect of iron on the adsorption properties of CuMnZrO_2 catalysts studied by temperature-programmed desorption and FTIR spectroscopy (Xu, R. (218) 133)
- Enantioselective
Catalytic asymmetric epoxidation of non-functionalised alkenes using polymeric Mn(III) Salen as catalysts and NaOCl as oxidant (Kureshy, R.I. (218) 141)
- Epoxidation
A convenient ruthenium-catalyzed alkene epoxidation with hydrogen peroxide as oxidant (Klawonn, M. (218) 13)
Catalytic asymmetric epoxidation of non-functionalised alkenes using polymeric Mn(III) Salen as catalysts and NaOCl as oxidant (Kureshy, R.I. (218) 141)
Selective epoxidation of cyclohexene to cyclohexene oxide catalyzed by Keggin-type heteropoly compounds using anhydrous urea-hydrogen peroxide as oxidizing reagent and acetonitrile as the solvent (Ding, Y. (218) 161)
V-MCM-41 as selective catalyst for epoxidation of olefins and *trans*-2-hexene-1-ol (Farzaneh, F. (218) 203)
Influence of composition of heteropolyphosphotungstate catalyst on epoxidation of propylene (Li, J. (218) 247)
- Ethane
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Ethylene oligomerization/polymerization
Influence of electronic effect on catalytic activity of bis(imino)pyridyl Fe(II) and bis(imino)pyrimidyl Fe(II) complexes (Zhang, T. (218) 119)
- Ethylene
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Ethylidene
Degenerate propene metathesis on Mo-alkylidene centres of molybdena-alumina catalyst—a DFT study (Handzlik, J. (218) 91)
- Ethylidyne
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)

- Fatty alcohols
The reusable couple “PTSA/1-alkyl-3-methylimidazolium ionic liquids”: excellent reagents–catalysts for halogenation of fatty diols (Nguyen, H.-P. (218) 41)
- Faujasite zeolites
Zeolite-promoted selective mono-*N*-methylation of aniline with dimethyl carbonate (Esakkidurai, T. (218) 197)
- Ferrocene
Chiral ferrocene-based phosphine-imine and sulfur-imine ligands for palladium-catalyzed asymmetric allylic alkylation of cycloalkenyl esters (Hu, X. (218) 107)
- Flavanone
Liquid phase reaction of 2'-hydroxyacetophenone and benzaldehyde over ZSM-5 catalysts (Saravanamurugan, S. (218) 101)
- Gaussian
Degenerate propene metathesis on Mo-alkylidene centres of molybdena–alumina catalyst—a DFT study (Handzlik, J. (218) 91)
- n-Heptane
Ni–Pt loaded silicoaluminophosphate molecular sieves for hydroisomerisation of n-heptane (Eswaramoorthi, I. (218) 229)
- Heteropoly acid
Liquid phase allylation of anisole using TPA/ZrO₂ catalyst (Shanbhag, G.V. (218) 67)
- Heteropolyphosphatungstate
Influence of composition of heteropolyphosphatungstate catalyst on epoxidation of propylene (Li, J. (218) 247)
- trans*-2-Hexene-1-ol
V-MCM-41 as selective catalyst for epoxidation of olefins and *trans*-2-hexene-1-ol (Farzaneh, F. (218) 203)
- Higher alcohols synthesis
The effect of iron on the adsorption properties of CuMnZrO₂ catalysts studied by temperature-programmed desorption and FTIR spectroscopy (Xu, R. (218) 133)
- Homogeneous catalysis
A convenient ruthenium-catalyzed alkene epoxidation with hydrogen peroxide as oxidant (Klawonn, M. (218) 13)
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Hydride acceptors
RuCl₂[S-BINAP]-catalyzed synthesis of aldehydes and ketones by dehydrogenation of alcohols (Meijer, R.H. (218) 29)
- Hydroformylation
Hydroformylation by rhodium catalysts supported on oligomeric arylamides (Cum, G. (218) 211)
- Hydrogen peroxide
A convenient ruthenium-catalyzed alkene epoxidation with hydrogen peroxide as oxidant (Klawonn, M. (218) 13)
- Hydrogen
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Hydrogenation
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Hydroisomerisation
Ni–Pt loaded silicoaluminophosphate molecular sieves for hydroisomerisation of n-heptane (Eswaramoorthi, I. (218) 229)
- 2'-Hydroxychalcone
Liquid phase reaction of 2'-hydroxyacetophenone and benzaldehyde over ZSM-5 catalysts (Saravanamurugan, S. (218) 101)
- Ionic liquids
Epoxidation of cyclooctene catalyzed by dioxomolybdenum(VI) complexes in ionic liquids (Valente, A.A. (218) 5)
- The reusable couple “PTSA/1-alkyl-3-methylimidazolium ionic liquids”: excellent reagents–catalysts for halogenation of fatty diols (Nguyen, H.-P. (218) 41)
- Iron effect
The effect of iron on the adsorption properties of CuMnZrO₂ catalysts studied by temperature-programmed desorption and FTIR spectroscopy (Xu, R. (218) 133)
- Isobutane
Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)
- Isobutene
Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)
- Isomerization
Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)
- Keggin-type heteropoly compounds
Selective epoxidation of cyclohexene to cyclohexene oxide catalyzed by Keggin-type heteropoly compounds using anhydrous urea–hydrogen peroxide as oxidizing reagent and acetonitrile as the solvent (Ding, Y. (218) 161)
- Kinetics
Activator effects in metallocene-based alkene polymerisations: unexpectedly strong dependence of catalyst activity on trityl concentration (Song, F. (218) 21)
- Late-transition metal catalyst
Influence of electronic effect on catalytic activity of bis(imino)pyridyl Fe(II) and bis(imino)pyrimidyl Fe(II) complexes (Zhang, T. (218) 119)
- Lateral interactions
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Lewis acid
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- Ligands
RuCl₂[S-BINAP]-catalyzed synthesis of aldehydes and ketones by dehydrogenation of alcohols (Meijer, R.H. (218) 29)
- Magnesia
Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)
- Magnesia-titania
Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)
- Magnesia-zirconia
Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)
- Mannich-type reaction
Mannich-type reaction in solvent free condition using reusable polyaniline catalyst (Palaniappan, S. (218) 47)
- Methane
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Methyl phenyl oxalate
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- Methylidene
Degenerate propene metathesis on Mo-alkylidene centres of molybdena–alumina catalyst—a DFT study (Handzlik, J. (218) 91)

- Mg-ZSM-5**
Liquid phase reaction of 2'-hydroxyacetophenone and benzaldehyde over ZSM-5 catalysts (Saravanamurugan, S. (218) 101)
- Microwaves**
The reusable couple "PTSA/1-alkyl-3-methylimidazolium ionic liquids": excellent reagents-catalysts for halogenation of fatty diols (Nguyen, H.-P. (218) 41)
- Mn(III) Salen**
Catalytic asymmetric epoxidation of non-functionalised alkenes using polymeric Mn(III) Salen as catalysts and NaOCl as oxidant (Kureshy, R.I. (218) 141)
- Molecular mechanics**
Influence of electronic effect on catalytic activity of bis(imino)pyridyl Fe(II) and bis(imino)pyrimidyl Fe(II) complexes (Zhang, T. (218) 119)
- Molybdacyclobutane**
Degenerate propene metathesis on Mo-alkylidene centres of molybdena-alumina catalyst—a DFT study (Handzlik, J. (218) 91)
- Molybdena-alumina**
Degenerate propene metathesis on Mo-alkylidene centres of molybdena-alumina catalyst—a DFT study (Handzlik, J. (218) 91)
- Mono-N-methylation/benzylation**
Zeolite-promoted selective mono-N-methylation of aniline with dimethyl carbonate (Esakkidurai, T. (218) 197)
- N₄-macrocycle**
Investigation of [Ni{Me₄BzO₂[14]aneN₄}]Cl₂ catalyzed selective hydroxylation of phenol to catechol by H₂O₂ in the homogeneous medium (Abbo, H.S. (218) 125)
- Nickel**
Ni-Pt loaded silicoaluminophosphate molecular sieves for hydroisomerisation of n-heptane (Eswaramoorthi, I. (218) 229)
- Nitrobenzene**
Liquid phase reaction of 2'-hydroxyacetophenone and benzaldehyde over ZSM-5 catalysts (Saravanamurugan, S. (218) 101)
- NO + CO reaction**
Catalytic activities of CuO/TiO₂ and CuO-ZrO₂/TiO₂ in NO + CO reaction (Xiaoyuan, J. (218) 187)
- NO-TPD**
Catalytic activities of CuO/TiO₂ and CuO-ZrO₂/TiO₂ in NO + CO reaction (Xiaoyuan, J. (218) 187)
- Non-functionalised alkenes**
Catalytic asymmetric epoxidation of non-functionalised alkenes using polymeric Mn(III) Salen as catalysts and NaOCl as oxidant (Kureshy, R.I. (218) 141)
- Olefin epoxidation**
Epoxidation of cyclooctene catalyzed by dioxomolybdenum(VI) complexes in ionic liquids (Valente, A.A. (218) 5)
- Olefins**
V-MCM-41 as selective catalyst for epoxidation of olefins and *trans*-2-hexene-1-ol (Farzaneh, F. (218) 203)
- Oligo-1,4-phenyleneterephthalamide (OPTA)**
Hydroformylation by rhodium catalysts supported on oligomeric arylamides (Cum, G. (218) 211)
- Oligoamide-supported catalysts**
Hydroformylation by rhodium catalysts supported on oligomeric arylamides (Cum, G. (218) 211)
- OsO₄-chitin catalyst**
Development of protocols for the separation of Os catalysts from organic products in the catalytic dihydroxylation of olefins (Köckritz, A. (218) 55)
- Oxidation**
A convenient ruthenium-catalyzed alkene epoxidation with hydrogen peroxide as oxidant (Klawonn, M. (218) 13)
Investigation of [Ni{Me₄BzO₂[14]aneN₄}]Cl₂ catalyzed selective hydroxylation of phenol to catechol by H₂O₂ in the homogeneous medium (Abbo, H.S. (218) 125)
- Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Oxidative dehydrogenation**
Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)
- Palladium**
Ni-Pt loaded silicoaluminophosphate molecular sieves for hydroisomerisation of n-heptane (Eswaramoorthi, I. (218) 229)
- Paraformaldehyde**
Wells-Dawson type molybdovanadophosphoric heteropolyacids catalyzed Prins cyclization of alkenes with paraformaldehyde under mild conditions—a facile and efficient method to 1,3-dioxane derivatives (Li, G. (218) 147)
- Peroxy acids**
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Peroxyacetic acid**
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Phase-transfer catalyst**
Efficient Darzens condensation reactions of aromatic aldehydes catalyzed by polystyrene-supported phase-transfer catalyst (Wang, Z. (218) 157)
- Phenol**
Investigation of [Ni{Me₄BzO₂[14]aneN₄}]Cl₂ catalyzed selective hydroxylation of phenol to catechol by H₂O₂ in the homogeneous medium (Abbo, H.S. (218) 125)
- Phosphine-imine ligands**
Chiral ferrocene-based phosphine-imine and sulfur-imine ligands for palladium-catalyzed asymmetric allylic alkylation of cycloalkenyl esters (Hu, X. (218) 107)
- Platinum**
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
Ni-Pt loaded silicoaluminophosphate molecular sieves for hydroisomerisation of n-heptane (Eswaramoorthi, I. (218) 229)
- Polyaniline catalyst**
Mannich-type reaction in solvent free condition using reusable polyaniline catalyst (Palaniappan, S. (218) 47)
- Polymeric**
Catalytic asymmetric epoxidation of non-functionalised alkenes using polymeric Mn(III) Salen as catalysts and NaOCl as oxidant (Kureshy, R.I. (218) 141)
- Polystyrene-supported**
Efficient Darzens condensation reactions of aromatic aldehydes catalyzed by polystyrene-supported phase-transfer catalyst (Wang, Z. (218) 157)
- Prins cyclization**
Wells-Dawson type molybdovanadophosphoric heteropolyacids catalyzed Prins cyclization of alkenes with paraformaldehyde under mild conditions—a facile and efficient method to 1,3-dioxane derivatives (Li, G. (218) 147)
- Product separation**
Development of protocols for the separation of Os catalysts from organic products in the catalytic dihydroxylation of olefins (Köckritz, A. (218) 55)
- Promotional effect**
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- Propene metathesis**
Degenerate propene metathesis on Mo-alkylidene centres of molybdena-alumina catalyst—a DFT study (Handzlik, J. (218) 91)

- Propene polymerisation
Activator effects in metallocene-based alkene polymerisations: unexpectedly strong dependence of catalyst activity on trityl concentration (Song, F. (218) 21)
- Propylene
Influence of composition of heteropolyphosphatungstate catalyst on epoxidation of propylene (Li, J. (218) 247)
- PTSA
The reusable couple “PTSA/1-alkyl-3-methylimidazolium ionic liquids”: excellent reagents–catalysts for halogenation of fatty diols (Nguyen, H.-P. (218) 41)
- QEq charge
Influence of electronic effect on catalytic activity of bis(imino)pyridyl Fe(II) and bis(imino)pyrimidyl Fe(II) complexes (Zhang, T. (218) 119)
- Rare-earth metal
Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)
- Reduction potential
Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)
- Reusable catalyst
Mannich-type reaction in solvent free condition using reusable polyaniline catalyst (Palaniappan, S. (218) 47)
- Rhodium
Hydroformylation by rhodium catalysts supported on oligomeric arylamides (Cum, G. (218) 211)
- Ruthenium
A convenient ruthenium-catalyzed alkene epoxidation with hydrogen peroxide as oxidant (Klawonn, M. (218) 13)
- SAPOs
Ni–Pt loaded silicoaluminophosphate molecular sieves for hydroisomerisation of n-heptane (Eswaramoorthi, I. (218) 229)
- Spectator species
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Styrene
Wells–Dawson type molybdovanadophosphoric heteropolyacids catalyzed Prins cyclization of alkenes with paraformaldehyde under mild conditions—a facile and efficient method to 1,3-dioxane derivatives (Li, G. (218) 147)
- Test reaction
Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)
- Thermogravimetric analysis (TGA)
Hydroformylation by rhodium catalysts supported on oligomeric arylamides (Cum, G. (218) 211)
- TPD
The effect of iron on the adsorption properties of CuMnZrO₂ catalysts studied by temperature-programmed desorption and FTIR spectroscopy (Xu, R. (218) 133)
Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)
- Transesterification
Characterization and reactivity of silica-supported bimetallic molybdenum and stannic oxides for the transesterification of dimethyl oxalate with phenol (Ma, X. (218) 253)
- Transition metal
Isobutane oxydehydrogenation on Al₂O₃-supported transition and rare-earth metal oxides (Al-Zahrani, S.M. (218) 179)
- Urea–hydrogen peroxide
Selective epoxidation of cyclohexene to cyclohexene oxide catalyzed by Keggin-type heteropoly compounds using anhydrous urea–hydrogen peroxide as oxidizing reagent and acetonitrile as the solvent (Ding, Y. (218) 161)
- V-MCM-41
V-MCM-41 as selective catalyst for epoxidation of olefins and *trans*-2-hexene-1-ol (Farzaneh, F. (218) 203)
- Vanadium complexes
Oxidation of saturated hydrocarbons with peroxyacetic acid catalyzed by vanadium complexes (Gonzalez Cuervo, L. (218) 171)
- Vinylidene
Density functional theory studies of acetylene hydrogenation on clean, vinylidene- and ethylidyne-covered Pt(1 1 1) surfaces (Podkolzin, S.G. (218) 217)
- Wells–Dawson type molybdovanadophosphoric heteropolyacids
Wells–Dawson type molybdovanadophosphoric heteropolyacids catalyzed Prins cyclization of alkenes with paraformaldehyde under mild conditions—a facile and efficient method to 1,3-dioxane derivatives (Li, G. (218) 147)
- XRF
Development of protocols for the separation of Os catalysts from organic products in the catalytic dihydroxylation of olefins (Köckritz, A. (218) 55)
- Zeolites
Alkylation of biphenyl with *t*-butylalcohol over modified Y zeolites (Anand, R. (218) 241)
- Zirconia
Magnesium-containing mixed oxides as basic catalysts: base characterization by carbon dioxide TPD–MS and test reactions (Aramendía, M.A. (218) 81)
- Zirconocenes
Activator effects in metallocene-based alkene polymerisations: unexpectedly strong dependence of catalyst activity on trityl concentration (Song, F. (218) 21)