

## Subject index

### Acid anhydrides

Acylation cleavage of aziridines with acid anhydrides catalyzed by Scandium triflate (Yadav, J.S. (220) 153)

### Acrylic acid

Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)

### Acrylonitrile

Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)

### Adsorption

A theoretical study on the cyclopropane adsorption onto the copper surfaces by density functional theory and quantum chemical molecular dynamics methods (Wang, X. (220) 189)

Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)

A theoretical study of amines adsorption in HMOR by using ONIOM2 method (Jiang, N. (220) 221)

### Alcohols

Liquid-phase Oppenauer oxidation of primary allylic and benzylic alcohols to corresponding aldehydes by solid zirconia catalysts (Liu, S.H. (220) 267)

### Aldehydes

Liquid-phase Oppenauer oxidation of primary allylic and benzylic alcohols to corresponding aldehydes by solid zirconia catalysts (Liu, S.H. (220) 267)

### Aldol condensation

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)

### Alkane hydroxylation

Perspectives on some challenges and approaches for developing the next generation of selective, low temperature, oxidation catalysts for alkane hydroxylation based on the CH activation reaction (Periana, R.A. (220) 7)

### *n*-Alkane oxidation

Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)

### Alkane oxidation

Selective alkane oxidation: hot and cold approaches to a hot problem (Labinger, J.A. (220) 27)

### Allylic alkylation

Application of chiral dipyritydimethane ligands in the enantioselective palladium-catalyzed allylic alkylation (Chelucci, G. (220) 145)

### Amines

A theoretical study of amines adsorption in HMOR by using ONIOM2 method (Jiang, N. (220) 221)

### $\beta$ -Aminoesters

Acylation cleavage of aziridines with acid anhydrides catalyzed by Scandium triflate (Yadav, J.S. (220) 153)

### Aziridines

Acylation cleavage of aziridines with acid anhydrides catalyzed by Scandium triflate (Yadav, J.S. (220) 153)

### BEA zeolite

Transformation of 5-hydroxymethylene-5H-6,7-dihydrodibenzo[*a,c*]cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)

### Bi

Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)

### Biomimetic oxidation

Selective alkane oxidation: hot and cold approaches to a hot problem (Labinger, J.A. (220) 27)

### *n*-Butane oxidation

Microstructures of V-P-O catalysts derived from VOHPO<sub>4</sub>·0.5H<sub>2</sub>O of different crystallite sizes (Kamiya, Y. (220) 103)

### Carbon dioxide

Ruthenium-catalyzed one-pot hydroformylation of alkenes using carbon dioxide as a reactant (Tominaga, K.-i. (220) 159)

### Carbonylation

Investigation of the effect of carbon monoxide on the oxidative carbonylation of methanol to dimethyl carbonate over Cu<sup>+</sup>X and Cu<sup>+</sup>ZSM-5 zeolites (Anderson, S.A. (220) 247)

### Catalyst design

Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)

### Catalyst performance

Preparation of vanadium phosphate catalysts from VOPO<sub>4</sub>·2H<sub>2</sub>O: effect of VOPO<sub>4</sub>·2H<sub>2</sub>O preparation on catalyst performance (Griesel, L. (220) 113)

### Catalyst support

$\alpha$ -Zirconium phosphonates as new supports for metallocene catalysts (Beck, S. (220) 275)

### Catalysts

Preparation of vanadium phosphate catalysts from VOPO<sub>4</sub>·2H<sub>2</sub>O: effect of VOPO<sub>4</sub>·2H<sub>2</sub>O preparation on catalyst performance (Griesel, L. (220) 113)

$\alpha$ -Zirconium phosphonates as new supports for metallocene catalysts (Beck, S. (220) 275)

### CH activation

Perspectives on some challenges and approaches for developing the next generation of selective, low temperature, oxidation catalysts for alkane hydroxylation based on the CH activation reaction (Periana, R.A. (220) 7)

### Chiral dipyritydimethane

Application of chiral dipyritydimethane ligands in the enantioselective palladium-catalyzed allylic alkylation (Chelucci, G. (220) 145)

### Chiral modification

Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)

### Cinchonidine

Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)

### Coking

Toluene disproportionation and coking on zeolites Y modified with Lewis-connected InO<sup>+</sup> acid sites (Mavrodinova, V. (220) 239)

- Conjugated cyclic keto–enols  
Transformation of 5-hydroxymethylene-5H-6,7-dihydrodibenzo[*a,c*]-cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)
- Copper chromite  
Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)
- Copper surface  
A theoretical study on the cyclopropane adsorption onto the copper surfaces by density functional theory and quantum chemical molecular dynamics methods (Wang, X. (220) 189)
- Copper zeolites  
Investigation of the effect of carbon monoxide on the oxidative carbonylation of methanol to dimethyl carbonate over Cu<sup>+</sup>X and Cu<sup>+</sup>ZSM-5 zeolites (Anderson, S.A. (220) 247)
- Crystallite size  
Microstructures of V-P-O catalysts derived from VOHPO<sub>4</sub>·0.5H<sub>2</sub>O of different crystallite sizes (Kamiya, Y. (220) 103)
- Cycloalkanes  
The oxyfunctionalization of cycloalkanes with dioxygen catalyzed by soluble and supported metalloporphyrins (Połtowicz, J. (220) 43)
- Cyclopropane  
A theoretical study on the cyclopropane adsorption onto the copper surfaces by density functional theory and quantum chemical molecular dynamics methods (Wang, X. (220) 189)
- Density functional theory  
A theoretical study on the cyclopropane adsorption onto the copper surfaces by density functional theory and quantum chemical molecular dynamics methods (Wang, X. (220) 189)
- 10,11-Dihydrocinchonidine  
Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)
- Dihydroxylation of alkenes  
Osmium silsesquioxane as model compound and homogeneous catalyst for the dihydroxylation of alkenes (Pescarmona, P.P. (220) 37)
- Dimethyl carbonate  
Investigation of the effect of carbon monoxide on the oxidative carbonylation of methanol to dimethyl carbonate over Cu<sup>+</sup>X and Cu<sup>+</sup>ZSM-5 zeolites (Anderson, S.A. (220) 247)
- Doping  
Promotion of vanadium phosphate catalysts using gallium compounds: effect of low Ga/V molar ratios (Sartoni, L. (220) 85)
- DRIFTS  
Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)
- Effect of diethylketone  
Phenol oxidation into catechol and hydroquinone over H-MFI, H-MOR, H-USY and H-BEA in the presence of ketone (Atoguchi, T. (220) 183)
- Enantioselectivity  
Application of chiral dipyrridylmethane ligands in the enantioselective palladium-catalyzed allylic alkylation (Chelucci, G. (220) 145)
- ESR  
Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)
- Ethane  
Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)
- Ethene polymerization  
 $\alpha$ -Zirconium phosphonates as new supports for metallocene catalysts (Beck, S. (220) 275)
- Ethylene polymerization  
Modified silicas as supports for single-site zirconocene catalysts (Alonso, C. (220) 285)
- Ethylene  
Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)  
Olefin polymerization by (cyclopentadienyl)(ketimide)titanium(IV) complexes of the type, Cp'TiCl<sub>2</sub>(N=C'Bu<sub>2</sub>)-methylaluminoxane (MAO) catalyst systems (Nomura, K. (220) 133)
- Free radicals  
Selective alkane oxidation: hot and cold approaches to a hot problem (Labinger, J.A. (220) 27)
- FTIR spectroscopy  
Transformation of 5-hydroxymethylene-5H-6,7-dihydrodibenzo[*a,c*]-cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)
- Gallium oxide  
The oxidative dehydrogenation of propane using gallium–molybdenum oxide-based catalysts (Davies, T. (220) 77)
- Gallium  
Promotion of vanadium phosphate catalysts using gallium compounds: effect of low Ga/V molar ratios (Sartoni, L. (220) 85)
- Grafted catalysts  
Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)
- Guerbet reaction  
Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)
- H-BEA  
Phenol oxidation into catechol and hydroquinone over H-MFI, H-MOR, H-USY and H-BEA in the presence of ketone (Atoguchi, T. (220) 183)
- HMOR  
A theoretical study of amines adsorption in HMOR by using ONIOM2 method (Jiang, N. (220) 221)
- Homogeneous catalysis  
Osmium silsesquioxane as model compound and homogeneous catalyst for the dihydroxylation of alkenes (Pescarmona, P.P. (220) 37)  
Olefin polymerization by (cyclopentadienyl)(ketimide)titanium(IV) complexes of the type, Cp'TiCl<sub>2</sub>(N=C'Bu<sub>2</sub>)-methylaluminoxane (MAO) catalyst systems (Nomura, K. (220) 133)  
Ruthenium-catalyzed one-pot hydroformylation of alkenes using carbon dioxide as a reactant (Tominaga, K.-i. (220) 159)
- Hydrocarbon oxidation  
The oxyfunctionalization of cycloalkanes with dioxygen catalyzed by soluble and supported metalloporphyrins (Połtowicz, J. (220) 43)
- Hydrocarbons  
Perspectives on some challenges and approaches for developing the next generation of selective, low temperature, oxidation catalysts for alkane hydroxylation based on the CH activation reaction (Periana, R.A. (220) 7)
- Hydroformylation  
Ruthenium-catalyzed one-pot hydroformylation of alkenes using carbon dioxide as a reactant (Tominaga, K.-i. (220) 159)  
Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1*H*-phosphole) (Bergounhou, C. (220) 167)
- Hydrogenation reaction  
Transformation of 5-hydroxymethylene-5H-6,7-dihydrodibenzo[*a,c*]-cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)
- Hydrogenolysis  
Transformation of 5-hydroxymethylene-5H-6,7-dihydrodibenzo[*a,c*]-cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)

## Hydrogen

Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)

## Hydrotalcite

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)

InO<sup>+</sup> counterions

Toluene disproportionation and coking on zeolites Y modified with Lewis-connected InO<sup>+</sup> acid sites (Mavrodinova, V. (220) 239)

## IR frequency

A theoretical study of amines adsorption in HMOR by using ONIOM2 method (Jiang, N. (220) 221)

## Ironporphyrin

Model reaction related to cytochrome P-450: effect of substitution on the rate of naphthalene oxidation (Khavasi, H.R. (220) 127)

## Isobutyl alcohol

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)

## Isopropanol dehydration

Preparation of TiO<sub>2</sub>–ZrO<sub>2</sub> mixed oxides with controlled acid–basic properties (Manríquez, M.E. (220) 229)

## Kinetics

Model reaction related to cytochrome P-450: effect of substitution on the rate of naphthalene oxidation (Khavasi, H.R. (220) 127)

Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1*H*-phosphole) (Bergounhou, C. (220) 167)

## Large pore zeolites

Phenol oxidation into catechol and hydroquinone over H-MFI, H-MOR, H-USY and H-BEA in the presence of ketone (Atoguchi, T. (220) 183)

## Lewis acidity

Toluene disproportionation and coking on zeolites Y modified with Lewis-connected InO<sup>+</sup> acid sites (Mavrodinova, V. (220) 239)

## Liquid-phase

Liquid-phase Oppenauer oxidation of primary allylic and benzylic alcohols to corresponding aldehydes by solid zirconia catalysts (Liu, S.H. (220) 267)

## Maleic anhydride

Microstructures of V-P-O catalysts derived from VOHPO<sub>4</sub>·0.5H<sub>2</sub>O of different crystallite sizes (Kamiya, Y. (220) 103)

## Mechanism

Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1*H*-phosphole) (Bergounhou, C. (220) 167)

## Metal oxide catalyst

Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)

## Metallocene

Modified silicas as supports for single-site zirconocene catalysts (Alonso, C. (220) 285)

## Metalloporphyrins

The oxyfunctionalization of cycloalkanes with dioxygen catalyzed by soluble and supported metalloporphyrins (Połtowicz, J. (220) 43)

## Methanol

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)

Investigation of the effect of carbon monoxide on the oxidative carbonylation of methanol to dimethyl carbonate over Cu<sup>+</sup>X and Cu<sup>+</sup>ZSM-5 zeolites (Anderson, S.A. (220) 247)

## Mg/Al mixed oxides

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)

## Microstructure

Microstructures of V-P-O catalysts derived from VOHPO<sub>4</sub>·0.5H<sub>2</sub>O of different crystallite sizes (Kamiya, Y. (220) 103)

Olefin polymerization by (cyclopentadienyl)(ketimide)titanium(IV) complexes of the type, Cp<sup>+</sup>TiCl<sub>2</sub>(N=C<sup>+</sup>Bu<sub>2</sub>)-methylaluminoxane (MAO) catalyst systems (Nomura, K. (220) 133)

## Model compound

Osmium silsesquioxane as model compound and homogeneous catalyst for the dihydroxylation of alkenes (Pescarmona, P.P. (220) 37)

## Molybdenum oxide

The oxidative dehydrogenation of propane using gallium–molybdenum oxide-based catalysts (Davies, T. (220) 77)

## Molybdenum

Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)

## Mo

Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)

## MPV reduction

Transformation of 5-hydroxymethylene-5*H*-6,7-dihydrodibenzo[*a,c*]cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)

## Naphthalene derivatives

Model reaction related to cytochrome P-450: effect of substitution on the rate of naphthalene oxidation (Khavasi, H.R. (220) 127)

## Nitrogen heterocycles

Application of chiral dipyrityldimethane ligands in the enantioselective palladium-catalyzed allylic alkylation (Chelucci, G. (220) 145)

## Novel microstructures

Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)

## O

Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)

## ONIOM2

A theoretical study of amines adsorption in HMOR by using ONIOM2 method (Jiang, N. (220) 221)

## Oppenauer oxidation

Liquid-phase Oppenauer oxidation of primary allylic and benzylic alcohols to corresponding aldehydes by solid zirconia catalysts (Liu, S.H. (220) 267)

## Organometallic activation

Selective alkane oxidation: hot and cold approaches to a hot problem (Labinger, J.A. (220) 27)

## Osmium tetroxide

Osmium silsesquioxane as model compound and homogeneous catalyst for the dihydroxylation of alkenes (Pescarmona, P.P. (220) 37)

## Oxidative dehydrogenation

The oxidative dehydrogenation of propane using gallium–molybdenum oxide-based catalysts (Davies, T. (220) 77)

## P

Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)

- Palladium complex**  
Application of chiral dipyrridylmethane ligands in the enantioselective palladium-catalyzed allylic alkylation (Chelucci, G. (220) 145)
- Partial oxidation**  
The oxidative dehydrogenation of propane using gallium–molybdenum oxide-based catalysts (Davies, T. (220) 77)
- Phenol oxidation**  
Phenol oxidation into catechol and hydroquinone over H-MFI, H-MOR, H-USY and H-BEA in the presence of ketone (Atoguchi, T. (220) 183)
- Platinum**  
Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)
- Polymerization**  
Olefin polymerization by (cyclopentadienyl)(ketimide)titanium(IV) complexes of the type, Cp<sup>\*</sup>TiCl<sub>2</sub>(N=C<sup>\*</sup>Bu<sub>2</sub>)-methylaluminoxane (MAO) catalyst systems (Nomura, K. (220) 133)
- Process design**  
Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)
- Propane**  
Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)  
The oxidative dehydrogenation of propane using gallium–molybdenum oxide-based catalysts (Davies, T. (220) 77)
- n*-Propanol**  
Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous copper chromite/Mg–Al mixed oxides catalysts (Carlini, C. (220) 215)
- Propene**  
The oxidative dehydrogenation of propane using gallium–molybdenum oxide-based catalysts (Davies, T. (220) 77)
- Quantum chemical molecular dynamics**  
A theoretical study on the cyclopropane adsorption onto the copper surfaces by density functional theory and quantum chemical molecular dynamics methods (Wang, X. (220) 189)
- Relative rates**  
Model reaction related to cytochrome P-450: effect of substitution on the rate of naphthalene oxidation (Khavasi, H.R. (220) 127)
- Rhodium**  
Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1*H*-phosphole) (Bergounhou, C. (220) 167)
- Ruthenium catalysts**  
Transformation of 5-hydroxymethylene-5H-6,7-dihydrodibenzo[*a,c*]cyclohepten-6-one over Ru-containing BEA zeolites (Coman, S.M. (220) 257)
- Ruthenium**  
Ruthenium-catalyzed one-pot hydroformylation of alkenes using carbon dioxide as a reactant (Tominaga, K.-i. (220) 159)
- Scandium reagents**  
Acylation cleavage of aziridines with acid anhydrides catalyzed by Scandium triflate (Yadav, J.S. (220) 153)
- Selective oxidation**  
Strategy in achieving propane selective oxidation over multi-functional Mo-based oxide catalysts (Vitry, D. (220) 67)
- Selectivity**  
Selective alkane oxidation: hot and cold approaches to a hot problem (Labinger, J.A. (220) 27)
- Silica**  
Modified silicas as supports for single-site zirconocene catalysts (Alonso, C. (220) 285)
- Silica-titania**  
Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)
- Siloxane**  
Modified silicas as supports for single-site zirconocene catalysts (Alonso, C. (220) 285)
- Silsesquioxanes**  
Osmium silsesquioxane as model compound and homogeneous catalyst for the dihydroxylation of alkenes (Pescarmona, P.P. (220) 37)
- SiO<sub>x</sub>/Si substrate**  
TiCl<sub>4</sub>(THF)<sub>2</sub> impregnation on a flat SiO<sub>x</sub>/Si(1 0 0) and on polycrystalline Au foil: determination of surface species using XPS (Ntais, S. (220) 199)
- Styrene**  
Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1*H*-phosphole) (Bergounhou, C. (220) 167)
- Supported metalloporphyrins**  
The oxyfunctionalization of cycloalkanes with dioxygen catalyzed by soluble and supported metalloporphyrins (Połtowicz, J. (220) 43)
- Supported**  
Modified silicas as supports for single-site zirconocene catalysts (Alonso, C. (220) 285)
- Surface species**  
TiCl<sub>4</sub>(THF)<sub>2</sub> impregnation on a flat SiO<sub>x</sub>/Si(1 0 0) and on polycrystalline Au foil: determination of surface species using XPS (Ntais, S. (220) 199)
- Surface-enhanced Raman spectroscopy**  
Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)
- Temperature dependence**  
Surface Raman characterization of cinchonidine-modified polycrystalline platinum in ethanol: effects of temperature and comparison with 10,11-dihydrocinchonidine (LeBlanc, R.J. (220) 207)
- Titania–zirconia acid–base properties**  
Preparation of TiO<sub>2</sub>–ZrO<sub>2</sub> mixed oxides with controlled acid–basic properties (Manríquez, M.E. (220) 229)
- Titania–zirconia ammonia TPD**  
Preparation of TiO<sub>2</sub>–ZrO<sub>2</sub> mixed oxides with controlled acid–basic properties (Manríquez, M.E. (220) 229)
- Titania–zirconia catalysts**  
Preparation of TiO<sub>2</sub>–ZrO<sub>2</sub> mixed oxides with controlled acid–basic properties (Manríquez, M.E. (220) 229)
- Titania–zirconia FTIR**  
Preparation of TiO<sub>2</sub>–ZrO<sub>2</sub> mixed oxides with controlled acid–basic properties (Manríquez, M.E. (220) 229)
- Titania–zirconia sol–gel**  
Preparation of TiO<sub>2</sub>–ZrO<sub>2</sub> mixed oxides with controlled acid–basic properties (Manríquez, M.E. (220) 229)
- Titanium chloride**  
TiCl<sub>4</sub>(THF)<sub>2</sub> impregnation on a flat SiO<sub>x</sub>/Si(1 0 0) and on polycrystalline Au foil: determination of surface species using XPS (Ntais, S. (220) 199)
- Titanium**  
Olefin polymerization by (cyclopentadienyl)(ketimide)titanium(IV) complexes of the type, Cp<sup>\*</sup>TiCl<sub>2</sub>(N=C<sup>\*</sup>Bu<sub>2</sub>)-methylaluminoxane (MAO) catalyst systems (Nomura, K. (220) 133)
- Toluene disproportionation**  
Toluene disproportionation and coking on zeolites Y modified with Lewis-connected InO<sup>+</sup> acid sites (Mavrodinova, V. (220) 239)
- 1,2,5-Triphenyl-1*H*-phosphole**  
Kinetics and mechanism of the hydroformylation of styrene catalysed by the rhodium/TPP system (TPP = 1,2,5-triphenyl-1*H*-phosphole) (Bergounhou, C. (220) 167)

- V
- Novel microstructures and reactivity for *n*-butane oxidation: advances and challenges in vapor phase alkane oxidation catalysis (Kourtakis, K. (220) 93)
  - Vanadium phosphate catalysts
    - Promotion of vanadium phosphate catalysts using gallium compounds: effect of low Ga/V molar ratios (Sartoni, L. (220) 85)
  - Vanadium phosphate
    - Preparation of vanadium phosphate catalysts from VOPO<sub>4</sub>·2H<sub>2</sub>O: effect of VOPO<sub>4</sub>·2H<sub>2</sub>O preparation on catalyst performance (Griesel, L. (220) 113)
  - VOHPO<sub>4</sub>·0.5H<sub>2</sub>O
    - Microstructures of V-P-O catalysts derived from VOHPO<sub>4</sub>·0.5H<sub>2</sub>O of different crystallite sizes (Kamiya, Y. (220) 103)
- XPS
- Effect of chlorine on redox and adsorption characteristics of Mo/Si:Ti catalysts in the oxidative dehydrogenation of ethane (Liu, C. (220) 53)
- X-ray Photoelectron Spectroscopy
- TiCl<sub>4</sub>(THF)<sub>2</sub> impregnation on a flat SiO<sub>2</sub>/Si(1 0 0) and on polycrystalline Au foil: determination of surface species using XPS (Ntais, S. (220) 199)
- XRD-TiO<sub>2</sub>-ZrO<sub>2</sub>
- Preparation of TiO<sub>2</sub>-ZrO<sub>2</sub> mixed oxides with controlled acid-basic properties (Manriquez, M.E. (220) 229)
- Zirconia catalysts
- Liquid-phase Oppenauer oxidation of primary allylic and benzylic alcohols to corresponding aldehydes by solid zirconia catalysts (Liu, S.H. (220) 267)
- Zirconium phosphonate
- α-Zirconium phosphonates as new supports for metallocene catalysts (Beck, S. (220) 275)
- Zirconocenes
- α-Zirconium phosphonates as new supports for metallocene catalysts (Beck, S. (220) 275)