

## Subject index

- Activated carbon fibers  
Preparation of activated carbon fibers supported TiO<sub>2</sub> photocatalyst and evaluation of its photocatalytic reactivity (Fu, P. (221) 81)
- Additive  
The effect of K and Al over NiCo<sub>2</sub>O<sub>4</sub> catalyst on its character and catalytic oxidation of VOCs (Chen, M. (221) 77)
- Agglomerates  
Agglomerated non-porous silica nanoparticles as model carriers in polyethylene synthesis (du Fresne von Hohenesche, C. (221) 185)
- Alkylation  
Vapour phase reaction of phenol with ethyl acetate over MCM-41 molecular sieves (Shanmugapriya, K. (221) 145)
- Al-MCM-41  
Vapour phase reaction of phenol with ethyl acetate over MCM-41 molecular sieves (Shanmugapriya, K. (221) 145)  
Vapour-phase Beckmann rearrangement of cyclohexanone-oxime over Al-MCM-41 type mesostructured catalysts (Forni, L. (221) 97)
- Alumina-supported  
Alumina-supported vanadyl complexes as catalysts for the C–H bond activation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (221) 169)
- Autoreduction  
Auto-reduction of Cu(II) species supported on Al<sub>2</sub>O<sub>3</sub> to Cu(I) by thermovacuum treatment (Amano, F. (221) 89)
- Bentonite  
Selective synthesis of primary methoxypropanol using clay supported tris(2,4-pentanedionato)zirconium(IV) (Permana, Y. (221) 141)
- Benzyl Chloride  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Biginelli reaction  
Silicagel supported sodium hydrogensulfate as a heterogenous catalyst for high yield synthesis of 3,4-dihydropyrimidin-2 (1*H*)-ones (Adharvana Chari, M. (221) 137)
- tert*-Butylation  
Zirconia supported phosphotungstic acid as an efficient catalyst for resorcinol *tert*-butylation and *n*-heptane hydroisomerization (Devassy, B.M. (221) 113)
- $\epsilon$ -Caprolactam  
Vapour-phase Beckmann rearrangement of cyclohexanone-oxime over Al-MCM-41 type mesostructured catalysts (Forni, L. (221) 97)
- Carbohydrate oxidation  
Kinetic studies of carbohydrate oxidation catalyzed by novel isatin–Schiff base copper(II) complexes (Cerchiaro, G. (221) 29)
- Carrier  
Agglomerated non-porous silica nanoparticles as model carriers in polyethylene synthesis (du Fresne von Hohenesche, C. (221) 185)
- Catalysis  
Ethylene polymerization and ethylene/styrene copolymerization with secondary phosphine-pendant and phosphide-pendant complexes of Zr and Hf (Ishiyama, T. (221) 41)
- Kinetic studies of carbohydrate oxidation catalyzed by novel isatin–Schiff base copper(II) complexes (Cerchiaro, G. (221) 29)
- Catalytic combustion  
The effect of K and Al over NiCo<sub>2</sub>O<sub>4</sub> catalyst on its character and catalytic oxidation of VOCs (Chen, M. (221) 77)
- Catalytic cycles  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- Catalytic reduction  
Optical and catalytic properties of Ag<sub>2</sub>S nanoparticles (Kryukov, A.I. (221) 209)
- Ce<sup>4+</sup>–Ce<sup>3+</sup> redox property  
Dehydration of diols catalyzed by CeO<sub>2</sub> (Sato, S. (221) 177)
- CeO<sub>2</sub>  
Dehydration of diols catalyzed by CeO<sub>2</sub> (Sato, S. (221) 177)
- Chloride  
The effect of halide and the coordination geometry of chromium center in homogeneous catalyst system for ethylene trimerization (Luo, H.-K. (221) 9)
- Chromium  
The effect of halide and the coordination geometry of chromium center in homogeneous catalyst system for ethylene trimerization (Luo, H.-K. (221) 9)
- Clay supported catalysts.  
Selective synthesis of primary methoxypropanol using clay supported tris(2,4-pentanedionato)zirconium(IV) (Permana, Y. (221) 141)
- Colloidal silica  
Agglomerated non-porous silica nanoparticles as model carriers in polyethylene synthesis (du Fresne von Hohenesche, C. (221) 185)
- Copper  
Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides. Isolation of a stable supported Mn(V)=O complex, responsible of the catalytic activity (Ayala, V. (221) 201)
- Copper(II) complexes  
Kinetic studies of carbohydrate oxidation catalyzed by novel isatin–Schiff base copper(II) complexes (Cerchiaro, G. (221) 29)
- Cu catalysts  
NCO adsorption over SiO<sub>2</sub> and Cu/SiO<sub>2</sub> cluster models from density functional theory (Ferullo, R.M. (221) 155)
- Cu/SiO<sub>2</sub>  
NCO adsorption over SiO<sub>2</sub> and Cu/SiO<sub>2</sub> cluster models from density functional theory (Ferullo, R.M. (221) 155)
- CuMnZrO<sub>2</sub> catalyst  
Fe-modified CuMnZrO<sub>2</sub> catalysts for higher alcohols synthesis from syngas (Xu, R. (221) 51)
- CuO/Al<sub>2</sub>O<sub>3</sub>  
Auto-reduction of Cu(II) species supported on Al<sub>2</sub>O<sub>3</sub> to Cu(I) by thermovacuum treatment (Amano, F. (221) 89)
- Cu-ZSM-5  
Auto-reduction of Cu(II) species supported on Al<sub>2</sub>O<sub>3</sub> to Cu(I) by thermovacuum treatment (Amano, F. (221) 89)
- $\beta$ -Cyclodextrin  
Synthesis of size controlled Ag nanoparticles (He, B. (221) 121)

- Degradation**  
Preparation of activated carbon fibers supported TiO<sub>2</sub> photocatalyst and evaluation of its photocatalytic reactivity (Fu, P. (221) 81)
- Dehydration**  
Dehydration of diols catalyzed by CeO<sub>2</sub> (Sato, S. (221) 177)
- Dehydrogenation**  
Characterization and reactivity of SnO<sub>2</sub>-doped V<sub>2</sub>O<sub>5</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts in dehydrogenation of isobutane to isobutene (Fu, Y. (221) 163)
- Density functional theory**  
NCO adsorption over SiO<sub>2</sub> and Cu/SiO<sub>2</sub> cluster models from density functional theory (Ferullo, R.M. (221) 155)
- Dihydropyrimidinones**  
Silicagel supported sodium hydrogensulfate as a heterogenous catalyst for high yield synthesis of 3,4-dihydropyrimidin-2 (1*H*)-ones (Adharvana Chari, M. (221) 137)
- Diol**  
Dehydration of diols catalyzed by CeO<sub>2</sub> (Sato, S. (221) 177)
- Electrocatalytic sulfite oxidation**  
Electrocatalytic oxidation of sulfite at polymeric iron tetra (4-amino-phenyl) porphyrin—modified electrode (Lucero, M. (221) 71)
- Ethyl acetate**  
Vapour phase reaction of phenol with ethyl acetate over MCM-41 molecular sieves (Shanmugapriya, K. (221) 145)
- Ethylene**  
The effect of halide and the coordination geometry of chromium center in homogeneous catalyst system for ethylene trimerization (Luo, H.-K. (221) 9)
- 2-Ethylphenol**  
Vapour phase reaction of phenol with ethyl acetate over MCM-41 molecular sieves (Shanmugapriya, K. (221) 145)
- Fluorous biphasic system**  
Separation studies in a continuous flow fluorous biphasic system. Proof of concept (Perperi, E. (221) 19)
- Fragmentation**  
Agglomerated non-porous silica nanoparticles as model carriers in polyethylene synthesis (du Fresne von Hohenesche, C. (221) 185)
- Global and detailed rate equations**  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- Hafnium**  
Ethylene polymerization and ethylene/styrene copolymerization with secondary phosphine-pendant and phosphide-pendant complexes of Zr and Hf (Ishiyama, T. (221) 41)
- n*-Heptane hydroisomerization**  
Zirconia supported phosphotungstic acid as an efficient catalyst for resorcinol *tert*-butylation and *n*-heptane hydroisomerization (Devassy, B.M. (221) 113)
- Heterogeneous catalysis**  
Agglomerated non-porous silica nanoparticles as model carriers in polyethylene synthesis (du Fresne von Hohenesche, C. (221) 185)
- Heterogeneous catalyst**  
Alumina-supported vanadyl complexes as catalysts for the C–H bond activation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (221) 169)
- Heterogenisation**  
Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides. Isolation of a stable supported Mn(V)=O complex, responsible of the catalytic activity (Ayala, V. (221) 201)
- 1-Hexene**  
The effect of halide and the coordination geometry of chromium center in homogeneous catalyst system for ethylene trimerization (Luo, H.-K. (221) 9)
- Higher alcohols synthesis**  
Fe-modified CuMnZrO<sub>2</sub> catalysts for higher alcohols synthesis from syngas (Xu, R. (221) 51)
- Hydroformylation**  
Separation studies in a continuous flow fluorous biphasic system. Proof of concept (Perperi, E. (221) 19)
- Hydrogen production**  
Active Nb<sub>2</sub>O<sub>5</sub>-supported nickel and nickel–copper catalysts for methane decomposition to hydrogen and filamentous carbon (Li, J. (221) 105)
- Hydrogenation**  
Selective hydrogenation of SBS catalyzed by Ru/TPPTS complex in polyether modified ammonium salt ionic liquid (Wei, L. (221) 47)
- Immobilised salen**  
Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides. Isolation of a stable supported Mn(V)=O complex, responsible of the catalytic activity (Ayala, V. (221) 201)
- Intensification of rates**  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Iron promoter**  
Fe-modified CuMnZrO<sub>2</sub> catalysts for higher alcohols synthesis from syngas (Xu, R. (221) 51)
- Isatin**  
Kinetic studies of carbohydrate oxidation catalyzed by novel isatin–Schiff base copper(II) complexes (Cerchiaro, G. (221) 29)
- Isobutane**  
Characterization and reactivity of SnO<sub>2</sub>-doped V<sub>2</sub>O<sub>5</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts in dehydrogenation of isobutane to isobutene (Fu, Y. (221) 163)
- Isobutene**  
Characterization and reactivity of SnO<sub>2</sub>-doped V<sub>2</sub>O<sub>5</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts in dehydrogenation of isobutane to isobutene (Fu, Y. (221) 163)
- Liquid–liquid separation**  
Separation studies in a continuous flow fluorous biphasic system. Proof of concept (Perperi, E. (221) 19)
- Manganese**  
Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides. Isolation of a stable supported Mn(V)=O complex, responsible of the catalytic activity (Ayala, V. (221) 201)
- Metal–support interaction**  
NCO adsorption over SiO<sub>2</sub> and Cu/SiO<sub>2</sub> cluster models from density functional theory (Ferullo, R.M. (221) 155)
- Methane decomposition**  
Active Nb<sub>2</sub>O<sub>5</sub>-supported nickel and nickel–copper catalysts for methane decomposition to hydrogen and filamentous carbon (Li, J. (221) 105)
- Methylviologen**  
Optical and catalytic properties of Ag<sub>2</sub>S nanoparticles (Kryukov, A.I. (221) 209)
- Microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC)**  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Microwave irradiation**  
Synthesis of size controlled Ag nanoparticles (He, B. (221) 121)
- Modelling**  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Modified electrodes**  
Electrocatalytic oxidation of sulfite at polymeric iron tetra (4-amino-phenyl) porphyrin—modified electrode (Lucero, M. (221) 71)

- Molecular adsorption–deposition method  
Preparation of activated carbon fibers supported TiO<sub>2</sub> photocatalyst and evaluation of its photocatalytic reactivity (Fu, P. (221) 81)
- NCO adsorption  
NCO adsorption over SiO<sub>2</sub> and Cu/SiO<sub>2</sub> cluster models from density functional theory (Ferullo, R.M. (221) 155)
- Ni–Cu–Nb<sub>2</sub>O<sub>5</sub>  
Active Nb<sub>2</sub>O<sub>5</sub>-supported nickel and nickel–copper catalysts for methane decomposition to hydrogen and filamentous carbon (Li, J. (221) 105)
- Ni–Nb<sub>2</sub>O<sub>5</sub>  
Active Nb<sub>2</sub>O<sub>5</sub>-supported nickel and nickel–copper catalysts for methane decomposition to hydrogen and filamentous carbon (Li, J. (221) 105)
- NO oxidation  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- O-Alkylation  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Octene  
Separation studies in a continuous flow fluoruous biphasic system. Proof of concept (Perperi, E. (221) 19)
- Olefin polymerization  
Ethylene polymerization and ethylene/styrene copolymerization with secondary phosphine-pendant and phosphide-pendant complexes of Zr and Hf (Ishiyama, T. (221) 41)
- Oxidation of cyclohexene  
Alumina-supported vanadyl complexes as catalysts for the C–H bond activation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (221) 169)
- Phase behaviour  
Separation studies in a continuous flow fluoruous biphasic system. Proof of concept (Perperi, E. (221) 19)
- Phenol  
Vapour phase reaction of phenol with ethyl acetate over MCM-41 molecular sieves (Shanmugapriya, K. (221) 145)
- Phosphorescence emission  
Auto-reduction of Cu(II) species supported on Al<sub>2</sub>O<sub>3</sub> to Cu(I) by thermovacuum treatment (Amano, F. (221) 89)
- Phosphorus-pendant Cp ligand  
Ethylene polymerization and ethylene/styrene copolymerization with secondary phosphine-pendant and phosphide-pendant complexes of Zr and Hf (Ishiyama, T. (221) 41)
- Phosphotungstic acid  
Zirconia supported phosphotungstic acid as an efficient catalyst for resorcinol *tert*-butylation and *n*-heptane hydroisomerization (Devassy, B.M. (221) 113)
- Photocatalytic reactivity  
Preparation of activated carbon fibers supported TiO<sub>2</sub> photocatalyst and evaluation of its photocatalytic reactivity (Fu, P. (221) 81)
- Photochemical activation  
Optical and catalytic properties of Ag<sub>2</sub>S nanoparticles (Kryukov, A.I. (221) 209)
- Polar diluents  
Vapour-phase Beckmann rearrangement of cyclohexanone-oxime over Al-MCM-41 type mesostructured catalysts (Forni, L. (221) 97)
- Polyether modified ammonium salt ionic liquid  
Selective hydrogenation of SBS catalyzed by Ru/TPPTS complex in polyether modified ammonium salt ionic liquid (Wei, L. (221) 47)
- Polyethylene  
Agglomerated non-porous silica nanoparticles as model carriers in polyethylene synthesis (du Fresne von Hohenesche, C. (221) 185)
- Poly-Fe-tetra-4-aminophenylporphyrin  
Electrocatalytic oxidation of sulfite at polymeric iron tetra (4-aminophenyl) porphyrin—modified electrode (Lucero, M. (221) 71)
- Potassium  
The effect of K and Al over NiCo<sub>2</sub>O<sub>4</sub> catalyst on its character and catalytic oxidation of VOCs (Chen, M. (221) 77)
- Preparation method  
Fe-modified CuMnZrO<sub>2</sub> catalysts for higher alcohols synthesis from syngas (Xu, R. (221) 51)
- Primary methoxypropanol  
Selective synthesis of primary methoxypropanol using clay supported tris(2,4-pentanedionato)zirconium(IV) (Permana, Y. (221) 141)
- Pt<sup>0</sup>/SiO<sub>2</sub>  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- Pt<sup>x+</sup>/CeZrO<sub>2</sub>  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- PVP  
Synthesis of size controlled Ag nanoparticles (He, B. (221) 121)
- Rate constant  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- Reaction kinetics  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Reactive oxygen species  
Kinetic studies of carbohydrate oxidation catalyzed by novel isatin–Schiff base copper(II) complexes (Cerchiaro, G. (221) 29)
- Resorcinol  
Zirconia supported phosphotungstic acid as an efficient catalyst for resorcinol *tert*-butylation and *n*-heptane hydroisomerization (Devassy, B.M. (221) 113)
- Ruthenium complex  
Selective hydrogenation of SBS catalyzed by Ru/TPPTS complex in polyether modified ammonium salt ionic liquid (Wei, L. (221) 47)
- SBS  
Selective hydrogenation of SBS catalyzed by Ru/TPPTS complex in polyether modified ammonium salt ionic liquid (Wei, L. (221) 47)
- Si/Al ratio  
Vapour-phase Beckmann rearrangement of cyclohexanone-oxime over Al-MCM-41 type mesostructured catalysts (Forni, L. (221) 97)
- Silicagel supported sodium bisulfate  
Silicagel supported sodium hydrogensulfate as a heterogenous catalyst for high yield synthesis of 3,4-dihydropyrimidin-2 (1*H*)-ones (Adharvana Chari, M.A. (221) 137)
- Silver nanoparticles  
Optical and catalytic properties of Ag<sub>2</sub>S nanoparticles (Kryukov, A.I. (221) 209)
- Silver sulfide nanoparticles  
Optical and catalytic properties of Ag<sub>2</sub>S nanoparticles (Kryukov, A.I. (221) 209)
- SnO<sub>2</sub>  
Characterization and reactivity of SnO<sub>2</sub>-doped V<sub>2</sub>O<sub>5</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts in dehydrogenation of isobutane to isobutene (Fu, Y. (221) 163)
- Sodium salt of *o*-hydroxyacetophenone  
Novelties of microwave irradiated solid–liquid phase transfer catalysis (MISL-PTC) in synthesis of 2'-benzyloxyacetophenone (Yadav, G.D. (221) 59)
- Stabilized Ag nanoparticles  
Synthesis of size controlled Ag nanoparticles (He, B. (221) 121)

- Steady-state kinetics  
Kinetics and mechanism of steady-state catalytic NO + O<sub>2</sub> reactions on Pt/SiO<sub>2</sub> and Pt/CeZrO<sub>2</sub> (Marques, R. (221) 127)
- Sulfide oxidation  
Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides. Isolation of a stable supported Mn(V)=O complex, responsible of the catalytic activity (Ayala, V. (221) 201)
- Taeniolite  
Selective synthesis of primary methoxypropanol using clay supported tris(2,4-pentanedionato)zirconium(IV) (Permana, Y. (221) 141)
- TBHP  
Alumina-supported vanadyl complexes as catalysts for the C–H bond activation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (221) 169)
- Thermal self-reduction  
Auto-reduction of Cu(II) species supported on Al<sub>2</sub>O<sub>3</sub> to Cu(I) by thermovacuum treatment (Amano, F. (221) 89)
- Titanium dioxide  
Preparation of activated carbon fibers supported TiO<sub>2</sub> photocatalyst and evaluation of its photocatalytic reactivity (Fu, P. (221) 81)
- TPR  
Dehydration of diols catalyzed by CeO<sub>2</sub> (Sato, S. (221) 177)
- Trimerization  
The effect of halide and the coordination geometry of chromium center in homogeneous catalyst system for ethylene trimerization (Luo, H.-K. (221) 9)
- Tris(2,4-pentanedionato)zirconium(IV)  
Selective synthesis of primary methoxypropanol using clay supported tris(2,4-pentanedionato)zirconium(IV) (Permana, Y. (221) 141)
- Unsaturated alcohol  
Dehydration of diols catalyzed by CeO<sub>2</sub> (Sato, S. (221) 177)
- Vanadium oxide catalyst  
Characterization and reactivity of SnO<sub>2</sub>-doped V<sub>2</sub>O<sub>5</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts in dehydrogenation of isobutane to isobutene (Fu, Y. (221) 163)
- Vanadyl  
Alumina-supported vanadyl complexes as catalysts for the C–H bond activation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (221) 169)
- Vapour phase  
Vapour-phase Beckmann rearrangement of cyclohexanone-oxime over Al-MCM-41 type mesostructured catalysts (Forni, L. (221) 97)
- VOCs  
The effect of K and Al over NiCo<sub>2</sub>O<sub>4</sub> catalyst on its character and catalytic oxidation of VOCs (Chen, M. (221) 77)
- Zirconia  
Zirconia supported phosphotungstic acid as an efficient catalyst for resorcinol *tert*-butylation and *n*-heptane hydroisomerization (Devassy, B.M. (221) 113)
- Zirconium  
Ethylene polymerization and ethylene/styrene copolymerization with secondary phosphine-pendant and phosphide-pendant complexes of Zr and Hf (Ishiyama, T. (221) 41)