

Subject index

Acetylenes

The influence of cocatalysts on phenylacetylene oligo- and polymerization (Ejfler, J. (224) 93)

Aldol condensation

Dimerization and cyclotrimerization of aldehydes: ruthenium catalyzed formation of esters, 1,3,5-trioxanes, and aldol condensation products from aldehydes (Sorkau, A. (224) 105)

Alkoxy carbonylation

Methoxycarbonylation of styrene to methyl arylpropanoates catalyzed by palladium(II) precursors with 1,1'-bis(diphenylphosphino)metallocenes (Bianchini, C. (224) 35)

Alkyl arylpropanoates

Methoxycarbonylation of styrene to methyl arylpropanoates catalyzed by palladium(II) precursors with 1,1'-bis(diphenylphosphino)metallocenes (Bianchini, C. (224) 35)

Alkynes

Polymerization of alkynes on nickelocene based catalysts: considerations on polymerization mechanism (Pasykiewicz, S. (224) 117)

Amavadin

Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)

Ammonium salts

Pd colloid-catalyzed methoxycarbonylation of iodobenzene in ionic liquids (Wojtków, W. (224) 81)

Aromatics

Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)

Asymmetric dihydroxylation

Osmium-catalyzed asymmetric dihydroxylation of olefins in ionic liquids. The effect of the chiral ligand structure on recyclability (Liu, Q. (224) 213)

Asymmetric hydrogenation

New chiral *N,P*-oxazolines, and their Ir complexes in asymmetric hydrogenation of an imine (Ezhova, M.B. (224) 71)

Benzene

Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)

Bio-inspired ligands

Coordination geometry and bio-inspired ligands: useful concepts in homogeneous catalysis? A conceptual view (Keim, W. (224) 11)

1,1'-Bis(diphenylphosphino)metallocenes

Methoxycarbonylation of styrene to methyl arylpropanoates catalyzed by palladium(II) precursors with 1,1'-bis(diphenylphosphino)metallocenes (Bianchini, C. (224) 35)

N,N'-Bis(salicylaldehyde)ethylenediamine

Molecular thermochemical study of Ni(II), Cu(II) and Zn(II) complexes with *N,N'*-bis(salicylaldehyde)ethylenediamine (Ribeiro da Silva, M.D.M.C. (224) 207)

Bisphenolate complexes

The influence of cocatalysts on phenylacetylene oligo- and polymerization (Ejfler, J. (224) 93)

Butadiene

Dimerisation of butadiene catalyzed by nickel-tris[(1*H*,1*H*,2*H*,2*H*-perfluorodecyl)phenyl]phosphites complexes in fluorocarbon-hydrocarbon biphasic medium (Matusiak, R. (224) 217)

Calcium carbonate

Hydrogenation of aqueous mixtures of calcium carbonate and carbon dioxide using a water-soluble rhodium(I)-tertiary phosphine complex catalyst (Jószai, I. (224) 87)

Carbon dioxide

Hydrogenation of aqueous mixtures of calcium carbonate and carbon dioxide using a water-soluble rhodium(I)-tertiary phosphine complex catalyst (Jószai, I. (224) 87)

Carbon tetrachloride

Hydrodechlorination of dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane over Pt/Al₂O₃ catalysts (Legawiec-Jarzyna, M. (224) 171)

Carbonato complexes

A study of *syn-anti* isomerism of six-coordinate ruthenium(II) complexes containing PhP(CH₂CH₂CH₂PCy₂)₂ (Cyttp) ligand (Blosser, P.W. (224) 133)

Carbonylation

Pd colloid-catalyzed methoxycarbonylation of iodobenzene in ionic liquids (Wojtków, W. (224) 81)

Catalysis

Pd colloid-catalyzed methoxycarbonylation of iodobenzene in ionic liquids (Wojtków, W. (224) 81)

Catalyst

Polymerization of alkynes on nickelocene based catalysts: considerations on polymerization mechanism (Pasykiewicz, S. (224) 117)

Osmium-catalyzed asymmetric dihydroxylation of olefins in ionic liquids. The effect of the chiral ligand structure on recyclability (Liu, Q. (224) 213)

Complexes with Schiff bases

Molecular thermochemical study of Ni(II), Cu(II) and Zn(II) complexes with *N,N'*-bis(salicylaldehyde)ethylenediamine (Ribeiro da Silva, M.D.M.C. (224) 207)

Constrained geometry catalysts

Copolymerization of ethene with styrene using CGC catalysts: the effect of the cyclopentadienyl ligand substitution on the catalyst activity and copolymer structure (Skeřil, R. (224) 97)

Coordination geometry in catalysis

Coordination geometry and bio-inspired ligands: useful concepts in homogeneous catalysis? A conceptual view (Keim, W. (224) 11)

Copolymerization ethene-styrene

Copolymerization of ethene with styrene using CGC catalysts: the effect of the cyclopentadienyl ligand substitution on the catalyst activity and copolymer structure (Skeřil, R. (224) 97)

Copolymers ethene-styrene

Copolymerization of ethene with styrene using CGC catalysts: the effect of the cyclopentadienyl ligand substitution on the catalyst activity and copolymer structure (Skeřil, R. (224) 97)

Crystal structures

A study of *syn-anti* isomerism of six-coordinate ruthenium(II) complexes containing $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$ (Cytpp) ligand (Blosser, P.W. (224) 133)

Copolymerization of ethene with styrene using CGC catalysts: the effect of the cyclopentadienyl ligand substitution on the catalyst activity and copolymer structure (Skeřil, R. (224) 97)

Cyclodimerisation

Dimerisation of butadiene catalyzed by nickel-tris[(1*H*,1*H*,2*H*,2*H*-perfluorodecyl)phenyl]phosphites complexes in fluorocarbon-hydrocarbon biphasic medium (Matusiak, R. (224) 217)

Cyclooctane oxidation

Cationic metallocporphyrins and other macrocyclic compounds in zeolite matrix as catalysts for oxidation with dioxygen (Haber, J. (224) 153)

Cyclotrimerization

The influence of cocatalysts on phenylacetylene oligo- and polymerization (Ejfler, J. (224) 93)

Dawson

FTIR investigation on Wells-Dawson and Keggin type heteropolyacids: dehydration and ethanol sorption (Bielański, A. (224) 179)

Dehydration

FTIR investigation on Wells-Dawson and Keggin type heteropolyacids: dehydration and ethanol sorption (Bielański, A. (224) 179)

DFT

The fate of nitric oxide in its reaction with the 14-valence-electron planar species $[(^t\text{Bu}_2\text{PCH}_2\text{SiMe}_2)_2\text{N}]\text{RuCl}$ (Watson, L.A. (224) 51)

Dichlorodifluoromethane

Hydrodechlorination of dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane over $\text{Pt}/\text{Al}_2\text{O}_3$ catalysts (Legawiec-Jarzyna, M. (224) 171)

1,2-Dichloroethane

Hydrodechlorination of dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane over $\text{Pt}/\text{Al}_2\text{O}_3$ catalysts (Legawiec-Jarzyna, M. (224) 171)

Dimerization of aldehydes

Dimerization and cyclotrimerization of aldehydes: ruthenium catalyzed formation of esters, 1,3,5-trioxanes, and aldol condensation products from aldehydes (Sorkau, A. (224) 105)

Disproportionation

The fate of nitric oxide in its reaction with the 14-valence-electron planar species $[(^t\text{Bu}_2\text{PCH}_2\text{SiMe}_2)_2\text{N}]\text{RuCl}$ (Watson, L.A. (224) 51)

Dissociation energies

Molecular thermochemical study of Ni(II), Cu(II) and Zn(II) complexes with *N,N'*-bis(salicylaldehyde)ethylenediamine (Ribeiro da Silva, M.D.M.C. (224) 207)

Effect of catalyst regeneration

Hydrodechlorination of dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane over $\text{Pt}/\text{Al}_2\text{O}_3$ catalysts (Legawiec-Jarzyna, M. (224) 171)

Enthalpies of formation

Molecular thermochemical study of Ni(II), Cu(II) and Zn(II) complexes with *N,N'*-bis(salicylaldehyde)ethylenediamine (Ribeiro da Silva, M.D.M.C. (224) 207)

Enthalpies of sublimation

Molecular thermochemical study of Ni(II), Cu(II) and Zn(II) complexes with *N,N'*-bis(salicylaldehyde)ethylenediamine (Ribeiro da Silva, M.D.M.C. (224) 207)

Environmental homogeneous photocatalysis

Homogeneous photocatalysis by transition metal complexes in the environment (Cieřla, P. (224) 17)

Ethanol sorption

FTIR investigation on Wells-Dawson and Keggin type heteropolyacids: dehydration and ethanol sorption (Bielański, A. (224) 179)

Fe-porphyrin complexes

The role of positively charged meso-substituents on the kinetics of the reductive nitrosylation of iron(III)-porphyrins. The catalytic role of nitrite (Theodoridis, A. (224) 197)

Ferrocene carboxyphosphine

Preparation and catalytic application of MCM-41 modified with a ferrocene carboxyphosphine and a ruthenium complex (Štěpnička, P. (224) 161)

Fluorocarbon

Room-temperature hydrosilylation of the C-F bond of vinyl fluoride catalyzed by osmium hydrides (Renkema, K.B. (224) 125)

Fluorous biphasic condition

Dimerisation of butadiene catalyzed by nickel-tris[(1*H*,1*H*,2*H*,2*H*-perfluorodecyl)phenyl]phosphites complexes in fluorocarbon-hydrocarbon biphasic medium (Matusiak, R. (224) 217)

Fluorous phosphite

Dimerisation of butadiene catalyzed by nickel-tris[(1*H*,1*H*,2*H*,2*H*-perfluorodecyl)phenyl]phosphites complexes in fluorocarbon-hydrocarbon biphasic medium (Matusiak, R. (224) 217)

Heteropolyacid

FTIR investigation on Wells-Dawson and Keggin type heteropolyacids: dehydration and ethanol sorption (Bielański, A. (224) 179)

Homogeneous

The fate of nitric oxide in its reaction with the 14-valence-electron planar species $[(^t\text{Bu}_2\text{PCH}_2\text{SiMe}_2)_2\text{N}]\text{RuCl}$ (Watson, L.A. (224) 51)

Homogeneous catalysis

Water soluble ruthenium cyclopentadienyl and aminocyclopentadienyl PTA complexes as catalysts for selective hydrogenation of α,β -unsaturated substrates (PTA=1,3,5-triaza-7-phosphaadamantane) (Bolaño, S. (224) 61)

Hydride

Room-temperature hydrosilylation of the C-F bond of vinyl fluoride catalyzed by osmium hydrides (Renkema, K.B. (224) 125)

Hydrodechlorination

Hydrodechlorination of dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane over $\text{Pt}/\text{Al}_2\text{O}_3$ catalysts (Legawiec-Jarzyna, M. (224) 171)

Hydroformylation

The immobilisation of phenoxaphosphine-modified xanthene-type ligand on polysiloxane support and application thereof in the hydroformylation reaction (Bronger, R.P.J. (224) 145)

Hydrogen peroxide

Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)

Hydrogen transfer

Water soluble ruthenium cyclopentadienyl and aminocyclopentadienyl PTA complexes as catalysts for selective hydrogenation of α,β -unsaturated substrates (PTA=1,3,5-triaza-7-phosphaadamantane) (Bolaño, S. (224) 61)

Hydrogenation

Hydrogenation of aqueous mixtures of calcium carbonate and carbon dioxide using a water-soluble rhodium(I)-tertiary phosphine complex catalyst (Józszai, I. (224) 87)

Hydroxylation

Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)

Imines

New chiral *N,P*-oxazolines, and their Ir complexes in asymmetric hydrogenation of an imine (Ezhova, M.B. (224) 71)

Immobilization

Osmium-catalyzed asymmetric dihydroxylation of olefins in ionic liquids. The effect of the chiral ligand structure on recyclability (Liu, Q. (224) 213)

- Preparation and catalytic application of MCM-41 modified with a ferrocene carboxyphosphine and a ruthenium complex (Štěpnička, P. (224) 161)
- Immobilized metallocomplexes
- Cationic metalloporphyrins and other macrocyclic compounds in zeolite matrix as catalysts for oxidation with dioxygen (Haber, J. (224) 153)
- Ionic liquid
- Osmium-catalyzed asymmetric dihydroxylation of olefins in ionic liquids. The effect of the chiral ligand structure on recyclability (Liu, Q. (224) 213)
- Ionic liquids
- Pd colloid-catalyzed methoxycarbonylation of iodobenzene in ionic liquids (Wojtków, W. (224) 81)
- Ir complexes
- New chiral *N,P*-oxazolines, and their Ir complexes in asymmetric hydrogenation of an imine (Ezhova, M.B. (224) 71)
- Keggin
- FTIR investigation on Wells–Dawson and Keggin type heteropolyacids: dehydration and ethanol sorption (Bielański, A. (224) 179)
- Leaching of chiral ligand
- Osmium-catalyzed asymmetric dihydroxylation of olefins in ionic liquids. The effect of the chiral ligand structure on recyclability (Liu, Q. (224) 213)
- Ligand substitution
- A study of *syn-anti* isomerism of six-coordinate ruthenium(II) complexes containing $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$ (Cytpp) ligand (Blosser, P.W. (224) 133)
- Ligands
- Coordination geometry and bio-inspired ligands: useful concepts in homogeneous catalysis? A conceptual view (Keim, W. (224) 11)
- New chiral *N,P*-oxazolines, and their Ir complexes in asymmetric hydrogenation of an imine (Ezhova, M.B. (224) 71)
- MCM-41
- Preparation and catalytic application of MCM-41 modified with a ferrocene carboxyphosphine and a ruthenium complex (Štěpnička, P. (224) 161)
- Mesitylene
- Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)
- Metallophthalocyanines
- Cationic metalloporphyrins and other macrocyclic compounds in zeolite matrix as catalysts for oxidation with dioxygen (Haber, J. (224) 153)
- Metalloporphyrins
- Cationic metalloporphyrins and other macrocyclic compounds in zeolite matrix as catalysts for oxidation with dioxygen (Haber, J. (224) 153)
- Metallosalen
- Cationic metalloporphyrins and other macrocyclic compounds in zeolite matrix as catalysts for oxidation with dioxygen (Haber, J. (224) 153)
- Nickel
- Polymerization of alkynes on nickelocene based catalysts: considerations on polymerization mechanism (Pasykiewicz, S. (224) 117)
- Nickel catalyst
- Dimerisation of butadiene catalyzed by nickel–tris[(1*H*,1*H*,2*H*,2*H*-perfluorodecyl)phenyl]phosphites complexes in fluorocarbon–hydrocarbon biphasic medium (Matusiak, R. (224) 217)
- Nitric oxide
- The fate of nitric oxide in its reaction with the 14-valence-electron planar species $[(^i\text{Bu}_2\text{PCH}_2\text{SiMe}_2)_2\text{N}]\text{RuCl}$ (Watson, L.A. (224) 51)
- Nitrite catalysis
- The role of positively charged meso-substituents on the kinetics of the reductive nitrosylation of iron(III)-porphyrins. The catalytic role of nitrite (Theodoridis, A. (224) 197)
- Olefins
- Coordination geometry and bio-inspired ligands: useful concepts in homogeneous catalysis? A conceptual view (Keim, W. (224) 11)
- Osmium
- Room-temperature hydrosilylation of the C–F bond of vinyl fluoride catalyzed by osmium hydrides (Renkema, K.B. (224) 125)
- Oxazolines
- New chiral *N,P*-oxazolines, and their Ir complexes in asymmetric hydrogenation of an imine (Ezhova, M.B. (224) 71)
- Oxidation
- Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)
- 2-Oxopropyl benzoate
- Preparation and catalytic application of MCM-41 modified with a ferrocene carboxyphosphine and a ruthenium complex (Štěpnička, P. (224) 161)
- Palladium
- Methoxycarbonylation of styrene to methyl arylpropanoates catalyzed by palladium(II) precursors with 1,1'-bis(diphenylphosphino)metallocenes (Bianchini, C. (224) 35)
- Palladium colloid
- Pd colloid-catalyzed methoxycarbonylation of iodobenzene in ionic liquids (Wojtków, W. (224) 81)
- Photocatalytic cycles of iron, copper and chromium
- Homogeneous photocatalysis by transition metal complexes in the environment (Cieśla, P. (224) 17)
- Photodegradation of organic pollutants
- Homogeneous photocatalysis by transition metal complexes in the environment (Cieśla, P. (224) 17)
- Photoreduction of metal complexes
- Homogeneous photocatalysis by transition metal complexes in the environment (Cieśla, P. (224) 17)
- Polymerization
- Polymerization of alkynes on nickelocene based catalysts: considerations on polymerization mechanism (Pasykiewicz, S. (224) 117)
- The influence of cocatalysts on phenylacetylene oligo- and polymerization (Ejfler, J. (224) 93)
- Pt/Al₂O₃
- Hydrodechlorination of dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane over Pt/Al₂O₃ catalysts (Legawiec-Jarzyna, M. (224) 171)
- Reductive nitrosylation
- The role of positively charged meso-substituents on the kinetics of the reductive nitrosylation of iron(III)-porphyrins. The catalytic role of nitrite (Theodoridis, A. (224) 197)
- Regioselectivity
- Methoxycarbonylation of styrene to methyl arylpropanoates catalyzed by palladium(II) precursors with 1,1'-bis(diphenylphosphino)metallocenes (Bianchini, C. (224) 35)
- Rhodium
- Hydrogenation of aqueous mixtures of calcium carbonate and carbon dioxide using a water-soluble rhodium(I)–tertiary phosphine complex catalyst (Jószai, I. (224) 87)
- Ruthenium
- Preparation and catalytic application of MCM-41 modified with a ferrocene carboxyphosphine and a ruthenium complex (Štěpnička, P. (224) 161)
- The fate of nitric oxide in its reaction with the 14-valence-electron planar species $[(^i\text{Bu}_2\text{PCH}_2\text{SiMe}_2)_2\text{N}]\text{RuCl}$ (Watson, L.A. (224) 51)
- Ruthenium complexes
- A study of *syn-anti* isomerism of six-coordinate ruthenium(II) complexes containing $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$ (Cytpp) ligand (Blosser, P.W. (224) 133)

- Dimerization and cyclotrimerization of aldehydes: ruthenium catalyzed formation of esters, 1,3,5-trioxanes, and aldol condensation products from aldehydes (Sorkau, A. (224) 105)
- Silanolysis
Room-temperature hydrosilylation of the C–F bond of vinyl fluoride catalyzed by osmium hydrides (Renkema, K.B. (224) 125)
- Supercritical carbon dioxide
The immobilisation of phenoxaphosphine-modified xanthene-type ligand on polysiloxane support and application thereof in the hydroformylation reaction (Bronger, R.P.J. (224) 145)
- Support
The immobilisation of phenoxaphosphine-modified xanthene-type ligand on polysiloxane support and application thereof in the hydroformylation reaction (Bronger, R.P.J. (224) 145)
- syn-anti* isomerism
A study of *syn-anti* isomerism of six-coordinate ruthenium(II) complexes containing $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$ (Cyttp) ligand (Blosser, P.W. (224) 133)
- Tishchenko reaction
Dimerization and cyclotrimerization of aldehydes: ruthenium catalyzed formation of esters, 1,3,5-trioxanes, and aldol condensation products from aldehydes (Sorkau, A. (224) 105)
- Titanium
Copolymerization of ethene with styrene using CGC catalysts: the effect of the cyclopentadienyl ligand substitution on the catalyst activity and copolymer structure (Skeřil, R. (224) 97)
The influence of cocatalysts on phenylacetylene oligo- and polymerization (Ejfler, J. (224) 93)
- 1,3,5-Triaza-7-phosphaadamantane
Water soluble ruthenium cyclopentadienyl and aminocyclopentadienyl PTA complexes as catalysts for selective hydrogenation of α,β -unsaturated substrates (PTA=1,3,5-triaza-7-phosphaadamantane) (Bolaño, S. (224) 61)
- 1,3,5-Trioxanes
Dimerization and cyclotrimerization of aldehydes: ruthenium catalyzed formation of esters, 1,3,5-trioxanes, and aldol condensation products from aldehydes (Sorkau, A. (224) 105)
- Triphosphine complexes
A study of *syn-anti* isomerism of six-coordinate ruthenium(II) complexes containing $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$ (Cyttp) ligand (Blosser, P.W. (224) 133)
- Vanadium catalysts
Peroxidative oxidation of benzene and mesitylene by vanadium catalysts (Reis, P.M. (224) 189)
- Water soluble phosphines
Water soluble ruthenium cyclopentadienyl and aminocyclopentadienyl PTA complexes as catalysts for selective hydrogenation of α,β -unsaturated substrates (PTA=1,3,5-triaza-7-phosphaadamantane) (Bolaño, S. (224) 61)
- Water-soluble
Hydrogenation of aqueous mixtures of calcium carbonate and carbon dioxide using a water-soluble rhodium(I)-tertiary phosphine complex catalyst (Jószai, I. (224) 87)
- Xantphos
The immobilisation of phenoxaphosphine-modified xanthene-type ligand on polysiloxane support and application thereof in the hydroformylation reaction (Bronger, R.P.J. (224) 145)
- X-ray analysis
New chiral *N,P*-oxazolines, and their Ir complexes in asymmetric hydrogenation of an imine (Ezhova, M.B. (224) 71)
- X-ray crystallography
Preparation and catalytic application of MCM-41 modified with a ferrocene carboxyphosphine and a ruthenium complex (Štěpnička, P. (224) 161)