

## Subject index

- Acetylene**  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Activated carbon**  
Photocatalytic degradation of phenol using TiO<sub>2</sub> nanocrystals supported on activated carbon (Carpio, E. (228) 293)
- Alkenes**  
Heterogeneous alkene epoxidation: past, present and future (Lambert, R.M. (228) 27)
- Alloy**  
The stability and electro-oxidation of carbon monoxide on model electrocatalysts: Pt(1 1 1)–Sn(2×2) and Pt(1 1 1)–Sn( $\sqrt{3} \times \sqrt{3}$ )R30° (Hayden, B.E. (228) 55)
- Alumina**  
Gallia as support of Pt in benzene hydrogenation reaction (Domínguez, F. (228) 319)
- Aluminum oxide**  
Theory and experiments on the structure of 7 Å alumina films grown on Ni<sub>3</sub>Al (Qin, F. (228) 83)
- Ammonia method**  
Heavier alcohols synthesis on cobalt phyllosilicate catalysts (Loaiza-Gil, A. (228) 339)
- Auger parameter**  
X-ray photoelectron spectroscopy studies of laterite standard reference material (Mendialdua, J. (228) 151)
- Auger spectra**  
Electronic structure information of metals and alloys from auger and photoemission (Kleiman, G.G. (228) 137)
- Benzene**  
Gallia as support of Pt in benzene hydrogenation reaction (Domínguez, F. (228) 319)
- BET**  
Catalytic effect of KOH on textural changes of carbon macro-networks by physical activation (Matos, J. (228) 189)
- Bifunctional catalysts**  
Characterization of bifunctional PtSn/H[Al]ZSM5 catalysts: a comparison between two impregnation strategies (Morales, R. (228) 227)
- Bimetallic**  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Binary CuO–Al<sub>2</sub>O<sub>3</sub> mesoporous phases**  
One-step generation of highly selective hydrogenation catalysts involving sub-nanometric Cu<sub>2</sub>O supported on mesoporous alumina: strategies to control their size and dispersion (Valange, S. (228) 255)
- Binding energies**  
Orientation of ethoxy, mono-, di-, and tri-fluoroethoxy on Cu(1 1 1): a DFT study (Li, X. (228) 77)
- Biosensor**  
Structural and functional characterization of self-assembled monolayers of peptide nucleic acids and its interaction with complementary DNA (Briones, C. (228) 131)
- Butenes oligomerization**  
Catalytic behavior of sulfated TiO<sub>2</sub> in light olefins oligomerization (Mantilla, A. (228) 333)
- Calcium carbonate**  
Oxide and carbonate surfaces as environmental interfaces: the importance of water in surface composition and surface reactivity (Al-Abadleh, H.A. (228) 47)
- Calcium promotion**  
Perovskites as catalysts precursors: synthesis and characterization (Goldwasser, M.R. (228) 325)
- Carbon networks**  
Catalytic effect of KOH on textural changes of carbon macro-networks by physical activation (Matos, J. (228) 189)
- Catalysis**  
Theory and experiments on the structure of 7 Å alumina films grown on Ni<sub>3</sub>Al (Qin, F. (228) 83)
- Catalysis complexity**  
Application of computational methods to catalytic systems (Ruetter, F. (228) 211)
- Catalyst**  
Toward a realistic model for the kinetics of the NO + CO reaction on rhodium surfaces (Avalos, L.A. (228) 89)
- Catalytic modeling**  
Application of computational methods to catalytic systems (Ruetter, F. (228) 211)
- Catalytic processes**  
Application of computational methods to catalytic systems (Ruetter, F. (228) 211)
- Catechol**  
Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)
- CATIVIC**  
Application of computational methods to catalytic systems (Ruetter, F. (228) 211)
- Chiral catalysis**  
Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)
- Cinnamaldehyde hydrogenation**  
One-step generation of highly selective hydrogenation catalysts involving sub-nanometric Cu<sub>2</sub>O supported on mesoporous alumina: strategies to control their size and dispersion (Valange, S. (228) 255)
- Cluster size**  
Complementary methods for cluster size distribution measurements: supported platinum nanoclusters in methane reforming catalysts (Ramallo-López, J.M. (228) 299)
- CO<sub>2</sub> and combine reforming of methane**  
Perovskites as catalysts precursors: synthesis and characterization (Goldwasser, M.R. (228) 325)
- CO chemisorption**  
Effect of tin and potassium addition on the nature of platinum supported on silica (Rodríguez, D. (228) 309)
- CO oxidation**  
The stability and electro-oxidation of carbon monoxide on model electrocatalysts: Pt(1 1 1)–Sn(2×2) and Pt(1 1 1)–Sn( $\sqrt{3} \times \sqrt{3}$ )R30° (Hayden, B.E. (228) 55)
- CO+NO reaction**  
An overview of kinetic and spectroscopic investigations on three-way catalysts: mechanistic aspects of the CO + NO and CO + N<sub>2</sub>O reactions (Granger, P. (228) 241)

- Cobalt phyllosilicate  
Heavier alcohols synthesis on cobalt phyllosilicate catalysts (Loaiza-Gil, A. (228) 339)
- Coordination compounds  
Design and synthesis of magnetic ladders: structure and magnetic properties of Cu(2,3-dimethylpyrazine)Br<sub>2</sub> (Wells, B.M. (228) 117)
- Co–Pd  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Copper  
Heterogeneous alkene epoxidation: past, present and future (Lambert, R.M. (228) 27)
- Copper-pyrazine complexes  
Design and synthesis of magnetic ladders: structure and magnetic properties of Cu(2,3-dimethylpyrazine)Br<sub>2</sub> (Wells, B.M. (228) 117)
- Crude oil  
Theoretical study of nickel porphyrinate derivatives related to catalyst dopant in the oil industry (García-Cruz, I. (228) 195)
- Cu-ZSM-5  
Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)
- Cu-ZSM5 deactivation  
Density functional study of the interaction of Cu<sup>+</sup> ion-exchanged zeolites with H<sub>2</sub>O and SO<sub>2</sub> molecules (Sierraalta, A. (228) 203)
- Cyclotrimerization  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Decomposition  
Thermal decomposition of nickel acetate tetrahydrate: an integrated study by TGA, QMS and XPS techniques (De Jesus, J.C. (228) 283)
- Density functional calculations  
Theory and experiments on the structure of 7 Å alumina films grown on Ni<sub>3</sub>Al (Qin, F. (228) 83)
- Density functional theory  
Orientation of ethoxy, mono-, di-, and tri-fluoroethoxy on Cu(1 1 1): a DFT study (Li, X. (228) 77)
- Desorption  
A comparative study of the kinetics and energetics of oligomer desorption from graphite (Gellman, A.J. (228) 67)
- DFT calculations  
Theoretical study of nickel porphyrinate derivatives related to catalyst dopant in the oil industry (García-Cruz, I. (228) 195)
- Dispersed copper particles  
One-step generation of highly selective hydrogenation catalysts involving sub-nanometric Cu<sub>2</sub>O supported on mesoporous alumina: strategies to control their size and dispersion (Valange, S. (228) 255)
- DNA  
Structural and functional characterization of self-assembled monolayers of peptide nucleic acids and its interaction with complementary DNA (Briones, C. (228) 131)
- Double bond isomerization  
Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)
- Electrocatalysis  
The stability and electro-oxidation of carbon monoxide on model electrocatalysts: Pt(1 1 1)–Sn(2×2) and Pt(1 1 1)–Sn( $\sqrt{3} \times \sqrt{3}$ )R30° (Hayden, B.E. (228) 55)
- Electronic density  
Density functional study of the interaction of Cu<sup>+</sup> ion-exchanged zeolites with H<sub>2</sub>O and SO<sub>2</sub> molecules (Sierraalta, A. (228) 203)
- Electronic structure  
Theoretical study of nickel porphyrinate derivatives related to catalyst dopant in the oil industry (García-Cruz, I. (228) 195)
- Electronic structure of alloys  
Electronic structure information of metals and alloys from auger and photoemission (Kleiman, G.G. (228) 137)
- Electron-surface scattering  
Resistivity induced by a rough surface of thin gold films deposited on mica (Munoz, R.C. (228) 163)
- Environmental interfaces  
Oxide and carbonate surfaces as environmental interfaces: the importance of water in surface composition and surface reactivity (Al-Abadleh, H.A. (228) 47)
- Ethylene  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Ethylidyne  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Ex situ  
The stability and electro-oxidation of carbon monoxide on model electrocatalysts: Pt(1 1 1)–Sn(2×2) and Pt(1 1 1)–Sn( $\sqrt{3} \times \sqrt{3}$ )R30° (Hayden, B.E. (228) 55)
- Fe-ZSM-5  
Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)
- Films  
Theory and experiments on the structure of 7 Å alumina films grown on Ni<sub>3</sub>Al (Qin, F. (228) 83)
- Fluoroethoxy  
Orientation of ethoxy, mono-, di-, and tri-fluoroethoxy on Cu(1 1 1): a DFT study (Li, X. (228) 77)
- FTIR-pyridine on sulfated TiO<sub>2</sub>  
Catalytic behavior of sulfated TiO<sub>2</sub> in light olefins oligomerization (Mantilla, A. (228) 333)
- Fuel cell  
The stability and electro-oxidation of carbon monoxide on model electrocatalysts: Pt(1 1 1)–Sn(2×2) and Pt(1 1 1)–Sn( $\sqrt{3} \times \sqrt{3}$ )R30° (Hayden, B.E. (228) 55)
- Gallia  
Gallia as support of Pt in benzene hydrogenation reaction (Domínguez, F. (228) 319)
- Graphite  
A comparative study of the kinetics and energetics of oligomer desorption from graphite (Gellman, A.J. (228) 67)
- H–D exchange  
Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)
- Higher alcohols  
Heavier alcohols synthesis on cobalt phyllosilicate catalysts (Loaiza-Gil, A. (228) 339)
- High-resolution photoemission  
Physical and chemical properties of Ce<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub> nanoparticles and Ce<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub>(1 1 1) surfaces: synchrotron-based studies (Rodríguez, J.A. (228) 11)
- H<sub>2</sub>O<sub>2</sub>  
Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)
- H<sub>2</sub>O adsorption  
Density functional study of the interaction of Cu<sup>+</sup> ion-exchanged zeolites with H<sub>2</sub>O and SO<sub>2</sub> molecules (Sierraalta, A. (228) 203)
- HRTEM  
Complementary methods for cluster size distribution measurements: supported platinum nanoclusters in methane reforming catalysts (Ramallo-López, J.M. (228) 299)
- β-Hydride elimination  
Orientation of ethoxy, mono-, di-, and tri-fluoroethoxy on Cu(1 1 1): a DFT study (Li, X. (228) 77)
- Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)

- Hydrogen  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Hydrogenation  
Gallia as support of Pt in benzene hydrogenation reaction (Domínguez, F. (228) 319)  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Hydrogenations  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Hydroquinone  
Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)
- Hydroxylation  
Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)
- In situ infrared spectroscopy  
An overview of kinetic and spectroscopic investigations on three-way catalysts: mechanistic aspects of the CO+NO and CO+N<sub>2</sub>O reactions (Granger, P. (228) 241)
- Inorganic supports  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Interfaces  
Theory and experiments on the structure of 7 Å alumina films grown on Ni<sub>3</sub>Al (Qin, F. (228) 83)
- Ion implantation  
X-ray multiple diffraction on the shallow junction of B in Si(001) (Orloski, R.V. (228) 177)
- Iron  
X-ray photoelectron spectroscopy studies of laterite standard reference material (Mendialdua, J. (228) 151)
- Isobutane dehydrogenation  
Effect of tin and potassium addition on the nature of platinum supported on silica (Rodríguez, D. (228) 309)
- Isopropanol decomposition  
High selectivity to isopropyl ether over sulfated titania in the isopropanol decomposition (Ortiz-Islas, E. (228) 345)
- Isopropyl ether  
High selectivity to isopropyl ether over sulfated titania in the isopropanol decomposition (Ortiz-Islas, E. (228) 345)
- Kinetics  
An overview of kinetic and spectroscopic investigations on three-way catalysts: mechanistic aspects of the CO + NO and CO + N<sub>2</sub>O reactions (Granger, P. (228) 241)
- KOH  
Catalytic effect of KOH on textural changes of carbon macro-networks by physical activation (Matos, J. (228) 189)
- LaRuNi perovskites  
Perovskites as catalyst precursors: synthesis and characterization (Goldwasser, M.R. (228) 325)
- Laterites  
X-ray photoelectron spectroscopy studies of laterite standard reference material (Mendialdua, J. (228) 151)
- Lean-burn conditions  
Improved sulfur resistance of Pt-Sn/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for C<sub>3</sub>H<sub>8</sub>-NO-O<sub>2</sub> reaction under lean conditions due to Pt-Sn surface interactions (Corro, G. (228) 275)
- Low-energy electron diffraction  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Macro-coils  
Catalytic effect of KOH on textural changes of carbon macro-networks by physical activation (Matos, J. (228) 189)
- Magnesium oxide  
Oxide and carbonate surfaces as environmental interfaces: the importance of water in surface composition and surface reactivity (Al-Abadleh, H.A. (228) 47)
- Magnetic ladders  
Design and synthesis of magnetic ladders: structure and magnetic properties of Cu(2,3-dimethylpyrazine)Br<sub>2</sub> (Wells, B.M. (228) 117)
- Magnetron sputtering  
Titanium dioxide thin films: the effect of the preparation method in their photocatalytic properties (Acosta, D.R. (228) 183)
- Materials characterization  
Materials characterization by X-ray photoelectron spectroscopy (Nascente, P.A.P. (228) 145)
- Mesoporous alumina  
One-step generation of highly selective hydrogenation catalysts involving sub-nanometric Cu<sub>2</sub>O supported on mesoporous alumina: strategies to control their size and dispersion (Valange, S. (228) 255)
- Mesoporous glass  
Development and sorption characterization of some model mesoporous and microporous silica adsorbents (Esparza, J.M. (228) 97)
- Metals  
Theory and experiments on the structure of 7 Å alumina films grown on Ni<sub>3</sub>Al (Qin, F. (228) 83)
- Methane  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Methane reforming  
Complementary methods for cluster size distribution measurements: supported platinum nanoclusters in methane reforming catalysts (Ramallo-López, J.M. (228) 299)
- Microporous SiO<sub>2</sub>  
Development and sorption characterization of some model mesoporous and microporous silica adsorbents (Esparza, J.M. (228) 97)
- Monte Carlo simulations  
Surface roughening due to adsorbates (De Micco, C. (228) 111)  
Toward a realistic model for the kinetics of the NO + CO reaction on rhodium surfaces (Avalos, L.A. (228) 89)
- Mordenite  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Morphology  
Surface roughening due to adsorbates (De Micco, C. (228) 111)
- Nanoparticles  
Physical and chemical properties of Ce<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub> nanoparticles and Ce<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub>(1 1 1) surfaces: synchrotron-based studies (Rodríguez, J.A. (228) 11)
- Nickel acetate tetrahydrate  
Thermal decomposition of nickel acetate tetrahydrate: an integrated study by TGA, QMS and XPS techniques (De Jesus, J.C. (228) 283)
- Nickel-porphyrin  
Theoretical study of nickel porphyrinate derivatives related to catalyst dopant in the oil industry (García-Cruz, I. (228) 195)
- Nitric acid adsorption  
Oxide and carbonate surfaces as environmental interfaces: the importance of water in surface composition and surface reactivity (Al-Abadleh, H.A. (228) 47)
- NO  
Toward a realistic model for the kinetics of the NO + CO reaction on rhodium surfaces (Avalos, L.A. (228) 89)
- NO<sub>x</sub>  
Heterogeneous alkene epoxidation: past, present and future (Lambert, R.M. (228) 27)
- NO adsorption  
Density functional study of the interaction of Cu<sup>+</sup> ion-exchanged zeolites with H<sub>2</sub>O and SO<sub>2</sub> molecules (Sierraalta, A. (228) 203)

- NO<sub>x</sub> reduction**  
 Improved sulfur resistance of Pt-Sn/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for C<sub>3</sub>H<sub>8</sub>-NO-O<sub>2</sub> reaction under lean conditions due to Pt-Sn surface interactions (Corro, G. (228) 275)  
 Supported bimetallic Pd-Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- N<sub>2</sub>O selectivity**  
 An overview of kinetic and spectroscopic investigations on three-way catalysts: mechanistic aspects of the CO+NO and CO+N<sub>2</sub>O reactions (Granger, P. (228) 241)
- Oligomers**  
 A comparative study of the kinetics and energetics of oligomer desorption from graphite (Gellman, A.J. (228) 67)
- Oxygen**  
 X-ray photoelectron spectroscopy studies of laterite standard reference material (Mendialdua, J. (228) 151)
- Parametric method**  
 Application of computational methods to catalytic systems (Ruette, F. (228) 211)
- Particulate emissions**  
 Improved sulfur resistance of Pt-Sn/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for C<sub>3</sub>H<sub>8</sub>-NO-O<sub>2</sub> reaction under lean conditions due to Pt-Sn surface interactions (Corro, G. (228) 275)
- Pd(1 1 1) model catalysts**  
 Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Phenol**  
 Cu- and Fe-ZSM-5 as catalysts for phenol hydroxylation (Villa, A.L. (228) 233)  
 Photocatalytic degradation of phenol using TiO<sub>2</sub> nanocrystals supported on activated carbon (Carpio, E. (228) 293)
- Photocatalysis**  
 Photocatalytic degradation of phenol using TiO<sub>2</sub> nanocrystals supported on activated carbon (Carpio, E. (228) 293)  
 Titanium dioxide thin films: the effect of the preparation method in their photocatalytic properties (Acosta, D.R. (228) 183)
- Photoelectron**  
 Materials characterization by X-ray photoelectron spectroscopy (Nascente, P.A.P. (228) 145)
- Physical activation**  
 Catalytic effect of KOH on textural changes of carbon macro-networks by physical activation (Matos, J. (228) 189)
- Platinum**  
 Gallia as support of Pt in benzene hydrogenation reaction (Dominguez, F. (228) 319)
- PNA**  
 Structural and functional characterization of self-assembled monolayers of peptide nucleic acids and its interaction with complementary DNA (Briones, C. (228) 131)
- Polyethylene glycol**  
 A comparative study of the kinetics and energetics of oligomer desorption from graphite (Gellman, A.J. (228) 67)
- Potassium**  
 Effect of tin and potassium addition on the nature of platinum supported on silica (Rodríguez, D. (228) 309)
- Pt-Sn catalysts**  
 Characterization of bifunctional PtSn/H[Al]ZSM5 catalysts: a comparison between two impregnation strategies (Morales, R. (228) 227)  
 Effect of tin and potassium addition on the nature of platinum supported on silica (Rodríguez, D. (228) 309)
- Pt-Sn catalysts**  
 Improved sulfur resistance of Pt-Sn/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for C<sub>3</sub>H<sub>8</sub>-NO-O<sub>2</sub> reaction under lean conditions due to Pt-Sn surface interactions (Corro, G. (228) 275)
- Pyridine adsorption**  
 High selectivity to isopropyl ether over sulfated titania in the isopropanol decomposition (Ortiz-Islas, E. (228) 345)
- Quadrupole mass spectrometry**  
 Thermal decomposition of nickel acetate tetrahydrate: an integrated study by TGA, QMS and XPS techniques (De Jesus, J.C. (228) 283)
- Quantum-chemistry**  
 Application of computational methods to catalytic systems (Ruette, F. (228) 211)
- Reflection-adsorption infrared spectroscopy**  
 Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Resistivity**  
 Resistivity induced by a rough surface of thin gold films deposited on mica (Munoz, R.C. (228) 163)
- Roughness and topography**  
 Surface roughening due to adsorbates (De Micco, C. (228) 111)
- SAXS**  
 Complementary methods for cluster size distribution measurements: supported platinum nanoclusters in methane reforming catalysts (Ramallo-López, J.M. (228) 299)
- SBA-15**  
 Development and sorption characterization of some model mesoporous and microporous silica adsorbents (Esparza, J.M. (228) 97)
- SBA-16**  
 Development and sorption characterization of some model mesoporous and microporous silica adsorbents (Esparza, J.M. (228) 97)
- Selective oxidation**  
 Heterogeneous alkene epoxidation: past, present and future (Lambert, R.M. (228) 27)
- Selectivity**  
 Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)
- Self-assembling**  
 Structural and functional characterization of self-assembled monolayers of peptide nucleic acids and its interaction with complementary DNA (Briones, C. (228) 131)
- Semiconductors**  
 X-ray multiple diffraction on the shallow junction of B in Si(0 0 1) (Orloski, R.V. (228) 177)
- Shallow junction**  
 X-ray multiple diffraction on the shallow junction of B in Si(0 0 1) (Orloski, R.V. (228) 177)
- Silver**  
 Heterogeneous alkene epoxidation: past, present and future (Lambert, R.M. (228) 27)
- SO<sub>2</sub> adsorption**  
 Density functional study of the interaction of Cu<sup>+</sup> ion-exchanged zeolites with H<sub>2</sub>O and SO<sub>2</sub> molecules (Sierraalta, A. (228) 203)
- Solar technology**  
 Photocatalytic degradation of phenol using TiO<sub>2</sub> nanocrystals supported on activated carbon (Carpio, E. (228) 293)
- Sol-gel synthesis TiO<sub>2</sub>**  
 Catalytic behavior of sulfated TiO<sub>2</sub> in light olefins oligomerization (Mantilla, A. (228) 333)
- Spray pyrolysis**  
 Titanium dioxide thin films: the effect of the preparation method in their photocatalytic properties (Acosta, D.R. (228) 183)
- Strong copper-alumina interaction**  
 One-step generation of highly selective hydrogenation catalysts involving sub-nanometric Cu<sub>2</sub>O supported on mesoporous alumina: strategies to control their size and dispersion (Valange, S. (228) 255)
- Structural stability**  
 Y-shaped carbon nanotubes: structural stability and transport properties (Latgé, A. (228) 125)
- Sub-nanometric Cu<sub>2</sub>O particles**  
 One-step generation of highly selective hydrogenation catalysts involving sub-nanometric Cu<sub>2</sub>O supported on mesoporous alumina: strategies to control their size and dispersion (Valange, S. (228) 255)

- Sulfated circonia  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)
- Sulfated TiO<sub>2</sub> acidity  
Catalytic behavior of sulfated TiO<sub>2</sub> in light olefins oligomerization (Mantilla, A. (228) 333)
- Sulfated titania  
High selectivity to isopropyl ether over sulfated titania in the isopropanol decomposition (Ortiz-Islas, E. (228) 345)
- Sulfur deactivation  
Improved sulfur resistance of Pt–Sn/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for C<sub>3</sub>H<sub>8</sub>–NO–O<sub>2</sub> reaction under lean conditions due to Pt–Sn surface interactions (Corro, G. (228) 275)
- Surface analysis  
Materials characterization by X-ray photoelectron spectroscopy (Nascente, P.A.P. (228) 145)
- Surface roughening  
Surface roughening due to adsorbates (De Micco, C. (228) 111)
- Surface science  
Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)
- Surface structure  
Surface roughening due to adsorbates (De Micco, C. (228) 111)
- Syngas production  
Perovskites as catalysts precursors: synthesis and characterization (Goldwasser, M.R. (228) 325)
- TEM  
Characterization of bifunctional PtSn/H[Al]ZSM5 catalysts: a comparison between two impregnation strategies (Morales, R. (228) 227)
- Temperature programmed desorption  
Tuning selectivity in hydrocarbon conversion catalysis (Zaera, F. (228) 21)
- Theoretical study  
Density functional study of the interaction of Cu<sup>+</sup> ion-exchanged zeolites with H<sub>2</sub>O and SO<sub>2</sub> molecules (Sierraalta, A. (228) 203)
- Thermogravimetric analysis  
Thermal decomposition of nickel acetate tetrahydrate: an integrated study by TGA, QMS and XPS techniques (De Jesus, J.C. (228) 283)
- Thin films  
Titanium dioxide thin films: the effect of the preparation method in their photocatalytic properties (Acosta, D.R. (228) 183)
- Thin solid films  
Resistivity induced by a rough surface of thin gold films deposited on mica (Munoz, R.C. (228) 163)
- Three-way catalyst  
An overview of kinetic and spectroscopic investigations on three-way catalysts: mechanistic aspects of the CO+NO and CO+N<sub>2</sub>O reactions (Granger, P. (228) 241)
- Time-resolved X-ray diffraction  
Physical and chemical properties of Ce<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub> nanoparticles and Ce<sub>1-x</sub>Zr<sub>x</sub>O<sub>2</sub>(1 1 1) surfaces: synchrotron-based studies (Rodriguez, J.A. (228) 11)
- TiO<sub>2</sub>  
Titanium dioxide thin films: the effect of the preparation method in their photocatalytic properties (Acosta, D.R. (228) 183)
- Titanium dioxide  
Photocatalytic degradation of phenol using TiO<sub>2</sub> nanocrystals supported on activated carbon (Carpio, E. (228) 293)
- Toluene hydrogenation  
Characterization of bifunctional PtSn/H[Al]ZSM5 catalysts: a comparison between two impregnation strategies (Morales, R. (228) 227)
- Transition states  
Orientation of ethoxy, mono-, di-, and tri-fluoroethoxy on Cu(1 1 1): a DFT study (Li, X. (228) 77)
- Transport  
Y-shaped carbon nanotubes: structural stability and transport properties (Latgé, A. (228) 125)
- Vapor percolation  
Development and sorption characterization of some model mesoporous and microporous silica adsorbents (Esparza, J.M. (228) 97)
- Vinylidene  
Hydrocarbon conversion on palladium catalysts (Stacchiola, D. (228) 35)
- Water adsorption  
Oxide and carbonate surfaces as environmental interfaces: the importance of water in surface composition and surface reactivity (Al-Abadleh, H.A. (228) 47)
- XAFS  
Complementary methods for cluster size distribution measurements: supported platinum nanoclusters in methane reforming catalysts (Ramallo-López, J.M. (228) 299)
- XPS  
Characterization of bifunctional PtSn/H[Al]ZSM5 catalysts: a comparison between two impregnation strategies (Morales, R. (228) 227)  
Materials characterization by X-ray photoelectron spectroscopy (Nascente, P.A.P. (228) 145)  
X-ray photoelectron spectroscopy studies of laterite standard reference material (Mendialdua, J. (228) 151)
- XPS and XAES shifts  
Electronic structure information of metals and alloys from auger and photoemission (Kleiman, G.G. (228) 137)
- X-ray diffraction  
X-ray multiple diffraction on the shallow junction of B in Si(0 0 1) (Orloski, R.V. (228) 177)
- X-ray multiple diffraction  
X-ray multiple diffraction on the shallow junction of B in Si(0 0 1) (Orloski, R.V. (228) 177)
- X-ray photoelectron spectroscopy  
Thermal decomposition of nickel acetate tetrahydrate: an integrated study by TGA, QMS and XPS techniques (De Jesus, J.C. (228) 283)
- XRD sulfated TiO<sub>2</sub>  
Catalytic behavior of sulfated TiO<sub>2</sub> in light olefins oligomerization (Mantilla, A. (228) 333)
- Y-shaped carbon nanotubes  
Y-shaped carbon nanotubes: structural stability and transport properties (Latgé, A. (228) 125)
- Zeolites  
Supported bimetallic Pd–Co catalysts: characterization and catalytic activity (Montes de Correa, C. (228) 267)