

Journal of Molecular Catalysis A: Chemical 231 (2005) 267-271



www.elsevier.com/locate/molcata

Subject index

Acetic Anhydride

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Acetylation

A study into the use of microwaves and solid acid catalysts for Friedel-Crafts acetylations (Gronnow, M.J. (231) 47)

Acvlation

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Acylhydrazone

Preparation and characterization of acylhydrazone nickel(II) complexes and their catalytic behavior in vinyl polymerization of norbornene and oligomerization of ethylene (Hou, J. (231) 221)

Aerobic epoxidation

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

Alanine-salicylaldehyde Schiff base Mn(III) complex

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

Alcohol

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Alkoxysilanes

Effect of alkoxysilanes formed in situ on the properties of Ziegler–Natta catalysts for olefin polymerisation (Chirinos, J. (231) 123)

Alkylation

Alkylation of α -methylnaphthalene with long-chain alkenes catalyzed by butylpyridinium bromochloroaluminate ionic liquids (Zhao, Z. (231) 137)

Allylic substitution

Enantioselective Pd-catalysed allylation with BINOL-derived monodentate phosphite and phosphoramidite ligands (Gavrilov, K.N. (231) 255)

Amine

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Anchored catalyst

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

Aniline

An insight into the mechanism of selective mono-N-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169)

Anthracene

Catalytic bromination of anthracene on silica gel (Seetula, J.A. (231) 153)

Anticrowns

Cyclic trimeric perfluoro-o-phenylenemercury: a highly efficient phase transfer catalyst for nitration of aromatic substrates with dilute nitric acid (Zaraisky, A.P. (231) 103)

Aqueous media

Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-*block*-poly(ethylene oxide) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors (Kotzabasakis, V. (231) 93)

Aromatic nitration

Cyclic trimeric perfluoro-o-phenylenemercury: a highly efficient phase transfer catalyst for nitration of aromatic substrates with dilute nitric acid (Zaraisky, A.P. (231) 103)

Arylamines

Synthesis of *N*-arylphthalimides catalyzed by 1,4-diazabicy-clo[2,2,2]octane [DABCO] in solventless system (Heravi, M.M. (231) 89)

Asymmetric

Unsymmetrical chiral salen Schiff base ligands. Synthesis and use in metal-based asymmetric epoxidation reactions (Renehan, M.F. (231) 205)

Bimetallic supported catalyst

Preparation, characterization, and catalytic activity of NiMg catalysts supported on mesoporous alumina for hydrodechlorination of *o*-dichlorobenzene (Kim, P. (231) 247)

1,1'-Bi-2-naphthol

Liquid-phase oxidative coupling of 2-naphthol by vanadium catalysts supported on MCM-41 (Ikeda, T. (231) 235)

9-Bromoanthracene

Catalytic bromination of anthracene on silica gel (Seetula, J.A. (231) 153)

Catalysis

Highly active and selective catalysts of hydrogenation based on palladium bis-acetylacetonate and phenylphosphine (Belykh, L.B. (231) 53) Influence of partial neutralization on catalytic activity of ion exchange resin (Holub, L. (231) 21)

Catalyst performance

Progress in enantioselective catalysis assessed from an industrial point of view (Blaser, H.-U. (231) 1)

Catalysts

Catalytic reactions of post-consumer polymer waste over fluidised cracking catalysts for producing hydrocarbons (Lin, Y.-H. (231) 113)

Unsymmetrical chiral salen Schiff base ligands. Synthesis and use in metal-based asymmetric epoxidation reactions (Renehan, M.F. (231) 205)

Catalytic technology

Progress in enantioselective catalysis assessed from an industrial point of view (Blaser, H.-U. (231) 1)

Cationic porphyrins

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

CeO_2

PIO study on 1,3-butanediol dehydration over CeO₂ (111) surface (Ichikawa, N. (231) 181)

Chemical template

Preparation, characterization, and catalytic activity of NiMg catalysts supported on mesoporous alumina for hydrodechlorination of *o*-dichlorobenzene (Kim, P. (231) 247)

Chiral ligand

Progress in enantioselective catalysis assessed from an industrial point of view (Blaser, H.-U. (231) 1)

Chitosan-Schiff base

Highly efficient catalysts of chitosan-Schiff base Co(II) and Pd(II) complexes for aerobic oxidation of cyclohexane in the absence of reductants and solvents (Tong, J. (231) 197)

Chromium

Unsymmetrical chiral salen Schiff base ligands. Synthesis and use in metal-based asymmetric epoxidation reactions (Renehan, M.F. (231) 205)

Co(II) and Pd(II) complexes

Highly efficient catalysts of chitosan-Schiff base Co(II) and Pd(II) complexes for aerobic oxidation of cyclohexane in the absence of reductants and solvents (Tong, J. (231) 197)

Cobalt/alumina

Catalytic performance of zirconium-modified Co/Al₂O₃ for Fischer–Tropsch synthesis (Xiong, H. (231) 145)

Competitive reactions

A comparative study of Pd supported on MCM-41 and SiO_2 in the liquid phase hydrogenation of phenyl alkyl acetylenes mixtures (Marín-Astorga, N. (231) 67)

Cu/ZrO2

Catalytic performance of copper supported on zirconia polymorphs for CO hydrogenation (Ma, Z.-Y. (231) 75)

$Cu_{1-x}Zn_xFe_2O_4$

An insight into the mechanism of selective mono-N-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169) Cyclohexane oxidation

Highly efficient catalysts of chitosan-Schiff base Co(II) and Pd(II) complexes for aerobic oxidation of cyclohexane in the absence of reductants and solvents (Tong, J. (231) 197)

Cyclohexene

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

Cyclohexene epoxide

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

Cycloisomerization

Synthesis and catalytic properties of 1-alkylperimidineruthenium(II) complexes (Alıcı, B. (231) 261)

Cyclooctene

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

DABCO

Synthesis of *N*-arylphthalimides catalyzed by 1,4-diazabicy-clo[2,2,2]octane [DABCO] in solventless system (Heravi, M.M. (231) 89)

Deactivation

Alkylation of α -methylnaphthalene with long-chain alkenes catalyzed by butylpyridinium bromochloroaluminate ionic liquids (Zhao, Z. (231) 137) Dehydration

PIO study on 1,3-butanediol dehydration over CeO_2 (111) surface (Ichikawa, N. (231) 181)

Desorption limited

An insight into the mechanism of selective mono-N-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169)

9,10-Dibromoanthracene

Catalytic bromination of anthracene on silica gel (Seetula, J.A. (231) 153) β -Diketiminato Ni(II) complexes

Investigation of 1-hexene isomerization and oligomerization catalyzed with β -diketiminato Ni(II) bromide complexes/methylaluminoxane system (Zhang, J. (231) 27)

1.3-Diol

PIO study on 1,3-butanediol dehydration over CeO_2 (111) surface (Ichikawa, N. (231) 181)

DRIFT

An insight into the mechanism of selective mono-*N*-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169)

Enantioselective catalysis

Progress in enantioselective catalysis assessed from an industrial point of view (Blaser, H.-U. (231) 1)

Epoxidation

Unsymmetrical chiral salen Schiff base ligands. Synthesis and use in metal-based asymmetric epoxidation reactions (Renehan, M.F. (231) 205)

Ethylene oligomerization

Preparation and characterization of acylhydrazone nickel(II) complexes and their catalytic behavior in vinyl polymerization of norbornene and oligomerization of ethylene (Hou, J. (231) 221)

Exo-tetrahydrodicyclopentadiene

Endo- to exo-isomerization of tetrahydrodicyclopentadiene catalyzed by commercially available zeolites (Xing, E. (231) 161)

Fischer-Tropsch synthesis

Catalytic performance of zirconium-modified Co/Al₂O₃ for Fischer-Tropsch synthesis (Xiong, H. (231) 145)

Fluidised-bed reactor

Catalytic reactions of post-consumer polymer waste over fluidised cracking catalysts for producing hydrocarbons (Lin, Y.-H. (231) 113)

Fragrance

Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance $\{\beta\text{-Lilial}^{\text{(B)}}; 3\text{-}(4\text{-}t\text{-butylphenyl})\text{-}2\text{-methylpropanal}\}$ (Forsyth, S.A. (231) 61)

Friedel-Crafts chemistry

A study into the use of microwaves and solid acid catalysts for Friedel-Crafts acetylations (Gronnow, M.J. (231) 47)

FT-IR

Catalytic performance of copper supported on zirconia polymorphs for CO hydrogenation (Ma, Z.-Y. (231) 75)

Heck

Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance $\{\beta\text{-Lilial}^{\textcircled{\$}}; 3\text{-}(4\text{-}t\text{-butylphenyl})\text{-}2\text{-methylpropanal}\}$ (Forsyth, S.A. (231) 61)

Heterogenized catalyst

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

1-Hexene

Investigation of 1-hexene isomerization and oligomerization catalyzed with β -diketiminato Ni(II) bromide complexes/methylaluminoxane system (Zhang, J. (231) 27)

Hydrodechlorination of *o*-dichlorobenzene

Preparation, characterization, and catalytic activity of NiMg catalysts supported on mesoporous alumina for hydrodechlorination of *o*-dichlorobenzene (Kim, P. (231) 247)

Hydrogen peroxide

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

Hydrogenation

Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-block-poly(ethylene oxide) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors (Kotzabasakis, V. (231) 93)

Enantioselective Pd-catalysed allylation with BINOL-derived monodentate phosphite and phosphoramidite ligands (Gavrilov, K.N. (231) 255)

Highly active and selective catalysts of hydrogenation based on palladium bis-acetylacetonate and phenylphosphine (Belykh, L.B. (231) 53)

Industrial application

Progress in enantioselective catalysis assessed from an industrial point of view (Blaser, H.-U. (231) 1)

Ionic liquids

Alkylation of α -methylnaphthalene with long-chain alkenes catalyzed by butylpyridinium bromochloroaluminate ionic liquids (Zhao, Z. (231) 137)

Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance $\{\beta\text{-Lilial}^{\textcircled{1}}\}$; 3-(4-*t*-butylphenyl)-2-methylpropanal $\}$ (Forsyth, S.A. (231) 61)

IR

An insight into the mechanism of selective mono-N-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169) Isomerization

Endo- to exo-isomerization of tetrahydrodicyclopentadiene catalyzed by commercially available zeolites (Xing, E. (231) 161)

Investigation of 1-hexene isomerization and oligomerization catalyzed with β -diketiminato Ni(II) bromide complexes/methylaluminoxane system (Zhang, J. (231) 27)

Isotactic

Polymerization of propylene with [t-BuNSiMe₂Ind]TiMe₂-MAO catalyst systems (Nishii, K. (231) 241)

JP-10

Endo- to exo-isomerization of tetrahydrodicyclopentadiene catalyzed by commercially available zeolites (Xing, E. (231) 161)

Kinetics of bromination

Catalytic bromination of anthracene on silica gel (Seetula, J.A. (231) 153)

Lilial

Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance $\{\beta\text{-Lilial}^{\textcircled{\$}}; 3\text{-}(4\text{-}t\text{-butylphenyl})\text{-}2\text{-methylpropanal}\}$ (Forsyth, S.A. (231) 61)

Long-chain alkenes

Alkylation of α -methylnaphthalene with long-chain alkenes catalyzed by butylpyridinium bromochloroaluminate ionic liquids (Zhao, Z. (231) 137)

Manganese

Unsymmetrical chiral salen Schiff base ligands. Synthesis and use in metal-based asymmetric epoxidation reactions (Renehan, M.F. (231) 205)

Manganese(III)

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

MCM-4

Liquid-phase oxidative coupling of 2-naphthol by vanadium catalysts supported on MCM-41 (Ikeda, T. (231) 235)

Mesoporouos materials

A comparative study of Pd supported on MCM-41 and SiO_2 in the liquid phase hydrogenation of phenyl alkyl acetylenes mixtures (Marín-Astorga, N. (231) 67)

Mesoporous alumina

Preparation, characterization, and catalytic activity of NiMg catalysts supported on mesoporous alumina for hydrodechlorination of *o*-dichlorobenzene (Kim, P. (231) 247)

Metallocene catalysts

Polymerization of propylene with [t-BuNSiMe₂Ind]TiMe₂-MAO catalyst systems (Nishii, K. (231) 241)

Metalloporphyrins

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

Methanol

An insight into the mechanism of selective mono-*N*-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169) Solid base and their performance in synthesis of propylene glycol methyl ether (Zhang, W. (231) 83)

Methanol synthesis

Catalytic performance of copper supported on zirconia polymorphs for CO hydrogenation (Ma, Z.-Y. (231) 75)

Methylaluminoxane

Investigation of 1-hexene isomerization and oligomerization catalyzed with β -diketiminato Ni(II) bromide complexes/methylaluminoxane system (Zhang, J. (231) 27)

N-Methylaniline

An insight into the mechanism of selective mono-N-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169)

N-Methylation

An insight into the mechanism of selective mono-*N*-methylation of aniline on $\text{Cu}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$: a DRIFTS study (Vijayaraj, M. (231) 169) α -Methylnaphthalene

Alkylation of α -methylnaphthalene with long-chain alkenes catalyzed by butylpyridinium bromochloroaluminate ionic liquids (Zhao, Z. (231) 137)

Microwaves

A study into the use of microwaves and solid acid catalysts for Friedel-Crafts acetylations (Gronnow, M.J. (231) 47)

Mixed micelles

Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-block-poly(ethylene oxide) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors (Kotzabasakis, V. (231) 93)

Mn(III

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Monodentate ligands

Enantioselective Pd-catalysed allylation with BINOL-derived monodentate phosphite and phosphoramidite ligands (Gavrilov, K.N. (231) 255)

Monoterpenes

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

Naphthol

Liquid-phase oxidative coupling of 2-naphthol by vanadium catalysts supported on MCM-41 (Ikeda, T. (231) 235)

NaZSM-5

Liquid-phase oxidative coupling of 2-naphthol by vanadium catalysts supported on MCM-41 (Ikeda, T. (231) 235)

Nickel and magnesium

Preparation, characterization, and catalytic activity of NiMg catalysts supported on mesoporous alumina for hydrodechlorination of *o*-dichlorobenzene (Kim, P. (231) 247)

Nickel complex

Preparation and characterization of acylhydrazone nickel(II) complexes and their catalytic behavior in vinyl polymerization of norbornene and oligomerization of ethylene (Hou, J. (231) 221)

Olefin isomerization

Synthesis and catalytic properties of 1-alkylperimidineruthenium(II) complexes (Alıcı, B. (231) 261)

Olefin/paraffin

Catalytic performance of zirconium-modified Co/Al₂O₃ for Fischer–Tropsch synthesis (Xiong, H. (231) 145)

Oligomerization

Investigation of 1-hexene isomerization and oligomerization catalyzed with β -diketiminato Ni(II) bromide complexes/methylaluminoxane system (Zhang, J. (231) 27)

Oxidation

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

Oxidative coupling

Liquid-phase oxidative coupling of 2-naphthol by vanadium catalysts supported on MCM-41 (Ikeda, T. (231) 235)

Oxyger

Highly efficient catalysts of chitosan-Schiff base Co(II) and Pd(II) complexes for aerobic oxidation of cyclohexane in the absence of reductants and solvents (Tong, J. (231) 197)

Paired interacting orbital (PIO) theory

PIO study on 1,3-butanediol dehydration over CeO₂ (111) surface (Ichikawa, N. (231) 181)

Palladium

Highly active and selective catalysts of hydrogenation based on palladium bis-acetylacetonate and phenylphosphine (Belykh, L.B. (231) 53)

Palladium catalyst

Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance $\{\beta\text{-Lilial}^{\textcircled{\$}}; 3\text{-}(4\text{-}t\text{-butylphenyl})\text{-}2\text{-methylpropanal}\}$ (Forsyth, S.A. (231) 61)

Partial neutralization

Influence of partial neutralization on catalytic activity of ion exchange resin (Holub, L. (231) 21)

Pd

A comparative study of Pd supported on MCM-41 and SiO_2 in the liquid phase hydrogenation of phenyl alkyl acetylenes mixtures (Marín-Astorga, N. (231) 67)

Perimidine

Synthesis and catalytic properties of 1-alkylperimidineruthenium(II) complexes (Alıcı, B. (231) 261)

Phase transfer catalysis

Cyclic trimeric perfluoro-o-phenylenemercury: a highly efficient phase transfer catalyst for nitration of aromatic substrates with dilute nitric acid (Zaraisky, A.P. (231) 103)

Phenol

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Phenyl alkyl acetylenes mixtures

A comparative study of Pd supported on MCM-41 and SiO_2 in the liquid phase hydrogenation of phenyl alkyl acetylenes mixtures (Marín-Astorga, N. (231) 67)

Phenylphosphine

Highly active and selective catalysts of hydrogenation based on palladium bis-acetylacetonate and phenylphosphine (Belykh, L.B. (231) 53)

Synthesis of *N*-arylphthalimides catalyzed by 1,4-diazabicyclo[2,2,2] octane [DABCO] in solventless system (Heravi, M.M. (231) 89)

Poly(propylene) (PP)

Polymerization of propylene with [t-BuNSiMe₂Ind]TiMe₂–MAO catalyst systems (Nishii, K. (231) 241)

Polymer supports

Influence of partial neutralization on catalytic activity of ion exchange resin (Holub, L. (231) 21)

Polymer waste

Catalytic reactions of post-consumer polymer waste over fluidised cracking catalysts for producing hydrocarbons (Lin, Y.-H. (231) 113)

Polymercuramacrocycles

Cyclic trimeric perfluoro-o-phenylenemercury: a highly efficient phase transfer catalyst for nitration of aromatic substrates with dilute nitric acid (Zaraisky, A.P. (231) 103)

Polynorbornene

Preparation and characterization of acylhydrazone nickel(II) complexes and their catalytic behavior in vinyl polymerization of norbornene and oligomerization of ethylene (Hou, J. (231) 221)

Polyolefins

Effect of alkoxysilanes formed in situ on the properties of Ziegler–Natta catalysts for olefin polymerisation (Chirinos, J. (231) 123)

Polyoxometalates

Association of Keggin-type anions with cationic *meso*-substituted porphyrins: synthesis, characterization and oxidative catalytic studies (Santos, I.C.M.S. (231) 35)

Propylene glycol methyl ether

Solid base and their performance in synthesis of propylene glycol methyl ether (Zhang, W. (231) 83)

Propylene oxide

Solid base and their performance in synthesis of propylene glycol methyl ether (Zhang, W. (231) 83)

Proton transfer

Cyclic trimeric perfluoro-o-phenylenemercury: a highly efficient phase transfer catalyst for nitration of aromatic substrates with dilute nitric acid (Zaraisky, A.P. (231) 103)

Pyrolysis

Catalytic reactions of post-consumer polymer waste over fluidised cracking catalysts for producing hydrocarbons (Lin, Y.-H. (231) 113)

Quasi-living polymerization

Polymerization of propylene with [t-BuNSiMe₂Ind]TiMe₂-MAO catalyst systems (Nishii, K. (231) 241)

Reaction mechanism

An insight into the mechanism of selective mono-*N*-methylation of aniline on $Cu_{1-x}Zn_xFe_2O_4$: a DRIFTS study (Vijayaraj, M. (231) 169) Recrystallisation

Effect of alkoxysilanes formed in situ on the properties of Ziegler–Natta catalysts for olefin polymerisation (Chirinos, J. (231) 123)

Recycling

Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance $\{\beta\text{-Lilial}^{\circledR}; 3\text{-}(4\text{-}t\text{-butylphenyl})\text{-}2\text{-methylpropanal}\}$ (Forsyth, S.A. (231) 61)

Redox property

PIO study on 1,3-butanediol dehydration over CeO_2 (111) surface (Ichikawa, N. (231) 181)

Reducibility

Catalytic performance of zirconium-modified Co/Al₂O₃ for Fischer–Tropsch synthesis (Xiong, H. (231) 145)

Resin

Influence of partial neutralization on catalytic activity of ion exchange resin (Holub, L. (231) 21)

Rhodium

Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-block-poly(ethylene oxide) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors (Kotzabasakis, V. (231) 93)

Ruthenium complexes

Synthesis and catalytic properties of 1-alkylperimidineruthenium(II) complexes (Alıcı, B. (231) 261)

Schiff-base

Manganese(III) bis(2-hydroxyanil)acetylacetonato complex as effective catalyst for acylation of alcohols, amines and phenols with acetic anhydride (Salavati-Niasari, M. (231) 191)

Selectivity

Catalytic reactions of post-consumer polymer waste over fluidised cracking catalysts for producing hydrocarbons (Lin, Y.-H. (231) 113)

SiO₂

Catalytic bromination of anthracene on silica gel (Seetula, J.A. (231) 153)

Sol-gel

Preparation of encapsulated and anchored alanine–salicylaldehyde Schiff base Mn(III) (Sal–Ala–Mn) complexes by sol–gel method and their performance in aerobic epoxidation of cyclohexene (Zhao, J. (231) 129)

Solid acid catalysts

A study into the use of microwaves and solid acid catalysts for Friedel-Crafts acetylations (Gronnow, M.J. (231) 47)

Solid base

Solid base and their performance in synthesis of propylene glycol methyl ether (Zhang, W. (231) 83)

Solid phase

Synthesis of *N*-arylphthalimides catalyzed by 1,4-diazabicy-clo[2,2,2]octane [DABCO] in solventless system (Heravi, M.M. (231) 89)

Stereoselectivity

A comparative study of Pd supported on MCM-41 and SiO_2 in the liquid phase hydrogenation of phenyl alkyl acetylenes mixtures (Marín-Astorga, N. (231) 67)

Tetrahydrodicyclopentadiene

Endo- to exo-isomerization of tetrahydrodicyclopentadiene catalyzed by commercially available zeolites (Xing, E. (231) 161)

TPPTS

Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-*block*-poly(ethylene oxide) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors (Kotzabasakis, V. (231) 93)

Unsaturated alcohols

PIO study on 1,3-butanediol dehydration over CeO_2 (111) surface (Ichikawa, N. (231) 181)

Unsymmetrical salen

Unsymmetrical chiral salen Schiff base ligands. Synthesis and use in metal-based asymmetric epoxidation reactions (Renehan, M.F. (231) 205)

Vanadium

Liquid-phase oxidative coupling of 2-naphthol by vanadium catalysts supported on MCM-41 (Ikeda, T. (231) 235)

Zeolites

Endo- to exo-isomerization of tetrahydrodicyclopentadiene catalyzed by commercially available zeolites (Xing, E. (231) 161)

Ziegler-Natta catalysts

Effect of alkoxysilanes formed in situ on the properties of Ziegler–Natta catalysts for olefin polymerisation (Chirinos, J. (231) 123)

Zirconia polymorphs

Catalytic performance of copper supported on zirconia polymorphs for CO hydrogenation (Ma, Z.-Y. (231) 75)

Zirconium

Catalytic performance of zirconium-modified Co/Al₂O₃ for Fischer-Tropsch synthesis (Xiong, H. (231) 145)