

## Subject index

### Acrylate polymerisation

Kinetics and mechanism of methyl acrylate homo- and co-polymerisation catalysed by cyclopentadienyltitanium trichloride–MAO (Cunningham, I.D. (232) 187)

### Acrylic acid

The study of L-VPO catalysts prepared by microwave methods (Zeng, L. (232) 119)

### Adsorption

An ONIOM study of amines adsorption in H-[Ga]MOR (Jiang, N. (232) 59)

### Alcohols

Efficient aerobic oxidation of alcohols using a novel combination *N*-hydroxy phthalimide (NHPI) and a recyclable heterogeneous cobalt complex (Rajabi, F. (232) 95)

Solid silica-based sulfonic acid as an efficient and recoverable inter-phase catalyst for selective tetrahydropyranylation of alcohols and phenols (Karimi, B. (232) 113)

### Aldehyde

Reversal of stereochemistry by adding  $\text{Ti}(\text{O}^i\text{Pr})_4$  in the enantioselective phenylacetylene addition to aldehydes using L-prolinol-backbone ligand (Mao, J. (232) 9)

### Aldehyde hydrogenation

Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/ $\gamma$ - $\text{Al}_2\text{O}_3$  catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)

### Aldol condensation

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)

### Alkaloids

Enantioselective synthesis of 1-substituted tetrahydro- $\beta$ -carboline derivatives via the asymmetric transfer hydrogenation (Roszkowski, P. (232) 143)

### Alumina

Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)

### Amines

An ONIOM study of amines adsorption in H-[Ga]MOR (Jiang, N. (232) 59)

### Anthraquinones

Electrocatalysis of oxygen reduction at polypyrrole modified glassy carbon electrode in anthraquinone solutions (Manisankar, P. (232) 45)

### BIPHEPHOS

Highly selective hydroformylation of internal and terminal olefins to terminal aldehydes using a rhodium-BIPHEPHOS-catalyst system (Vogl, C. (232) 41)

### Carbonyl compounds

Vanadyl triflate as an efficient and recyclable catalyst for trimethylsilyl cyanide addition to carbonyl compounds (De, S.K. (232) 123)

### Catalysis

Oxidation of ketones by ceric perchlorate catalysed by iridium(III) (Tandon, P.K. (232) 83)

### Catalyst

Synthesis and styrene polymerization behavior of new titanium complexes  $\text{Cp}^*\text{TiCl}(\text{OCHRCH}_2\text{NAr})$  (Chen, J. (232) 1)

### Catalysts

Solid silica-based sulfonic acid as an efficient and recoverable inter-phase catalyst for selective tetrahydropyranylation of alcohols and phenols (Karimi, B. (232) 113)

### Catalytic alkylation

Vapor-phase highly selective *O*-methylation of catechol with methanol over  $\text{ZnCl}_2$  modified  $\gamma$ - $\text{Al}_2\text{O}_3$  catalysts (Fu, Z. (232) 69)

### Catalytic study

Comparative study of the chromium(III) catalysed oxidation of L-leucine and L-isoleucine by alkaline permanganate: A kinetic and mechanistic approach (Bilehal, D. (232) 21)

### Cerium(IV) perchlorate

Oxidation of ketones by ceric perchlorate catalysed by iridium(III) (Tandon, P.K. (232) 83)

### Chirality transfer

Enantioselective synthesis of 1-substituted tetrahydro- $\beta$ -carboline derivatives via the asymmetric transfer hydrogenation (Roszkowski, P. (232) 143)

### Chromium(III)

Comparative study of the chromium(III) catalysed oxidation of L-leucine and L-isoleucine by alkaline permanganate: A kinetic and mechanistic approach (Bilehal, D. (232) 21)

### Cinchonidine-Pd/ $\text{Al}_2\text{O}_3$

The solvent effect in the enantioselective hydrogenation of (*E*)-2-methyl-2-butenic acid with cinchonidine doped Pd/ $\text{Al}_2\text{O}_3$  (Bisignani, R. (232) 161)

### $\text{CO}_2$ adsorption

Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/ $\gamma$ - $\text{Al}_2\text{O}_3$  catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)

### Cobalt

Olefin hydrogenation using diimine pyridine complexes of Co and Rh (Knijnenburg, Q. (232) 151)

### Co-polymerisation

Kinetics and mechanism of methyl acrylate homo- and co-polymerisation catalysed by cyclopentadienyltitanium trichloride–MAO (Cunningham, I.D. (232) 187)

### Cyanohydrins

Vanadyl triflate as an efficient and recyclable catalyst for trimethylsilyl cyanide addition to carbonyl compounds (De, S.K. (232) 123)

### Cyclohexene

The role of protons in cyclohexene oxidation with  $\text{H}_2\text{O}_2$  catalysed by Ti(IV)-monosubstituted Keggin polyoxometalate (Kholdeeva, O.A. (232) 173)

### Cyclopentadienyltitanium trichloride–methylaluminoxane

Kinetics and mechanism of methyl acrylate homo- and co-polymerisation catalysed by cyclopentadienyltitanium trichloride–MAO (Cunningham, I.D. (232) 187)

### DFT calculations

Olefin hydrogenation using diimine pyridine complexes of Co and Rh (Knijnenburg, Q. (232) 151)

- Dielectric constant  
The solvent effect in the enantioselective hydrogenation of (*E*)-2-methyl-2-butenic acid with cinchonidine doped Pd/Al<sub>2</sub>O<sub>3</sub> (Bisignani, R. (232) 161)
- Diimine pyridine  
Olefin hydrogenation using diimine pyridine complexes of Co and Rh (Knijnenburg, Q. (232) 151)
- Dioxygen reduction  
Electrocatalysis of oxygen reduction at polypyrrole modified glassy carbon electrode in anthraquinone solutions (Manisankar, P. (232) 45)
- Diphenyl carbonate  
Effect of promoter copper on the oxidative carbonylation of phenol over the ultrafine embedded catalyst Pd–Cu–O/SiO<sub>2</sub> (Xue, W. (232) 77)
- DRIFTS  
Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)
- Electrocatalytic reduction  
Electrocatalysis of oxygen reduction at polypyrrole modified glassy carbon electrode in anthraquinone solutions (Manisankar, P. (232) 45)
- Enantioselective alkynylzinc addition  
Reversal of stereochemistry by adding Ti(O<sup>*i*</sup>Pr)<sub>4</sub> in the enantioselective phenylacetylene addition to aldehydes using L-prolinol-backbone ligand (Mao, J. (232) 9)
- Enantioselective hydrogenation  
The solvent effect in the enantioselective hydrogenation of (*E*)-2-methyl-2-butenic acid with cinchonidine doped Pd/Al<sub>2</sub>O<sub>3</sub> (Bisignani, R. (232) 161)
- Enantioselective reduction  
Enantioselective synthesis of 1-substituted tetrahydro-β-carboline derivatives via the asymmetric transfer hydrogenation (Roszkowski, P. (232) 143)
- Epoxidation  
Effect of preparation condition on performance of Ag–MoO<sub>3</sub>/ZrO<sub>2</sub> catalyst for direct epoxidation of propylene by molecular oxygen (Jin, G. (232) 165)
- EPR measurements  
Olefin hydrogenation using diimine pyridine complexes of Co and Rh (Knijnenburg, Q. (232) 151)
- Ethane  
Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)
- Guaiacol  
Vapor-phase highly selective *O*-methylation of catechol with methanol over ZnCl<sub>2</sub> modified γ-Al<sub>2</sub>O<sub>3</sub> catalysts (Fu, Z. (232) 69)
- Guerbet reaction  
Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)
- Heterogeneous catalysts  
Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)
- Heterogenized catalyst  
MCM-41 anchored Schrock catalyst Mo(=CHCMe<sub>2</sub>Ph)(=N-2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)[OCMe(CF<sub>3</sub>)<sub>2</sub>]<sub>2</sub>-activity in 1-heptene metathesis and cross-metathesis reactions (Balcar, H. (232) 53)  
Hydroformylation of 1-hexene using Rh/TPPTS complex exchanged on anion exchange resin: kinetic studies (Diwakar, M.M. (232) 179)
- H<sub>2</sub>O<sub>2</sub>  
The role of protons in cyclohexene oxidation with H<sub>2</sub>O<sub>2</sub> catalysed by Ti(IV)-monosubstituted Keggin polyoxometalate (Kholdeeva, O.A. (232) 173)
- Homogeneous catalysis  
Kinetics and mechanism of methyl acrylate homo- and co-polymerisation catalysed by cyclopentadienyltitanium trichloride–MAO (Cunningham, I.D. (232) 187)
- Hydroformylation  
Highly selective hydroformylation of internal and terminal olefins to terminal aldehydes using a rhodium-BIPHEPHOS-catalyst system (Vogl, C. (232) 41)  
Hydroformylation of 1-hexene using Rh/TPPTS complex exchanged on anion exchange resin: kinetic studies (Diwakar, M.M. (232) 179)
- Hydrogen peroxide  
Oxidation of bicyclic arenes with hydrogen peroxide catalysed by Mn(III) porphyrins (Rebelo, S.L.H. (232) 135)
- Hydrogenation  
Olefin hydrogenation using diimine pyridine complexes of Co and Rh (Knijnenburg, Q. (232) 151)
- N*-hydroxy phthalimide  
Efficient aerobic oxidation of alcohols using a novel combination *N*-hydroxy phthalimide (NHPI) and a recyclable heterogeneous cobalt complex (Rajabi, F. (232) 95)
- H-[Ga]MOR  
An ONIOM study of amines adsorption in H-[Ga]MOR (Jiang, N. (232) 59)
- Indane  
Oxidation of bicyclic arenes with hydrogen peroxide catalysed by Mn(III) porphyrins (Rebelo, S.L.H. (232) 135)
- Internal olefin  
Highly selective hydroformylation of internal and terminal olefins to terminal aldehydes using a rhodium-BIPHEPHOS-catalyst system (Vogl, C. (232) 41)
- Interphase catalysts  
Solid silica-based sulfonic acid as an efficient and recoverable interphase catalyst for selective tetrahydropyranlation of alcohols and phenols (Karimi, B. (232) 113)
- Ion-exchange method  
Vanadium-metal(IV)phosphates as catalysts for the oxidative dehydrogenation of ethane (Lisi, L. (232) 127)
- Ion-exchange resin  
Hydroformylation of 1-hexene using Rh/TPPTS complex exchanged on anion exchange resin: kinetic studies (Diwakar, M.M. (232) 179)
- IR frequency  
An ONIOM study of amines adsorption in H-[Ga]MOR (Jiang, N. (232) 59)
- Iridium(III) chloride  
Oxidation of ketones by ceric perchlorate catalysed by iridium(III) (Tandon, P.K. (232) 83)
- Isobutyl alcohol  
Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)
- L-Isoleucine  
Comparative study of the chromium(III) catalysed oxidation of L-leucine and L-isoleucine by alkaline permanganate: A kinetic and mechanistic approach (Bilehal, D. (232) 21)
- Ketones  
Oxidation of ketones by ceric perchlorate catalysed by iridium(III) (Tandon, P.K. (232) 83)
- Kinetic study  
Comparative study of the chromium(III) catalysed oxidation of L-leucine and L-isoleucine by alkaline permanganate: A kinetic and mechanistic approach (Bilehal, D. (232) 21)
- Kinetics  
Hydroformylation of 1-hexene using Rh/TPPTS complex exchanged on anion exchange resin: kinetic studies (Diwakar, M.M. (232) 179)

## L-Leucine

Comparative study of the chromium(III) catalysed oxidation of L-leucine and L-isoleucine by alkaline permanganate: A kinetic and mechanistic approach (Bilehal, D. (232) 21)

## Manganese(III) porphyrin

Oxidation of bicyclic arenes with hydrogen peroxide catalysed by Mn(III) porphyrins (Rebello, S.L.H. (232) 135)

## MCM-41

MCM-41 anchored Schrock catalyst  $\text{Mo}(\text{=CHCMe}_2\text{Ph})(\text{=N-2,6-}i\text{-Pr}_2\text{C}_6\text{H}_3)[\text{OCMe}(\text{CF}_3)_2]_2$ -activity in 1-heptene metathesis and cross-metathesis reactions (Balcar, H. (232) 53)

## Methanol

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)

*O*-methylation of catechol

Vapor-phase highly selective *O*-methylation of catechol with methanol over  $\text{ZnCl}_2$  modified  $\gamma\text{-Al}_2\text{O}_3$  catalysts (Fu, Z. (232) 69)

*(E)*-2-Methyl-2-butenic acid

The solvent effect in the enantioselective hydrogenation of *(E)*-2-methyl-2-butenic acid with cinchonidine doped Pd/Al<sub>2</sub>O<sub>3</sub> (Bisignani, R. (232) 161)

## Mg/Al/Cu mixed oxides

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)

## Microwave

The study of L-VPO catalysts prepared by microwave methods (Zeng, L. (232) 119)

## Modified methylaluminoxane

Synthesis and styrene polymerization behavior of new titanium complexes  $\text{Cp}^*\text{TiCl}(\text{OCHRCH}_2\text{NAr})$  (Chen, J. (232) 1)

## Molecular oxygen

Efficient aerobic oxidation of alcohols using a novel combination *N*-hydroxy phthalimide (NHPI) and a recyclable heterogeneous cobalt complex (Rajabi, F. (232) 95)

## Molybdena catalyst

Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)

## Nanometer materials

Preparation, characterization and photocatalytic properties of REFeO<sub>3</sub> (RE = Sm, Eu, Gd) (Niu, X. (232) 89)

NH<sub>3</sub>-TPD/TG-DSC

Vapor-phase highly selective *O*-methylation of catechol with methanol over  $\text{ZnCl}_2$  modified  $\gamma\text{-Al}_2\text{O}_3$  catalysts (Fu, Z. (232) 69)

## NO adsorption

Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/ $\gamma\text{-Al}_2\text{O}_3$  catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)

## Norbornene and cyclooctene telomerization

MCM-41 anchored Schrock catalyst  $\text{Mo}(\text{=CHCMe}_2\text{Ph})(\text{=N-2,6-}i\text{-Pr}_2\text{C}_6\text{H}_3)[\text{OCMe}(\text{CF}_3)_2]_2$ -activity in 1-heptene metathesis and cross-metathesis reactions (Balcar, H. (232) 53)

## Olefin metathesis

MCM-41 anchored Schrock catalyst  $\text{Mo}(\text{=CHCMe}_2\text{Ph})(\text{=N-2,6-}i\text{-Pr}_2\text{C}_6\text{H}_3)[\text{OCMe}(\text{CF}_3)_2]_2$ -activity in 1-heptene metathesis and cross-metathesis reactions (Balcar, H. (232) 53)

## ONIOM

An ONIOM study of amines adsorption in H-[Ga]MOR (Jiang, N. (232) 59)

## Oxidation

Efficient aerobic oxidation of alcohols using a novel combination *N*-hydroxy phthalimide (NHPI) and a recyclable heterogeneous cobalt complex (Rajabi, F. (232) 95)

Oxidation of bicyclic arenes with hydrogen peroxide catalysed by Mn(III) porphyrins (Rebello, S.L.H. (232) 135)

Oxidation of ketones by ceric perchlorate catalysed by iridium(III) (Tandon, P.K. (232) 83)

## Oxidation mechanism

The role of protons in cyclohexene oxidation with H<sub>2</sub>O<sub>2</sub> catalysed by Ti(IV)-monosubstituted Keggin polyoxometalate (Kholdeeva, O.A. (232) 173)

## Oxidative carbonylation

Effect of promoter copper on the oxidative carbonylation of phenol over the ultrafine embedded catalyst Pd–Cu–O/SiO<sub>2</sub> (Xue, W. (232) 77)

## Oxidative dehydrogenation

Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)

## Oxidative dehydrogenation of ethane

Vanadium-metal(IV)phosphates as catalysts for the oxidative dehydrogenation of ethane (Lisi, L. (232) 127)

## Permanganate

Comparative study of the chromium(III) catalysed oxidation of L-leucine and L-isoleucine by alkaline permanganate: A kinetic and mechanistic approach (Bilehal, D. (232) 21)

## Perovskite-type structure

Preparation, characterization and photocatalytic properties of REFeO<sub>3</sub> (RE = Sm, Eu, Gd) (Niu, X. (232) 89)

## Peroxititanium species

The role of protons in cyclohexene oxidation with H<sub>2</sub>O<sub>2</sub> catalysed by Ti(IV)-monosubstituted Keggin polyoxometalate (Kholdeeva, O.A. (232) 173)

## Photocatalytic property

Preparation, characterization and photocatalytic properties of REFeO<sub>3</sub> (RE = Sm, Eu, Gd) (Niu, X. (232) 89)

## Polypyrrole modified electrodes

Electrocatalysis of oxygen reduction at polypyrrole modified glassy carbon electrode in anthraquinone solutions (Manisankar, P. (232) 45)

## Polystyrene

Synthesis and styrene polymerization behavior of new titanium complexes  $\text{Cp}^*\text{TiCl}(\text{OCHRCH}_2\text{NAr})$  (Chen, J. (232) 1)

## Preparation condition

Effect of preparation condition on performance of Ag–MoO<sub>3</sub>/ZrO<sub>2</sub> catalyst for direct epoxidation of propylene by molecular oxygen (Jin, G. (232) 165)

## L-Prolinol-backbone

Reversal of stereochemistry by adding Ti(O<sup>*i*</sup>Pr)<sub>4</sub> in the enantioselective phenylacetylene addition to aldehydes using L-prolinol-backbone ligand (Mao, J. (232) 9)

## Promoter copper

Effect of promoter copper on the oxidative carbonylation of phenol over the ultrafine embedded catalyst Pd–Cu–O/SiO<sub>2</sub> (Xue, W. (232) 77)

## Propane

Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)

The study of L-VPO catalysts prepared by microwave methods (Zeng, L. (232) 119)

*n*-Propanol

Guerbet condensation of methanol with *n*-propanol to isobutyl alcohol over heterogeneous bifunctional catalysts based on Mg–Al mixed oxides partially substituted by different metal components (Carlini, C. (232) 13)

## Propargylic alcohol

Reversal of stereochemistry by adding Ti(O<sup>*i*</sup>Pr)<sub>4</sub> in the enantioselective phenylacetylene addition to aldehydes using L-prolinol-backbone ligand (Mao, J. (232) 9)

- Propylene**  
Effect of preparation condition on performance of Ag–MoO<sub>3</sub>/ZrO<sub>2</sub> catalyst for direct epoxidation of propylene by molecular oxygen (Jin, G. (232) 165)
- Protecting groups**  
Solid silica-based sulfonic acid as an efficient and recoverable inter-phase catalyst for selective tetrahydropyranylation of alcohols and phenols (Karimi, B. (232) 113)
- Pyridine adsorption**  
Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)
- Recyclability**  
Vanadyl triflate as an efficient and recyclable catalyst for trimethylsilyl cyanide addition to carbonyl compounds (De, S.K. (232) 123)
- REFeO<sub>3</sub>**  
Preparation, characterization and photocatalytic properties of REFeO<sub>3</sub> (RE = Sm, Eu, Gd) (Niu, X. (232) 89)
- Reversal of stereochemistry**  
Reversal of stereochemistry by adding Ti(O<sup>*i*</sup>Pr)<sub>4</sub> in the enantioselective phenylacetylene addition to aldehydes using L-prolinol-backbone ligand (Mao, J. (232) 9)
- Rhodium**  
Highly selective hydroformylation of internal and terminal olefins to terminal aldehydes using a rhodium-BIPHEPHOS-catalyst system (Vogl, C. (232) 41)  
Hydroformylation of 1-hexene using Rh/TPPTS complex exchanged on anion exchange resin: kinetic studies (Diwakar, M.M. (232) 179)
- Schrock carbene**  
MCM-41 anchored Schrock catalyst Mo(=CHCMe<sub>2</sub>Ph)(=N-2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)[OCMe(CF<sub>3</sub>)<sub>2</sub>]<sub>2</sub>-activity in 1-heptene metathesis and cross-metathesis reactions (Balcar, H. (232) 53)
- Silver–molybdenum catalyst**  
Effect of preparation condition on performance of Ag–MoO<sub>3</sub>/ZrO<sub>2</sub> catalyst for direct epoxidation of propylene by molecular oxygen (Jin, G. (232) 165)
- Sol–gel**  
Preparation, characterization and photocatalytic properties of REFeO<sub>3</sub> (RE = Sm, Eu, Gd) (Niu, X. (232) 89)
- Solid acids**  
Solid silica-based sulfonic acid as an efficient and recoverable inter-phase catalyst for selective tetrahydropyranylation of alcohols and phenols (Karimi, B. (232) 113)
- Solid Lewis acid catalysts**  
Vapor-phase highly selective *O*-methylation of catechol with methanol over ZnCl<sub>2</sub> modified γ-Al<sub>2</sub>O<sub>3</sub> catalysts (Fu, Z. (232) 69)
- Solvent effect**  
The solvent effect in the enantioselective hydrogenation of (*E*)-2-methyl-2-butenic acid with cinchonidine doped Pd/Al<sub>2</sub>O<sub>3</sub> (Bisignani, R. (232) 161)
- Styrene**  
Synthesis and styrene polymerization behavior of new titanium complexes Cp<sup>\*</sup>TiCl(OCHRCH<sub>2</sub>NAr) (Chen, J. (232) 1)
- Sulfided Ni–Mo catalysts**  
Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)
- Supported reagents**  
Efficient aerobic oxidation of alcohols using a novel combination *N*-hydroxy phthalimide (NHPI) and a recyclable heterogeneous cobalt complex (Rajabi, F. (232) 95)
- Syndiospecific polymerization**  
Synthesis and styrene polymerization behavior of new titanium complexes Cp<sup>\*</sup>TiCl(OCHRCH<sub>2</sub>NAr) (Chen, J. (232) 1)
- Terminal aldehyde**  
Highly selective hydroformylation of internal and terminal olefins to terminal aldehydes using a rhodium-BIPHEPHOS-catalyst system (Vogl, C. (232) 41)
- Tetrahydropyranyl ethers**  
Solid silica-based sulfonic acid as an efficient and recoverable inter-phase catalyst for selective tetrahydropyranylation of alcohols and phenols (Karimi, B. (232) 113)
- Tetralin**  
Oxidation of bicyclic arenes with hydrogen peroxide catalysed by Mn(III) porphyrins (Rebelo, S.L.H. (232) 135)
- Ti-substituted polyoxometalate**  
The role of protons in cyclohexene oxidation with H<sub>2</sub>O<sub>2</sub> catalysed by Ti(IV)-monosubstituted Keggin polyoxometalate (Kholdeeva, O.A. (232) 173)
- Titania**  
Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)
- Titanium complex**  
Synthesis and styrene polymerization behavior of new titanium complexes Cp<sup>\*</sup>TiCl(OCHRCH<sub>2</sub>NAr) (Chen, J. (232) 1)
- Trimethylsilyl cyanide**  
Vanadyl triflate as an efficient and recyclable catalyst for trimethylsilyl cyanide addition to carbonyl compounds (De, S.K. (232) 123)
- Tryptamine derivatives**  
Enantioselective synthesis of 1-substituted tetrahydro-β-carboline derivatives via the asymmetric transfer hydrogenation (Roszkowski, P. (232) 143)
- Ultrafine embedded catalyst**  
Effect of promoter copper on the oxidative carbonylation of phenol over the ultrafine embedded catalyst Pd–Cu–O/SiO<sub>2</sub> (Xue, W. (232) 77)
- Vanadia catalyst**  
Oxidative dehydrogenation of ethane and propane over vanadia and molybdena supported catalysts (Heracleous, E. (232) 29)
- Vanadium oxidation state**  
Vanadium-metal(IV)phosphates as catalysts for the oxidative dehydrogenation of ethane (Lisi, L. (232) 127)
- Vanadium phosphate catalyst**  
Vanadium-metal(IV)phosphates as catalysts for the oxidative dehydrogenation of ethane (Lisi, L. (232) 127)
- Vanadyl triflate**  
Vanadyl triflate as an efficient and recyclable catalyst for trimethylsilyl cyanide addition to carbonyl compounds (De, S.K. (232) 123)
- Voltammograms**  
Electrocatalysis of oxygen reduction at polypyrrole modified glassy carbon electrode in anthraquinone solutions (Manisankar, P. (232) 45)
- VPO catalysts**  
The study of L-VPO catalysts prepared by microwave methods (Zeng, L. (232) 119)
- XPS**  
Effect of pre-treatment conditions on the performance of sulfided Ni–Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for hydrogenation of linear aldehydes (Wang, X. (232) 101)
- Zirconia support**  
Effect of preparation condition on performance of Ag–MoO<sub>3</sub>/ZrO<sub>2</sub> catalyst for direct epoxidation of propylene by molecular oxygen (Jin, G. (232) 165)
- ZnCl<sub>2</sub>/γ-Al<sub>2</sub>O<sub>3</sub>**  
Vapor-phase highly selective *O*-methylation of catechol with methanol over ZnCl<sub>2</sub> modified γ-Al<sub>2</sub>O<sub>3</sub> catalysts (Fu, Z. (232) 69)