

## Subject index

### Acetic anhydride

Highly selective esterification of *tert*-butanol by acetic acid anhydride over alumina-supported  $\text{InCl}_3$ ,  $\text{GaCl}_3$ ,  $\text{FeCl}_3$ ,  $\text{ZnCl}_2$ ,  $\text{CuCl}_2$ ,  $\text{NiCl}_2$ ,  $\text{CoCl}_2$  and  $\text{MnCl}_2$  catalysts (Salavati-Niasari, M. (235) 150)

### Acid catalysis

Selective oxidations by nitrosating agents. Part 1: Oxidations of ketones in concentrated sulfuric acid (Marziano, N.C. (235) 17)

### Acylation

Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)

### Adsorption

Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)

### Aerogel

Effects of preparation methods on properties of  $\text{Ni/CeO}_2\text{-Al}_2\text{O}_3$  catalysts for methane reforming with carbon dioxide (Chen, J. (235) 302)

### Ag-H-ZSM-5 catalyst

On the correlation between microstructural changes of Ag-H-ZSM-5 catalysts and their catalytic performances in the selective catalytic reduction of  $\text{NO}_x$  by methane (Shi, C. (235) 35)

### Alkylation

Preparation of highly ordered mesoporous AISBA-15 and its application to isopropylation of *m*-cresol (Vinu, A. (235) 57)

The metal ion modified ionic liquids promoted free-solvent alkylations of  $\alpha$ -methyl-naphthalene with long-chain olefins (Zhao, Z. (235) 74)

### C-alkylation

Preparation of a novel soluble multi-site phase transfer catalyst and the kinetic study for the C-alkylation of  $\alpha$ -pinene (Murugan, E. (235) 220)

### Allylic alcohols

Synthesis, crystal structure and application in regio- and stereoselective epoxidation of allylic alcohols of a titanium binaphthyl-bridged Schiff base complex (Soriente, A. (235) 253)

### AISBA-15

Preparation of highly ordered mesoporous AISBA-15 and its application to isopropylation of *m*-cresol (Vinu, A. (235) 57)

### Alumina-supported

Highly selective esterification of *tert*-butanol by acetic acid anhydride over alumina-supported  $\text{InCl}_3$ ,  $\text{GaCl}_3$ ,  $\text{FeCl}_3$ ,  $\text{ZnCl}_2$ ,  $\text{CuCl}_2$ ,  $\text{NiCl}_2$ ,  $\text{CoCl}_2$  and  $\text{MnCl}_2$  catalysts (Salavati-Niasari, M. (235) 150)

### Aryl bromides

Highly efficient Heck olefin arylation in the presence of iminophosphine–palladium(0) complexes (Scrivanti, A. (235) 12)

### Asymmetric catalysis

Approaches towards catalytic asymmetric epoxidations with methyltrioxorhenium(VII) (MTO): Synthesis and evaluation of chiral non-racemic 2-substituted pyridines (da Palma Carreiro, E. (235) 285)

### Asymmetric epoxidation

Asymmetric epoxidation catalyzed by Cr(III)-binaphthyl Schiff base complexes (Li, Z.-K. (235) 108)

### Auger spectroscopy

Interaction of molybdenum hexacarbonyl with dehydroxylated alumina thin films at high temperatures: Formation and removal of surface carbides (Wang, Y. (235) 173)

### Bimetallic

Fe:Co/TiO<sub>2</sub> bimetallic catalysts for the Fischer–Tropsch reaction. Part 4: A study of nitrate and carbonyl derived FT catalysts (Duvenhage, D.J. (235) 230)

### Binaphthyl Schiff base

Asymmetric epoxidation catalyzed by Cr(III)-binaphthyl Schiff base complexes (Li, Z.-K. (235) 108)

### Binaphthyl-bridged Schiff base ligands

Synthesis, crystal structure and application in regio- and stereoselective epoxidation of allylic alcohols of a titanium binaphthyl-bridged Schiff base complex (Soriente, A. (235) 253)

### Biphasic catalysis

Micellar effect of cationic gemini surfactants on organic/aqueous biphasic catalytic hydroformylation of 1-dodecene (Li, M. (235) 130)

### Bis(macrocycle)

Binuclear copper(II) complexes of new bis(macrocylic) 16-membered pentaaza subunits are linked together by bridging nitrogen of amine: Synthesis, characterization and catalytic activity (Salavati-Niasari, M. (235) 114)

### Boron trifluoride

Selective dimerization of styrene to 1,3-diphenyl-1-butene with bis( $\beta$ -diketonato)palladium/boron trifluoride etherate catalyst system (Myagmarsuren, G. (235) 154)

### Brønsted acidity

Post-synthesis alumination of mesoporous silica SBA-15 with high framework aluminum content using ammonium hexafluoroaluminate (Kao, H.-M. (235) 200)

### *tert*-Butanol

Highly selective esterification of *tert*-butanol by acetic acid anhydride over alumina-supported  $\text{InCl}_3$ ,  $\text{GaCl}_3$ ,  $\text{FeCl}_3$ ,  $\text{ZnCl}_2$ ,  $\text{CuCl}_2$ ,  $\text{NiCl}_2$ ,  $\text{CoCl}_2$  and  $\text{MnCl}_2$  catalysts (Salavati-Niasari, M. (235) 150)

### *tert*-Butylation

*tert*-Butylation of *p*-cresol over  $\text{WO}_3/\text{ZrO}_2$  solid acid catalysts (Sarish, S. (235) 44)

### 1-Butyl-3-methylimidazolium hexafluorophosphate

Convenient and efficient protocols for coumarin via synthesis Pechmann condensation in neutral ionic liquids (Potdar, M.K. (235) 249)

### Butylpyridinium bromochloroaluminate

The metal ion modified ionic liquids promoted free-solvent alkylations of  $\alpha$ -methyl-naphthalene with long-chain olefins (Zhao, Z. (235) 74)

### Catalyst

Effects of preparation methods on properties of  $\text{Ni/CeO}_2\text{-Al}_2\text{O}_3$  catalysts for methane reforming with carbon dioxide (Chen, J. (235) 302)

- Catalytic cracking  
Catalytic degradation of plastic waste to liquid fuel over commercial cracking catalysts. Effect of polymer to catalyst ratio/acidity content (Akpanudoh, N.S. (235) 67)
- Catechol oxidase  
Synthesis and characterization of new chiral octadentate nitrogen ligands and related copper(II) complexes as catalysts for stereoselective oxidation of catechols (Gullotti, M. (235) 271)
- Catecholase activity  
Synthesis, structure and catecholase-like activity of a new dicopper(II) complex with benzoylacetate ligand (Kaizer, J. (235) 81)
- Chemisorption  
Interaction of molybdenum hexacarbonyl with dehydroxylated alumina thin films at high temperatures: Formation and removal of surface carbides (Wang, Y. (235) 173)
- CH<sub>4</sub> reforming with CO<sub>2</sub>  
Effects of preparation methods on properties of Ni/CeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts for methane reforming with carbon dioxide (Chen, J. (235) 302)
- Chiral complexes  
Synthesis and characterization of new chiral octadentate nitrogen ligands and related copper(II) complexes as catalysts for stereoselective oxidation of catechols (Gullotti, M. (235) 271)
- Chiral pyridines  
Approaches towards catalytic asymmetric epoxidations with methyltrioxorhenium(VII) (MTO): Synthesis and evaluation of chiral non-racemic 2-substituted pyridines (da Palma Carreiro, E. (235) 285)
- Chloroaluminates  
Catalyzing Henry reactions in chloroaluminate ionic liquids (Kumar, A. (235) 244)
- Chlorophyll *a*  
Improving regioselectivity in the rhodium catalyzed hydroformylation of protoporphyrin-IX and chlorophyll *a* derivatives (Peixoto, A.F. (235) 185)
- Chromic complex  
Asymmetric epoxidation catalyzed by Cr(III)-binaphthyl Schiff base complexes (Li, Z.-K. (235) 108)
- Chromium catalysts  
Chromium allyl and alkyl catalysts for the vinyl polymerization of norbornene and ethylene-norbornene copolymerizations (Woodman, T.J. (235) 88)
- CO coupling reaction  
Combined XPS and in situ DRIRS study of mechanism of Pd-Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyzed CO coupling reaction to diethyl oxalate (Zhenghong, G. (235) 143)
- Co-adsorption  
FT-IR study on the interaction of CO<sub>2</sub> with H<sub>2</sub> and hydrocarbons over supported Re (Solymosi, F. (235) 260)
- Cobalt catalysts  
Hydrogenation catalysts formation in the system AlEt<sub>3</sub>-Co(acac)<sub>2,3</sub> (Shmidt, F.K. (235) 161)
- Cobalt  
Fe:Co/TiO<sub>2</sub> bimetallic catalysts for the Fischer-Tropsch reaction. Part 4: A study of nitrate and carbonyl derived FT catalysts (Duvenhage, D.J. (235) 230)
- Complete oxidation of ethanol  
The role of Sn in Pt-Sn/CeO<sub>2</sub> catalysts for the complete oxidation of ethanol (Tang, X. (235) 122)
- Composite catalysts  
Visible light photodegradation of phenol on MWNT-TiO<sub>2</sub> composite catalysts prepared by a modified sol-gel method (Wang, W. (235) 194)
- Copolymers  
Chromium allyl and alkyl catalysts for the vinyl polymerization of norbornene and ethylene-norbornene copolymerizations (Woodman, T.J. (235) 88)
- Copper complexes  
Synthesis and characterization of new chiral octadentate nitrogen ligands and related copper(II) complexes as catalysts for stereoselective oxidation of catechols (Gullotti, M. (235) 271)
- Copper(II)  
Binuclear copper(II) complexes of new bis(macrocyclic) 16-membered pentaaza subunits are linked together by bridging nitrogen of amine: Synthesis, characterization and catalytic activity (Salavati-Niasari, M. (235) 114)
- Copper  
Synthesis, structure and catecholase-like activity of a new dicopper(II) complex with benzoylacetate ligand (Kaizer, J. (235) 81)
- Coumarin synthesis  
Convenient and efficient protocols for coumarin via synthesis Pechmann condensation in neutral ionic liquids (Potdar, M.K. (235) 249)
- m*-Cresol, Isopropyl alcohol  
Preparation of highly ordered mesoporous AISBA-15 and its application to isopropylation of *m*-cresol (Vinu, A. (235) 57)
- p*-Cresol  
*tert*-Butylation of *p*-cresol over WO<sub>x</sub>/ZrO<sub>2</sub> solid acid catalysts (Sarish, S. (235) 44)
- Dehalogenation  
Hydrogenation in ionic liquids: An alternative methodology toward highly selective catalysis of halonitrobenzenes to corresponding haloanilines (Xu, D.-Q. (235) 137)
- Dehydroxylated alumina thin films  
Interaction of molybdenum hexacarbonyl with dehydroxylated alumina thin films at high temperatures: Formation and removal of surface carbides (Wang, Y. (235) 173)
- Diethyl oxalate (DEO)  
Combined XPS and in situ DRIRS study of mechanism of Pd-Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyzed CO coupling reaction to diethyl oxalate (Zhenghong, G. (235) 143)
- Diffuse reflectance infrared spectroscopy (DRIRS)  
Combined XPS and in situ DRIRS study of mechanism of Pd-Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyzed CO coupling reaction to diethyl oxalate (Zhenghong, G. (235) 143)
- Dimerization  
Selective dimerization of styrene to 1,3-diphenyl-1-butene with bis( $\beta$ -diketonato)palladium/boron trifluoride etherate catalyst system (Myagmarsuren, G. (235) 154)
- Dimethyl carbonate  
Cp<sub>2</sub>TiCl<sub>2</sub> used as a catalyst for the transesterification between dimethyl carbonate and phenol to diphenyl carbonate (Niu, H. (235) 240)
- Diphenyl carbonate  
Cp<sub>2</sub>TiCl<sub>2</sub> used as a catalyst for the transesterification between dimethyl carbonate and phenol to diphenyl carbonate (Niu, H. (235) 240)
- 1-Dodecene  
Micellar effect of cationic gemini surfactants on organic/aqueous biphasic catalytic hydroformylation of 1-dodecene (Li, M. (235) 130)
- Enantioselectivity  
An ionic liquid influenced L-proline catalyzed asymmetric Michael addition of ketones to nitrostyrene (Rasalkar, M.S. (235) 267)
- Epoxidation  
Epoxidation of 1,4-diallyloxybutane to 1-allyloxy-4-glycidylbutane by the method of phase transfer catalysis (Kaczmarczyk, E. (235) 52)  
Synthesis, crystal structure and application in regio- and stereoselective epoxidation of allylic alcohols of a titanium binaphthyl-bridged Schiff base complex (Soriente, A. (235) 253)  
Approaches towards catalytic asymmetric epoxidations with methyltrioxorhenium(VII) (MTO): Synthesis and evaluation of chiral non-racemic 2-substituted pyridines (da Palma Carreiro, E. (235) 285)
- Epoxy-ethers  
Epoxidation of 1,4-diallyloxybutane to 1-allyloxy-4-glycidylbutane by the method of phase transfer catalysis (Kaczmarczyk, E. (235) 52)
- Esterification  
Highly selective esterification of *tert*-butanol by acetic acid anhydride over alumina-supported InCl<sub>3</sub>, GaCl<sub>3</sub>, FeCl<sub>3</sub>, ZnCl<sub>2</sub>, CuCl<sub>2</sub>, NiCl<sub>2</sub>, CoCl<sub>2</sub> and MnCl<sub>2</sub> catalysts (Salavati-Niasari, M. (235) 150)

- Ethene  
Chromium allyl and alkyl catalysts for the vinyl polymerization of norbornene and ethylene–norbornene copolymerizations (Woodman, T.J. (235) 88)
- Etherification  
Kinetics for etherification of sodium *o*-nitrophenoxide via third-liquid phase-transfer catalysis (Lin, P.-J. (235) 293)
- Extraction mechanism  
Preparation of a novel soluble multi-site phase transfer catalyst and the kinetic study for the C-alkylation of  $\alpha$ -pinene (Murugan, E. (235) 220)
- Fischer–Tropsch  
Fe:Co/TiO<sub>2</sub> bimetallic catalysts for the Fischer–Tropsch reaction. Part 4: A study of nitrate and carbonyl derived FT catalysts (Duvenhage, D.J. (235) 230)
- Friedel–Crafts reaction  
Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)
- FT-IR study  
FT-IR study on the interaction of CO<sub>2</sub> with H<sub>2</sub> and hydrocarbons over supported Re (Solymosi, F. (235) 260)
- Fuel  
Catalytic degradation of plastic waste to liquid fuel over commercial cracking catalysts. Effect of polymer to catalyst ratio/acidity content (Akpanudoh, N.S. (235) 67)
- Gemini surfactant  
Micellar effect of cationic gemini surfactants on organic/aqueous biphasic catalytic hydroformylation of 1-dodecene (Li, M. (235) 130)
- Green chemistry  
Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)
- Haloanilines  
Hydrogenation in ionic liquids: An alternative methodology toward highly selective catalysis of halonitrobenzenes to corresponding haloanilines (Xu, D.-Q. (235) 137)
- Halonitrobenzenes  
Hydrogenation in ionic liquids: An alternative methodology toward highly selective catalysis of halonitrobenzenes to corresponding haloanilines (Xu, D.-Q. (235) 137)
- Heck reaction  
Highly efficient Heck olefin arylation in the presence of iminophosphine–palladium(0) complexes (Scrivanti, A. (235) 12)
- Henry reactions  
Catalyzing Henry reactions in chloroaluminate ionic liquids (Kumar, A. (235) 244)
- Heteropolyacids  
Epoxidation of 1,4-diallyloxybutane to 1-allyloxy-4-glycidioxybutane by the method of phase transfer catalysis (Kaczmarczyk, E. (235) 52)
- Hydroformylation  
Micellar effect of cationic gemini surfactants on organic/aqueous biphasic catalytic hydroformylation of 1-dodecene (Li, M. (235) 130)  
Improving regioselectivity in the rhodium catalyzed hydroformylation of protoporphyrin-IX and chlorophyll *a* derivatives (Peixoto, A.F. (235) 185)
- Hydrogen evolution  
Nanocrystalline mesoporous Ta<sub>2</sub>O<sub>5</sub>-based photocatalysts prepared by surfactant-assisted templating sol–gel process for photocatalytic H<sub>2</sub> evolution (Sreethawong, T. (235) 1)
- Hydrogen peroxide  
Epoxidation of 1,4-diallyloxybutane to 1-allyloxy-4-glycidioxybutane by the method of phase transfer catalysis (Kaczmarczyk, E. (235) 52)
- Hydrogenation  
Hydrogenation in ionic liquids: An alternative methodology toward highly selective catalysis of halonitrobenzenes to corresponding haloanilines (Xu, D.-Q. (235) 137)
- Hydrogenation catalysts formation in the system AlEt<sub>3</sub>-Co(acac)<sub>2,3</sub> (Shmidt, F.K. (235) 161)
- Iminophosphine–palladium(0) complexes  
Highly efficient Heck olefin arylation in the presence of iminophosphine–palladium(0) complexes (Scrivanti, A. (235) 12)
- Interfacial tension  
Kinetics for etherification of sodium *o*-nitrophenoxide via third-liquid phase-transfer catalysis (Lin, P.-J. (235) 293)
- Ion exchange resins  
Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)
- Ionic liquids  
The metal ion modified ionic liquids promoted free-solvent alkylations of  $\alpha$ -methyl-naphthalene with long-chain olefins (Zhao, Z. (235) 74)  
Hydrogenation in ionic liquids: An alternative methodology toward highly selective catalysis of halonitrobenzenes to corresponding haloanilines (Xu, D.-Q. (235) 137)  
Catalyzing Henry reactions in chloroaluminate ionic liquids (Kumar, A. (235) 244)  
An ionic liquid influenced L-proline catalysed asymmetric Michael addition of ketones to nitrostyrene (Rasalkar, M.S. (235) 267)
- Iron  
Fe:Co/TiO<sub>2</sub> bimetallic catalysts for the Fischer–Tropsch reaction. Part 4: A study of nitrate and carbonyl derived FT catalysts (Duvenhage, D.J. (235) 230)
- Ketones  
Selective oxidations by nitrosating agents. Part 1: Oxidations of ketones in concentrated sulfuric acid (Marziano, N.C. (235) 17)
- Kinetics  
Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)
- Long-chain olefins  
The metal ion modified ionic liquids promoted free-solvent alkylations of  $\alpha$ -methyl-naphthalene with long-chain olefins (Zhao, Z. (235) 74)
- Mesoporous material  
Nanocrystalline mesoporous Ta<sub>2</sub>O<sub>5</sub>-based photocatalysts prepared by surfactant-assisted templating sol–gel process for photocatalytic H<sub>2</sub> evolution (Sreethawong, T. (235) 1)
- Mesoporous materials  
Preparation of highly ordered mesoporous AISBA-15 and its application to isopropylation of *m*-cresol (Vinu, A. (235) 57)
- Metal carbonyls  
Fe:Co/TiO<sub>2</sub> bimetallic catalysts for the Fischer–Tropsch reaction. Part 4: A study of nitrate and carbonyl derived FT catalysts (Duvenhage, D.J. (235) 230)
- Metal chloride  
Highly selective esterification of *tert*-butanol by acetic acid anhydride over alumina-supported InCl<sub>3</sub>, GaCl<sub>3</sub>, FeCl<sub>3</sub>, ZnCl<sub>2</sub>, CuCl<sub>2</sub>, NiCl<sub>2</sub>, CoCl<sub>2</sub> and MnCl<sub>2</sub> catalysts (Salavati-Niasari, M. (235) 150)
- $\alpha$ -Methylnaphthalene  
The metal ion modified ionic liquids promoted free-solvent alkylations of  $\alpha$ -methyl-naphthalene with long-chain olefins (Zhao, Z. (235) 74)
- 4-(Methylthio)acetophenone  
Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)
- Methyltrioxorhenium(VII)  
Approaches towards catalytic asymmetric epoxidations with methyltrioxorhenium(VII) (MTO): Synthesis and evaluation of chiral non-racemic 2-substituted pyridines (da Palma Carreiro, E. (235) 285)

## Michael addition

An ionic liquid influenced L-proline catalysed asymmetric Michael addition of ketones to nitrostyrene (Rasalkar, M.S. (235) 267)

## Microwave reactions

Synthesis, crystal structure and application in regio- and stereoselective epoxidation of allylic alcohols of a titanium binaphthyl-bridged Schiff base complex (Soriente, A. (235) 253)

## Modeling

Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)

## Modified polyol method

The role of Sn in Pt–Sn/CeO<sub>2</sub> catalysts for the complete oxidation of ethanol (Tang, X. (235) 122)

## Molybdenum hexacarbonyl

Interaction of molybdenum hexacarbonyl with dehydroxylated alumina thin films at high temperatures: Formation and removal of surface carbides (Wang, Y. (235) 173)

## Multi-site phase transfer catalyst

Preparation of a novel soluble multi-site phase transfer catalyst and the kinetic study for the C-alkylation of  $\alpha$ -pinene (Murugan, E. (235) 220)

## MWNT

Visible light photodegradation of phenol on MWNT–TiO<sub>2</sub> composite catalysts prepared by a modified sol–gel method (Wang, W. (235) 194)

## NaCl

Propylene polymerization catalyzed by novel supported titanium catalysts MgCl<sub>2</sub>/NaCl/DNBP/TiCl<sub>4</sub> with different NaCl content (Jiang, X. (235) 209)

## Nanoscale cobalt metal

Hydrogenation catalysts formation in the system AlEt<sub>3</sub>–Co(acac)<sub>2,3</sub> (Shmidt, F.K. (235) 161)

## Nitrosating agents

Selective oxidations by nitrosating agents. Part 2: Oxidations of alcohols and ketones over solid acid catalysts (Marziano, N.C. (235) 26)

NO<sub>x</sub>

On the correlation between microstructural changes of Ag–H–ZSM-5 catalysts and their catalytic performances in the selective catalytic reduction of NO<sub>x</sub> by methane (Shi, C. (235) 35)

## Norbornene

Chromium allyl and alkyl catalysts for the vinyl polymerization of norbornene and ethylene–norbornene copolymerizations (Woodman, T.J. (235) 88)

NO<sup>+</sup>

Selective oxidations by nitrosating agents. Part 1: Oxidations of ketones in concentrated sulfuric acid (Marziano, N.C. (235) 17)

Selective oxidations by nitrosating agents. Part 2: Oxidations of alcohols and ketones over solid acid catalysts (Marziano, N.C. (235) 26)

*o*-Nitrophenyl octyl ether

Kinetics for etherification of sodium *o*-nitrophenoxide via third-liquid phase-transfer catalysis (Lin, P.-J. (235) 293)

## One-pot template

Binuclear copper(II) complexes of new bis(macrocylic) 16-membered pentaaza subunits are linked together by bridging nitrogen of amine: Synthesis, characterization and catalytic activity (Salavati-Niasari, M. (235) 114)

## Oxidation

Selective oxidations by nitrosating agents. Part 1: Oxidations of ketones in concentrated sulfuric acid (Marziano, N.C. (235) 17)

Binuclear copper(II) complexes of new bis(macrocylic) 16-membered pentaaza subunits are linked together by bridging nitrogen of amine: Synthesis, characterization and catalytic activity (Salavati-Niasari, M. (235) 114)

## Oxidations

Selective oxidations by nitrosating agents. Part 2: Oxidations of alcohols and ketones over solid acid catalysts (Marziano, N.C. (235) 26)

## Oxygenation

Synthesis, structure and catecholase-like activity of a new dicopper(II) complex with benzoylacetate ligand (Kaizer, J. (235) 81)

## Palladium

Highly efficient Heck olefin arylation in the presence of iminophosphine–palladium(0) complexes (Scrivanti, A. (235) 12)

Selective dimerization of styrene to 1,3-diphenyl-1-butene with bis( $\beta$ -diketonato)palladium/boron trifluoride etherate catalyst system (Myagmarsuren, G. (235) 154)

Pd–Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyst

Combined XPS and in situ DRIRS study of mechanism of Pd–Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyzed CO coupling reaction to diethyl oxalate (Zhenghong, G. (235) 143)

## Pechmann condensation

Convenient and efficient protocols for coumarin via synthesis Pechmann condensation in neutral ionic liquids (Potdar, M.K. (235) 249)

## Phase transfer catalysis

Epoxidation of 1,4-diallyloxybutane to 1-allyloxy-4-glycidyoxybutane by the method of phase transfer catalysis (Kaczmarczyk, E. (235) 52)

## Phase-transfer catalysis

Kinetics for etherification of sodium *o*-nitrophenoxide via third-liquid phase-transfer catalysis (Lin, P.-J. (235) 293)

## Phenol degradation

Visible light photodegradation of phenol on MWNT–TiO<sub>2</sub> composite catalysts prepared by a modified sol–gel method (Wang, W. (235) 194)

## Phosphine

Selective dimerization of styrene to 1,3-diphenyl-1-butene with bis( $\beta$ -diketonato)palladium/boron trifluoride etherate catalyst system (Myagmarsuren, G. (235) 154)

## Phosphines

Improving regioselectivity in the rhodium catalyzed hydroformylation of protoporphyrin-IX and chlorophyll *a* derivatives (Peixoto, A.F. (235) 185)

## Photocatalysis

Nanocrystalline mesoporous Ta<sub>2</sub>O<sub>5</sub>-based photocatalysts prepared by surfactant-assisted templating sol–gel process for photocatalytic H<sub>2</sub> evolution (Sreethawong, T. (235) 1)

Visible light photodegradation of phenol on MWNT–TiO<sub>2</sub> composite catalysts prepared by a modified sol–gel method (Wang, W. (235) 194)

## Polymer degradation

Catalytic degradation of plastic waste to liquid fuel over commercial cracking catalysts. Effect of polymer to catalyst ratio/acidity content (Akpanudoh, N.S. (235) 67)

## Polymer recycling

Catalytic degradation of plastic waste to liquid fuel over commercial cracking catalysts. Effect of polymer to catalyst ratio/acidity content (Akpanudoh, N.S. (235) 67)

## Polymerization

Chromium allyl and alkyl catalysts for the vinyl polymerization of norbornene and ethylene–norbornene copolymerizations (Woodman, T.J. (235) 88)

Propylene polymerization catalyzed by novel supported titanium catalysts MgCl<sub>2</sub>/NaCl/DNBP/TiCl<sub>4</sub> with different NaCl content (Jiang, X. (235) 209)

## Post-synthesis alumination

Post-synthesis alumination of mesoporous silica SBA-15 with high framework aluminum content using ammonium hexafluoroaluminate (Kao, H.-M. (235) 200)

## Precipitated catalysts

Fe:Co/TiO<sub>2</sub> bimetallic catalysts for the Fischer–Tropsch reaction. Part 4: A study of nitrate and carbonyl derived FT catalysts (Duvenhage, D.J. (235) 230)

## L-Proline

An ionic liquid influenced L-proline catalysed asymmetric Michael addition of ketones to nitrostyrene (Rasalkar, M.S. (235) 267)

- Propylene  
Propylene polymerization catalyzed by novel supported titanium catalysts  $\text{MgCl}_2/\text{NaCl}/\text{DNBP}/\text{TiCl}_4$  with different NaCl content (Jiang, X. (235) 209)
- Protoporphyrin-IX  
Improving regioselectivity in the rhodium catalyzed hydroformylation of protoporphyrin-IX and chlorophyll *a* derivatives (Peixoto, A.F. (235) 185)
- Pt–Sn alloy  
The role of Sn in Pt–Sn/CeO<sub>2</sub> catalysts for the complete oxidation of ethanol (Tang, X. (235) 122)
- Pt–Sn/CeO<sub>2</sub>  
The role of Sn in Pt–Sn/CeO<sub>2</sub> catalysts for the complete oxidation of ethanol (Tang, X. (235) 122)
- Reaction mechanism  
Combined XPS and in situ DRIRS study of mechanism of Pd–Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyzed CO coupling reaction to diethyl oxalate (Zhenghong, G. (235) 143)
- Recyclability  
An ionic liquid influenced L-proline catalysed asymmetric Michael addition of ketones to nitrostyrene (Rasalkar, M.S. (235) 267)
- Recycling  
Catalyzing Henry reactions in chloroaluminate ionic liquids (Kumar, A. (235) 244)
- Regioselectivity  
Improving regioselectivity in the rhodium catalyzed hydroformylation of protoporphyrin-IX and chlorophyll *a* derivatives (Peixoto, A.F. (235) 185)
- Rhodium catalyst  
Micellar effect of cationic gemini surfactants on organic/aqueous biphasic catalytic hydroformylation of 1-dodecene (Li, M. (235) 130)
- Rhodium  
Improving regioselectivity in the rhodium catalyzed hydroformylation of protoporphyrin-IX and chlorophyll *a* derivatives (Peixoto, A.F. (235) 185)
- SBA-15  
Post-synthesis alumination of mesoporous silica SBA-15 with high framework aluminum content using ammonium hexafluoroaluminate (Kao, H.-M. (235) 200)
- Selective catalytic reduction  
On the correlation between microstructural changes of Ag–H-ZSM-5 catalysts and their catalytic performances in the selective catalytic reduction of NO<sub>x</sub> by methane (Shi, C. (235) 35)
- Solid acid catalysts  
Selective oxidations by nitrosating agents. Part 2: Oxidations of alcohols and ketones over solid acid catalysts (Marziano, N.C. (235) 26)
- Solid-state NMR  
Post-synthesis alumination of mesoporous silica SBA-15 with high framework aluminum content using ammonium hexafluoroaluminate (Kao, H.-M. (235) 200)
- Sol–gel  
Nanocrystalline mesoporous Ta<sub>2</sub>O<sub>5</sub>-based photocatalysts prepared by surfactant-assisted templating sol–gel process for photocatalytic H<sub>2</sub> evolution (Sreethawong, T. (235) 1)
- Stereoselective oxidations  
Synthesis and characterization of new chiral octadentate nitrogen ligands and related copper(II) complexes as catalysts for stereoselective oxidation of catechols (Gullotti, M. (235) 271)
- Styrene  
Selective dimerization of styrene to 1,3-diphenyl-1-butene with bis( $\beta$ -diketonato)palladium/boron trifluoride etherate catalyst system (Myagmarsuren, G. (235) 154)
- Supercritical drying  
Effects of preparation methods on properties of Ni/CeO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> catalysts for methane reforming with carbon dioxide (Chen, J. (235) 302)
- Supported Ti catalyst  
Propylene polymerization catalyzed by novel supported titanium catalysts  $\text{MgCl}_2/\text{NaCl}/\text{DNBP}/\text{TiCl}_4$  with different NaCl content (Jiang, X. (235) 209)
- Surface interactions  
FT-IR study on the interaction of CO<sub>2</sub> with H<sub>2</sub> and hydrocarbons over supported Re (Solymosi, F. (235) 260)
- Surfactant template  
Nanocrystalline mesoporous Ta<sub>2</sub>O<sub>5</sub>-based photocatalysts prepared by surfactant-assisted templating sol–gel process for photocatalytic H<sub>2</sub> evolution (Sreethawong, T. (235) 1)
- Tantalum oxide  
Nanocrystalline mesoporous Ta<sub>2</sub>O<sub>5</sub>-based photocatalysts prepared by surfactant-assisted templating sol–gel process for photocatalytic H<sub>2</sub> evolution (Sreethawong, T. (235) 1)
- Temperature-programmed desorption  
Interaction of molybdenum hexacarbonyl with dehydroxylated alumina thin films at high temperatures: Formation and removal of surface carbides (Wang, Y. (235) 173)
- Thioanisole  
Experimental and theoretical analysis of Friedel–Crafts acylation of thioanisole to 4-(methylthio)acetophenone using solid acids (Yadav, G.D. (235) 98)
- Third-liquid phase  
Kinetics for etherification of sodium *o*-nitrophenoxide via third-liquid phase-transfer catalysis (Lin, P.-J. (235) 293)
- Ti(IV) complexes  
Synthesis, crystal structure and application in regio- and stereoselective epoxidation of allylic alcohols of a titanium binaphthyl-bridged Schiff base complex (Soriente, A. (235) 253)
- Titanium dioxide  
Visible light photodegradation of phenol on MWNT–TiO<sub>2</sub> composite catalysts prepared by a modified sol–gel method (Wang, W. (235) 194)
- Titanium ester  
Cp<sub>2</sub>TiCl<sub>2</sub> used as a catalyst for the transesterification between dimethyl carbonate and phenol to diphenyl carbonate (Niu, H. (235) 240)
- Titanocene dichloride  
Cp<sub>2</sub>TiCl<sub>2</sub> used as a catalyst for the transesterification between dimethyl carbonate and phenol to diphenyl carbonate (Niu, H. (235) 240)
- Transesterification  
Cp<sub>2</sub>TiCl<sub>2</sub> used as a catalyst for the transesterification between dimethyl carbonate and phenol to diphenyl carbonate (Niu, H. (235) 240)
- Trinuclear complexes  
Synthesis and characterization of new chiral octadentate nitrogen ligands and related copper(II) complexes as catalysts for stereoselective oxidation of catechols (Gullotti, M. (235) 271)
- Tungsten oxide  
*tert*-Butylation of *p*-cresol over WO<sub>3</sub>/ZrO<sub>2</sub> solid acid catalysts (Sarish, S. (235) 44)
- Xerogel  
Effects of preparation methods on properties of Ni/CeO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> catalysts for methane reforming with carbon dioxide (Chen, J. (235) 302)
- X-ray photoelectron spectroscopy (XPS)  
Combined XPS and in situ DRIRS study of mechanism of Pd–Fe/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalyzed CO coupling reaction to diethyl oxalate (Zhenghong, G. (235) 143)
- Interaction of molybdenum hexacarbonyl with dehydroxylated alumina thin films at high temperatures: Formation and removal of surface carbides (Wang, Y. (235) 173)
- X-ray structure  
Synthesis, structure and catecholase-like activity of a new dicopper(II) complex with benzoylacetate ligand (Kaizer, J. (235) 81)
- Zirconia  
*tert*-Butylation of *p*-cresol over WO<sub>3</sub>/ZrO<sub>2</sub> solid acid catalysts (Sarish, S. (235) 44)