

Contents

Vol. 249, Nos. 1–2

Catalytic synthesis of 6-aryl-1H-pyrazolo[3,4-d]pyrimidin-4[5H]-ones by heteropolyacid: $H_{14}[NaP_5W_{30}O_{110}]$ and $H_3PW_{12}O_{40}$ M.M. Heravi, R. Motamedi (Tehran, Iran), N. Seifi and F.F. Bamoharram (Mashhad, Iran)	1
Aperiodic core structures of Pd and Pt giant clusters chemically stabilized with diphenyl phosphide ligands V.P. Oleshko (Charlottesville, VA, USA)	4
Catalytic and mechanistic study of lean NO_2 reduction by isobutane and propane over HZSM-5 D. Zhao, H.H. Ingelsten, M. Skoglundh and A. Palmqvist (Göteborg, Sweden)	13
Encapsulation of transition metal tetrahydro-Schiff base complexes in zeolite Y and their catalytic properties for the oxidation of cycloalkanes C. Jin (Taiyuan, Datong, PR China), W. Fan, Y. Jia, B. Fan, J. Ma and R. Li (Taiyuan, PR China)	23
Ethylene polymerization and oligomerization catalyzed by bulky β -diketiminato Ni(II) and β -diimine Ni(II) complexes/methylaluminoxane systems J. Zhang, Z. Ke, F. Bao, J. Long, H. Gao, F. Zhu and Q. Wu (Guangzhou, China)	31
Chromium nitrosyl complexes in Cr-ZSM-5: An FTIR spectroscopic study M. Mihaylov, A. Penkova, K. Hadjiivanov (Sofia, Bulgaria) and M. Daturi (Caen, France)	40
Highly effective catalysts of natural polymer supported Salophen Mn(III) complexes for aerobic oxidation of cyclohexene J. Tong, Y. Zhang, Z. Li and C. Xia (Lanzhou, PR China)	47
Structure sensitive dissociation of CH_4 on Ni/ α - Al_2O_3 : Ni nano-scale particles linearly compensate the E_a and $\ln A$ for the CH_4 pulse kinetics Y. Cui, H. Xu, Q. Ge, Y. Wang, S. Hou and W. Li (Dalian, PR China)	53
Rhodium(III) complexes containing the ligand 2,6-bis[4'-(<i>S</i>)-isopropylloxazolin-2'-yl]pyridine ((<i>S,S</i>)- <i>Pr</i> -pybox): Efficient catalysts for asymmetric hydrosilylation of acetophenone D. Cuervo, M.P. Gamasa and J. Gimeno (Oviedo, Spain)	60
Hydrothermal preparation and photocatalytic properties of $Y_2Sn_2O_7$ nanocrystals K. Li, H. Wang and H. Yan (Beijing, China)	65
Influence of the nature of the noble metal on the lean C_3H_6 -assisted decomposition of NO on $Ce_{0.68}Zr_{0.32}O_2$ -supported catalysts C. Thomas, O. Gorce (Paris, France), F. Villain (Paris, Orsay, France) and G. Djéga-Mariadassou (Paris, France)	71
Phosphino-functionalised acetals of polyvinyl alcohol as the matrix for the immobilisation of Rh-based pre-catalysts for interfacial catalysis M. Ahlmann, O. Walter, M. Frank and W. Habicht (Karlsruhe, Germany)	80
Direct synthesis of dimethyl carbonate (DMC) using Cu-Ni/VSO as catalyst X.L. Wu, Y.Z. Meng, M. Xiao (Guangzhou, PR China) and Y.X. Lu (Singapore, Republic of Singapore)	93
Silica gel catalyzed highly selective C–S bond formation via Michael addition of thiols to α,β -unsaturated ketones under solvent-free conditions H. Firouzabadi, N. Iranpoor, M. Jafarpour and A. Ghaderi (Shiraz, Iran)	98
Comparison of the epoxidation of cyclohexene, dicyclopentadiene and 1,5-cyclooctadiene over LDH hosted Fe and Mn sulfonato-salen complexes S. Bhattacharjee and J.A. Anderson (Scotland, UK)	103
Ethylene hydrogenation on $Mo(CO)_6$ derived model catalysts in ultrahigh vacuum: From oxycarbide to carbide to MoAl alloy F. Gao, Y. Wang and W.T. Tysoe (Milwaukee, WI, USA)	111
Catalytic epoxidation of olefins using MoO_3 and TBHP: Mechanistic considerations and the effect of amine additives on the reaction E. da Palma Carreiro and A.J. Burke (Évora, Portugal)	123
Novel brønsted acid-catalyzed Michael-type Friedel-Crafts reactions of indoles and acetalization of aldehydes W. Zhou, L.-W. Xu, L. Yang, P.-Q. Zhao and C.-G. Xia (Lanzhou, Beijing, PR China)	129
Effects of calcination temperature on the microstructures and photocatalytic activity of titanate nanotubes J. Yu, H. Yu, B. Cheng (Wuhan, PR China) and C. Trapalis (Attikis, Greece)	135
Synthesis of cyclic carbonates from epoxides and carbon dioxide over silica-supported quaternary ammonium salts under supercritical conditions J.-Q. Wang, D.-L. Kong, J.-Y. Chen, F. Cai and L.-N. He (Tianjin, PR China)	143
Kinetic modeling of the methylcyclohexane transformation over H-USY: Deactivating effect of coke and nitrogen basic compounds G. Caeiro (Lisbon, Portugal and Poitiers, France), P. Magnoux (Poitiers, France), J.M. Lopes, F. Lemos and F.R. Ribeiro (Lisbon, Portugal)	149
Isokinetic behaviour in gas phase catalytic haloarene hydrodehalogenation reactions: Mechanistic considerations M.A. Keane (Scotland, UK) and R. Larsson (Lund, Sweden)	158
Molybdenum(VI) oxides bearing 1,4,7-triazacyclononane and 1,1,1-tris(aminomethyl)ethane ligands: Synthesis and catalytic applications Ž. Petrovski (Oeiras, Aveiro, Portugal), A.A. Valente, M. Pillinger, A.S. Dias (Aveiro, Portugal), S.S. Rodrigues, C.C. Romão (Oeiras, Portugal) and I.S. Gonçalves (Aveiro, Portugal)	166
Sputter deposited nanocrystalline Ni and Ni-W films as catalysts for hydrogen evolution M. Metikoš-Huković (Zagreb, Croatia), Z. Grubač (Split, Croatia), N. Radić and A. Tonejc (Zagreb, Croatia)	172

Organic–inorganic hybrid catalysts based on ordered porous structures for Michael reaction Y. Kubota (Yokohama, Japan), H. Ikeya, Y. Sugi (Gifu, Japan), T. Yamada and T. Tatsumi (Yokohama, Japan)	181
Hydrogen adsorption on a $\text{Mo}_{27}\text{S}_{54}$ cluster: A density functional theory study X.-D. Wen, T. Zeng, B.-T. Teng, F.-Q. Zhang, Y.-W. Li, J. Wang (Shanxi, PR China) and H. Jiao (Shanxi, PR China and Rostock, Germany)	191
<i>N</i> -Arylation of imidazoles, imides, amines, amides and sulfonamides with boronic acids using a recyclable $\text{Cu}(\text{OAc})_2\text{-H}_2\text{O}/[\text{bmim}][\text{BF}_4]$ system M.L. Kantam, B. Neelima, Ch.V. Reddy and V. Neeraja (Hyderabad, India)	201
Phosphite–oxazoline ligands for Rh-catalyzed asymmetric hydrosilylation of ketones O. Pàmies, C. Claver and M. Diéguez (Tarragona, Spain)	207
Characterization and catalytic performance of TiO_2 nanotubes-supported gold and copper particles B. Zhu, Q. Guo, X. Huang, S. Wang, S. Zhang, S. Wu and W. Huang (Tianjin, PR China)	211
Phosphite and thiourea ligand synergy for rhodium catalyzed enantioselective hydroformylation of styrene R. Abdallah, J.A.J. Breuzard, M.C. Bonnet and M. Lemaire (Villeurbanne, France)	218
Recyclability of water-soluble ruthenium–phosphine complex catalysts in multiphase selective hydrogenation of cinnamaldehyde using toluene and pressurized carbon dioxide S.-i. Fujita, S. Akihara and M. Arai (Sapporo, Japan)	223
Syndiotactic-enriched propylene–styrene copolymers using fluorenyl-based half-titanocene catalysts E. Kirillov (Rennes, France), A. Razavi (Feluy, Belgium) and J.-F. Carpentier (Rennes, France)	230
Application of non-imidazolium-based ionic liquid in the Baylis–Hillman reactions: Rate and yield promoted H. Gong, C.-q. Cai, N.-f. Yang, L.-w. Yang, J. Zhang (Xiangtan, PR China) and Q.-h. fan (Beijing, PR China)	236
A novel mesoporous oxidation catalyst La-Co-Zr-O prepared by using nonionic and cationic surfactants as co-templates Z.-Q. Zou, M. Meng, J.-Y. Luo, Y.-Q. Zha (Tianjin, PR China), Y.-N. Xie, T.-D. Hu and T. Liu (Beijing, PR China)	240
Silica sulfuric acid as an efficient and recoverable catalyst for the synthesis of trisubstituted imidazoles A. Shaabani and A. Rahmati (Tehran, Iran)	246
Volume contents	249