

## Contents

### Vol. 256, Nos. 1–2

|  |     |
|--|-----|
| The influence of the calcination conditions on the catalytic activity of $\text{Bi}_2\text{MoO}_6$ in the selective oxidation of propylene to acrolein<br>W.J.M. van Well (Esbjerg, Denmark), M.T. Le (Hanoi, Vietnam), N.C. Schiødt (Lyngby, Denmark), S. Hoste (Gent, Belgium) and P. Stoltze (Esbjerg, Denmark) . . . . . | 1   |
| The role of molecular recognition in regulating the catalytic activity of peroxidase-like polymers imprinted by a reductant substrate<br>Z. Cheng and Y. Li (Beijing, China) . . . . .   | 9   |
| <i>N</i> -methylpyrrolidine-2-one hydrotribromide: An efficient and new catalyst for the aziridination of alkenes using Chloramine-T under solvent free conditions<br>S.L. Jain, J.K. Joseph and B. Sain (Dehradun, India) . . . . .   | 16  |
| Investigation on the behaviour of Pt(0)/carbon and Pt(0),Au(0)/carbon catalysts employed in the oxidation of glycerol with molecular oxygen in water<br>N. Dimitratos, C. Messi, F. Porta, L. Prati and A. Villa (Milano, Italy) . . . . .   | 21  |
| Etherification of benzyl alcohols with 1-hexanol over organosulfonic acid mesostructured materials<br>R. van Grieken, J.A. Melero and G. Morales (Madrid, Spain) . . . . .   | 29  |
| New method of production of vinyl ether by vapor phase intramolecular dehydration of glycol ether over solid catalysts<br>Y. Shimasaki (Himeji Hyogo, Japan), K. Ariyoshi, H. Kambe, H. Yano (Osaka, Japan) and S. Ugamura (Himeji Hyogo, Japan) . . . . .   | 37  |
| Catalysis by phosphates: A simple and efficient procedure for transesterification reaction<br>F. Bazi, H. El Badaoui, S. Tamani, S. Sokori, L. Oubella, M. Hamza, S. Boulaajaj and S. Sebti (Casablanca, Morocco) . . . . .  | 43  |
| Synthesis and characterization of mesoporous V-MCM-41 molecular sieves with good hydrothermal and thermal stability<br>J. Xu, W. Chu and S. Luo (Sichuan, China) . . . . .   | 48  |
| Interaction of water with titania and zirconia surfaces<br>A. Ignatchenko, D.G. Nealon, R. Dushane and K. Humphries (Longview, TX, USA) . . . . .  | 57  |
| Sonogashira reaction of heteroaryl halides with alkynes catalysed by a palladium-tetraphosphine complex<br>M. Feuerstein, H. Doucet and M. Santelli (Marseille, France) . . . . .  | 75  |
| A recyclable multi-substrates catalytic system for enantioselective reduction of ketones in water<br>S. Zeror (Annaba, Algeria), J. Collin, J.-C. Fiaud (Orsay, France) and L.A. Zouioueche (Annaba, Algérie) . . . . .  | 85  |
| Hepta-coordinate halocarbonyl molybdenum(II) and tungsten(II) complexes as heterogeneous polymerization catalysts<br>J. Gimenez, C.D. Nunes, P.D. Vaz (Lisboa, Portugal), A.A. Valente, P. Ferreira (Aveiro, Portugal) and M.J. Calhorda (Lisboa, Portugal) . . . . .  | 90  |
| Silica supported fluoroboric acid as a novel, efficient and reusable catalyst for the synthesis of 1,5-benzodiazepines under solvent-free conditions<br>B.P. Bandgar, A.V. Patil and O.S. Chavan (Nanded, India) . . . . .   | 99  |
| Catalytic reaction of 1,3-butanediol over solid acids<br>N. Ichikawa, S. Sato, R. Takahashi and T. Sodesawa (Chiba, Japan) . . . . .   | 106 |
| Application of ONIOM calculations in the study of the effect of the zeolite framework on the adsorption of alkenes to ZSM-5<br>S. Namuangruk, D. Tantanak and J. Limtrakul (Bangkok, Thailand) . . . . .   | 113 |
| Synthesis and catalytic properties of mesoporous ethane-silicas containing phenyl-sulfonic acid group<br>J. Yang, Q. Yang, G. Wang, Z. Feng and J. Liu (Dalian, China) . . . . .   | 122 |
| An ONIOM2 study on pyridine adsorption in the main channels of Li- and Na-MOR<br>S. Yuan (Qingdao, China and Taiyuan, China), J. Wang (Taiyuan, China), Y.-B. Duan (Qingdao, China), Y.-W. Li (Taiyuan, China) and H. Jiao (Taiyuan, China and Rostock, Germany) . . . . .   | 130 |
| Hetero-Michael addition of benzenethiol to cycloalkenones using cation-exchanged faujasites: Simultaneous acid–base bifunctional catalysis<br>M. Kumarraja and K. Pitchumani (Madurai, India) . . . . .  | 138 |
| Effect of iridium dispersion on the catalytic activity of Ir/SiO <sub>2</sub> for the selective reduction of NO with CO in the presence of O <sub>2</sub> and SO <sub>2</sub><br>M. Haneda, T. Fujitani and H. Hamada (Ibaraki, Japan) . . . . .   | 143 |
| Heterolytic dissociation and recombination of H <sub>2</sub> over Zn,H-ZSM-5 zeolites—A density functional model study<br>H.A. Aleksandrov, G.N. Vayssilov (Sofia, Bulgaria) and N. Rösch (Garching, Germany) . . . . .  | 149 |
| Characterization of nickel sulfate supported on SiO <sub>2</sub> for ethylene dimerization and promoting effect of Al <sub>2</sub> O <sub>3</sub> on catalytic activity<br>J.R. Sohn, W.C. Park and D.C. Shin (Taegu, Republic of Korea) . . . . .   | 156 |
| One-step hydrogenolysis of dimethyl maleate to tetrahydrofuran over chromium-modified Cu-B/γ-Al <sub>2</sub> O <sub>3</sub> catalysts<br>P.J. Guo, L.F. Chen, S.R. Yan, W.L. Dai, M.H. Qiao, H.L. Xu and K.N. Fan (Shanghai, PR China) . . . . .   | 164 |
| Syntheses of Ru-η <sup>6</sup> -C <sub>6</sub> H <sub>6</sub> -diphosphine complexes and their catalytic properties for hydrogenation of benzene<br>L. Zhang, Y. Zhang, X.-G. Zhou, R.-X. Li, X.-J. Li (Sichuan, PR China), K.-C. Tin and N.-B. Wong (Hong Kong, PR China) . . . . .   | 171 |

|  |     |
|--|-----|
| Effect of nickel precursor on the catalytic performance of Ni/Al <sub>2</sub> O <sub>3</sub> catalysts in the hydrodechlorination of 1,1,2-trichloroethane<br>P. Kim, H. Kim, J.B. Joo, W. Kim, I.K. Song and J. Yi (Seoul, South Korea) .....   | 178 |
| Al-MCM-41 as an efficient heterogeneous catalyst in the acetalization of cyclohexanone with methanol, ethylene glycol and pentaerythritol<br>B. Rabindran Jermy and A. Pandurangan (Chennai, India) .....  | 184 |
| Catalytic influence of mesoporous Co-MCM-41 molecular sieves for the synthesis of SWNTs via CVD method<br>T. Somanathan (Chennai, India), A. Pandurangan (Chennai, India and University of Kentucky, KY, USA) and D. Sathiyamoorthy (Mumbai, India) .....  | 193 |
| Catalytic post-modification of alkene polymers. Chemistry and kinetics of dehydrogenation of alkene polymers and oligomers with pincer Ir complexes<br>A. Ray, Y.V. Kissin, K. Zhu, A.S. Goldman (Piscataway, NJ, USA), A.E. Cherian and G.W. Coates (Ithaca, NY, USA) .....   | 200 |
| Alumina as heterogeneous catalyst for the regioselective epoxidation of terpenic diolefins with hydrogen peroxide<br>M.A. Uguina, J.A. Delgado, A. Rodríguez, J. Carretero and D. Gómez-Díaz (Madrid, Spain) .....   | 208 |
| Stereoselective hydrogenation of (2 <i>S</i> ,5 <i>R</i> )-(-)-menthone in presence of $\beta$ -cyclodextrin<br>R. Ravichandran (Bhopal, India) .....  | 216 |
| Siliceous mesocellular foam-supported chiral bisoxazoline: Application to asymmetric cyclopropanation<br>S.S. Lee and J.Y. Ying (Cambridge, MA, USA and Singapore, Singapore) .....  | 219 |
| Nickel niobia interaction in non-classical Ni/Nb <sub>2</sub> O <sub>5</sub> catalysts<br>R. Wojcieszak (Vandocurve les Nancy, France), A. Jasik (Poznan, Poland), S. Monteverdi (Vandocurve les Nancy, France), M. Ziolk (Poznan, Poland) and M.M. Bettahar (Vandocurve les Nancy, France) .....                                | 225 |
| Sc(OTf) <sub>3</sub> catalyzed highly rapid and efficient synthesis of $\beta$ -enamino compounds under solvent-free conditions<br>J.S. Yadav, V.N. Kumar, R.S. Rao, A.D. Priyadarshini, P.P. Rao, B.V.S. Reddy and K. Nagaiah (Hyderabad, India) .....  | 234 |
| An eco-friendly catalytic route for synthesis of 4-amino-pyrazolo[3,4-d]pyrimidine derivatives by Keggin heteropolyacids under classical heating and microwave irradiation<br>M.M. Heravi (Tehran, Iran), G. Rajabzadeh (Iran), F.F. Bamoharram and N. Seifi (Mashhad, Iran) .....   | 238 |
| Facile, convenient and regioselective direct <i>ortho</i> -acylation of phenols and naphthols catalyzed by Lewis acids under free solvent and microwave conditions<br>H. Naeimi and L. Moradi (Kashan, Islamic Republic of Iran) .....   | 242 |
| Direct oxidation of benzene to phenol by molecular oxygen over catalytic systems containing Pd(OAc) <sub>2</sub> and heteropolyacid immobilized on HMS or PIM<br>Y. Liu, K. Murata and M. Inaba (Ibaraki, Japan) .....   | 247 |
| Efficient copper-catalyzed amination of aryl halides with amines and N-H heterocycles using <i>rac</i> -BINOL as ligand<br>D. Zhu, R. Wang, J. Mao, L. Xu, F. Wu and B. Wan (Dalian, China) .....  | 256 |
| Solventless and swift benzoin condensation catalyzed by 1-alkyl-3-methylimidazolium ionic liquids under microwave irradiation<br>J. Estager, J.-M. L  v  que, R. Turgis and M. Draye (Le Bourget du Lac, France) .....   | 261 |
| Homogeneous green catalyst for epoxidation of cyclooctene by mono oxovanadium(IV) complexes of N <sub>2</sub> O <sub>2</sub> donate ligand system<br>S. Mohebbi, F. Nikpour (Sanandaj, Iran) and S. Raiati (Zanjan, Iran) .....  | 265 |
| Cu(acac) <sub>3</sub> immobilized in ionic liquids: A reusable catalytic system for the insertion of $\alpha$ -diazo compounds into N-H bonds of amines<br>M.L. Kantam, B. Neelima and Ch.V. Reddy (Hyderabad, India) .....  | 269 |
| Preparation of alumina supported copper nanoparticles and their application in the synthesis of 1,2,3-triazoles<br>M.L. Kantam, V.S. Jaya, B. Sreedhar, M.M. Rao and B.M. Choudary (Hyderabad, India) .....  | 273 |
| Application of the direct exchange method in the preparation of gold catalysts supported on different oxide materials<br>S. Ivanova, V. Pitchon and C. Petit (Strasbourg, France) .....  | 278 |
| Synthesis of amphiphilic polysaccharides by micellar catalysis<br>A. Durand (Nancy, France) .....  | 284 |
| Sulfated Ce <sub>x</sub> Zr <sub>1-x</sub> O <sub>2</sub> solid acid catalyst for solvent free synthesis of coumarins<br>B.M. Reddy, M.K. Patil and P. Lakshmanan (Hyderabad, India) .....   | 290 |
| ZnCl <sub>2</sub> /phosphonium halide: An efficient Lewis acid/base catalyst for the synthesis of cyclic carbonate<br>J. Sun (Beijing, PR China), L. Wang, S. Zhang, Z. Li, X. Zhang (Beijing, PR China), W. Dai and R. Mori (Ibaraki-ken, Japan) .....  | 295 |
| Unique polymerization kinetics obtained from simultaneous interaction of Phillips Cr(VI)O <sub>x</sub> /SiO <sub>2</sub> catalyst with Al-alkyl cocatalyst and ethylene monomer<br>W. Xia, B. Liu, Y. Fang, K. Hasebe and M. Terano (Ishikawa, Japan) .....  | 301 |
| An efficient one-pot synthesis of polyhydroquinoline derivatives through the Hantzsch four component condensation<br>J.L. Donelson, R.A. Gibbs and S.K. De (West Lafayette, IN, USA) .....   | 309 |
| Photocatalytic activity of ZnO impregnated H $\beta$ and mechanical mix of ZnO/H $\beta$ in the degradation of monocrotophos in aqueous solution<br>S. Anandan (Chennai, India and Ibaraki, Japan), A. Vinu (Ibaraki, Japan), N. Venkatachalam, B. Arabindoo and V. Murugesan (Chennai, India) .....                             | 312 |
| Epoxidation reactions with hydrogen peroxide activated by a novel heterogeneous metalloporphyrin catalyst<br>S.L.H. Rebelo, A.R. Gonalves, M.M. Pereira (Coimbra, Portugal), M.M.Q. Sim  es, M.G.P.M.S. Neves and J.A.S. Cavaleiro (Aveiro, Portugal) .....   | 321 |
| Heteropoly acid supported on titania as solid acid catalyst in alkylation of <i>p</i> -cresol with <i>tert</i> -butanol<br>S.M. Kumbar, G.V. Shanbhag (Pune, India), F. Lefebvre (Villeurbanne, France) and S.B. Halligudi (Pune, India) .....   | 324 |
| Gold nanoparticles dispersed into poly(aminothiophenol) as a novel electrocatalyst—Fabrication of modified electrode and evaluation of electrocatalytic activities for dioxygen reduction<br>A.I. Gopalan (Daegu, South Korea and Karaikudi, India), K.-P. Lee, K.M. Manesh, P. Santhosh and J.H. Kim (Daegu, South Korea) ..... | 335 |
| Comment on paper entitled: "Silica Sulfate as a recyclable and efficient catalyst for Beckmann rearrangement under microwave irradiation" [Journal of Molecular Catalysis A: Chemical 250 (2006) 100–103]<br>M.A. Zolfigol (Hamadan, Iran) and P. Salehi (Tehran, Iran) .....  | 346 |
| Volume contents .....  | 348 |