

Contents

VOL. 5 NO. 1–4, 15 SEPTEMBER 1998

Proceedings of the 3rd International Symposium on Biocatalysis and Biotransformations
La grand Motte, France, 22–26 September 1997
Guest Editor: R. Azerad

Preface xi

Biocatalysis in Industrial Strategies and Technological Aspects of Biotransformations

Biocatalysis to amino acid-based chiral pharmaceuticals—examples and perspectives A.S. Bommarius, M. Schwarm and K. Drauz (Hanau, Germany)	1
Enzymatic amidification for the synthesis of biodegradable surfactants: Synthesis of <i>N</i> -acylated hydroxylated amines T. Maugard, M. Remaud-Simeon (Toulouse, France), D. Petre (St. Fons, France) and P. Monsan (Toulouse, France)	13
Enzymatic synthesis of fatty acid ascorbyl esters C. Humeau, M. Girardin, B. Rovel and A. Miclo (Vandoeuvre-lès-Nancy, France)	19
Application of recombinant sucrose synthase-large scale synthesis of ADP-glucose A. Zervosen, U. Römer and L. Elling (Jülich, Germany)	25
Improvement of alcoholic fermentations by simultaneous extraction and enzymatic esterification of ethanol A.C. Oliveira, M.F. Rosa, J.M.S. Cabral and M.R. Aires-Barros (Lisboa, Portugal)	29
Analysis of a BSTR reactor for triglyceride hydrolysis with an immobilised cutinase A.P.V. Gonçalves, J.M.S. Cabral and M.R. Aires-Barros (Lisboa, Portugal)	35
Protease-catalysed condensation–oligomerisation of hydrophobic peptides as a means of flavour modification D.E. Stevenson, D.J. Ofman and G.A. Fenton (Lower Hutt, New Zealand)	39
Enzymatic synthesis of alkylglycoside fatty acid esters catalyzed by an immobilized lipase D. Coulon, A. Ismail, M. Girardin and M. Ghoul (Vandoeuvre les Nancy, France)	45
Enzymatic synthesis of AHA derivatives for cosmetic application M.-P. Bousquet, R.-M. Willemot, P. Monsan (Toulouse, France) and E. Boures (Riom, France)	49
Solid-to-solid kinetic resolution. Determination of the enantiomeric ratio A.J.J. Straathof, A. Wolff and J.J. Heijnen (Delft, Netherlands)	55
New vegetal sources for milk clotting enzymes A. Lopes, G. Teixeira, M.C. Liberato, M.S. Pais and A. Clemente (Lisboa, Portugal)	63
Continuous process for large-scale preparation of chiral alcohols with baker's yeast immobilized on chrysotile fibers R. Wendhausen Jr., P.J.S. Moran, I. Joekes and J.A.R. Rodrigues (Campinas, Brazil)	69
Lipase production by solid state fermentation of olive cake and sugar cane bagasse J. Cordova (Montpellier, France), M. Nemmaoui, M. Ismaïli-Alaoui (Rabat, Morocco), A. Morin (Saint-Hyacinthe, Que., Canada), S. Roussos, M. Raimbault, M. Nemmaoui, M. Ismaïli-Alaoui, A. Morin, S. Roussos, M. Raimbault and B. Benjlali (Rabat, Morocco)	75

Regio- and Enantioselective Biotransformations; Modulation of Activity and Specificity of Enzymes or Whole-Cell Microorganisms

Fungal epoxide hydrolases: new tools for the synthesis of enantiopure epoxides and diols A. Archelas (Marseille, France)	79
---	----

Preparative scale production of 3-substituted catechols using a novel monooxygenase from <i>Pseudomonas azelaica</i> HBP 1 M. Held (Zürich, Switzerland), W. Suske (Dübendorf, Switzerland), A. Schmid (Zürich, Switzerland), K.-H. Engesser (Stuttgart, Germany), H.-P.E. Kohler (Dübendorf, Switzerland), B. Witholt and M.G. Wubbolts (Zürich, Switzerland)	87
Chiral synthons via chloroperoxidase catalysis L.P. Hager, F.J. Lakner and A. Basavapathruni (Urbana, IL, USA)	95
The synthetic utility of KDPGal aldolase I.C. Cotterill, D.P. Henderson, M.C. Shelton and E.J. Toone (Durham, NC, USA)	103
Fructose-1,6-bisphosphate aldolase and transketolase: Complementary tools for the de novo syntheses of monosaccharides and analogues C. André, C. Demuyne, T. Gefflaut, C. Guérard, L. Hecquet, M. Lemaire and J. Bolte (Aubiere, France)	113
Transglycosylation catalyzed by a lipid-coated β -D-galactosidase in a two-phase aqueous–organic system Y. Okahata and T. Mori (Yokohama, Japan)	119
Transferase-catalyzed synthesis of non-natural oligosaccharide-libraries (SLe ^a - and SLe ^x -analogues) R. Öhrlein, G. Baisch, A. Katopodis, M. Streiff and F. Kolbinger (Basle, Switzerland)	125
Highly stereoselective reduction of ketones by <i>Geotrichum candidum</i> K. Nakamura (Kyoto, Japan)	129
Biotransformation of S-13 thioleic acid to the corresponding sulfoxide by <i>Chlorella vulgaris</i> 211/8k C. Nugier-Chauvin, L. Fauconnot, N. Noiret, S. Poulain and H. Patin (Rennes, France)	133
Enantioselective nitrile hydratases and amidases from different bacterial isolates A. Stolz, S. Trott, M. Binder, R. Bauer, B. Hirrlinger, N. Layh and H.-J. Knackmuss (Stuttgart, Germany)	137
Asymmetric hydrolysis of enol acetates with the cultured cells of <i>Marchantia polymorpha</i> T. Hirata, K. Shimoda, D. Ohba, N. Furuya and S. Izumi (Higashi-Hiroshima, Japan)	143
Biotransformation of monoterpenoid ketones by yeasts and yeast-like fungi M.S. Van Dyk, E. Van Rensburg, I.P.B. Rensburg and N. Moleleki (Bloemfontein, South Africa)	149
Enantioselective synthesis of amino acid amides via enzymatic ammoniolysis of amino acid esters M.A.P.J. Hacking, M.A. Wegman, J. Rops, F. Van Rantwijk and R.A. Sheldon (Delft, Netherlands)	155
Induction and localization of a lipoyxygenase from <i>Fusarium proliferatum</i> F. Husson, A. Couturier (Dijon, France), S. Kermasha (Ste-Anne de Bellevue, Que., Canada) and J.M. Belin (Dijon, France)	159
Acyl-CoA oxidase, a key step for lactone production by <i>Yarrowia lipolytica</i> Y. Waché, Y. Pagot (Dijon, France), J.-M. Nicaud (Thiverval-Grignon, France) and J.-M. Belin (Dijon, France)	165
Enzymatic resolution of 2-fluoro-2-arylacetic acid derivatives T. Kometani, T. Isobe, M. Goto, Y. Takeuchi (Toyama, Japan) and G. Haufe (Münster, Germany)	171
<i>Yarrowia lipolytica</i> , a yeast model for the genetic studies of hydroxy fatty acids biotransformation into lactones J.-M. Nicaud, A. Le Clainche, M.-T. Le Dall, H. Wang and C. Gaillardin (Thiverval Grignon, France)	175
Lipase-mediated asymmetric acetylation of prochiral diols directed towards total syntheses of biologically active molecules K. Shishido and T. Bando (Tokushima, Japan)	183
Highly selective transformation by plant catalysts H. Hamada, Y. Miyamoto, N. Nakajima and T. Furuya (Okayama, Japan)	187
Microbial hydroxylation of benzoxazoles containing fluorine atoms in the aromatic ring—tracing of the products by ¹⁹ F NMR H. Weber, G. Braunege, A. De Raadt, S. Feichtenhofer, H. Griengl, K. Lübke, M.F. Klingler, M. Kreiner and A. Lehmann (Graz, Austria)	191
Enantioselectivity of a recombinant esterase from <i>Pseudomonas fluorescens</i> F. Zocher, N. Krebsfänger (Stuttgart, Germany), O.J. Yoo (Tajeon, South Korea) and U.T. Bornscheuer (Stuttgart, Germany)	199
Functionalization of natural drimanic compounds via microbial/chemical tandem reactions G. Aranda, M. Bertranne-Delahaye, J.-Y. Lallemand (Palaiseau, France), R. Azerad, M. Maurs (Paris, France), M. Cortès and J. Lopez (Santiago, Chile)	203
Monohydroxamic acid biosynthesis D. Fournand, L. Vaysse, E. Dubreucq, A. Arnaud and P. Galzy (Montpellier, France)	207
Determination of the regioselectivity during epoxide hydrolase oxirane ring opening: a new method from racemic epoxides P. Moussou, A. Archelas, J. Baratti and R. Furstoss (Marseille, France)	213
A new microorganism for highly stereospecific Baeyer–Villiger oxidation of prochiral cyclobutanones V. Alphand, C. Mazzini, J. Lebreton and R. Furstoss (Marseille, France)	219
Almond oxynitrilase-catalyzed transformation of substituted aldehydes. Part 2 B. Danieli, S. Frattini, G. Roda, G. Carrea and S. Riva (Milano, Italy)	223
Chemo-enzymatic synthesis of a selectin ligand using recombinant yeast cells A. Lubineau, C. Le Narvor, C. Augé (Orsay, France), P.F. Gallet, J.M. Petit and R. Julien (Limoges, France)	229
Sialyltransferase-catalyzed transfer of KDN onto oligosaccharides A. Lubineau, V. Sommé and C. Augé (Orsay, France)	235
Activity of immobilised penicillin amidase in toluene at controlled water activity C. Ebert, L. Gardossi and P. Linda (Trieste, Italy)	241

Asymmetric biotransformation of phenyl-C4 derivatives in rat liver (S-9) and baker's yeast M. Takeshita, M. Miura, T. Hongo (Sendai, Japan), K. Kosaka and Y. Takeshita (Tochigi, Japan)	245
Feasibility of the thermodynamically controlled synthesis of amoxicillin M.B. Diender, A.J.J. Straathof, L.A.M. Van der Wielen, C. Ras and J.J. Heijnen (Delft, The Netherlands)	249
Microbial reduction of varying size cyclic β -ketoesters. Stereoselective synthesis of chiral lactones and epoxides S. Danchet, D. Buisson and R. Azerad (Paris, France)	255
Novel <i>Rhodococcus</i> esterases by genetic engineering M. Gudelj, G. Valinger, K. Faber and H. Schwab (Graz, Austria)	261
Molecular recognition of <i>sec</i> -alcohol enantiomers by <i>Candida antarctica</i> lipase B D. Rotticci, F. Häffner, C. Orrenius, T. Norin and K. Hult (Stockholm, Sweden)	267
The influence of water activity on the enantioselectivity in the enzyme-catalyzed reduction of 2-pentanone Å. Jönsson, W. Van Breukelen, E. Wehtje, P. Adlercreutz and B. Mattiasson (Lund, Sweden)	273
Synthesis of benzoates by enzymatic catalysis in heterogeneous medium J.-P. Leszczak and C. Tran-Minh (Saint-Etienne, France)	277
Reversed enantioselectivity of <i>Candida rugosa</i> lipase supports different modes of binding enantiomers of a chiral acyl donor P. Berglund, M. Holmquist and K. Hult (Stockholm, Sweden)	283
Immobilization of trypsin on an enteric polymer Eudragit S-100 for the biocatalysis of macromolecular substrate A. Kumar (Lund, Sweden) and M.N. Gupta (Delhi, India)	289
Solvent selection for the biotransformation of terpenes by <i>Pseudomonas putida</i> F. Van Keulen, C.N. Correia and M.M.R. Da Fonseca (Lisboa, Portugal)	295
Production of enantiomerically pure amino acids: characterisation of South African hydantoinases and hydantoinase-producing bacteria S.G. Burton, R.A. Dorrington, C. Hartley, S. Kirchmann, G. Matcher and V. Pehane (Grahamstown, South Africa)	301
Influence of some operational parameters on the bioconversion of sitosterol with immobilized whole cells in organic medium P. Fernandes, J.M.S. Cabral and H.M. Pinheiro (Lisboa, Portugal)	307
<i>E. coli</i> JM109 pHBP461, a recombinant biocatalyst for the regioselective monohydroxylation of <i>ortho</i> -substituted phenols to their corresponding 3-substituted catechols A. Schmid (Zürich, Switzerland; Stuttgart, Germany), H.-P.E. Kohler (Dübendorf, Switzerland) and K.-H. Engesser (Stuttgart, Germany)	311
Synthesis of planar-chiral [2.2]paracyclophanes by biotransformations: screening for hydrolase activity for the kinetic resolution of 4-acetoxy-[2.2]paracyclophane D. Pamperin (Stuttgart, Germany), B. Ohse, H. Hopf (Braunschweig, Germany) and M. Pietzsch (Stuttgart, Germany)	317
Chiral alcohol synthesis with yeast carbonyl reductases S. Shimizu, M. Kataoka (Kyoto, Japan) and K. Kita (Tottori, Japan)	321
Cardosins A and B, two new enzymes available for peptide synthesis A.C. Sarmento, L. Silvestre, M. Barros (Aveiro, Portugal) and E. Pires (Coimbra, Portugal)	327

Structural and Mechanistic Aspects of Enzymes Involved in Biotransformations

Stereoselectivity of aldolase catalytic antibodies J.-L. Reymond (Bern, Switzerland)	331
Straightforward development of stereoselective biocatalysts—from detergent to semisynthetic peroxidase seleno-subtilisin D. Häring, E. Schüler and P. Schreier (Würzburg, Germany)	339
Stability of the enzyme (<i>S</i>)-hydroxynitrile lyase from <i>Hevea brasiliensis</i> M. Bauer, R. Geyer, M. Boy, H. Griengl and W. Steiner (Graz, Austria)	343
Hydroxynitrile lyase adsorption at liquid/liquid interfaces A. Hickel, C.J. Radke and H.W. Blanch (Berkeley, CA, USA)	349
Biocatalysis in microstructured lyotropic liquid crystals M. Boy and H. Voss (Graz, Austria)	355
Kinetics and modelling of transesterification reactions catalysed by cutinase in AOT reversed micelles C.M.L. Carvalho, J.M.S. Cabral and M.R. Aires-Barros (Lisboa, Portugal)	361
The hydantoin amidohydrolase from <i>Arthrobacter aurescens</i> DSM 3745 is a zinc metalloenzyme O. May, M. Siemann (Stuttgart, Germany), M.G. Siemann (Clausthal-Zellerfeld, Germany) and C. Syldatk (Stuttgart, Germany)	367

Microbial Models of Animal Metabolism

Microbial models of mammalian metabolism: uses and misuses (clarification of some misconceptions) S.G. Jezequel (Sandwich, UK)	371
---	-----

The synthesis of 17 α -ethynylestradiol glucuronides by mammalian microsomes immobilised in hollow-fibres V. Gilder and A.W. Bunch (Canterbury, UK)	379
Microbial hydroxylation of 13 β -ethyl-4-gonene-3,17-dione A. Jekkel, É. Ilkóy, G. Horváth, I. Pallagi, J. Sütő and G. Ambrus (Budapest, Hungary)	385
Bioconversion of ascomycin and its 6-alkoxyderivatives M. Haag, K. Baumann, A. Billich, M. Bulusu (Vienna, Austria), T. Fehr (Basel, Switzerland), M. Grassberger, E. Haidl, G. Schulz (Vienna, Austria) and J.-J. Sanglier (Basel, Switzerland)	389
Metabolism of ¹⁴ C-labelled 5-nitro-1,2,4-triazol-3-one (NTO): comparison between rat liver microsomes and bacterial metabolic pathways L. Le Campion (Gif sur Yvette, France), M. Delaforge (Paris, France), J.P. Noel and J. Ouazzani (Gif sur Yvette, France)	395

Biodegradation Reactions Applied to Environmental Protection

Degradation of morpholine and thiomorpholine by an environmental <i>Mycobacterium</i> involves a cytochrome P450. Direct evidence of intermediates by in situ ¹ H NMR P. Besse, B. Combourieu (Aubièrre, France), P. Poupin (Compiègne, France), M. Sancelme (Aubièrre, France), N. Truffaut (Compiègne, France), H. Veschambre and A.M. Delort (Aubièrre, France)	403
Biotransformation of phenols using immobilised polyphenol oxidase S.G. Burton, A. Boshoff, W. Edwards and P.D. Rose (Grahamstown, South Africa)	411
Polycyclic aromatic hydrocarbons (PAHs) biodegradation in the soil of a former gasworks site: selection and study of PAHs-degrading microorganisms C. Bidaud and C. Tran-Minh (Saint-Etienne, France)	417
Involvement of 3,4-dichlorophenol hydroxylase in degradation of 3,4-dichlorophenol by the white rot fungus <i>Phanerochaete chrysosporium</i> C. Deschler, R. Duran, M. Junqua, C. Landou, J.-C. Salvado and P. Goulas (Pau, France)	423
Combined biodegradation of carbon, nitrogen and phosphorus from wastewaters J.P. Delgenès, E. Rustrian, N. Bernet and R. Moletta (Narbonne, France)	429
Biological nitrogen removal in a single aerobic reactor by association of a nitrifying ecosystem to an aerobic denitrifier, <i>Microvirgula aerodenitrificans</i> D. Patureau, N. Bernet, T. Bouchez, P. Dabert, J.P. Delgenès and R. Moletta (Narbonne, France)	435
Biotechnological degradation of the radioactive cellulose containing waste A.N. Mokeev, V.A. Iljin and N.B. Gradova (Moscow, Russian Federation)	441

VOL. 5 NO. 5–6, 15 OCTOBER 1998

Microbiological transformations 41. Screening for novel fungal epoxide hydrolases P. Moussou, A. Archelas and R. Furstoss (Marseille, France)	447
Modified L-threose and D-erythrose as substrates of transketolase and fructose-1,6-bisphosphate aldolase. Application to the synthesis of new heptulose analogues C. André, C. Guérard, L. Hecquet, C. Demuyneck and J. Bolte (Aubièrre, France)	459
Characterization and partial purification of an enantioselective arylacetone nitrilase from <i>Pseudomonas fluorescens</i> DSM 7155 N. Layh (Exeter, UK), J. Parratt (Cambridge, UK) and A. Willetts (Exeter, UK)	467
Dimerization of hydroxylated species of <i>m</i> -aminophenol by cytochrome <i>c</i> with hydrogen peroxide Y. Zhu, J. Li and S. Dong (Changchun, China)	475
Preparation and characterization of immobilized phospholipase A ₂ on chitosan beads for lowering serum cholesterol concentration J.-P. Chen and J.-Y. Chen (Taoyuan, Taiwan)	483
Selected Abstracts from the 1st Japanese Symposium on the Chemistry of Biocatalysis Y. Asano (Toyama, Japan)	491
Guide for authors	515
Author index	519
Subject index	525
Contents	537