

Subject Index

Acarbose

Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family 57

Activation

Binary immobilization of *Candida rugosa* lipase on chitosan 69

Adsorption

Esterase activity of biocomposites constituted by lipases adsorbed on layered zirconium phosphate and phosphonates: selective adsorption of different enzyme isoforms 47

Aldehyde

High-throughput screening methods for selecting L-threonine aldolases with improved activity 265

Alicyclobacillus acidocaldarius

Nonionic detergent-induced activation of an esterase from *Bacillus megaterium* 20-1 223

Amines

Simultaneous synthesis of enantiomerically pure (*S*)-amino acids and (*R*)-amines using α/ω -aminotransferase coupling reactions with two-liquid phase reaction system 273

Aminogluthimide

Chemo-enzymatic synthesis of (*R*)-(+)-aminogluthimide by kinetic resolution of (\pm)-4-cyano-4-phenyl-1-hexanol 185

Aminotransferase

Simultaneous synthesis of enantiomerically pure (*S*)-amino acids and (*R*)-amines using α/ω -aminotransferase coupling reactions with two-liquid phase reaction system 273

α -amylases

Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family 57

Arylic nitrile

Lipase-catalyzed remote kinetic resolution of acrylic nitriles with adjacent quaternary chiral center and the determination of their absolute configuration 131

Aspartame precursor

Stereoselective enzymatic synthesis of an aspartame precursor of *N*-CBZ-L-Asp-L-PheOMe 201

Asymmetric synthesis

Lipoxygenase biocatalysis: a survey of asymmetric oxygenation 3

Bacillus megaterium

Nonionic detergent-induced activation of an esterase from *Bacillus megaterium* 20-1 223

Bacillus stearothermophilus maltogenic amylase (BSMA)

Preparation and characterization of maltosyl-sucrose isomers produced by transglycosylation of maltogenic amylase from *Bacillus stearothermophilus* 293

[bdmim]BF₄

1-Butyl-2,3-dimethylimidazolium tetrafluoroborate: the most desirable ionic liquid solvent for recycling use of enzyme in lipase-catalyzed transesterification using vinyl acetate as acyl donor 41

Benzyl β -D-glucopyranoside

Enzymatic β -glycosidation of primary alcohols 87

Binary immobilization

Binary immobilization of *Candida rugosa* lipase on chitosan 69

Biocatalyst

Lipase-catalyzed remote kinetic resolution of acrylic nitriles with adjacent quaternary chiral center and the determination of their absolute configuration 131

CAL-B

First enzymatic resolution of a phosphane–borane complex 29

Carbodiimide

Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family 57

β -CD polymer affinity purification

Catalytic function and affinity purification of site-directed mutant β -cyclodextrin glucanotransferase from alkalophilic *Bacillus firmus* var. *alkalophilus* 157

Cefaclor

Effect of temperature on the enzymatic synthesis of cefaclor with in situ product removal 99

cgt gene

Catalytic function and affinity purification of site-directed mutant β -cyclodextrin glucanotransferase from alkalophilic *Bacillus firmus* var. *alkalophilus* 157

CGTase

Stability and activity of cross-linking enzyme crystals of cyclodextrin glucanotransferase isolated from *Bacillus macerans* 287

Chiral amino acids

Simultaneous synthesis of enantiomerically pure (*S*)-amino acids and (*R*)-amines using α/ω -aminotransferase coupling reactions with two-liquid phase reaction system 273

Chiral organophosphorus compounds

First enzymatic resolution of a phosphane–borane complex 29

- Chitosan
Binary immobilization of *Candida rugosa* lipase on chitosan 69
- CLECs
Stability and activity of cross-linking enzyme crystals of cyclodextrin glucanotransferase isolated from *Bacillus macerans* 287
- Constitutivity
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran 167
- Coupling reaction
Simultaneous synthesis of enantiomerically pure (*S*)-amino acids and (*R*)-amines using α/ω -aminotransferase coupling reactions with two-liquid phase reaction system 273
- Cross-linking
Binary immobilization of *Candida rugosa* lipase on chitosan 69
- β -Cyclodextrin glucanotransferase
Catalytic function and affinity purification of site-directed mutant β -cyclodextrin glucanotransferase from alkalophilic *Bacillus firmus* var. *alkalophilus* 157
- Cyclodextrin glycosyltransferase
Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family 57
- Detergent-induced activation
Nonionic detergent-induced activation of an esterase from *Bacillus megaterium* 20-1 223
- Dextran
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran 167
- Dextransucrase
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran 167
- D-Hydantoinase
Structure-based mutational analysis of the active site residues of D-hydantoinase 217
- Directed bacterial evolution
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran 167
- Directed evolution
A new approach to directed gene evolution by recombined extension on truncated templates (RETT) 119
Bacterial cell surface display of lipase and its randomly mutated library facilitates high-throughput screening of mutants showing higher specific activities 177
High-throughput screening methods for selecting L-threonine aldolases with improved activity 265
- E. coli* dextransucrase transformants
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran 167
- EDC
Binary immobilization of *Candida rugosa* lipase on chitosan 69
- Electron transfer
Laccase-mediated oxidation of a lignin model for improved delignification procedures 105
- Enantioselective
Chemo-enzymatic synthesis of (*R*)-(+)-aminoglutethimide by kinetic resolution of (\pm)-4-cyano-4-phenyl-1-hexanol 185
- Enantioselective hydrolysis
Preparation of enantiomerically pure (*S*)-flurbiprofen by an esterase from *Pseudomonas* sp. KCTC 10122BP 149
- Enantioselectivity
1-Butyl-2,3-dimethylimidazolium tetrafluoroborate: the most desirable ionic liquid solvent for recycling use of enzyme in lipase-catalyzed transesterification using vinyl acetate as acyl donor 41
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system 209
- Enzymatic resolution
First enzymatic resolution of a phosphane-borane complex 29
Chemo-enzymatic synthesis of (*R*)-(+)-aminoglutethimide by kinetic resolution of (\pm)-4-cyano-4-phenyl-1-hexanol 185
- Enzymatic synthesis
Effect of temperature on the enzymatic synthesis of cefaclor with in situ product removal 99
- Enzymatic transesterification
Enzymatic selective acylation of glycosides in ionic liquids: significantly enhanced reactivity and regioselectivity 115
- Enzyme immobilization
Esterase activity of biocomposites constituted by lipases adsorbed on layered zirconium phosphate and phosphonates: selective adsorption of different enzyme isoforms 47
- Enzyme library
Expanding functional spaces of enzymes by utilizing whole genome treasure for library construction 241
- Esterase
Nonionic detergent-induced activation of an esterase from *Bacillus megaterium* 20-1 223
- Eutectic substrate mixture
Stereoselective enzymatic synthesis of an aspartame precursor of *N*-CBZ-L-Asp-L-PheOMe 201
- Flexibility
Protein thermostability: structure-based difference of residual properties between thermophilic and mesophilic proteins 257
- Flurbiprofen
Preparation of enantiomerically pure (*S*)-flurbiprofen by an esterase from *Pseudomonas* sp. KCTC 10122BP 149
- FSS
Expanding functional spaces of enzymes by utilizing whole genome treasure for library construction 241
- Functional domain
Catalytic domain of *Salmonella typhimurium* 2-oxoglutarate dehydrogenase is localized in N-terminal region 193
- Functional space
Expanding functional spaces of enzymes by utilizing whole genome treasure for library construction 241
- Fungal catalase
Biphasic character of fungal catalases inhibition with hydroxylamine in presence of hydrogen peroxide 79
- β -Glucosidase
Enzymatic β -glycosidation of primary alcohols 87

- β -Glucosidation
Enzymatic β -glycosidation of primary alcohols 87
- Glucosyltransferase
Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family 57
- Glutamate dehydrogenase
Thermostable glutamate dehydrogenase from a commensal thermophile, *Symbiobacterium toebii*; overproduction, characterization, and application 231
- Glycosides
Enzymatic selective acylation of glycosides in ionic liquids: significantly enhanced reactivity and regioselectivity 115
- Glycosyl hydrolase
Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family 57
- H-atom abstraction
Laccase/mediated oxidation of a lignin model for improved delignification procedures 105
- High-throughput screening
High-throughput screening methods for selecting L-threonine aldolases with improved activity 265
- Hydrazine
Biphasic character of fungal catalases inhibition with hydroxylamine in presence of hydrogen peroxide 79
- Hydrolysis
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system 209
- Hydrophobicity
Lipoxygenase biocatalysis: a survey of asymmetric oxygenation 3
- Hydroxyfatty acids
Lipoxygenase biocatalysis: a survey of asymmetric oxygenation 3
- Hydroxylamine
Biphasic character of fungal catalases inhibition with hydroxylamine in presence of hydrogen peroxide 79
- Ice-nucleation protein
Bacterial cell surface display of lipase and its randomly mutated library facilitates high-throughput screening of mutants showing higher specific activities 177
- In situ product removal
Effect of temperature on the enzymatic synthesis of cefaclor with in situ product removal 99
- In vitro* recombination
A new approach to directed gene evolution by recombined extension on truncated templates (RETT) 119
- Inhibition
Biphasic character of fungal catalases inhibition with hydroxylamine in presence of hydrogen peroxide 79
- Ionic liquid
Enzymatic selective acylation of glycosides in ionic liquids: significantly enhanced reactivity and regioselectivity 115
- Ketoprofen
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system 209
- Kinetic modeling
Studies of thiamin diphosphate binding to the yeast apotransketolase 33
- Laccase
Laccase/mediated oxidation of a lignin model for improved delignification procedures 105
- Leuconostoc mesenteroides* mutants
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran 167
- Lignin degradation
Laccase/mediated oxidation of a lignin model for improved delignification procedures 105
- Lipase
1-Butyl-2,3-dimethylimidazolium tetrafluoroborate: the most desirable ionic liquid solvent for recycling use of enzyme in lipase-catalyzed transesterification using vinyl acetate as acyl donor 41
Esterase activity of biocomposites constituted by lipases adsorbed on layered zirconium phosphate and phosphonates: selective adsorption of different enzyme isoforms 47
Binary immobilization of *Candida rugosa* lipase on chitosan 69
Enzymatic selective acylation of glycosides in ionic liquids: significantly enhanced reactivity and regioselectivity 115
Lipase-catalyzed remote kinetic resolution of aryl nitriles with adjacent quaternary chiral center and the determination of their absolute configuration 131
Bacterial cell surface display of lipase and its randomly mutated library facilitates high-throughput screening of mutants showing higher specific activities 177
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system 209
- Lipoxygenase catalysis
Lipoxygenase biocatalysis: a survey of asymmetric oxygenation 3
- L-Threonine aldolase
High-throughput screening methods for selecting L-threonine aldolases with improved activity 265
- Maltosyl-sucrose
Preparation and characterization of maltosyl-sucrose isomers produced by transglycosylation of maltogenic amylase from *Bacillus stearothermophilus* 293
- Mediators
Laccase/mediated oxidation of a lignin model for improved delignification procedures 105
- Metagenome
Expanding functional spaces of enzymes by utilizing whole genome treasure for library construction 241
- Molecular cloning
Catalytic domain of *Salmonella typhimurium* 2-oxoglutarate dehydrogenase is localized in N-terminal region 193

- Mutant β -CGTase
Catalytic function and affinity purification of site-directed mutant β -cyclodextrin glucanotransferase from alkalophilic *Bacillus firmus* var. *alkalophilus* 157
- Mutational analysis
Structure-based mutational analysis of the active site residues of D-hydantoinase 217
- NAD(P)H
Expression of *Azotobacter vinelandii* soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant *Saccharomyces cerevisiae* 251
- 4-Nitrophenyl β -D-glucopyranoside
Enzymatic β -glycosidation of primary alcohols 87
- Organic solvents
Stability and activity of cross-linking enzyme crystals of cyclodextrin glucanotransferase isolated from *Bacillus macerans* 287
- Overproduction
Thermostable glutamate dehydrogenase from a commensal thermophile, *Symbiobacterium toebii*; overproduction, characterization, and application 231
- Oxidation
Laccase-mediated oxidation of a lignin model for improved delignification procedures 105
- 2-Oxoglutarate dehydrogenase
Catalytic domain of *Salmonella typhimurium* 2-oxoglutarate dehydrogenase is localized in N-terminal region 193
- Phosphane–borane complexes
First enzymatic resolution of a phosphane–borane complex 29
- Proteases
Stability and activity of cross-linking enzyme crystals of cyclodextrin glucanotransferase isolated from *Bacillus macerans* 287
- Pseudomonas*
Preparation of enantiomerically pure (S)-flurbiprofen by an esterase from *Pseudomonas* sp. KCTC 10122BP 149
- Pseudomonas aeruginosa*
High-throughput screening methods for selecting L-threonine aldolases with improved activity 265
- Radical cations
Laccase-mediated oxidation of a lignin model for improved delignification procedures 105
- Radicals
Laccase-mediated oxidation of a lignin model for improved delignification procedures 105
- Recombinant esterase
Preparation of enantiomerically pure (S)-flurbiprofen by an esterase from *Pseudomonas* sp. KCTC 10122BP 149
- Recycling
1-Butyl-2,3-dimethylimidazolium tetrafluoroborate: the most desirable ionic liquid solvent for recycling use of enzyme in lipase-catalyzed transesterification using vinyl acetate as acyl donor 41
- Regeneration system
Thermostable glutamate dehydrogenase from a commensal thermophile, *Symbiobacterium toebii*; overproduction, characterization, and application 231
- Regioselective acylation
Enzymatic selective acylation of glycosides in ionic liquids: significantly enhanced reactivity and regioselectivity 115
- Regioselectivity
Lipoxygenase biocatalysis: a survey of asymmetric oxygenation 3
- Resolution
Lipase-catalyzed remote kinetic resolution of aryl nitriles with adjacent quaternary chiral center and the determination of their absolute configuration 131
- Saccharomyces cerevisiae*
Expression of *Azotobacter vinelandii* soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant *Saccharomyces cerevisiae* 251
- Salmonella typhimurium*
Catalytic domain of *Salmonella typhimurium* 2-oxoglutarate dehydrogenase is localized in N-terminal region 193
- Salt bridges
Protein thermostability: structure-based difference of residual properties between thermophilic and mesophilic proteins 257
- Site-directed mutagenesis
Catalytic function and affinity purification of site-directed mutant β -cyclodextrin glucanotransferase from alkalophilic *Bacillus firmus* var. *alkalophilus* 157
- Solvent-free system
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system 209
- (S)-propylene oxide
First enzymatic resolution of a phosphane–borane complex 29
- Stereochemistry gate loops
Structure-based mutational analysis of the active site residues of D-hydantoinase 217
- Stereoselective protease
Stereoselective enzymatic synthesis of an aspartame precursor of N-CBZ-L-Asp-L-PheOMe 201
- Structural analysis
Protein thermostability: structure-based difference of residual properties between thermophilic and mesophilic proteins 257
- Sucrose
Preparation and characterization of maltosyl-sucrose isomers produced by transglycosylation of maltogenic amylase from *Bacillus stearothermophilus* 293
- Surface display
Bacterial cell surface display of lipase and its randomly mutated library facilitates high-throughput screening of mutants showing higher specific activities 177
- Surfactant
Stability and activity of cross-linking enzyme crystals of cyclodextrin glucanotransferase isolated from *Bacillus macerans* 287
- Symbiobacterium toebii*
Thermostable glutamate dehydrogenase from a commensal thermophile, *Symbiobacterium toebii*; overproduction, characterization, and application 231
- Systematical analysis
Protein thermostability: structure-based difference of residual properties between thermophilic and mesophilic proteins 257

- Temperature
Effect of temperature on the enzymatic synthesis of cefaclor with in situ product removal 99
- Template-switching
A new approach to directed gene evolution by recombined extension on truncated templates (RETT) 119
- Tertiary benzylic center
Chemo-enzymatic synthesis of (*R*)-(+)-aminoglutethimide by kinetic resolution of (\pm)-4-cyano-4-phenyl-1-hexanol 185
- Thermostability
A new approach to directed gene evolution by recombined extension on truncated templates (RETT) 119
Thermostable glutamate dehydrogenase from a commensal thermophile, *Symbiobacterium toebii*; overproduction, characterization, and application 231
Protein thermostability: structure-based difference of residual properties between thermophilic and mesophilic proteins 257
- Thiamin diphosphate
Studies of thiamin diphosphate binding to the yeast apotransketolase 33
- Transesterification
1-Butyl-2,3-dimethylimidazolium tetrafluoroborate: the most desirable ionic liquid solvent for recycling use of enzyme in lipase-catalyzed transesterification using vinyl acetate as acyl donor 41
Chemo-enzymatic synthesis of (*R*)-(+)-aminoglutethimide by kinetic resolution of (\pm)-4-cyano-4-phenyl-1-hexanol 185
- Transglycosylation
Preparation and characterization of maltosyl-sucrose isomers produced by transglycosylation of maltogenic amylase from *Bacillus stearothermophilus* 293
- Transhydrogenase
Expression of *Azotobacter vinelandii* soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant *Saccharomyces cerevisiae* 251
- Transketolase
Studies of thiamin diphosphate binding to the yeast apotransketolase 33
- Two-liquid phase reaction
Simultaneous synthesis of enantiomerically pure (*S*)-amino acids and (*R*)-amines using α/ω -aminotransferase coupling reactions with two-liquid phase reaction system 273
- Two-phase system
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system 209
- Unidirectional single-stranded DNA fragments
A new approach to directed gene evolution by recombined extension on truncated templates (RETT) 119
- Whole genome
Expanding functional spaces of enzymes by utilizing whole genome treasure for library construction 241
- Xylitol
Expression of *Azotobacter vinelandii* soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant *Saccharomyces cerevisiae* 251
- Xylose reductase
Expression of *Azotobacter vinelandii* soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant *Saccharomyces cerevisiae* 251
- Zirconium phosphates
Esterase activity of biocomposites constituted by lipases adsorbed on layered zirconium phosphate and phosphonates: selective adsorption of different enzyme isoforms 47
- Zirconium phosphonates
Esterase activity of biocomposites constituted by lipases adsorbed on layered zirconium phosphate and phosphonates: selective adsorption of different enzyme isoforms 47