

Volume Contents

VOL. 26 (1–2), 3 NOVEMBER 2003

Publisher's note	1
------------------------	---

Articles

Lipoxygenase biocatalysis: a survey of asymmetric oxygenation S. Nanda (College Station, TX, USA) and J.S. Yadav (Hyderabad, India)	3
First enzymatic resolution of a phosphane–borane complex B. Faure, G. Iacazio and M. Maffei (Marseille, France)	29
Studies of thiamin diphosphate binding to the yeast apotransketolase V.A. Selivanov, M.V. Kovina, N.V. Kochevova, L.E. Meshalkina and G.A. Kochetov (Moscow, Russia)	33
1-Butyl-2,3-dimethylimidazolium tetrafluoroborate: the most desirable ionic liquid solvent for recycling use of enzyme in lipase-catalyzed transesterification using vinyl acetate as acyl donor T. Itoh, Y. Nishimura, N. Ouchi and S. Hayase (Tottori, Japan)	41
Esterase activity of biocomposites constituted by lipases adsorbed on layered zirconium phosphate and phosphonates: selective adsorption of different enzyme isoforms F. Bellezza, A. Cipiciani and U. Costantino (Perugia, Italy)	47
Chemical modification of carboxylic residues in a cyclodextrin glucanotransferase and its implication in the hydrolysis/transglycosylation ratio of the α -amylase family M. Alcalde, F.J. Plou, M. Pérez-Boada, H. García-Arellano, I. Valdés, E. Méndez and A. Ballesteros (Madrid, Spain)	57
Binary immobilization of <i>Candida rugosa</i> lipase on chitosan T.-C. Hung, R. Giridhar, S.-H. Chiou and W.-T. Wu (Hsinchu, Taiwan)	69
Biphasic character of fungal catalases inhibition with hydroxylamine in presence of hydrogen peroxide J. Kulys, K. Kriauciunas and R. Vidziunaite (Vilnius, Lithuania)	79
Enzymatic β -glycosidation of primary alcohols K. Kurashima (Chiba, Japan), M. Fujii, Y. Ida (Tokyo, Japan) and H. Akita (Chiba, Japan)	87
Effect of temperature on the enzymatic synthesis of cefaclor with in situ product removal D. Wei, L. Yang and Q. Song (Shanghai, PR China)	99
Laccase-mediated oxidation of a lignin model for improved delignification procedures A.M. Barreca, M. Fabbri, C. Galli, P. Gentili (Rome, Italy) and S. Ljunggren (Stockholm, Sweden)	105
Announcement	111

VOL. 26 (3–6), 1 DECEMBER 2003

Special Issue: Biocatalytic Activity in Korea
Guest Editors: H.-S. Kim and Y. Asano

Editorial	113
-----------------	-----

Articles

Enzymatic selective acylation of glycosides in ionic liquids: significantly enhanced reactivity and regioselectivity M.-J. Kim, M.Y. Choi, J.K. Lee and Y. Ahn (Pohang, South Korea)	115
---	-----

A new approach to directed gene evolution by recombined extension on truncated templates (RETT) S.H. Lee, E.J. Ryu, M.J. Kang, E.-S. Wang, Z. Piao, Y.J. Choi, K.H. Jung, J.Y.J. Jeon and Y.C. Shin (Jinju, South Korea)	119
Lipase-catalyzed remote kinetic resolution of aryl nitriles with adjacent quaternary chiral center and the determination of their absolute configuration D.S. Im (Kyonggi-do, South Korea), C.S. Cheong and S.H. Lee (Seoul, South Korea).	131
Short communication	
Conversion of a <i>Serratia</i> sp. phospholipase into a true esterase by new genetic diversification method J.K. Song, B. Chung and J.S. Rhee (Daejeon, South Korea)	145
Articles	
Preparation of enantiomerically pure (<i>S</i>)-flurbiprofen by an esterase from <i>Pseudomonas</i> sp. KCTC 10122BP E.G. Lee, H.S. Won, H.-S. Ro (Taejeon, South Korea), Y.-W. Ryu (Suwon, South Korea) and B.H. Chung (Taejeon, South Korea).	149
Catalytic function and affinity purification of site-directed mutant β -cyclodextrin glucanotransferase from alkalophilic <i>Bacillus firmus</i> var. <i>alkalophilus</i> K.-W. Lee, H.-D. Shin and Y.-H. Lee (Daegu, South Korea).	157
Directed evolution of a dextransucrase for increased constitutive activity and the synthesis of a highly branched dextran H.-K. Kang, E.-S. Seo (Gwang-Ju, South Korea), J.F. Robyt (Ames, IA, USA) and D. Kim (Gwang-Ju, South Korea)	167
Bacterial cell surface display of lipase and its randomly mutated library facilitates high-throughput screening of mutants showing higher specific activities H.-C. Jung, S. Ko, S.-J. Ju, E.-J. Kim, M.-K. Kim and J.-G. Pan (Daejeon, South Korea)	177
Chemo-enzymatic synthesis of (<i>R</i>)-(+)-aminoglutethimide by kinetic resolution of (\pm)-4-cyano-4-phenyl-1-hexanol D.S. Im (Kyonggi-do, South Korea), C.S. Cheong, S.H. Lee (Seoul, South Korea), Y.K. Jung and I.H. Jeong (Wonju, South Korea).	185
Catalytic domain of <i>Salmonella typhimurium</i> 2-oxoglutarate dehydrogenase is localized in N-terminal region C.-H. Kim (Kyungju, South Korea)	193
Stereoselective enzymatic synthesis of an aspartame precursor of <i>N</i> -CBZ- <i>L</i> -Asp- <i>L</i> -PheOMe G.H. Shin, C. Kim, H.J. Kim and C.S. Shin (Seoul, South Korea)	201
Enzymatic production of enantiopure ketoprofen in a solvent-free two-phase system J.N. Jin, S.H. Lee and S.B. Lee (Pohang, South Korea).	209
Structure-based mutational analysis of the active site residues of <i>D</i> -hydantoinase Y.-H. Cheon, H.-S. Park, S.-C. Lee, D.-E. Lee and H.-S. Kim (Taejeon, South Korea)	217
Nonionic detergent-induced activation of an esterase from <i>Bacillus megaterium</i> 20-1 Y.-J. Jung, J.-K. Lee, C.-G. Sung, T.K. Oh (Daejeon, South Korea) and H.K. Kim (Gyeonggido, South Korea)	223
Thermostable glutamate dehydrogenase from a commensal thermophile, <i>Symbiobacterium toebii</i> ; overproduction, characterization, and application J.S. Ha, K. Kim, J.J. Song, J.-W. Bae, S.-G. Lee, S.-C. Lee, H. Poo (Daejeon, South Korea), C.-S. Shin (Seoul, South Korea) and M.-H. Sung (Daejeon, South Korea and Seoul, South Korea)	231
Expanding functional spaces of enzymes by utilizing whole genome treasure for library construction H.-J. Oh, K.-W. Cho, I.-S. Jung, W.-H. Kim, B.-K. Hur and G.-J. Kim (Incheon, South Korea)	241
Expression of <i>Azotobacter vinelandii</i> soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant <i>Saccharomyces cerevisiae</i> Y.-S. Jeun, M.-D. Kim, Y.-C. Park, T.-H. Lee, M.-S. Yoo (Seoul, South Korea), Y.-W. Ryu (Suwon, South Korea) and J.-H. Seo (Seoul, South Korea).	251
Protein thermostability: structure-based difference of residual properties between thermophilic and mesophilic proteins S.P. Pack and Y.J. Yoo (Seoul, South Korea)	257
High-throughput screening methods for selecting <i>L</i> -threonine aldolases with improved activity S.-J. Lee (Daejeon, South Korea), H.-Y. Kang (Cheongju, South Korea) and Y. Lee (Daejeon, South Korea)	265
Simultaneous synthesis of enantiomerically pure (<i>S</i>)-amino acids and (<i>R</i>)-amines using α/ω -aminotransferase coupling reactions with two-liquid phase reaction system B.-K. Cho, H.J. Cho, H. Yun and B.-G. Kim (Seoul, South Korea).	273
Stability and activity of cross-linking enzyme crystals of cyclodextrin glucanotransferase isolated from <i>Bacillus macerans</i> W. Kim, H. Chae, C. Park and K. Lee (Chonju, South Korea)	287

Preparation and characterization of maltosyl-sucrose isomers produced by transglycosylation of maltogenic amylase from <i>Bacillus stearothermophilus</i> H.-Y. Lee (Seoul, South Korea), M.-J. Kim (Kimhae, South Korea), J.-S. Baek, H.-S. Lee, H.-J. Cha, S.-B. Lee, T.-W. Moon (Seoul, South Korea), E.-S. Seo, D. Kim (Gwangju, South Korea), C.-S. Park (Yongin, South Korea) and K.-H. Park (Seoul, South Korea)	293
Author Index	I
Subject Index	V
Volume contents	XI