

Author Index

- Ahmad, A., see Mandal, D. 61
- Aires-Barros, M.R., see Serralha, F.N. 19
- Akira Horiuchi, C., see Chai, W. 55
- Akira Horiuchi, C., see Sakamaki, H. 177
- Alexandre, C., see Pichon, C. 65
- Amao, Y., see Miyatani, R. 121
- Ando, H., see Miyazawa, M. 91
- Araki, H., see Miyazawa, M. 91
- Athanasopoulos, V.I., Niranjani, K. and Rastall, R.A.
Regioselective synthesis of mannobiose and mannotriose by reverse hydrolysis using a novel 1,6- α -D-mannosidase from *Aspergillus phoenicis* 215
- Azevedo, A.M., Cabral, J.M.S., Prazeres, D.M.F., Gibson, T.D. and Fonseca, L.P.
Thermal and operational stabilities of *Hansenula polymorpha* alcohol oxidase 37
- Baskar, B., Ganesh, S., Lokeswari, T.S. and Chadha, A.
Highly stereoselective reduction of 4-Aryl-2-oxo but-3-enoic carboxylic esters by plant cell culture of *Daucus carota* 13
- Bayramoğlu, G., see Yakup Arica, M. 255
- Bencivenga, U., see Durante, D. 191
- Busson, S., see Diederix, R.E.M. 75
- Cabral, J.M.S., see Azevedo, A.M. 37
- Cabral, J.M.S., see Serralha, F.N. 19
- Cai, Y., see Wang, N. 97
- Canters, G.W., see Diederix, R.E.M. 75
- Casadio, R., see Durante, D. 191
- Chadha, A., see Baskar, B. 13
- Chai, W., Hayashida, Y., Sakamaki, H. and Akira Horiuchi, C.
The biocatalytic oxidation of thujopsene by plant cultured-cells 55
- Chai, W., see Sakamaki, H. 177
- Chauvat, D., see Pichon, C. 65
- Chen, D., see Wang, Z. 147
- Chiappe, C., Leandri, E., Lucchesi, S., Pieraccini, D., Hammock, B.D. and Morisseau, C.
Biocatalysis in ionic liquids: the stereoconvergent hydrolysis of *trans*- β -methylstyrene oxide catalyzed by soluble epoxide hydrolase 243
- Choi, G.-S., see Kim, J.-H. 169
- Christakopoulos, P., see Mamma, D. 183
- De Luca, P., see Durante, D. 191
- Deng, W., see Jiang, Z.Q. 207
- Di Martino, S., see Durante, D. 191
- Diano, N., see Durante, D. 191
- Diederix, R.E.M., Busson, S., Ubbink, M. and Canters, G.W.
Increase of the peroxidase activity of cytochrome *c*-550 by the interaction with detergents 75
- Durante, D., Casadio, R., Martelli, L., Tasco, G., Portaccio, M., De Luca, P., Bencivenga, U., Rossi, S., Di Martino, S., Grano, V., Diano, N. and Mita, D.G.
Isothermal and non-isothermal bioreactors in the detoxification of waste waters polluted by aromatic compounds by means of immobilised laccase from *Rhus vernicifera* 191
- Enaud, E., Humeau, C., Piffaut, B. and Girardin, M.
Enzymatic synthesis of new aromatic esters of phloridzin 1
- Ferreira, J.S., Straathof, A.J.J., Franco, T.T. and van der Wielen, L.A.M.
Activity and stability of immobilized penicillin amidase at low pH values 29
- Ferrer, M.L., Levy, D., Gomez-Lor, B. and Iglesias, M.
High operational stability in peroxidase-catalyzed non-aqueous sulfoxidations by encapsulation within sol-gel glasses 107
- Fonseca, L.P., see Azevedo, A.M. 37
- Franco, T.T., see Ferreira, J.S. 29
- Gambicorti, T., see Petri, A. 103
- Ganesh, S., see Baskar, B. 13
- García-Granados, A., Gutiérrez, M.C. and Rivas, F.
Biotransformation of a 4 α -hydroxylated eudesmane with *Exserohilum halodes*. Chemo-enzymatic synthesis of cryptomeridiol and 6-*epi*-colartatin derivatives 133
- Gibson, T.D., see Azevedo, A.M. 37
- Girardin, M., see Enaud, E. 1
- Gomez-Lor, B., see Ferrer, M.L. 107
- Grano, V., see Durante, D. 191
- Gutiérrez, M.C., see García-Granados, A. 133
- Hammock, B.D., see Chiappe, C. 243
- Hao, X., see Wang, Z. 147
- Hatzinikolaou, D.G., see Mamma, D. 183
- Hayashi, K., see Jiang, Z.Q. 207
- Hayashida, Y., see Chai, W. 55
- Hayashida, Y., see Sakamaki, H. 177
- Huang, L.-F., see Jao, S.-C. 7
- Huet, F., see Pichon, C. 65
- Hult, K., see Viklund, F. 51
- Humeau, C., see Enaud, E. 1
- Iglesias, M., see Ferrer, M.L. 107
- Irimescu, R., Saito, T. and Kato, K.
Enzymatic kinetic resolution of primary alcohols by direct esterification in solvent-free system 69
- Islam Khan, M., see Mandal, D. 61
- Itoh, K.-i., see Sakamaki, H. 177
- Jao, S.-C., Huang, L.-F., Tao, Y.S. and Li, W.-S.
Hydrolysis of organophosphate triesters by *Escherichia coli* aminopeptidase P 7
- Jiang, Z.Q., Deng, W., Zhu, Y.P., Li, L.T., Sheng, Y.J. and Hayashi, K.
The recombinant xylanase B of *Thermotoga maritima* is highly xylan specific and produces exclusively xylobiose from xylans, a unique character for industrial applications 207
- Kato, K., see Irimescu, R. 69
- Kim, G.-J., see Kim, J.-H. 169
- Kim, H.K., Na, H.S., Park, M.S., Oh, T.K. and Lee, T.S.
Occurrence of ofloxacin ester-hydrolyzing esterase from *Bacillus niacini* EM001 237

- Kim, J.-H., Choi, G.-S., Kim, S.-B., Kim, W.-H., Lee, J.-Y., Ryu, Y.-W. and Kim, G.-J.
Enhanced thermostability and tolerance of high substrate concentration of an esterase by directed evolution 169
- Kim, S.-B., see Kim, J.-H. 169
- Kim, W.-H., see Kim, J.-H. 169
- Kitanaka, S., see Sakamaki, H. 177
- Kumar, R., see Mandal, D. 61
- Lathi, P.S., see Yadav, G.D. 113
- Leandri, E., see Chiappe, C. 243
- Lee, J.-Y., see Kim, J.-H. 169
- Lee, T.S., see Kim, H.K. 237
- Lemos, F., see Serralha, F.N. 19
- Levy, D., see Ferrer, M.L. 107
- Li, D., see Wang, Z. 147
- Li, L.T., see Jiang, Z.Q. 207
- Li, W.-S., see Jao, S.-C. 7
- Lin, X.F., see Wang, N. 97
- Liu, B.K., see Wang, N. 97
- Lokeswari, T.S., see Baskar, B. 13
- Lopes, J.M., see Serralha, F.N. 19
- Lucchesi, S., see Chiappe, C. 243
- Mamma, D., Hatzinikolaou, D.G. and Christakopoulos, P.
Biochemical and catalytic properties of two intracellular β -glucosidases from the fungus *Penicillium decumbens* active on flavonoid glucosides 183
- Mandal, D., Ahmad, A., Islam Khan, M. and Kumar, R.
Enantioselective bioreduction of acetophenone and its analogous by the fungus *Trichothecium* sp. 61
- Martelli, L., see Durante, D. 191
- Martin-Gourdel, M.-E., see Pichon, C. 65
- Matoishi, K., Ueda, M., Miyamoto, K. and Ohta, H.
Mechanism of asymmetric decarboxylation of α -aryl- α -methylmalonate catalyzed by arylmalonate decarboxylase originated from *Alcaligenes bronchisepticus* 161
- Mita, D.G., see Durante, D. 191
- Miyamoto, K., see Matoishi, K. 161
- Miyamoto, Y., see Miyazawa, M. 83
- Miyatani, R. and Amao, Y.
Photochemical synthesis of formic acid from CO₂ with formate dehydrogenase and water-soluble zinc porphyrin 121
- Miyazawa, M. and Miyamoto, Y.
Biotransformation of (1R)-(+)- and (1S)-(-)-camphor by the larvae of common cutworm (*Spodoptera litura*) 83
- Miyazawa, M., Ando, H., Okuno, Y. and Araki, H.
Biotransformation of isoflavones by *Aspergillus niger*, as biocatalyst 91
- Monduzzi, M., see Pinna, M.C. 233
- Monduzzi, M., see Salis, A. 139
- Morisseau, C., see Chiappe, C. 243
- Murgia, S., see Salis, A. 139
- Na, H.S., see Kim, H.K. 237
- Nagao, T., see Watanabe, Y. 249
- Nakaniwa, T., Tada, T., Takao, M., Sakai, T. and Nishimura, K.
An *in vitro* evaluation of a thermostable pectate lyase by using error-prone PCR 127
- Niranjan, K., see Athanasopoulos, V.I. 215
- Nishimura, K., see Nakaniwa, T. 127
- Ogita, K., see Watanabe, Y. 249
- Oh, T.K., see Kim, H.K. 237
- Ohta, H., see Matoishi, K. 161
- Okuno, Y., see Miyazawa, M. 91
- Oniciu, L., see Stanca, S.E. 221
- Pan, J., see Xu, Y. 155
- Park, M.S., see Kim, H.K. 237
- Petri, A., Gambicorti, T. and Salvadori, P.
Covalent immobilization of chloroperoxidase on silica gel and properties of the immobilized biocatalyst 103
- Pichon, C., Martin-Gourdel, M.-E., Chauvat, D., Alexandre, C. and Huet, F.
Regioselectivity in the reaction of hydrolases with (Z,E)-hexa-2,4-diene-1,6-diol 65
- Pieraccini, D., see Chiappe, C. 243
- Piffaut, B., see Enaud, E. 1
- Pinna, M.C., Salis, A. and Monduzzi, M.
Novel mannitol based non-ionic surfactants from biocatalysis. Part two: improved synthesis 233
- Pinna, M.C., see Salis, A. 139
- Popescu, I.C., see Stanca, S.E. 221
- Portaccio, M., see Durante, D. 191
- Potdar, M.K., see Rasalkar, M.S. 267
- Prazeres, D.M.F., see Azevedo, A.M. 37
- Prazeres, D.M.F., see Serralha, F.N. 19
- Qian, J.-H. and Xu, J.-H.
Catalytic performance of a highly enantioselective (R)-ester hydrolase from a new isolate *Acinetobacter* sp. CGMCC 0789 227
- Ramôa Ribeiro, F., see Serralha, F.N. 19
- Rasalkar, M.S., Potdar, M.K. and Salunkhe, M.M.
Pseudomonas cepacia lipase-catalysed resolution of racemic alcohols in ionic liquid using succinic anhydride: role of triethylamine in enhancement of catalytic activity 267
- Rastall, R.A., see Athanasopoulos, V.I. 215
- Rivas, F., see García-Granados, A. 133
- Rossi, S., see Durante, D. 191
- Ryu, Y.-W., see Kim, J.-H. 169
- Saito, T., see Irimescu, R. 69
- Sakai, T., see Nakaniwa, T. 127
- Sakamaki, H., Itoh, K.-i., Chai, W., Hayashida, Y., Kitanaka, S. and Akira Horiuchi, C.
Biotransformation of (\pm)- α -ionone and β -ionone by cultured cells of *Caragana chamlagu* 177
- Sakamaki, H., see Chai, W. 55
- Salis, A., Pinna, M.C., Murgia, S. and Monduzzi, M.
Novel mannitol based non-ionic surfactants from biocatalysis 139
- Salis, A., see Pinna, M.C. 233
- Salunkhe, M.M., see Rasalkar, M.S. 267
- Salvadori, P., see Petri, A. 103
- Serralha, F.N., Lopes, J.M., Lemos, F., Ramôa Ribeiro, F., Prazeres, D.M.F., Aires-Barros, M.R. and Cabral, J.M.S.
Application of factorial design to the study of an alcoholysis transformation promoted by cutinase immobilized on NaY zeolite and Accurel PA6 19
- Sheng, Y.J., see Jiang, Z.Q. 207
- Shimada, Y., see Watanabe, Y. 249
- Stanca, S.E., Popescu, I.C. and Oniciu, L.
Amperometric study of the inhibitory effect of carboxylic acids on tyrosinase 221
- Straathof, A.J.J., see Ferreira, J.S. 29
- Tada, T., see Nakaniwa, T. 127
- Takao, M., see Nakaniwa, T. 127
- Tao, Y.S., see Jao, S.-C. 7
- Tasco, G., see Durante, D. 191
- Ubbink, M., see Diederix, R.E.M. 75
- Ueda, M., see Matoishi, K. 161
- van der Wielen, L.A.M., see Ferreira, J.S. 29

- Viklund, F. and Hult, K.
Enzymatic synthesis of surfactants based on polyethylene glycol and stearic or 12-hydroxystearic acid 51
- Wang, N., Wu, Q., Liu, B.K., Cai, Y. and Lin, X.F.
Enzyme-catalyzed regioselective synthesis of lipophilic guaifenesin ester derivatives 97
- Wang, Z., Zhao, F., Hao, X., Chen, D. and Li, D.
Microbial transformation of hydrophobic compound in cloud point system 147
- Watanabe, Y., Yamauchi-Sato, Y., Nagao, T., Yamamoto, T., Ogita, K. and Shimada, Y.
Production of monoacylglycerol of conjugated linoleic acid by esterification followed by dehydration at low temperature using *Penicillium camembertii* lipase 249
- Wu, Q., see Wang, N. 97
- Xu, J.-H., see Qian, J.-H. 227
- Xu, J.-H., see Xu, Y. 155
- Xu, Y., Xu, J.-H., Pan, J., Zhao, L. and Zhang, S.-L.
Biocatalytic resolution of nitro-substituted phenoxypropylene oxides with *Trichosporon loubierii* epoxide hydrolase and prediction of their enantiopurity variation with reaction time 155
- Yadav, G.D. and Lathi, P.S.
Synthesis of citronellol laurate in organic media catalyzed by immobilized lipases: kinetic studies 113
- Yakup Arica, M. and Bayramoğlu, G.
Reversible immobilization of tyrosinase onto polyethyleneimine-grafted and Cu(II) chelated poly(HEMA-co-GMA) reactive membranes 255
- Yamamoto, T., see Watanabe, Y. 249
- Yamauchi-Sato, Y., see Watanabe, Y. 249
- Zhang, S.-L., see Xu, Y. 155
- Zhao, F., see Wang, Z. 147
- Zhao, L., see Xu, Y. 155
- Zhu, Y.P., see Jiang, Z.Q. 207