

(Contents Continued from outside back cover)

Solvent-free enzymatic synthesis of feruloylated diacylglycerols and kinetic study S. Sun, L. Shan, Y. Liu, Q. Jin, Y. Song and X. Wang (Wuxi, PR China)	104
Synthesis and characterization of cyclodextrin-based polymers as a support for immobilization of <i>Candida rugosa</i> lipase E.Y. Ozmen, M. Sezgin and M. Yilmaz (Konya, Turkey)	109
Unfolding of cardosin A in organic solvents and detection of intermediaries A.C. Sarmento, C.S. Oliveira, A. Pereira, V.I. Esteves (Aveiro, Portugal), A.J.G. Moir (Sheffield, UK), J. Saraiva (Aveiro, Portugal), E. Pires (Coimbra, Portugal) and M. Barros (Coimbra, Portugal and Viseu, Portugal)	115
Amino acid modified chitosan beads: Improved polymer supports for immobilization of lipase from <i>Candida rugosa</i> S.-S. Yi, J.-M. Noh and Y.-S. Lee (Seoul, Republic of Korea)	123
Enzymatic conversion of Baicalin into Baicalein by β -glucuronidase encapsulated in biomimetic core-shell structured hybrid capsules Y. Zhang, H. Wu, L. Li, J. Li, Z. Jiang, Y. Jiang and Y. Chen (Tianjin, People's Republic of China)	130
Response surface modeling of 1-stearoyl-3(2)-oleoyl glycerol production in a pilot packed-bed immobilized <i>Rhizomucor miehei</i> lipase reactor S.-K. Lo, N. Arifin, L.-Z. Cheong, C.-P. Tan (Serdang, Malaysia), K. Long (Kuala Lumpur, Malaysia), Mohd. S.A. Yusoff (Banting, Malaysia) and O.-M. Lai (Serdang, Malaysia)	136
The role of different anions in ionic liquids on <i>Pseudomonas cepacia</i> lipase catalyzed transesterification and hydrolysis P. Vidya and A. Chadha (Chennai, India)	145
Effect of ionic liquid properties on lipase stabilization under microwave irradiation H. Zhao (Savannah, GA, USA), G.A. Baker (Oak Ridge, TN, USA), Z. Song, O. Olubajo, L. Zanders and S.M. Campbell (Savannah, GA, USA)	149
Enzymatic hydrolytic resolution of (R,S)-tropic acid esters and (R,S)-ethyl α -methoxyphenyl acetate in biphasic media P.-Y. Wang and S.-W. Tsai (Tao-Yuan, Taiwan)	158
Calcium alginate–starch hybrid support for both surface immobilization and entrapment of bitter gourd (<i>Momordica charantia</i>) peroxidase M. Matto and Q. Husain (Aligarh, India)	164
Novozym 435 displays very different selectivity compared to lipase from <i>Candida antarctica</i> B adsorbed on other hydrophobic supports Z. Cabrera, G. Fernandez-Lorente, R. Fernandez-Lafuente, J.M. Palomo and J.M. Guisan (Madrid, Spain)	171
Screening of plant peptidases for the synthesis of arginine-based surfactants S.R. Morcelle, C.S. Liggieri, M.A. Bruno, N. Priolo (La Plata, Argentina) and P. Clapés (Barcelona, Spain)	177
Encapsulation of catalase into nanochannels of an inorganic composite membrane T. Itoh, R. Ishii, T. Hanaoka, Y. Hasegawa, J. Mizuguchi (Sendai, Japan), T. Shiomi, T. Shimomura (Chiba, Japan and Ibaraki, Japan), A. Yamaguchi, H. Kaneda, NorioTeramae and F. Mizukami (Sendai, Japan)	183
Development of a continuous solid phase process for reduction and thiol-dependent immobilization of yeast β -galactosidase K. Ovsejevi, K. Cuadra and F. Batista-Viera (Montevideo, Uruguay)	188
Application of a lipase-immobilized silica monolith bioreactor to the production of fatty acid methyl esters K. Kawakami, R. Takahashi, M. Shakeri and S. Sakai (Fukuoka, Japan)	194
Transformation of C ₁₉ -steroids and testosterone production by sterol-transforming strains of <i>Mycobacterium</i> spp. O.V. Egorova, V.M. Nikolayeva, G.V. Sukhodolskaya and M.V. Donova (Moscow Region, Russia)	198
The effect of lignin model compound structure on the rate of oxidation catalyzed by two different fungal laccases M. Lahtinen (Helsinki, Finland), K. Kruus, H. Boer (Fin, Finland), M. Kemell (Helsinki, Finland), M. Andberg, L. Viikari (Fin, Finland) and J. Sipilä (Helsinki, Finland)	204
Hydrogen peroxide as an effector on the inactivation of particulate methane monooxygenase under aerobic conditions A. Miyaji, M. Suzuki, T. Baba (Yokohama, Japan), T. Kamachi (Nagoya, Japan) and I. Okura (Yokohama, Japan)	211
Comparative studies on immobilized laccase behaviour in packed-bed and batch reactors A. Rekuć, B. Jastrzembska (Wrocław, Poland), J. Liesiene (Kaunas, Lithuania) and J. Bryjak (Wrocław, Poland)	216
Synthesis of poly (1,4-dioxan-2-one) catalyzed by immobilized lipase CA R.-Y. Chen (Chengdu, PR China and Nanchang, PR China), Y.-R. Zhang and Y.-Z. Wang (Chengdu, PR China)	224
Type and concentration of redox reagents influencing nitrile formation upon myrosinase (<i>Brassica carinata</i>)-catalyzed hydrolysis of glucosibarin N. Bellostas, A.D. Sørensen, J.C. Sørensen and H. Sørensen (Frederiksberg, Denmark)	229
Synthetic substrates as amine donors and acceptors in microbial transglutaminase-catalysed reactions C. Kulik, E. Heine, O. Weichold and M. Möller (Aachen, Germany)	237
Catalytic properties of the immobilized <i>Talaromyces thermophilus</i> β -xylosidase and its use for xylose and xylooligosaccharides production M. Guerfali, I. Maalej, A. Gargouri and H. Belghith (Sfax, Tunisia)	242
Surface modification of nanofibrous poly(acrylonitrile-co-acrylic acid) membrane with biomacromolecules for lipase immobilization X.-J. Huang, A.-G. Yu, J. Jiang, C. Pan, J.-W. Qian and Z.-K. Xu (Hangzhou, China)	250
On the inactivity of <i>Candida antartica</i> lipase B towards strong acids F. Hollmann, P. Grzebyk, V. Heinrichs (Essen, Germany), K. Doderer (Hanau-Wolfgang, Germany) and O. Thum (Essen, Germany)	257
Role of the support surface on the loading and the activity of <i>Pseudomonas fluorescens</i> lipase used for biodiesel synthesis A. Salis, M.S. Bhattacharyya, M. Monduzzi and V. Solinas (Monserrato, Italy)	262
A predominant β -CGTase G1 engineered to elucidate the relationship between protein structure and product specificity K.M. Goh (Johor, Malaysia), N.M. Mahadi, O. Hassan, R.N.Z.R.A. Rahman (Selangor, Malaysia) and R.M. Illias (Johor, Malaysia)	270
Properties of a novel β -glucosidase from <i>Fusarium proliferatum</i> ECU2042 that converts ginsenoside Rg ₃ into Rh ₂ J.-H. Su, J.-H. Xu, H.-L. Yu, Y.-C. He, W.-Y. Lu and G.-Q. Lin (Shanghai, China)	278
Mining and identification of a glucosidase family enzyme with high activity toward the plant extract indican J.-Y. Kim (Gwangju, Republic of Korea), J.-Y. Lee (Incheon, Republic of Korea), Y.-S. Shin and G.-J. Kim (Gwangju, Republic of Korea)	284
Production and regulation of different lipase activities from <i>Rhizopus chinensis</i> in submerged fermentation by lipids Y. Teng, Y. Xu and D. Wang (Jiangsu, PR China)	292

Molecular modeling of substrate selectivity of <i>Candida antarctica</i> lipase B and <i>Candida rugosa</i> lipase towards <i>c9</i> , <i>t11</i> - and <i>t10</i> , <i>c12</i> -conjugated linoleic acid W. Li, B. Yang, Y. Wang (Guangzhou, China), D. Wei (Shanghai, China), C. Whiteley (Grahamstown, South Africa) and X. Wang (Guangzhou, China)	299
<i>Rhizopus chinensis</i> lipase: Gene cloning, expression in <i>Pichia pastoris</i> and properties X.-W. Yu, L.-L. Wang and Y. Xu (Wuxi, PR China)	304

Correspondence

Enzymatic synthesis and curing of polycardol from renewable resources S.Y. Park (Daejeon, Republic of Korea), Y.H. Kim, K. Won (Seoul, Republic of Korea) and B.K. Song (Daejeon, Republic of Korea)	312
Utility of ionic liquid for <i>Geotrichum candidum</i> -catalyzed synthesis of optically active alcohols T. Tanaka, N. Iwai, T. Matsuda and T. Kitazume (Yokohama, Japan)	317