

Low-frequency vibrational modes and infrared absorbance of red, blue and green opsin

Saravana Prakash Thirumuruganandham ·
Herbert M. Urbassek

Published online: 1 September 2009
© Springer-Verlag 2009

Erratum to: J Mol Model
DOI 10.1007/s00894-008-0446-1


Unfortunately the figures displaying the infrared absorbance of the opsins discussed in section *Infrared absorbance* of our paper [1] were missing. They are reproduced below.

As a consequence, the references to Fig. 7 in section *Power spectra in vacuo* refer to Fig. 6. All other references are valid.

[1] S. P. Thirumuruganandham and H. M. Urbassek, J. Mol. Model. 15, 959 (2009).

Figure caption:

Infrared absorbance of blue opsin (a) and for the three opsins studied (b).



The online version of the original article can be found at <http://dx.doi.org/10.1007/s00894-008-0446-1>.

S. P. Thirumuruganandham · H. M. Urbassek (✉)
Fachbereich Physik und Forschungszentrum OPTIMAS,
Universität Kaiserslautern,
Erwin-Schrödinger-Straße,
67663 Kaiserslautern, Germany
e-mail: urbassek@rhrk.uni-kl.de
URL: <http://www.physik.uni-kl.de/urbassek/>