each insect two glass fibre discs both treated with 5% w/w sucrose; one disc was used as the control and the other was treated with extract at the dry weight level found in each cultivar. When roughly 40% of either disc had been eaten, the test was terminated; the areas of each disc were measured with a LiCor area measurer. Twenty insects were used to test each extract and fraction, and the sign test was used to determine the significance of any effects of the sample on the insects.

## Received 23 February 1981

## LITERATURE CITED

R. J. Hamilton, J. Munro, and J. M. Rowe, Ent. exp. and appl., 25, 328 (1979).
R. J. Hamilton, J. Munro, and J. M. Rowe, Ent. exp. and appl., 25, 182 (1979).
D. S. J. Atkin and R. J. Hamilton in "The Plant Cuticle" Ed. D. Cutler, E. C. Price and 3.

- J. Alvin, Acad. Press (1982) in press.
  E. A. Bernays and R. F. Chapman, Ecological Entomology, 2, 1 (1977).
  G. Bianchi, P. Avato, P. Bertorelli, and G. Mariani, Phytochemistry, 17, 999 (1978).
  S. Woodhead and E. A. Bernays, Ent. Exp. and Appl., 24, 123 (1978).
  S. Woodhead, Ent. Expt. et Appl. (1982) in press.
  R. L. Jones, W. J. Lewis, M. C. Bowman, M. Beroza, and B. A. Bierl, Science, 173, 842 (1971).
- D. S. J. Atkin and R. J. Hamilton, J. Nat. Prod., 45, 000 (1982).

## American Chemical Society Southeastern Regional Meeting

The 35th ACS Southeastern Regional Meeting will be held from November 9-11, 1983, in Charlotte, North Carolina. The program will include a two-day Symposium on Natural Products, with papers on Structure, Biosynthesis, and Synthesis of Natural Products. Any ASP members interested in presenting a paper at this symposium should contact Dr. David G. I. Kingston, Department of Chemistry, Virginia Polytechnic Institute and State University, Blacksburg, VA 24061. The deadline for receipt of abstracts is June 15, 1983.