


2007, Volume 70

Nai-Yun Ji, Xiao-Ming Li, Ke Li, and Bin-Gui Wang*: Laurendecumallenes A–B and Laurendecumenynes A–B, Halogenated Nonterpenoid C₁₅-Acetogenins from the Marine Red Alga *Laurencia decumbens*.

Page 1499: In this paper, the structure for laurendecumenyne B (**4**) was elucidated by comparison of the NMR data with those of elatenyne (**5**). However, recently reported synthetic evidence by Burton and co-workers has indicated that the gross structure of elatenyne should be corrected to the (2,2′)-bifuranyl **7** [Sheldrake, H. M.; Jamieson, C.; Burton, J. W. *Angew. Chem., Int. Ed.* **2006**, *45*, 7199–7202. Goodman and Burton have also proposed a likely stereostructure for elatenyne using GIAO ¹³C NMR calculations; see: Smith, S. G.; Paton, R. S.; Burton, J. W.; Goodman, J. M. *J. Org. Chem.* **2008**, *73*, 4053–4062]. Accordingly, the structure for laurendecumenyne B should be reassigned to the gross structure **6**, which is the same as that of notoryne [Kikuchi, H.; Suzuki, T.; Kurosawa, E.; Suzuki, M. *Bull. Chem. Soc. Jpn.* **1991**, *64*, 1763–1775]. Additionally, the reanalysis of NMR data originally used to assign the structure to elatenyne suggests we had actually isolated the dibrominated (2,2′)-bifuranyl **7**, which is diastereomeric to elatenyne. We thank Dr. Burton for bringing our attention to the above-mentioned work.



NP900791S

10.1021/np900791s

Published on Web 05/14/2010

2009, Volume 72

Christophe Long, Laurence Marcourt, Roselyne Raux, Bruno David, Christelle Gau, Christophe Menendez, Min Gao, Marie-France Laroche, Philippe Schambel, Clément Delaude, Frédéric Ausseil, Catherine Lavaud, and Georges Massiot*: Meroterpenes from *Dichrostachys cinerea* Inhibit Protein Farnesyl Transferase Activity.

Page 1809: At variance with the authors' knowledge, the Diels–Alder reaction between labdanes and dienophiles has previously been described: Alvarez-Manzaneda, E.; Chahboun, R.; Cabrera, E.; Alvarez, E.; Haidour, A.; Ramos, J. M.; Alvarez-Manzaneda, R.; Romera, J. L.; Escobar, M. A.; Messouri, I. A New Synthetic Strategy toward Bioactive Merosesquiterpenoids. *Synthesis* **2008**, *24*, 4019–4027.

NP100294D

10.1021/np100294d

Published on Web 05/27/2010

2010, Volume 73

Yin Nian, Yan-Li Zhang, Jian-Chao Chen, Lu Lu, Ming-Hua Qiu*, and Chen Qing*: Cytotoxic Chemical Constituents from the Roots of *Cimicifuga fetida*.

Page 93: The title “Cytotoxic Chemical Constituents from the Roots of *Cimicifuga fetida*” should be changed to “Cytotoxic Chemical Constituents from the Roots of *Cimicifuga foetida*”. Also, throughout the article, the word “*fetida*” should be substituted by “*foetida*”.

The authors apologize for any inconvenience.

NP1003559

10.1021/np1003559

Published on Web 06/08/2010