

doi:10.1016/S0022-3115(05)00438-1

Available online at www.sciencedirect.com





Journal of Nuclear Materials 346 (2005) 322-327

www.elsevier.com/locate/jnucmat

Subject index

Amorphization and Amorphous Materials		performance, C. Poinssot, C. Ferry, P.	
The effect of composition on the leaching		Lovera, C. Jegou and JM. Gras	346 (2005) 66
of three nuclear waste glasses: R7T7,		Volatilization of urania under strongly	
AVM and VRZ, P. Frugier, C. Mar-		oxidizing conditions, C.A. Alexander	346 (2005) 312
tin, I. Ribet, T. Advocat and S. Gin	346 (2005) 194		
Evolution of the local environment of		Coatings and Coated Particles	
cerium and neodymium during		The effect of Zircaloy-4 substrate surface	
simplified SON68 glass alteration, P.		condition on the adhesion strength	
Jollivet, C. Lopez, C.D. Auwer and		and corrosion of SiC coatings, Y.	
E. Simoni	346 (2005) 253	Al-Olavyan, G.E. Fuchs, R. Baney	
High temperature properties of an iron	210 (2000) 200	and J. Tulenko	346 (2005) 109
nhosphate melt containing high			0.00 (2000) 103
chrome nuclear waste W Huang		Compatibility and Corrosion (includes Stress	Corrosion Crack-
DE Day CS Ray and CW Kim	346 (2005) 298	ing)	Corrosion Cruck-
D.L. Day, C.S. Ray and C.W. Rin	540 (2005) 290	The effect of $Zircelov A$ substrate surface	
Analytical Instruments and Methods (not lists	ad alsowhara)	condition on the adhesion strength	
Electrostatic dust detection on remote	u eisewhere)	and correction of SiC coatings. V	
surfaces C Vainiar C H Skinner and		Al Olawan, C.E. Eucha, B. Banay	
A L D - manual and	246 (2005) 266	Al-Olayyali, G.E. Fuchs, K. Balley	246 (2005) 100
A.L. Koquemore	340 (2003) 200	and J. Tulenko	346 (2003) 109
		The effect of composition on the leaching	
Breeding Materials for Fusion		of three nuclear waste glasses: R/1/,	
Dynamic observation of the behavior of D_{1}^{+}		AVM and VRZ, P. Frugier, C. Mar-	246 (2005) 104
$3 \text{ keV } D_2^-$, T. Oda, Y. Oya and S.		tin, I. Ribet, T. Advocat and S. Gin	346 (2005) 194
Tanaka	346 (2005) 306	Evolution of the local environment of	
		cerium and neodymium during	
Cavities (includes Voids, Holes)		simplified SON68 glass alteration, P.	
A new model of grain growth kinetics in		Jollivet, C. Lopez, C.D. Auwer and	
UO_2 fuel pellets. Part 1: Grain growth		E. Simoni	346 (2005) 253
kinetics controlled by grain face bub-		Kinetic study of corrosion product ac-	
ble migration, M.S. Veshchunov	346 (2005) 208	tivity in primary coolant pipes of a	
A new model of grain growth kinetics in		typical PWR under flow rate tran-	
UO ₂ fuel pellets. Part 2: Normal grain		sients and linearly increasing corro-	
growth kinetics controlled by pore		sion rates, M. Rafique, N.M. Mirza	
migration, M.S. Veshchunov	346 (2005) 220	and S.M. Mirza	346 (2005) 282
Chamical Poactions (includes Flactrochami	cal and Thormo	Croop and Stress Palavation	
chemical Reactions (includes Electrochemic	cui unu inermo-	Effect of microstructural evolution on in	
Loophing habeview of unimediated high		Effect of increase of $Z_{\rm r} \gtrsim 5 \text{ Mb}$ tubes. V S	
teaching behaviour of unifiadiated light		Kim KS Im VM Change and	
temperature reactor (HTK) UO_2^-		KIIII, K.S. IIII, I.M. Cheolig and	246 (2005) 120
1 MO_2 mixed oxides fuel particles, C.		S.B. Ann	346 (2005) 120
Alliot, B. Grambow and C. Landes-	246 (2005) 22		
man	346 (2005) 32	Deformation	
Spent fuel radionuclide source term		Tensile properties and fracture mode of a	
model for assessing spent fuel perfor-		wrought ODS molybdenum sheet	
mance in geological disposal. Part II:		following fast neutron irradiation at	
Matrix alteration model and global		temperatures ranging from 300 °C to	

1000 °C. B.V. Cockeram, R.W. Smith		kinetics controlled by grain face bub-	
and L.L. Snead	346 (2005) 165	ble migration, M.S. Veshchunov	346 (2005) 208
		A new model of grain growth kinetics in	
Diffusion		UO_2 fuel pellets. Part 2: Normal grain	
diation in spent nuclear fuel: Theore-		migration M S Veshchunov	346 (2005) 220
tical approaches, C. Ferry, P. Lovera,		Fission gas release in FBR MOX fuel	510 (2005) 220
C. Poinssot and P. Garcia	346 (2005) 48	irradiated to high burnup, K. Maeda,	
Hydrogen diffusion in liquid lithium from		K. Katsuyama and T. Asaga	346 (2005) 244
Kinoshita K Kuroki and T Muroga	346 (2005) 293	cerium and neodymium during	
	210 (2000) 200	simplified SON68 glass alteration, P.	
Dislocations		Jollivet, C. Lopez, C.D. Auwer and	
Interactions between dislocations and		E. Simoni	346 (2005) 253
water reactor pressure vessel steels,			
S. Jumel, JC. Van Duysen, J. Ruste		Fracture and Fracture Toughness	
and C. Domain	346 (2005) 79	wrought ODS molybdenum sheet	
Flectron Irradiation		following fast neutron irradiation at	
Effect of self-interstitial diffusion aniso-		temperatures ranging from 300 °C to	
tropy in electron-irradiated zirco-		1000 °C, B.V. Cockeram, R.W. Smith	246 (2005) 165
nium: A cluster dynamics modeling,	246 (2005) 252	and L.L. Shead	540 (2005) 105
F. Christien and A. Barbu	346 (2005) 272	Fuels and Fuel Floments	
Embrittlement		Gamma radiolysis of NaCl brine: Effect	
Radiation embrittlement behavior of		of dissolved radiolysis gases on the	
fine-grained molybdenum alloy with		radiolytic yield of long-lived products,	246 (2005) 1
H. Kurishita, T. Kuwabara, M.		M. Kelm and E. Bohnert The inhibiting effects of hydrogen on the	346 (2005) 1
Narui, M. Hasegawa, T. Takida and		corrosion of uranium dioxide under	
K. Takebe	346 (2005) 233	nuclear waste disposal conditions,	
Fast Depater Materials		M.E. Broczkowski, J.J. Nol and D.W.	246 (2005) 16
The effects of alpha-radiolysis on UO_2		Shoesmith Radionuclide release from high hurnup	346 (2005) 16
dissolution determined from batch		spent fuel during corrosion in salt	
experiments with 238 Pu-doped UO ₂ ,		brine in the presence of hydrogen	
S. Stroes-Gascoyne, F. Garisto and	246 (2005) 5	overpressure, A. Loida, V. Metz, B.	246 (2005) 24
J.S. Bettendge	340 (2003) 3	Kienzier and H. Geckeis Leaching behaviour of unirradiated high	346 (2005) 24
Fission Products		temperature reactor (HTR) UO_2 -	
Enhanced diffusion under alpha self-irra-		ThO ₂ mixed oxides fuel particles, C.	
diation in spent nuclear fuel: Theore-		Alliot, B. Grambow and C. Landes-	246 (2005) 22
C. Poinssot and P. Garcia	346 (2005) 48	Radiolytic modelling of spent fuel oxi-	346 (2003) 32
Spent fuel radionuclide source-term	. ,	dative dissolution mechanism. Cali-	
model for assessing spent fuel perfor-		bration against UO2 dynamic leaching	
Assessment of the instant release		experiments, J. Merino, E. Cera, J.	
fraction, L. Johnson, C. Ferry, C.		rens. J. Giménez, J. de Pablo, M.	
Poinssot and P. Lovera	346 (2005) 56	Rovira and A. Martínez-Esparza	346 (2005) 40
Spent fuel radionuclide source term		Enhanced diffusion under alpha self-irra-	
model for assessing spent fuel perfor- mance in geological disposal Part II:		diation in spent nuclear fuel: Theore-	
Matrix alteration model and global		C. Poinssot and P. Garcia	346 (2005) 48
performance, C. Poinssot, C. Ferry, P.		Spent fuel radionuclide source-term	
Lovera, C. Jegou and JM. Gras	346 (2005) 66	model for assessing spent fuel perfor-	
Olander and M No	346 (2005) 98	mance in geological disposal. Part I:	
A new model of grain growth kinetics in	2.0 (2000) 90	fraction, L. Johnson, C. Ferry, C.	
UO ₂ fuel pellets. Part 1: Grain growth		Poinssot and P. Lovera	346 (2005) 56

Spent fuel radionuclide source term		M.E. Broczkowski, J.J. Nol and D.W.	
model for assessing spent fuel perfor- mance in geological disposal. Part II: Matrix alteration model and global		Shoesmith Radionuclide release from high burnup spent fuel during corrosion in salt	346 (20
performance, C. Poinssot, C. Ferry,		brine in the presence of hydrogen	
P. Lovera, C. Jegou and JM. Gras Hydride fuel behavior in LWRs, D.R.	346 (2005) 66 346 (2005) 98	overpressure, A. Loida, V. Metz, B. Kienzler and H. Geckeis	346 (20
A new model of grain growth kinetics in UO ₂ fuel pellets. Part 1: Grain growth	340 (2003) 98	Olander and M. Ng Hydrogen diffusion in liquid lithium from	346 (20
kinetics controlled by grain face bub-		500 °C to 650 °C, S. Fukada, M.	
ble migration, M.S. Veshchunov	346 (2005) 208	Kinoshita, K. Kuroki and T. Muroga	346 (20
A new model of grain growth kinetics in UO_2 fuel pellets. Part 2: Normal grain		Dynamic observation of the behavior of $3 \text{ keV } D_2^+$, T. Oda, Y. Oya and S.	246 (20)
growth kinetics controlled by pore migration, M.S. Veshchunov	346 (2005) 220	Tanaka	346 (20
A model for the effect of the progression	510 (2000) 220	Ion Irradiation	
of irradiation-induced recrystalliza- tion from initiation to completion on		Dynamic observation of the behavior of 3 keV D_2^+ , T. Oda, Y. Oya and S.	246 (20)
swelling of UO_2 and $U-10Mo$ nuclear finals. L Post	246 (2005) 226	Tanaka	346 (20
Fission gas release in FBR MOX fuel	340 (2003) 220	Kinetics	
irradiated to high burnup, K. Maeda,		Radiolytic modelling of spent fuel oxi-	
K. Katsuyama and T. Asaga	346 (2005) 244	dative dissolution mechanism. Cali-	
Kinetic study of corrosion product		experiments, J. Merino, E. Cera, J.	
typical PWR under flow rate tran-		Bruno, J. Quiñones, I. Casas, F. Cla-	
sients and linearly increasing corro-		rens, J. Giménez, J. de Pablo, M.	
sion rates, M. Rafique, N.M. Mirza		Rovira and A. Martinez-Esparza	346 (20
and S.M. Mirza	346 (2005) 282	balance of UO ₂ fuels at high burn-up,	
oxidizing conditions, C.A. Alexander	346 (2005) 312	J. Spino, J. Rest, W. Goll and C.T. Walker	346 (20
Fusion Reactor Materials		The effect of composition on the leaching	
Electrostatic dust detection on remote		of three nuclear waste glasses: R/1/, AVM and VRZ P Erugier C Mar-	
surfaces, C. Voinier, C.H. Skinner and	246 (2005) 266	tin, I. Ribet, T. Advocat and S. Gin	346 (20
A.L. Roquemore Hydrogen diffusion in liquid lithium from	346 (2005) 266	Kinetic study of corrosion product ac-	
500 °C to 650 °C, S. Fukada, M.		tivity in primary coolant pipes of a typical PWR under flow rate tran-	
Kinoshita, K. Kuroki and T. Muroga	346 (2005) 293	sients and linearly increasing corro-	
Grain Boundaries		and S M Mirza	346 (20
Spent fuel radionuclide source-term			5.0 (20
model for assessing spent fuel perfor- mance in geological disposal. Part I:		Liquid Metals Hydrogen diffusion in liquid lithium from	
Assessment of the instant release		500 °C to 650 °C, S. Fukada, M.	
Poinssot and P. Lovera	346 (2005) 56	Kinoshita, K. Kuroki and T. Muroga	346 (20
A new model of grain growth kinetics in		Low Activation Materials (includes Reduced .	Activation)
UO_2 fuel pellets. Part 1: Grain growth		Electrostatic dust detection on remote	
kinetics controlled by grain face bub- ble migration, M.S. Veshchunov	346 (2005) 208	surfaces, C. Voinier, C.H. Skinner and A.L. Roquemore	346 (20
A new model of grain growth kinetics in LIO ₂ fuel pellets. Part 2: Normal grain		Mathematical and Computational Methods	
growth kinetics controlled by pore		Interactions between dislocations and	
migration, M.S. Veshchunov	346 (2005) 220	irradiation-induced defects in light water reactor pressure vessel steels	
Hydrogen and Hydrides (includes Deuterium	and Deuterides)	S. Jumel, JC. Van Duysen, J. Ruste	
The inhibiting effects of hydrogen on the	,	and C. Domain	346 (20

the inhibiting effects of hydrogen on the corrosion of uranium dioxide under nuclear waste disposal conditions,

346 (2005) 79

346 (2005) 16

346 (2005) 24

346 (2005) 98

346 (2005) 293

346 (2005) 306

346 (2005) 306

346 (2005) 40

346 (2005) 131

346 (2005) 194

346 (2005) 282

346 (2005) 293

346 (2005) 266

J.-C. Van Duysen, J. Ruste main Kinetic study of corrosion product activity in primary coolant pipes of a

typical PWR under flow rate tran-		Plutonium, Plutonium Alloys and Compounds	
sients and linearly increasing corro-		Fission gas release in FBR MOX fuel	
sion rates, M. Rafique, N.M. Mirza		irradiated to high burnup, K. Maeda,	
and S.M. Mirza	346 (2005) 282	K. Katsuyama and T. Asaga	346 (2005) 244
Molybdenum, Molybdenum Alloys and Comp	ounds	Processing	
The influence of fast neutron irradiation		The effect of Zircaloy-4 substrate surface	
and irradiation temperature on the		condition on the adhesion strength	
tensile properties of wrought LCAC		and corrosion of SiC coatings, Y.	
and TZM molybdenum, B.V. Cock-		Al-Olayyan, G.E. Fuchs, R. Baney	
eram, R.W. Smith and L.L. Snead	346 (2005) 145	and J. Tulenko	346 (2005) 109
Tensile properties and fracture mode of a		High temperature properties of an iron	
wrought ODS molybdenum sheet		phosphate melt containing high	
following fast neutron irradiation at		chrome nuclear waste, W. Huang,	
temperatures ranging from 300 °C to		D.E. Day, C.S. Ray and C.W. Kim	346 (2005) 298
1000 °C, B.V. Cockeram, R.W. Smith			
and L.L. Snead	346 (2005) 165	Radiation Effects: Atomic Defects	
Radiation embrittlement behavior of		Effect of self-interstitial diffusion aniso-	
fine-grained molybdenum alloy with		tropy in electron-irradiated zirco-	
0.2 wt%TiC addition, Y. Kitsunai, H.		nium: A cluster dynamics modeling,	
Kurishita, T. Kuwabara, M. Narui,		F. Christien and A. Barbu	346 (2005) 272
M. Hasegawa, T. Takida and K.	24((2005) 222		
Такеве	346 (2005) 233	Radiation Effects: Extended Defects, Microstr	uctures
		Interactions between dislocations and	
Neutron Irradiation		irradiation-induced defects in light	
Effect of microstructural evolution on in-		water reactor pressure vessel steels, S.	
reactor creep of Zr–2.5Nb tubes, Y.S.		and C. Damain	246 (2005) 70
Kim, K.S. Im, Y.M. Cheong and		Effect of solf interstitial diffusion anise	540 (2005) 79
S.B. Ahn	346 (2005) 120	tropy in electron irradiated zirco	
The influence of fast neutron irradiation		nium: A cluster dynamics modeling	
and irradiation temperature on the		F Christien and A Barbu	346 (2005) 272
tensile properties of wrought LCAC		1. Christien and A. Barba	540 (2005) 272
and TZM molybdenum, B.V. Cock-	246 (2005) 145	Radiation Effects: Mechanical Pronerties	
eram, R.w. Smith and L.L. Snead	346 (2005) 145	Interactions between dislocations and	
rensile properties and fracture mode of a		irradiation-induced defects in light	
following fast neutron irradiation at		water reactor pressure vessel steels,	
temperatures ranging from 300 °C to		S. Jumel, JC. Van Duysen, J. Ruste	
1000 °C B V Cockeram B W Smith		and C. Domain	346 (2005) 79
and L L Snead	346 (2005) 165	The influence of fast neutron irradiation	× /
Radiation embrittlement behavior of	540 (2005) 105	and irradiation temperature on the	
fine-grained molybdenum alloy with		tensile properties of wrought LCAC	
0.2 wt%TiC addition. Y. Kitsunai. H.		and TZM molybdenum, B.V. Cock-	
Kurishita, T. Kuwabara, M. Narui,		eram, R.W. Smith and L.L. Snead	346 (2005) 145
M. Hasegawa, T. Takida and K.			
Takebe	346 (2005) 233	Radiation Effects: Physical Properties	
Fission gas release in FBR MOX fuel	· /	Enhanced diffusion under alpha self-irra-	
irradiated to high burnup, K. Maeda,		diation in spent nuclear fuel: Theore-	
K. Katsuyama and T. Asaga	346 (2005) 244	tical approaches, C. Ferry, P. Lovera,	
		C. Poinssot and P. Garcia	346 (2005) 48
Physical Properties (not listed elsewhere)		Radiolysis	
High temperature properties of an iron		Gamma radiolysis of NaCl brine: Effect	
phosphate melt containing high		of dissolved radiolysis gases on the	
chrome nuclear waste, W. Huang,		radiolytic yield of long-lived products,	
D.E. Day, C.S. Ray and C.W. Kim	346 (2005) 298	M. Kelm and E. Bohnert	346 (2005) 1
		The effects of alpha-radiolysis on UO2	
Plasma-Materials Interaction		dissolution determined from batch	
Electrostatic dust detection on remote		experiments with ²³⁸ Pu-doped UO ₂ , S.	
surfaces, C. Voinier, C.H. Skinner and		Stroes-Gascoyne, F. Garisto and J.S.	
A.L. Roquemore	346 (2005) 266	Betteridge	346 (2005) 5

The inhibiting effects of hydrogen on the corrosion of uranium dioxide under nuclear waste disposal conditions, M.E. Broczkowski, J.J. Nol and D.W.	
Shoesmith Radionuclide release from high burnup spent fuel during corrosion in salt brine in the presence of hydrogen	346 (2005) 16
 Kienzler and H. Geckeis Radiolytic modelling of spent fuel oxidative dissolution mechanism. Calibration against UO₂ dynamic leaching experiments, J. Merino, E. Cera, J. Bruno, J. Quiñones, I. Casas, F. Clarens, L. Giménez, L. de Pablo, M. 	346 (2005) 24
 Rovira and A. Martínez-Esparza Spent fuel radionuclide source term model for assessing spent fuel perfor- mance in geological disposal. Part II: Matrix alteration model and global performance, C. Poinssot, C. Ferry, P. 	346 (2005) 40
Lovera, C. Jegou and JM. Gras	346 (2005) 66
 Recrystallization, Recovery and Grain Growth The influence of fast neutron irradiation and irradiation temperature on the tensile properties of wrought LCAC and TZM molybdenum, B.V. Cock- eram, R.W. Smith and L.L. Snead A model for the effect of the progression of irradiation-induced recrystalliza- tion from initiation to completion on swelling of UO₂ and U–10Mo nuclear 	346 (2005) 145
fuels, J. Rest	346 (2005) 226
Safety of Nuclear Reactors and Components Kinetic study of corrosion product activity in primary coolant pipes of a typical PWR under flow rate tran- sients and linearly increasing corro- sion rates, M. Rafique, N.M. Mirza and S.M. Mirza Volatilization of urania under strongly oxidizing conditions, C.A. Alexander	346 (2005) 282 346 (2005) 312
Silicon and Silicon Compounds The effect of Zircaloy-4 substrate surface condition on the adhesion strength and corrosion of SiC coatings, Y. Al-Olayyan, G.E. Fuchs, R. Baney and J. Tulenko	346 (2005) 109
Steels, Ferritic, Pressure Vessel Interactions between dislocations and irradiation-induced defects in light water reactor pressure vessel steels, S. Jumel, JC. Van Duysen, J. Ruste and C. Domain	346 (2005) 79
una C. Domuni	210 (2003) 13

Surface Effects	
The effect of Zircaloy-4 substrate surface	
condition on the adhesion strength	
Al-Olayyan G F Fuchs R Baney	
and J. Tulenko	346 (2005) 109
Electrostatic dust detection on remote	
surfaces, C. Voinier, C.H. Skinner and	
A.L. Roquemore	346 (2005) 266
Swelling: Ceramics, Other Materials	
Hydride fuel behavior in LWRs, D.R.	
Olander and M. Ng	346 (2005) 98
Matrix swelling rate and cavity volume	
balance of UO_2 fuels at high burn-up,	
J. Spino, J. Kest, W. Gon and C.I. Walker	346 (2005) 131
A model for the effect of the progression	540 (2005) 151
of irradiation-induced recrystalliza-	
tion from initiation to completion on	
swelling of UO_2 and U–10Mo nuclear	
fuels, J. Rest	346 (2005) 226
Course Madala and Allana	
A model for the effect of the progression	
of irradiation-induced recrystalliza-	
tion from initiation to completion on	
swelling of UO ₂ and U-10Mo nuclear	
fuels, J. Rest	346 (2005) 226
Interactions between dislocations and	
irradiation-induced defects in light	
water reactor pressure vessel steels, S.	
Jumel, JC. Van Duysen, J. Ruste	
and C. Domain	346 (2005) 79
Hydride fuel behavior in LWRs, D.R.	
Olander and M. Ng	346 (2005) 98
LIO ₂ fuel pellets. Part 1: Grain growth	
kinetics controlled by grain face bub-	
ble migration, M.S. Veshchunov	346 (2005) 208
A new model of grain growth kinetics in	
UO ₂ fuel pellets. Part 2: Normal grain	
growth kinetics controlled by pore	24((2005) 220
Migration, M.S. Veshchunov	346 (2005) 220
of irradiation-induced recrystalliza-	
tion from initiation to completion on	
swelling of UO_2 and U–10Mo nuclear	
fuels, J. Rest	346 (2005) 226
Effect of self-interstitial diffusion aniso-	
tropy in electron-irradiated zirco-	
nium: A cluster dynamics modeling, E Christian and A Barbu	346 (2005) 272
r. Christien and A. Barbu	570 (2005) 212
Uranium Oxides and Compounds	
Gamma radiolysis of NaCl brine: Effect	
of dissolved radiolysis gases on the	
radiolytic yield of long-lived products, M Kelm and F Robuert	346 (2005) 1
itemi una L. Bonnert	210 (2002) 1

346 (2005) 1

346 (2005)

5

The effects of alpha-radiolysis on UO_2
dissolution determined from batch
experiments with ²³⁸ Pu-doped UO ₂ , S.
Stroes-Gascoyne, F. Garisto and J.S.
Betteridge

- The inhibiting effects of hydrogen on the corrosion of uranium dioxide under nuclear waste disposal conditions, M.E. Broczkowski, J.J. Nol and D.W. Shoesmith
- Leaching behaviour of unirradiated high temperature reactor (HTR) UO2-ThO2 mixed oxides fuel particles, C. Alliot, B. Grambow and C. Landesman
- Radiolytic modelling of spent fuel oxidative dissolution mechanism. Calibration against UO2 dynamic leaching experiments, J. Merino, E. Cera, J. Bruno, J. Quiñones, I. Casas, F. Clarens, J. Giménez, J. de Pablo, M. Rovira and A. Martínez-Esparza
- A model for the effect of the progression of irradiation-induced recrystallization from initiation to completion on swelling of UO2 and U-10Mo nuclear fuels, J. Rest
- Fission gas release in FBR MOX fuel irradiated to high burnup, K. Maeda, K. Katsuyama and T. Asaga
- Volatilization of urania under strongly oxidizing conditions, C.A. Alexander

Waste Materials

- Immobilization of cesium in alkaline activated fly ash matrix, A. Fernandez-Jimenez, D.E. Macphee, E.E. Lachowski and A. Palomo
- The effect of composition on the leaching of three nuclear waste glasses: R7T7, AVM and VRZ, P. Frugier, C. Martin, I. Ribet, T. Advocat and S. Gin
- Evolution of the local environment of cerium and neodymium during simplified SON68 glass alteration, P. Jollivet, C. Lopez, C.D. Auwer and E. Simoni
- High temperature properties of an iron phosphate melt containing high chrome nuclear waste, W. Huang, D.E. Day, C.S. Ray and C.W. Kim

Waste: Behavior in Storage

- Gamma radiolysis of NaCl brine: Effect of dissolved radiolysis gases on the radiolytic yield of long-lived products, M. Kelm and E. Bohnert
- The effects of alpha-radiolysis on UO₂ dissolution determined from batch experiments with ²³⁸Pu-doped UO₂, S. Stroes-Gascoyne, F. Garisto and J.S. Betteridge

	The inhibiting effects of hydrogen on the corrosion of uranium dioxide under nuclear waste disposal conditions, M.E. Broczkowski, J.J. Nol and D.W.		
346 (2005) 5	Shoesmith Radionuclide release from high burnup spent fuel during corrosion in salt brine in the presence of hydrogen overpressure, A. Loida, V. Metz, B.	346 (2005)	16
346 (2005) 16	Kienzler and H. Geckeis Leaching behaviour of unirradiated high temperature reactor (HTR) UO ₂ -ThO ₂ mixed oxides fuel particles, C. Alliot,	346 (2005)	24
346 (2005) 32	 B. Grambow and C. Landesman Radiolytic modelling of spent fuel oxidative dissolution mechanism. Calibration against UO₂ dynamic leaching experiments, J. Merino, E. Cera, J. Bruno, J. Quiñones, I. Casas, F. Clarens, J. Giménez, J. de Pablo, M. 	346 (2005)	32
346 (2005) 40	Rovira and A. Martínez-Esparza Enhanced diffusion under alpha self-irra- diation in spent nuclear fuel: Theore- tical approaches, C. Ferry, P. Lovera, C. Painscot and P. Garaja	346 (2005)	40
346 (2005) 226346 (2005) 244	Spent fuel radionuclide source-term model for assessing spent fuel perfor- mance in geological disposal. Part I: Assessment of the instant release	540 (2005)	
346 (2005) 312	 fraction, L. Johnson, C. Ferry, C. Poinssot and P. Lovera Spent fuel radionuclide source term model for assessing spent fuel perfor- mance in geological disposal. Part II: Matrix alteration model and global performance, C. Poinssot, C. Ferry, P. 	346 (2005)	56
346 (2005) 185	Lovera, C. Jegou and JM. Gras The effect of composition on the leaching of three nuclear waste glasses: R7T7, AVM and VRZ, P. Frugier, C. Mar-	346 (2005)	66
346 (2005) 194	tin, I. Ribet, T. Advocat and S. Gin Evolution of the local environment of cerium and neodymium during simpli- fied SON68 glass alteration, P. Jollivet,	346 (2005) 1	94
346 (2005) 253	C. Lopez, C.D. Auwer and E. Simoni Volatilization of urania under strongly oxidizing conditions, C.A. Alexander	346 (2005) 2 346 (2005) 3	53 12
346 (2005) 298	Zirconium, Zirconium Alloys The effect of Zircaloy-4 substrate surface condition on the adhesion strength and corrosion of SiC coatings, Y. Al-		

Olayyan, G.E. Fuchs, R. Baney and J. Tulenko 346 (2005) 109 Effect of microstructural evolution on inreactor creep of Zr-2.5Nb tubes, Y.S. Kim, K.S. Im, Y.M. Cheong and S.B. Ahn 346 (2005) 120 Effect of self-interstitial diffusion anisotropy in electron-irradiated zirco-