

steps) as a syrup: $[\alpha]_D -62^\circ$ (*c* 1.1); NMR ^1H δ 7.6–7.3 (m, 5 H), 5.10 (t, 1 H, $J = 9.6$ Hz); 4.95 (t, 1 H, $J = 9.8$ Hz), 4.52 (d, 1 H, $J = 10.0$ Hz), 4.23 (dd, 1 H, $J = 4.7$ Hz, $J = 12.1$ Hz), 4.17 (dd, 1 H, $J = 2.5$ Hz, $J = 12.1$ Hz), 4.03 (dd, 2 H, $J = 14.6$ Hz), 3.71 (ddd, 1 H), 3.43 (t, 1 H, $J = 10.0$ Hz), 2.08, 2.01 (2 s, 2×3 H); ^{13}C δ 170.5, 169.7, 166.5, 134.1, 130.0, 129.1, 129.0, 85.9, 75.7, 67.8, 67.1, 62.4, 61.9, 40.3, 20.7, 20.5; CI-MS *m/z* 475 (M

+ NH_4^+). Anal. Calcd for $\text{C}_{18}\text{H}_{20}\text{ClN}_3\text{O}_7\text{S}$: C, 47.22, H, 4.40. Found: C, 47.48; H, 4.52.

Acknowledgment. The author thanks Dr. Göran Ekborg and Ms. Jennifer Wolfe for technical help and Mr. Wesley White for the mass spectra.

JO990811P

Additions and Corrections

Vol. 63, 1998

Ana M. Gomez,* Gerardo O. Danelón, Serafín Valverde, and J. Cristóbal López. Regio- and Stereocontrolled 6-*Endo-Trig* Radical Cyclization of Vinyl Radicals: A Novel Entry to Carbasugars from Carbohydrates.

Page 9626, reference 6. We inadvertently overlooked the following reports of 6-*exo-trig* cyclizations to form carbasugars: (a) Schmid, W.; Whitesides, G. M. *J. Am. Chem. Soc.* **1990**, *112*, 9670. (b) Andersson, F. O.; Classon, B.; Samuelsson, B. *J. Org. Chem.* **1990**, *55*, 4999. (c) Marco-Contelles, J.; Pozuelo, C.; Jimeno, M. L.; Martínez, L.; Martínez-Gran, A. *J. Org. Chem.* **1992**, *57*, 2625 and references cited to previous work. We thank Dr. Marco-Contelles for calling our attention to ref c above.

JO994005U

10.1021/jo994005u

Published on Web 08/31/1999