

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 21(1970)—50(1973)

CUMULATIVE SUBJECT INDEX

General

Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31

Aluminium

- Aldehyde complex of $[R_2AlOCR'NPh]_2$, structure and chemical behaviour of (H. Yasuda, T. Araki, H. Tani), (49)333
- Alkyl and aryl fluoro Grignard compounds, new and convenient method of preparation, reaction of magnesium alkyls with metal fluorides (E.C. Ashby, J.A. Nackashi), (24)C17
- Alkyl exchange reactions in the synthesis of optically active trialkylaluminium compounds (L. Lardicci, G.P. Giacomelli, L. De Bernardi), (39)245
- Alkylaluminium compounds, mixed bridged (M. Fishwick, C.A. Smith, M.G.H. Wallbridge), (21)P9
- , in reaction with cyclopentadiene (W.R. Kroll, B.E. Hudson, Jr.), (28)205
- Alkylaluminium, -gallium and -indium compounds, sulphur dioxide insertion reactions of (J. Weidlein), (24)63
- Allylaluminium compounds (H. Lehmkuhl, D. Reinehr), (23)C25
- Aluminium and gallium alkyl halogen and pseudo-halogen complexes (F. Weller, I.L. Wilson, K. Dehnicke), (30)C1
- Aluminium; Annual survey 1971 (J.P. Oliver), (45)139
- Aluminium (I) ligands in iron carbonyl derivatives, stabilisation of (W. Petz, G. Schmid), (35)321
- Aluminium tris(acetylacetonate) and acetylacetone in reaction with methylaluminium compounds (S. Pasynkiewicz, K. Dowbor), (43)75
- Aluminium-vinyl derivatives, 1H NMR spectra of (H.D. Visser, J.P. Oliver), (40)7
- Aminoalanes, direct synthesis (E.C. Ashby, R. Kovar), (22)C34
- Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in (R. Mason, D.M.P. Mingos), (50)53
- Bis(diethylaluminium) sulphide and diethylaluminium thiolate or amide, reactions with esters (T. Hirabayashi, H. Imaeda, K. Itoh, Y. Ishii), (42)33
- 1,1-Bis(diethylalumino)ethane, evidence from the photolysis of triethylaluminium (W.H. Glaze, T.L. Brewer, A.C. Ranade), (25)C6
- Bis(silyl)amines in reaction with trimethylaluminium (N. Wiberg, W. Baumeister, P. Zahn), (36)267
- Bis(tetrahydrofuran)sodium (9,10-dihydro-9,10-anthrylene)dimethylaluminumate $[Na(C_4H_8O)_2]_2[Al(CH_3)_2C_{14}H_{10}]_2$, a reduction product of anthracene (D.J. Brauer, G.D. Stucky), (37)217
- Catalyzed codimerisation of butadiene and ethylene (G. Henrici-Olive, S. Olive), (35)381
- Chiral aluminium 2-methylbutoxide, reduction of methyl ethyl ketone with (R. Menicagli, G.P. Giacomelli, L. Lardicci), (50)C15
- Chloromethyl- and dichloromethyl-substituted chlorodisilanes, preparation and behaviour toward aluminium halides (K. Tamao, M. Kumada), (30)339
- $(CH_3)_2MOOX(CH_3)_2$ compounds (M = Al, Ga, In; X = P, As) IR and Raman spectra (H. Olapinski, B. Schaible, J. Weidlein), (43)107
- $\pi-C_5H_5W(CO)_3^-$, variable site of Lewis basicity in complexes with $(C_6H_5)_3In$ and $(C_6H_5)_3Al$ (J.M. Burlitch, R.B. Peterson), (24)C65
- $CO_2(CO)_8 \cdot AlBr_3$ and related compounds; nature of metal carbonyl-Group III halide interactions (J.S. Kristoff, N.J. Nelson, D.F. Shriver), (49)C82
- Compound of cyclic alumasilazane cation and tetramethylindane anion (W. Wolfsberger, H. Schmidbaur), (27)181
- Cyclooctatetraene-transition metal compounds, preparation using magnesium metal and synthesis of cyclooctatetraenemagnesium (H. Lehmkuhl, S. Kintopf, K. Mehler), (46)C1
- Dialkylaluminium, -gallium and -indium thio-carboxylates (J. Weidlein), (32)181

- Dicobaltoctacarbonyl, reactions with boron and aluminium halides, reaction mechanism leading to methylidyne tricobalt nonacarbonyl cluster compounds (G. Schmid, V. Bätzel), (46)149
- Dicyclooctadienylnickel(0), reactions with Me_2AlSPh , $\text{Et}_2\text{AlPPh}_2$ and $(\text{Me}_2\text{AlSCH}_2)_2$ (T. Hirabayashi, Y. Ishii), (39)C85
- Dicyclooctatetraenehafnium and its derivatives (H.-J. Kablitz, R. Kallweit, G. Wilke), (44)C49
- Dicyclopentadienyltitanium, reactions with aluminium alkyls (P.C. Wailes, H. Weigold), (24)713
- Dicyclopentadienylzirconium dihydride, reaction with trimethylaluminium and formation of a hydride containing both Zr-H-Zr and Zr-H-Al moieties (P.C. Wailes, H. Weigold, A.P. Bell), (43)C29
- Diethylaluminium alkoxides, reactions with phenyl isocyanate (T. Hirabayashi, T. Sakakibara, Y. Ishii), (35)19
- Diethylaluminium dimethylamide, and diethylaluminium ethanethiolate, reaction with nitriles (T. Hirabayashi, K. Itoh, S. Sakai, Y. Ishii), (21)273
- , ethanethiolate and ethanolate, reactions with lactones or acid anhydrides (T. Hirabayashi, K. Itoh, S. Sakai, Y. Ishii), (25)33
- Diisobutylaluminium hydride, and diisobutylaluminium chloride, direct NMR detection of mixed hydride-bridged complexes of varying stoichiometries between (J.J. Eisch, S.G. Rhee), (38)C25
- , and triisobutylaluminium complexation, temperature-dependent stoichiometry of (J.J. Eisch, S.G. Rhee), (42)C73
- , reduction of silicon halides and alkoxides with (L.H. Sommer, C.M. Golino, D.N. Roark, R.D. Bush), (49)C3
- Dimethylaluminium acetylacetonate, disproportionation by Lewis bases (S. Pasynkiewicz, K. Dowbor), (39)C1
- Dimethylaluminium *N*-phenylbenzimidate dimer, $[(\text{CH}_3)_2\text{AlOC}(\text{C}_6\text{H}_5)\text{N}(\text{C}_6\text{H}_5)]_2$, crystal structure of (Y. Kai, N. Yasuoka, N. Kasai, M. Kakudo), (32)165
- (Dimethylalumino)(trimethylsilyl)methylamine in reactions with carbonyl compounds, preparative application of (T. Sakakibara, T. Hirabayashi, Y. Ishii), (46)231
- Di-*n*-propyl- and diisobutylaluminium fluoride, IR and Raman spectra (V. Krieg, J. Weidlein), (21)281
- Disilyl amides of Group III metals, preparation, analysis, IR and Raman spectra (H. Bürger, J. Cichon, U. Goetze, U. Wannagat, H.J. Wismar), (33)1
- Ethylaluminium and ethylmagnesium compounds, oxidation at a lead anode in THF (M. Fleischmann, D. Pletcher, C.J. Vance), (40)1
- Ethylaluminium chlorides, reactions with sodium sulphate (K. Matsumura, Y. Atarashi, O. Fukumoto), (25)345
- Halo derivatives of metal carbonyls, addition of the Lewis acids AlX_3 and FeCl_3 on (M. Pańkowski, B. Demerseman, G. Bouquet, M. Bigorgne), (35)155
- Homolytic displacement at a metal centre by the dimethylamino radical (A.G. Davies, S.C.W. Hook, B.P. Roberts), (22)C37
- Hydroalumination of aldol esters, synthesis of 1,3-diol compounds (S. Warwel, G. Schmitt, F. Asinger), (36)243
- Importance of the transition metal in the catalysis of a diene rearrangement (R.G. Miller, P.A. Pinke, R.D. Stauffer, H.J. Golden), (29)C42
- Kinetics and mechanism of the hydroalumination of 4-octyne (J.J. Eisch, S.G. Rhee), (31)C49
- Liquid and gaseous trimethylaluminium and triethylaluminium, monomer-dimer equilibria of (M.B. Smith), (46)31
- Lithium and tetraalkylammonium tetrabutylaluminates, preparation and characterization (T.D. Westmoreland, Jr., N. Ahmad, M.C. Day), (25)329
- Lithium tetramethylaluminate, solvent effect on the PMR spectrum of (J.F. Ross, J.P. Oliver), (22)503
- $\text{M}[\text{Al}_2(\text{CH}_3)_6\text{X}]$ compounds, solid state structure and solution behaviour of (J.L. Atwood, W.R. Newberry, III), (42)C77
- $\text{Me}_2\text{Al}(\text{RNCO})\text{OMe}$, NMR studies of; novel 1,3-shift of an organoaluminium group (T. Hirabayashi, T. Sakakibara, Y. Ishii), (32)C5
- $(\text{Me}_2\text{Si})_2\text{NAl}_2\text{Me}_5$, structure and stability of (N. Wiberg, W. Baumeister), (36)277
- Methylaluminium compounds, reactions with acrylonitrile (W. Kuran, S. Pasynkiewicz), (23)343
- , reactions with benzonitrile (W. Kuran, S. Pasynkiewicz, J. Serzysko), (32)299
- , reactions with methacrylonitrile (W. Kuran, S. Pasynkiewicz, J. Muszynski), (25)23
- Methylaluminium dichloride-dimethylaluminium chloride mixture, determination of the density as a method of analysis

- (S. Pasykiewicz, Z. Dolecki, K. Starowieyski), (21)37
- Methylene bis(aluminium dihalides) (M.R. Ort, E.H. Mottus), (50)47
- Monophenoxyaluminium compounds, synthesis and properties (K. Starowieyski, S.L. Pasykiewicz, M.D. Skowrońska), (31)149
- Nickel-based catalyst in the synthesis of 1,4-hexadiene; factors controlling activity and selectivity (A.C.L. Su, J.W. Collette), (36)177
- Nickel containing Ziegler systems, reaction with carbon monoxide (J.R. Olechowski), (32)269
- Organoaluminium complexes with hexamethylphosphoric triamide (S. Pasykiewicz, Z. Buczkowski), (22)525
- Organoaluminium compounds, alkoxy donation of ester group to (K. Kobayashi, H. Sumitomo, K. Hashimoto, Y. Kato), (49)C1
- , complexes of *p*-dimethoxybenzene with (K. Starowieyski, S. Pasykiewicz, E. Jankowska), (22)283
- Organoaluminium β -diketonates (W.R. Kroll, I. Kuntz, E. Birnbaum), (26)313
- Organoaluminium thiocyanates, thermal behaviour (J.L. Atwood, P.A. Milton, S.K. Seale), (28)C29
- Organometallic compounds with Al–W bonds (R.R. Schrieke, J.D. Smith), (31)C46
- Organometallic 8-membered cyclic compounds of aluminium, gallium, indium and thallium (*Review*) (J. Weidlein), (49)257
- Organometallic nickel compounds, electrochemical synthesis (H. Lehmkuhl, W. Leuchte), (23)C30
- Plumbous chloride and dimethyllead dichloride complexes with methylaluminium dichloride (M. Bolesławski, S. Pasykiewicz, H. Pszonka), (28)C31
- Polysilicon halides, preparation by aluminium halide catalyzed interchange of methyl and halogen on silicon (M. Ishikawa, M. Kumada, H. Sakurai), (23)63
- Potassium cyanotrimethylaluminate, synthesis and structure of (J.L. Atwood, R.E. Cannon), (47)321
- $[R_2AlOCR'NPh]_2$, structure and chemical behaviour of; stereospecific catalyst for polymerization of acetaldehyde (H. Yasuda, T. Araki, H. Tani), (49)103
- Sodium tetraethylaluminate, ion-solvent effects on the PMR spectrum of; long-range aluminium–proton coupling (T.D. Westmoreland, Jr., N.S. Bhacca, J.D. Wander, M.C. Day), (38)1
- Solid dimethyl(cyclopentadienyl)aluminium, spectroscopic evidence for h^2 -cyclopentadienyl groups in (A. Haaland, J. Weidlein), (40)29
- Tertiary amine complex of ethylaluminium dichloride, influence of benzene on disproportionation of (S.C. Watson, J.F. Eastham), (24)273
- Tetraethylaluminate anions, vibrational spectra (C.A. Wilkie), (32)161
- Tetramethylammonium iodomethylaluminate, thermolysis of (J.L. Atwood, P.A. Milton), (36)C1
- Tetramethyllead and organoaluminium compounds, exchange of alkyl groups and chlorine (M. Bofeśławski, S. Pasykiewicz, K. Jaworski), (30)199
- Tetramethyltitanium and trimethylaluminium, NMR evidence of methyl group exchange between (A.S. Khachaturov, L.S. Bresler, I.Ya. Poddubnyi), (42)C18
- Trialkylaluminiums in the reduction of epoxides (J.-L. Namy, D. Abenhaïm), (43)95
- Tribenzylaluminium reactions, question of allylic rearrangement in (J.J. Eisch, J.-M. Biedermann), (30)167
- Triethylaluminium, in mesitylene, monomer–dimer equilibrium of (M.B. Smith), (46)211
- , monomer–dimer equilibria (J.N. Hay, P.G. Hooper, J.C. Robb), (28)193
- , reactions and complex formation with methyl methacrylate (P.E.M. Allen, B.O. Bateup, B.A. Casey), (29)185
- , reaction with benzaldehyde, influence of tetrabutylammonium halide on this reaction (M. Chastrette, R. Amouroux), (40)C56
- , reaction with epoxides (A.J. Lundeen, A.C. Oehlschlager), (25)337
- , reaction with methyl isopropenyl ketone (A.R. Lyons, E. Catterall), (25)351
- Triethylsilanethiol and related compounds, reactions with triethylaluminium, -gallium and -indium (N.S. Vyazankin, M.N. Bochkarev, A.I. Charov), (27)175
- Triisobutylaluminium, monomer–dimer equilibrium (M.B. Smith), (22)273
- , reaction with benzonitrile (L. Lardicci, G.P. Giacomelli), (33)293
- Trimeric dicyclopropylaluminium and -gallium ethylenimines, preparation, properties, and IR, Raman and 1H NMR spectra of (J. Müller, K. Margiolis, K. Dehnicke), (46)219
- Trimethylaluminium–azido complexes $(Me_3Al)_2 N_3^-$ and $(Me_3AlN_3)^-$, preparation, IR and Raman spectra (F. Weller, K. Dehnicke), (35)237

- Trimethylaluminium, reaction with lead monoxide (M. Bolesławski, S. Pasynkiewicz), (43)81
- , synthesis (S. Pasynkiewicz, M. Bolesławski), (25)29
- Trimethylaluminiumpseudohalide complexes, preparation, ¹H NMR and Raman spectra of (F. Weller, K. Dehnicke), (36)23
- Trimethyl(quinuclidine)aluminium, crystal structure (C.D. Whitt, L.M. Parker, J.L. Atwood), (32)291
- Triphenylaluminium, selective phenylation of olefins with (J.J. Eisch, S.J.Y. Liu), (21)285
- (+)-Tris(*S*)-2-methylbutyl]aluminium and (*RS*)-4-methyl-1-hexene, kinetics of the displacement reaction catalyzed by bis(*N*-methylsalicylaldimine)nickel (G.P. Giacomelli, L. Lardicci, P. Pino), (33)105
- Tri-*m*-tolyl- and tri-*p*-tolyl-aluminium systems, specific *ortho*-arylation in the photochemical rearrangements of (J.J. Eisch, J.L. Considine), (26)C1
- Vinylalane dimers, conjugative interactions between C and Al (G. Zweifel, G.M. Clark), (39)C33
- ### Americium
- Lanthanide(III) and actinide(III) tricyclopentadienides, noncovalent character in the chemical bonds of (L.J. Nugent, P.G. Laubereau, G.K. Werner, K.L. Vander Sluis), (27)365
- ### Antimony
- (Acetylacetonato)dichlorodiphenylantimony, molecular structure in the crystalline state (J. Kroon, J.B. Hulscher, A.F. Peerdeman), (37)297
- (Acetylacetonato)organoantimony(V) compounds, R_nSbCl_{3-n}Acac, (*n* = 1-4), stereochemistry of (H.A. Meinema, A. Mackor, J.G. Noltes), (37)285
- Alkoxy and aroxy derivatives of pentavalent phosphorus and antimony compounds, thermal decomposition of (G.A. Razuvaev, N.A. Osanova), (38)77
- Alkyltetraphenylantimony compounds, synthesis and properties (G. Doleshall, N.A. Nesmeyanov, O.A. Reutov), (30)369
- Aminoarsine and aminostibine, reactions with heterocyclic compounds (J. Koketsu, S. Kokjma, Y. Ishii), (38)69
- Antimony; Annual survey 1971 (L.D. Freedman, G.O. Doak), (48)258
- Asymmetrical tertiary stibines, (C₆H₅)(CH₃)RSb and [(C₆H₅)(CH₃)Sb]₂(CH₂)_n, preparation of (S. Sato, Y. Matsumura, R. Okawara), (43)333
- Bis(diorganostibino)methane-substituted metal carbonyl complexes, preparation and properties (T. Fukumoto, Y. Matsumura, R. Okawara), (37)113
- Bis(*μ*-phenylsulphidotricarbonyliron), tertiary phosphine, phosphite and stibine and di-tertiary phosphine and arsine derivatives of (J.A. de Beer, R.J. Haines), (36)297
- Bis(trialkyl-Group VB-tricarbonyl-cobalt) complexes, tautomerism in (D.J. Thornhill, A.R. Manning), (37)C41
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Co(CO)₂(NO)L complexes, kinetics and equilibria in the replacement by carbon monoxide of the ligands (G. Innorta, G. Reichenbach, A. Foffani), (22)731
- π*-Cyclopentadienylmanganese tricarbonyl, arsenites and antimonites as ligands toward (T.B. Brill), (40)373
- Cyclopentadienylmanganese tricarbonyl Group V and olefin derivatives, ⁵⁵Mn NQR and IR intensities of the carbonyl stretching vibrations in (W.P. Anderson, T.B. Brill, A.R. Schoenberg, C.W. Stanger, Jr.), (44)161
- Dialkylantimony(V) compounds, [R₂Sb(OR')₃, R₂Sb(OAc)₃, R₂Sb(O)OH], preparation, properties and thermal stability (H.A. Meinema, J.G. Noltes), (36)313
- Dihalodiaryl(acetylacetonato)antimony(V) compounds, stereoisomerism of (N. Nishii, R. Okawara), (38)335
- Diorganoantimony trichlorides, stable adducts of (N. Nishii, Y. Matsumura, R. Okawara), (30)59
- Fluoroaryl compounds of antimony and bismuth and their carbon and nitrogen analogues, ¹⁹F NMR study of electronic effects in (A.N. Nesmeyanov, D.N. Kravtsov, B.A. Kvasov, S.I. Pombrik, E.I. Fedin), (47)367
- Group Va chalcogenides, synthesis and IR spectra (G.N. Chremos, R.A. Zingaro), (22)637
- Halo derivatives of metal carbonyls, addition of the Lewis acids AlX₃ and FeCl₃ on (M. Pańkowski, B. Demerseman, G. Bouquet, M. Bigorgne), (35)155

- α -Halosilanes, reaction with antimony pentafluoride (T.J. Hairston, D.H. O'Brien), (23)C41
- Hexacoordinate diphenyl- and 2,2'-biphenylene antimony(V) β -diketonates (H.A. Meinema, J.G. Noltes), (37)C31
- Homolytic displacement at a metal centre by the dimethylamino radical (A.G. Davies, S.C.W. Hook, B.P. Roberts), (22)C37
- Indium compounds in reactions with trimethylstibine sulphide (T. Maeda, G. Yoshida, R. Okawara), (44)237
- Iron carbonyl complexes with trimethyl Group VB ligands, IR and Raman spectra (M. Bigorgne), (24)211
- Manganese carbonyl, indenyl and fluorenyl derivatives of (R.B. King, A. Efraty), (23)527
- Mixed methylethyl pentaalkylantimony compounds, alkylgroup exchange in (H.A. Meinema, J.G. Noltes), (22)653
- Organoantimony compounds containing the $SbCH_2Sb$ moiety (Y. Matsumura, R. Okawara), (25)439
- Organoantimony(III) derivatives containing potentially bidentate ligands, preparation and structure. Antimony-carbon cleavage upon complex formation (H.A. Meinema, J.G. Noltes), (25)139
- Organometalstibines as ligands in transition metalcarbonyl complexes (H. Schumann, H.J. Breunig), (27)C28
- Poly(triphenylstibine oxide), preparation, properties and structure of (D.L. Venezky, C.W. Sink, B.A. Nevett, W.F. Fortescue), (35)131
- Ruthenium isocyanide complexes containing triphenylphosphine, triphenylarsine and triphenylstibine (B.E. Prater), (34)379
- Spirocyclic compounds of pentacoordinated antimony, nucleophilic substitution reactions (D. Hellwinkel, M. Bach), (28)349
- Substituted arylstibines and arylbismuthines, synthesis and NMR spectra (R.F. De Ketelaere, F.T. Delbeke, G.P. Van der Kelen), (30)365
- Substituted carbonyl anions of vanadium, niobium and tantalum, preparation (A. Davison, J.E. Ellis), (31)239
- Tertiary phosphine and related substitution products of Group VI metal carbonyls, improved preparation (J. Chatt, C.J. Leigh, N. Thankarajan), (29)105
- Transition metal complexes of triphenylphosphonium cyclopentadienyliide and related ligands (D. Cashman, F.J. Lalor), (32)351
- Trialkyl Group Va chalcogenides, correlation of metal-chalcogen stretching frequencies in (G.N. Chremos, R.A. Zingaro), (22)647
- Trimethyl- and triphenylantimony(V) derivatives of haloacetic acids (R.G. Goel, D.R. Ridley), (38)83
- Triorganoantimony thioglycolates and glycolates, preparation and properties (Y. Matsumura, M. Shindo, R. Okawara), (27)357
- Triphenylphosphine, reaction with organometal haloacetates (T. Okada, R. Okawara), (42)117
- Triphenylstibine in reactions with t-butyl- and triphenylsilyl hydroperoxides (G.A. Razuvaev, T.G. Brilkina, E.V. Krasilnikova, T.I. Zinovjeva, A.I. Filimonov), (40)151
- Tris(dialkylamino)stibines, chemical properties of (A. Kiennemann, G. Levy, C. Taniélian), (46)305
- , preparation and properties (A. Kiennemann, G. Levy, F. Schué, C. Taniélian), (35)143
- Tris(triethylgermyl)stibine, influence of association on its oxidation by oxygen (Yu.A. Alexandrov, G.A. Razuvaev, G.N. Figueroa), (27)207
- Vanadyl-tertiary stibine complex, EPR investigation of (G. Henrici-Olivé, S. Olivé), (46)101
- ### Arsenic
- Acetylenic phosphines and diphosphines, coordination complexes of (H.A. Patel, A.J. Carty, N.K. Hota), (50)247
- Alkoxy-, alkylthio- and (organylseleno)dialkylarsines (L.S. Sagan, R.A. Zingaro, K.J. Irgolic), (39)301
- Aminoarsine and aminostibine, reactions with heterocyclic compounds (J. Koketsu, S. Kokjma, Y. Ishii), (38)69
- Arsenanyl radicals (As^+X_4) in solution, ESR study of (A.G. Davies, D. Griller, B.P. Roberts), (38)C8
- Arsenic; Annual survey 1971 (G.O. Doak, L.D. Freedman), (48)195
- 1,3-Azarsolidines, synthesis of (A. Tzschach, D. Drofne), (21)131
- Benzene complexes of ruthenium(II), reactions of (R.A. Zelonka, M.C. Baird), (35)C43
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bis(2,2'-biphenylene)arsenic(V) compounds (D. Hellwinkel, B. Knabe, G. Kiltthau), (24)165

- Bis(diorganophosphino)dimethylaminomethane and diethylphosphinodimethylaminomethoxymethane, reactive behaviour of (K. Issleib, M. Lischewski), (46)297
- Bis(μ -phenylsulphidotricarbonyliron), tertiary phosphine, phosphite and stibine and di-tertiary phosphine and arsine derivatives of (J.A. de Beer, R.J. Haines), (36)297
- Bis(trialkyl-Group VB-tricarbonylcobalt) complexes, tautomerism in (D.J. Thornhill, A.R. Manning), (37)C41
- Bis(trifluoromethyl)nitroxy derivatives of arsenic, preparation and properties (H.G. Ang, K.F. Ho), (27)349
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Cacodyl derivatives of manganese carbonyls (J. Grobe, F. Kober), (29)295
- Carbonatobis(triphenylarsine)platinum(II) in reactions with fluoro-olefins, chloro-olefins and related molecules in ethanol (M.J. Hacker, G.W. Littlecott, R.D.W. Kemmitt), (47)189
- Carbonyl and related complexes containing the ligands PhCH_2EMe , (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- $(\text{CH}_3)_2\text{MOOX}(\text{CH}_3)_2$ compounds (M = Al, Ga, In; X = P, As). IR and Raman spectra (H. Olapinski, B. Schaible, J. Weidlein), (43)107
- $(\text{C}_6\text{H}_5)_3\text{SnFe}(\text{CO})_2\text{NOL}$ and related complexes, dipole moments and molecular conformations of (S. Sorriso, G. Distefano, A. Foffani), (47)139
- $\text{Co}(\text{CO})_2(\text{NO})\text{L}$ complexes, kinetics and equilibria in the replacement by carbon monoxide of the ligands (G. Innorta, G. Reichenbach, A. Foffani), (22)731
- Complexes of $\text{B}_9\text{H}_{10}\text{CHP}^-$ and $\text{B}_9\text{H}_{10}\text{CHAs}^-$ with Group VI metal carbonyls (H.T. Silverstein, D.C. Beer, L.J. Todd), (21)139
- Cyclic arsines, reactions with iron and manganese carbonyls (P.S. Elmes, B.O. West), (32)365
- π -Cyclopentadienylmanganese tricarbonyl, arsenites and antimonites as ligands toward (T.B. Brill), (40)373
- Cyclopentadienylmanganese tricarbonyl Group V and olefin derivatives, ^{55}Mn NQR and IR intensities of the carbonyl stretching vibrations in (W.P. Anderson, T.B. Brill, A.R. Schoenberg, C.W. Stanger, Jr.), (44)161
- Dicobalt octacarbonyl, acetylene bridged derivatives of (H.A. Patel, A.J. Carty, N.K. Hota), (50)247
- Dicyanoacetylene complexes, of noble metals (G.K. McClure, W.H. Baddley), (27)155
- , of platinum (G.L. McClure, W.H. Baddley), (25)261
- Dimethylphenylarsine, in reaction with rhenium carbonyl (E. Singleton, J.T. Moelwyn-Hughes, A.W.B. Garner), (21)449
- Diphenylarsine derivatives, mass spectrometric and pyrolytic studies of (J.C. Tou, C.-S. Wang), (34)141
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- Dodecacarbonyltriruthenium, bimolecular substitution reactions of (A.J. Poë, M.V. Twigg), (50)C39
- Hydrido- π -olefinic complexes of iridium (M.S. Fraser, W.H. Baddley), (36)377
- Indium(III) and thallium(III) complexes of the tetracarbonylcobaltate anion (W.R. Robinson, D.P. Schussler), (30)C5
- Iron carbonyl complexes, of fluorocarbon-bridged di(tertiary-arsines) (J.P. Crow, W.R. Cullen, J.R. Sams, J.E.H. Ward), (22)C29
- , with trimethyl Group VB ligands, IR and Raman spectra (M. Bigorgne), (24)211
- (*o*-Lithiobenzyl)diorganoarsines and their reactivity (A. Tzschach, H. Nindel), (24)159
- Manganese carbonyl, indenyl and fluorenyl derivatives of (R.B. King, A. Efraty), (23)527
- Manganese(I)halodicarbonyl complexes, reactions of (I.S. Butler, N.J. Coville, H.K. Spendjian), (43)185
- Organometal arsines as ligands in transition metal carbonyl complexes (H. Schumann, G. Pfeifer, H. Röser), (44)C10
- Organophosphine and organoarsine compounds, dipole moments and structure of (N. Saraswathi, S. Soundararajan), (46)289
- Organosilicon-Group V compounds, reactions with nitrosyl chloride (J.E. Byrne, C.R. Russ), (22)357
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Phosphagerma- and arsagermacarboranes, preparation, isomerisation and characterisation of (D.C. Beer, L.J. Todd), (50)93

- Platinum(II) complexes formed by olefinic tertiary phosphines, bromination of (M.A. Bennett, W.R. Kneen, R.S. Nyholm), (26)293
- Polynuclear phenylphosphines, phenylarsines, (phenylphosphino)arsines and (phenylarsino)phosphines (H. Schumann, A. Roth, O. Stelzer), (24)183
- Potassium dihydrogen arsenide, reaction with halobenzenes (H.-S. Kuo, W.L. Jolly), (30)361
- n-Propylarsonic acid, crystal structure (M.R. Smith, R.A. Zingaro, E.A. Meyers), (27)341
- Rhodium and iridium carbonyl salts, cationic oxygen adducts from (L.M. Haines, E. Singleton), (30)C81
- Rhodium(I) complexes, intra- and intermolecular exchange in some (D.P. Price, J.A. Osborn), (30)C84
- Ruthenium isocyanide complexes containing triphenylphosphine, triphenylarsine and triphenylstibine (B.E. Prater), (34)379
- Silylphosphines and silylarsines, reactions with covalent halides (J.E. Byrne, C.R. Russ), (38)319
- Simple route to carbonyl and metal phosphine salts using NOPF₆ (R.H. Reimann, E. Singleton), (32)C44
- Substituted carbonyl anions of vanadium, niobium and tantalum, preparation (A. Davison, J.E. Ellis), (31)239
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. DeCaluwe, G.P. Van der Kelen), (23)505
- Substituted phospho- and arsenicboranes, σ -bonded complexes and their π -allyl derivatives (D.C. Beer, L.J. Todd), (36)77
- Symmetrically disubstituted ferrocenes, synthesis of potential bidentate ligands (J.J. Bishop, A. Davison, M.L. Katcher, D.W. Lichtenberg, R.E. Merrill, J.C. Smart), (27)241
- Tautomeric complexes containing Ni—Co bonds ($(\pi\text{-C}_5\text{H}_5)_2\text{NiCo}(\text{CO})_4\text{L}$) (A.R. Manning), (40)C73
- Tertiary arsine oxide as ligands in organotin complexes (W. Kitching, V.G. Kumar Das, C.J. Moore), (22)399
- Tertiary phosphine and related substitution products of Group VI metal carbonyls, improved preparation (J. Chatt, G.J. Leigh, N. Thankarajan), (29)105
- Tertiary substituted arylarsines and arsine oxides, IR and Raman spectra (F.T. Delbeke, R.F. De Ketelaere, G.P. Van der Keien), (28)225
- , synthesis and NMR spectra (R.F. De Ketelaere, F.T. Delbeke, G.P. Van der Kelen), (28)217
- Tetracarbonyldi- π -cyclopentadienyldiiron, di-tertiary phosphine and arsine derivatives of (R.J. Haines, A.L. Du Preez), (21)181
- Transition metal complexes of triphenylphosphonium cyclopentadienylide and related ligands (D. Cashman, F.J. Lalor), (32)351
- Trialkyl Group Va chalcogenides, correlation of metal—chalcogen stretching frequencies in (G.N. Chremos, R.A. Zingaro), (22)647
- Tricarbonylcobalt nitrosyl complex, solvent effects on the kinetics of the monosubstitution reaction with triphenylarsine and triphenylphosphine (G. Cardaci, S.M. Murgia, A. Foffani), (23)265
- Trimethylarsenic dichloride and dibromide, structure of (M.B. Hursthouse, I.A. Steer), (27)C11
- Trinuclear ferracyclopentadiene complexes via oligomerization of phosphino- and arsino-acetylenes (T. O'Connor, A.J. Carty, M. Mathew, G.J. Palenik), (38)C15
- Triphenylarsine oxide complex with tetrachlorocatechol, crystal structure (F.F. Farris, W.R. Robinson), (31)375
- Unusual cationic complexes of iridium (L.M. Haines, E. Singleton), (25)C83
- Vicinal bis(dimethylarsino) compounds, synthesis (R.D. Feltham, H.G. Metzger), (33)347

Barium

- Calcium, strontium and barium; Annual survey 1971 (D. Seyferth), (41)9
- Organo compounds of calcium, strontium and barium (M.A. Coles, F.A. Hart), (32)279
- Tetraethylzinc complexes of calcium, strontium and barium (F. Kaufmann, A. Geraudelle, B. Kaempfer, F. Schué, A. Deluzarche, A. Maillard), (24)13

Beryllium

- Alkyl exchange reactions in the synthesis of optically active trialkylaluminium compounds (L. Lardicci, G.P. Giacomelli, L. De Bernardi), (39)245

- Beryllium; Annual survey 1971** (D. Seyferth), (41)1
- Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in** (R. Mason, D.M.P. Mingos), (50)53
- Di-*t*-butylberyllium/ether solutions, thermodynamics of interactions in** (J. Mounier, R. Lacroix, A. Poitier), (21)9
- Di-*t*-butylberyllium, IR and Raman spectra in the vapour, liquid and solid states** (J. Mounier), (30)7
- Dimeric methyl-*l*-propylberyllium-trimethylamine, crystal structure** (B. Morosin, J. Howatson), (29)7
- Dimethylbis(quinclidine)beryllium, structure of** (C.D. Whitt, J.L. Atwood), (32)17
- NMe₄[(Et₂Be)₂SCN], preparation, properties and vibrational spectra** (N. Atam, H. Müller, K. Dehnicke), (37)15
- Tricyclopentadienylcurium-244(III)** (F. Baumgärtner, E.O. Fischer, H. Billich, E. Dornberger, B. Kanellakopoulos, W. Roth, L. Stieglitz), (22)C17
- Bismuth**
- Bismuth; Annual survey 1971** (L.D. Freedman, G.O. Doak), (48)292
- Bismuth-carbon bonds, formation by sulphur dioxide elimination** (G.B. Deacon, G.D. Fallon, P.W. Felder), (26)C10
- Fluoroaryl compounds of antimony and bismuth and their carbon and nitrogen analogues, ¹⁹F NMR study of electronic effects in** (A.N. Nesmeyanov, D.N. Kravtsov, B.A. Kvasov, S.I. Pombrik, E.I. Fedin), (47)367
- Organobismuth compounds, ¹H NMR spectra of some** (B.C. Smith, C.B. Waller), (32)C11
- Oxinato triphenylbismuth halides** (G. Faraglia, E. Rivarola, F. Di Bianca), (38)91
- Palladium(II)-isocyanide complexes, reactions with phenyl derivatives of heavy metals** (B. Crociani, M. Nicolini, T. Boschi), (33)C81
- Phenyldihalobismuthines, complexes with 1,10-phenanthroline and 2,2'-bipyridine** (S. Fafeschini, P. Zanella, L. Doretta, G. Faraglia), (44)317
- Reactions between mercury and some arylmetal compounds** (R.A.G. Marshall, D.R. Pollard), (27)149
- Substituted arylstibines and arylbismuthines, synthesis and NMR spectra** (R.F. De Ketelaere, F.T. Delbeke, G.P. Van der Kelen), (30)365
- Triphenylbismuth(V) compounds containing a Bi-O-Bi bond, preparation and structural characteristics of** (R.G. Goel, H.S. Prasad), (36)323
- Triphenylbismuth diazide and dicyanide, preparation, characterisation and properties of** (R.G. Goel, H.S. Prasad), (50)129
- Boron**
- Alkali metal diethylboron, reaction with alkyl halides in diethyl ether solution** (D.J. Pasta, P.W. Wojtkowski), (34)251
- Alkene-1,1-diboronic esters from methanetetraboronic ester** (D.S. Matteson, P.B. Tripathy), (21)P6
- Alkyl and aryl fluoro Grignard compounds, new and convenient method of preparation, reaction of magnesium alkyls with metal fluorides** (E.C. Ashby, J.A. Nacckashi), (24)C17
- Alkyl exchange reactions in the synthesis of optically active trialkylaluminium compounds** (L. Lardicci, G.P. Giacomelli, L. De Bernardi), (39)245
- B-Alkyl-9-borabicyclo[3.3.1]nonanes, synthesis of secondary bromides in the dark reaction of bromine with** (C.F. Lane, H.C. Brown), (26)C51
- Alkyldichloroboranes, preparation via hydroboration-redistribution** (H.C. Brown, A.B. Levy), (44)233
- σ - and π -Allyl and benzyl derivatives of mercury and palladium, metal hydride reduction of** (M.L. Bullpitt, W. Kitching), (46)21
- Allyl organoboranes, carbon-boron bond cleavage in** (I. Mehrotra, D. Devaprabhakar), (33)287
- Allyl- and benzylboronation of acetylenic compounds, in the synthesis of 1,4-dienes and α -alkoxystyrene derivatives** (B.M. Mikhailov, Yu.N. Bubnov, S.A. Korobainikova, S.I. Frolov), (27)165
- Allyliron tricarbonyl iodide in reaction with polypyrazolylborate salts, (novel products), a type of allyl-propenyl isomerization** (R.B. King, A. Bond), (46)C53
- Aminoboranes, their use in the synthesis of sulphenamides** (R.H. Cragg, J.P.N. Husband, G.C.H. Jones, A.F. Weston), (44)C37
- 3-Amino-*o*-carboranes, reactions of** (L.I. Zakharkin, V.N. Kalinin, V.V. Gedymin, G.S. Dzarasova), (23)303

- Basicity of free and coordinated trimethylphosphite in the presence of boron trifluoride (B. Demerseman, G. Bouquet, M. Bigorgne), (35)125
- (3)-1,2-B₂C₂H₂⁻ and [(3)-1,2-B₂C₂H₂]₂Co⁻ ions, ¹³B NMR spectra (A.R. Siedle, G.M. Bodner, L.J. Todd), (33)137
- 6,7-Benzobicyclo[3.2.2]nonadienyirontricarbonyl tetrafluoroborate (A. Eisenstadt), (38)C32
- π*-Benzylbis(triethylphosphine)palladium(II) tetrafluoroborate (R.E. Stevens, C.D. Shier), (21)495
- Bisborinane, synthesis and applicability in hydroboration for preparation of B-alkylborinanes (H.C. Brown, E.-I. Negishi), (26)C67
- Bis(3,5-dimethyl)borinane and bis(3,6-dimethyl)borinane, simple synthesis, and as new valuable reagents via cyclic hydroboration (H.C. Brown, E.-I. Negishi), (28)C1
- Bis{(silylamino)boryl}amines, agents for syntheses of borazines and heterocyclic compounds (H. Nöth, M.J. Sprague), (23)323
- Bis(triphenylphosphine) (*π*-ethylene)nickel, complexes derived from reactions with alkyl and boron halides (S.C. Cundy, H. Nöth), (30)135
- Boranes and carboranes, reactions with silanes, organosilanes and related compounds (W.A. Ledoux, R.N. Grimes), (28)37
- Borohydride ion addition to coordinated isocyanides, structure of *π*-C₅H₅Fe(CO)-[(CHNCH₃)₂BH₂] (W.M. Butler, J.H. Enemark), (49)233
- Boron. I. Carboranes and hydroboration; Annual survey 1971 (D.S. Matteson), (41)13
- Boron. II; Annual survey 1971 (K. Niedenzu), (41)79
- Boron trifluoride etherate, isomerization during alkylation with alkylmagnesium halides (A.G. Davies, B.P. Roberts, R. Tudor), (31)137
- Carbon-boron bond, cleavage by amino acids; improved route to mixed anhydrides of diphenylborinic and amino acids (G. Baum), (22)269
- , formation through silyl derivatives (B. Roques, D. Florentin), (46)C38
- o*-Carboranecarboxylic acid chlorides, rearrangement in the reaction with NaFe(CO)₂C₅H₅*π* (L.I. Zakharkin, L.V. Orlova, A.I. Kovredov, L.A. Fedorov, B.V. Lokshin), (27)95
- (*o*-Carboran-3-yl)*π*-cyclopentadienylirondicarbonyl, rearrangement in the reaction of halogens with (L.I. Zakharkin, L.V. Orlova, B.V. Lokshin, L.A. Fedorov), (40)15
- Cationic derivatives of rhodium(I), addition of allyl halides and other addenda molecules to (L.M. Haines), (25)C85
- Cationic rhodium(I) olefin complexes, unusual conformation of ethylene ligands in [Rh(C₂H₄)₂(C₂H₅)₂BF₄] (F. Maspero, E. Perrotti, F. Simonetti), (38)C43
- 2-(Chloromercuri)[(dimethylamino)methyl]ferrocene, preparation and synthetic utility of (D.W. Sluiter, T.R. Engelmann), (24)753
- trans*-Cinnamyltriethyl- and *trans*-cinnamyltriphenyl-tin, reactions with tribromoborane; preferential transfer of the cinnamyl group from tin to boron (Y. Tanigawa, I. Moritani, S. Nishida), (28)73
- Co₂(CO)₈·AlBr₃ and related compounds; nature of metal carbonyl-Group III halide interactions (J.S. Kristoff, N.J. Nelson, D.F. Shriver), (49)C82
- Complexes of B₂H₁₀CHP⁻ and B₂H₁₀CHAs⁻ with Group VI metal carbonyls (H.T. Silverstein, D.C. Beer, L.J. Todd), (21)139
- Cyclo-C₇H₁₀Fe(CO)₅⁺BF₄⁻ in reaction with sodium tetrahydroborane (R. Aumann), (47)C29
- π*-Cycloheptatrienyliumtricarbonylmolybdenum-(0) tetrafluoroborate, crystal and molecular structure of (G.R. Clark, G.J. Palenik), (50)185
- Decacarbonyltricobaltate mono-anion, novel nucleophilic properties (C.D.M. Mann, A.J. Cleland, S.A. Fieldhouse, B.H. Freeland, R.J. O'Brien), (24)C61
- Dehydrofluorination and cleavage of the Si-B bond in boron trifluoride/silylamine systems (G. Elter, O. Glemser, W. Herzog), (36)257
- Dialkylboranes, simple general synthesis (H.C. Brown, S.K. Gupta), (32)C1
- Dialkylmercurials, preparation by treating organoboranes with mercuric acetate (J.D. Buhler, H.C. Brown), (40)265
- Dibenzo[*b, e*]borin (9-boraanthracene), attempted synthesis and its formation under electron impact (R. van Veen, F. Bickelhaupt), (24)589
- Diborane in reaction with Grignard reagents, new route to organoboranes, phenols and alcohols (S.W. Breuer, F.A. Broster), (35)C5
- Diboron tetrahalides, reactions with haloolefins, formation of poly(dihaloboryl)ethanes (J.J. Ritter, T.D. Coyle, J.M. Bellama), (29)175

- Diboryl(poly)sulphanes, study on, and redox reaction between dialkylhaloboranes and sulphur compounds (W. Siebert, E. Gast, M. Schmidt), (23)329
- Dichloro[1,2-bis(dimethylphosphino)-1,2-dicarba-*closo*-dodecaborane]nickel(II) as catalyst in the hydrosilylation of olefins with (M. Kumada, K. Sumitani, Y. Kiso, K. Tamao), (50)319
- Dicobaltoctacarbonyl, reactions with boron and aluminium halides, reaction mechanism leading to methylidyneboron nonacarbonyl cluster compounds (G. Schmid, V. Bätzel), (46)149
- Di- π -cyclopentadienylmolybdenum(VI) and -tungsten(VI), bis(borohydride) derivatives of (S.P. Anand, R.K. Multani, B.D. Jain), (26)115
- [Dihydrobis(3,5-dimethyl-1-pyrazolyl)borate] h^3 -cycloheptatrienyl)dicarbonylmolybdenum in solution (J.L. Calderon, F.A. Cotton, A. Shaver), (42)419
- Diiodoboranes, formation from aromatics (W. Siebert, F.R. Rittig, M. Schmidt), (25)305
- Dimesitylphenylboranes, synthesis and fluorescent properties of (J.C. Doty, B. Babb, P.J. Grisdale, M. Glogowski, J.L.R. Williams), (38)229
- Dimethylidyneboron hexacarbonyl cluster compound, preparation and investigation of (G. Schmid, B. Stutte), (37)375
- Dimethyltris(triphenylphosphine)iron(II) and ethyl(acetylacetonato)tris(triphenylphosphine)iron(II), preparation and properties of (Y. Kubo, A. Yamamoto, S. Ikeda), (46)C50
- Diphenylborinic and amino acids, improved route to mixed anhydrides of (G. Baum), (22)269
- Displacement of 2,3-dimethyl-2-butene in the reaction of bulky olefins with hexylcycloalkylboranes (C.F. Lane, H.C. Brown), (34)C29
- Ferrocene, reaction with the boron trifluoride/acetic anhydride system (P. Carty, M.F.A. Dove), (21)195
- Ferrocenyl ketones, reaction with anhydrous silver tetrafluoroborate, new route to substituted ferricenium salts (P. Carty, M.F.A. Dove), (28)125
- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Functionally substituted organomagnesium compounds ($Y(CH_2)_nMgX$) in the synthesis of boron derivatives of the type $Y(CH_2)_nB(OC_4H_9)_2$ (I. Miginiac, J. Blais), (29)349
- Group VIB triphenylphosphonium (tricarbonyl-metal)cyclopentadienylides, reactions with trifluoroacetic acid and boron trifluoride (J.C. Kotz, D.G. Pedrotti), (22)425
- Homolytic displacement at a metal centre by the dimethylamino radical (A.G. Davies, S.C.W. Hook, B.P. Roberts), (22)C37
- Hydrazine-1,2-bis(diphenylborane) with aldehydes, ketones and nitriles (T.-T. Wang, K. Niedenzu), (35)231
- [Hydridotris(1-pyrazolyl)borate](h^5 -cyclopentadienyl)dicarbonylmolybdenum and [diethylbis(1-pyrazolyl)borate](h^5 -cyclopentadienyl)dicarbonylmolybdenum, conformational isomerism in (J.L. Calderon, F.A. Cotton, A. Shaver), (38)105
- Isomeric carborane methines, equilibrium and kinetic acidities (A.I. Shatenshtein, L.I. Zakharkin, E.S. Petrov, E.A. Yakovleva, F.S. Yakushin, Z. Vukmirovich, G.G. Isaeva, V.N. Kalinin), (23)313
- 5- and 6-Membered carbon-boron heterocycles, synthesis by pyrolysis of pyridine-arylboranes (R. van Veen, F. Bickelhaupt), (47)33
- Mercuration of vinylboranes; conversion of acetylenes into vinylmercury salts via hydroboration-mercuration (R.C. Larock, H.C. Brown), (36)1
- 9-Mesityl-9-boraanthracene anion (R. van Veen, F. Bickelhaupt), (30)C51
- 9-Mesityl-10-phenyl-9-boraanthracene anion, synthesis of (R. van Veen, F. Bickelhaupt), (43)241
- Methanetetraboronic and methanetriboronic esters, C-alkylation (D.S. Matteson, J.R. Thomas), (24)263
- Methylchlorosilylalkenes, hydroboration of (P.R. Jones, J.K. Myers), (34)C9
- Methyl lithium, trimethylborane and dimethylzinc, theoretical study of the bonding in (M.P. Guest, I.H. Hillier, V.R. Saunders), (44)59
- Methylsiloxanes, NMR shifts of some linear, branched and cyclic (G. Engelhardt, H. Jancke, M. Mägi, T. Pehk, E. Lippmaa), (28)293
- Norbornene ring system, boron containing analog of (P.J. Grisdale, J.L.R. Williams), (22)C19



- Trimethyltin group, estimate of the steric bulk of (D.D. Davis, A.J. Surmatis, G.L. Robertson), (46)C9
- Tri-1-naphthylborane, reactions with sodium and water (H.J. Shine, L.D. Hughes, P. Gesting), (24)53
- Tripyrazolylborato-ruthenium carbonyl complexes (M.I. Bruce, D.N. Sharrocks, F.G.A. Stone), (31)269
- Tris(alkyl- and -arylseleno)boranes, preparation and reactions with nucleophiles and electrophiles (M. Schmidt, H.D. Block), (25)17
- [Tris(methylthio)borane]chromium(0)tricarbonyl (H. Nöth, U. Schuchardt), (24)435
- Unusual cationic complexes of iridium (L.M. Haines, E. Singleton), (25)C83
- Vicinal bis(dimethylarsino) compounds, synthesis (R.D. Feltham, H.G. Metzger), (33)347
- 2-Vinyl-4,4,6-trimethyl-1,3,2-dioxaborinane, hydrostannation of (R.H. Fish), (42)345

Cadmium

- Bis(triethylgermyl)cadmium, reactions with alkyl halides involving a one-electron transfer process (N.S. Vyazankin, V.T. Bychkov, O.V. Linzina, L.V. Aleksandrova, G.A. Razuvaev), (31)311
- Bis(triphenylgermyl)cadmium, reactions with protic reagents (N.S. Vyazankin, V.T. Bychkov, A.V. Linzina, G.A. Razuvaev), (21)107
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Cadmium; Annual survey 1971 (J.G. Noltes), (48)118
- Cadmium-vinyl derivatives, ¹H NMR spectra of (H.D. Visser, J.P. Oliver), (40)7
- Compounds containing Group IV-Group II metal-metal bonds, synthesis and properties of (F.J.A. des Tombe, G.J.M. van der Kerk, H.M.J.C. Creemers, N.A.D. Carey, J.G. Noltes), (44)247
- Dimetallic compounds derived from tetrachlorothiophene, preparation and reactions of (M.R. Smith, Jr., H. Gilman), (42)1
- Dimethylcadmium in solutions of NMe₄OCN and NMe₄SCN, donor/acceptor interactions (N. Röder, K. Dehnicke), (33)281
- Divinyl- and methylvinylcadmium, and methylvinylmercury, synthesis and PMR studies (H.D. Visser, L.P. Stodulski, III, J.P. Oliver), (24)563

- Germanium, lead, zinc, cadmium and mercury substituted diazoalkanes (J. Lorberth), (27)303
- Organocadmium compounds, composition in diethyl ether solvent (J.R. Sanders, E.C. Ashby), (25)277
- , in aromatic substitution of aromatic nitrogen compounds (L. Le Guilly, R. Setton, F. Tatibouët), (40)C5
- Organocadmium reagents, competition between displacement of alkoxy and acyloxy in 3-substituted phthalides (P.R. Jones, C.J. Jarboe), (24)555
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149

Caesium

- Alkali metal additions to unsaturated systems (V. Kalyanaraman, M.V. George), (47)225
- Alkali tetramethylindate, preparation and crystal structure of Li[In(CH₃)₄] and Na[In(CH₃)₄] (K. Hoffmann, E. Weiss), (37)1
- Alkali tetraphenylindates: M[In(C₆H₅)₄], preparation of and crystal structure of Na[In(C₆H₅)₄] (K. Hoffmann, E. Weiss), (50)25
- Bis[bis(trifluoromethyl)aminooxy]mercury and *N,N*-bis(trifluoromethyl)hydroxylamine-caesium fluoride in the displacement of fluorine from perfluoroimines (R.E. Banks, D.R. Choudhury, R.N. Haszeldine, C. Oppenheim), (43)C20
- K[In(CH₃)₄], Rb[In(CH₃)₄] and Cs[In(CH₃)₄], crystal structures of (K. Hoffmann, E. Weiss), (50)17

Calcium

- Calcium, strontium and barium; Annual survey 1971 (D. Seyferth), (41)9
- Organo compounds of calcium, strontium and barium (M.A. Coles, F.A. Hart), (32)279
- Reaction mechanism and properties of the compounds formed in the system: FeCl₂ + Mg + THF + N₂ (B. Jeżowska-Trzebiatowska, P. Sobota), (46)339
- Tetraethylzinc complexes of calcium, strontium and barium (F. Kaufmann, A. Geraudelle, B. Kaempf, F. Schué, A. Deluzarche, A. Maillard), (24)13

Cerium

- Dicycloheptatrienylcerium(IV) dichloride (B.L. Kalsotra, R.K. Multani, B.D. Jain), (31)67
- Lanthanide complexes with cyclooctatetraene dianion (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (24)C68
- Monocyclooctatetraenelanthanide chlorides, a new class of cyclooctatetraene complexes (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (28)C24
- Tetracyclopentadienyl and tetraindenyl compounds of cerium(IV) (B.L. Kalsotra, S.P. Anand, R.K. Multani, B.D. Jain), (28)87

Chromium

- Acetophenone, free and coordinated with the Cr(CO)₃ group, reversible polarographic reduction of (V.S. Khandkarova, S.P. Gubin), (22)149
- Alkyl transition metal compounds, fragmentation and isomerization studies (R.P.A. Sneeden, H.H. Zeiss), (22)713
- , hydrogen transfer reactions (R.P.A. Sneeden, H.H. Zeiss), (27)89
- Alkylchromium dichloride complexes, preparation and properties of (K. Nishimura, H. Kuribayashi, A. Yamamoto, S. Ikeda), (37)317
- t-Alkylchromium system, fragmentation of (R.P.A. Sneeden, H.H. Zeiss), (26)101
- Anilinetricarbonylchromium compounds, transmission of substituent effects in A. Wu, E.R. Biehl, P.C. Reeves), (33)53
- Anionic metal carbonyl carboxylates (W.J. Schlientz, Y. Lavender, N. Welcman, R.B. King, K.K. Ruff), (33)357
- Arenechromium tricarbonyl and arenechromium dicarbonyl triphenylphosphine complexes, IR study of (B.V. Lokshin, V.I. Zdanovich, N.K. Baranetskaya, V.N. Setkina, D.N. Kursanov), (37)331
- , PMR spectroscopic study of protonation in (D.N. Kursanov, V.N. Setkina, P.V. Petrovskii, V.I. Zdanovich, N.K. Baranetskaya, I.D. Rubin), (37)339
- Arenechromium tricarbonyl derivatives, Hammett correlation in the ion-molecule reactions of (J.R. Gilbert, W.P. Leach, J.R. Miller), (42)C51
- , ionisation and appearance potential measurements in (J.R. Gilbert, W.P. Leach, J.R. Miller), (49)219
- , occurrence of binuclear species in the mass spectra (J.R. Gilbert, W.P. Leach, J.R. Miller), (30)C41
- Arenetricarbonyl-Group VIA metals, reactions with halide and pseudohalide ions (J.F. White, M.F. Farona), (37)119
- Benzazole-carbonyl complexes of chromium(0), molybdenum(0) and tungsten(0) (W. Beck, J.C. Weis, J. Wiczorek), (30)89
- Benzazole pentacarbonyl complexes of chromium(0), molybdenum(0) and tungsten(0), linkage isomerisation of (J.C. Weis, W. Beck), (44)325
- Benzenechromium tricarbonyl, benzene ring distortion in, as determined by X-ray and neutron diffraction analyses at 78K (B. Rees, P. Coppens), (42)C102
- , symmetry coordinates of molecular vibrations (S. Kjelstrup, S.J. Cyvin, J. Brunvoll, L. Schäfer), (36)137
- π -Benzene-phenylmethoxycarbenedicarbonylchromium(0), and related compounds, hindered rotation around the metal-carbon bond (H.J. Beck, E.O. Fischer, C.G. Kreiter), (26)C41
- (Benzene)tricarbonylchromiums, examples of asymmetric induction in the series (A. Meyer, R. Dabard), (36)C38
- anti*-7,8-Benzotricyclo[4.2.0.0^{2,5}]deca-3,7,9-triene complexes of iron, molybdenum and chromium (Y. Menachem, A. Eisenstadt), (33)C29
- (Benzyl chlorides)-chromium tricarbonyl and sodium thiocyanate exchange reactions in acetone, steric and electronic effects of (A. Cecon, S. Sartori), (50)161
- (Benzyl thiocyanate)chromium tricarbonyl, isomerisation to isothiocyanate (A. Cecon), (29)C19
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in (R. Mason, D.M.P. Mingos), (50)53
- Bisarenechromium complexes, isotopic hydrogen exchange in (D.N. Kursanov, V.N. Setkina, B.G. Gribov), (37)C35
- cis*-Bis(aryl)bis(2,2'-bipyridine)chromium(III) iodides [R₂Cr(Bipy)₂]I, preparation and properties of (R.P.A. Sneeden, H.H. Zeiss), (47)125

- Bis(diorganostibino)methane-substituted metal carbonyl complexes, preparation and properties (T. Fukumoto, Y. Matsumura, R. Okawara), (37)113
- Bis(lithiumcyclopentadienylchromium trichloride-ditetrahydrofuran), crystal and molecular structure, determined by X-ray spectroscopy of (B. Müller, J. Krausse), (44)141
- Bis(organometal phosphine)tetracarbonylchromium, -molybdenum, and -tungsten complexes (H. Schumann, J. Kuhlmei), (42)C57
- Bis(phenyltricarbonylchromium)mercury, synthesis and properties of (G.A. Razuvaev, G.G. Petukhov, A.N. Artemov, N.I. Sirotkin), (37)313
- Bis(trifluorophosphine)chromium, phosphorus-phosphorus coupling constants in *cis*- and *trans*-isomers of (T.R. Johnson, R.M. Lynden-Bell, J.F. Nixon), (21)P15
- Bis[(trimethylsilyl)benzene]chromium(0), synthesis, properties and electron exchange with its radical cation (C. Elschenbroich), (22)677
- Bis(trimethylstannyl)methylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, U. Arbenz), (22)411
- π -Bonded organic ligands, change of the electronic effect of the phenyl nucleus upon coordination with the $\text{Cr}(\text{CO})_3$ group (S.P. Gubin, V.S. Khandkarova), (22)449
- σ -Bonded palladium complexes, characterization by oxidative cleavage with Collins' reagent (E. Vedejs, M.F. Salomon, P.D. Weeks), (40)221
- π -Bound alkyne ligand, hindered rotation of (M. Herberhold, H. Alt, C.G. Kreiter), (42)413
- Carbon-functional organosilicon compounds containing an α -hetero substituent (J.A. Connor, P.D. Rose), (24)C45
- Carbonylphosphine complexes of chromium, crystal and molecular structure of (G. Huttner, S. Schelle), (47)383
- Cationic nitrosyls of nickel, cobalt and Group VI metals (B.F.G. Johnson, S. Bhaduri, N.G. Connelly), (40)C36
- $\text{C}_6\text{H}_6\text{Cr}(\text{CO})_3$, mean amplitudes of vibration and related quantities for (J. Brunvoll, S.J. Cyvin, L. Schäfer), (36)143
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- Chromium and manganese carbonyl π -complexes of 2-benzylpyrrole and 2-phenylpyrrole; spectra and electronic effects (N.J. Gogan, C.S. Davies), (39)129
- Chromium carbonyl photochemistry, intermediates in (M.A. Graham, R.N. Perutz, M. Poliakoff, J.J. Turner), (34)C34
- Chromium hexacarbonyl, flash photolysis (J. Nasielski, P. Kirsch, L. Wilputte-Steinert), (29)269
- Chromium, molybdenum and tungsten; Annual survey 1971 (D.J. Darensbourg), (45)257
- Chromium pentacarbonyl carbenoid complexes, ^{13}C NMR spectra of (D.J. Ciappenelli, F.A. Cotton, L. Kruczynski), (50)171
- ^{13}C NMR shifts of paramagnetic metallocenes (P.K. Burkert, H.P. Fritz, F.H. Köhler, H. Rupp), (24)C59
- Complexes of $\text{B}_9\text{H}_{10}\text{CHP}^-$ and $\text{B}_9\text{H}_{10}\text{CHAs}^-$ with Group VI metal carbonyls (H.T. Silverstein, D.C. Beer, L.J. Todd), (21)139
- Coordination compounds of 2,3-diazabicyclo-[2.2.1]-heptene-2 with *N*-containing ligands (M. Herberhold, W. Golla), (26)C27
- Cycloheptathiophene ions and chromium tricarbonyl derivatives, theoretical and experimental studies (J. Arriau, J. Deschamps, T. Marey, J. Tirouflet), (46)323
- Cycloheptatriene-Group VIB-tricarbonyls, reactions with 2,2'-bipyridine and 1,10-phenanthroline in polar and non-polar solvents (H. Behrens, E. Lindner, G. Lehnert), (22)439
- Cycloheptatrienetricarbonylchromium, oxidised to the tropyliumtricarbonylchromium (J.A. Connor, E.J. Rasburn), (24)441
- , photochemical reactions of (W.P. Anderson, W.G. Blenderman, K.A. Drews), (42)139
- Cyclopentadienyl complexes of chromium, molybdenum and tungsten (Review) (K.W. Barnett, D.W. Sloum), (44)1
- π -Cyclopentadienyl- π -benzenechromium(I) and the π -cyclopentadienyl- π -cycloheptatrienylchromium(I) cation, ESR and ^1H NMR spectra of (C. Elschenbroich, F. Gerson), (49)445
- Determination of the inductive constant for the $(\text{CO})_3\text{CrC}_6\text{H}_5$ -substituent by ^{19}F NMR method (V.S. Khandkarova, S.P. Gubin, B.A. Kvasov), (23)509
- Dibenzenechromium in the vapor phase, additional evidence for the sixfold symmetry of benzene in (L. Schäfer, J.F. Southern, S.J. Cyvin, J. Brunvoll), (24)C13

- Dibenzenechromium, normal coordinate analysis for the whole molecule of (J. Brunvoll, S.J. Cyvin, L. Schäfer), (27)69
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbecke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbecke, E.G. Claeys, G.P. Van der Kelen), (25)219
- Ferrocenyl- and (pentachlorophenyl)carbene complexes of chromium (G.A. Moser, E.O. Fischer, M.D. Rausch), (27)379
- Group VI metal carbonyls, reactions with some terdentate nitrogen donor ligands and oxidation of the products with iodine (J.G. Dunn, D.A. Edwards), (36)153
- Group VI metal hexacarbonyls, specific synthesis of monosubstituted derivatives of (J.A. Connor, E.M. Jones, G.K. McEwen), (43)357
- Group VIA metal tricarbonyl complexes of triphenylphosphonium cyclopentadienylide, reactions of various nucleophiles with (D. Cashman, F.J. Lalor), (24)C29
- Group VIA triphenylphosphonium (tricarbonyl-metal)cyclopentadienylides, reactions with trifluoroacetic acid and boron trifluoride (J.C. Kotz, D.G. Pedrotty), (22)425
- Hexacarbonylchromium in condensation reactions with substituted thiophene and cyclohepta [*c* or *b*]-thiophenes (R. Guillard, J. Tirouflet, P. Fournari), (33)195
- Hexamethylphosphoric triamide, ligand in hexacarbonyl-substituted metal derivatives (O. Rogues, R. Poilblanc), (24)C47
- Intramolecular hydrogen transfer of amino-carbene complexes leading to imines (J.A. Connor, P.D. Rose), (46)329
- Isomeric arene tricarbonylchromium complexes, liquid chromatographic separation and quantitative determination of (J.M. Greenwood, H. Veening, B.R. Willeford), (38)345
- Lewis basicity of transition metals (J.C. Kotz, D.G. Pedrotty), (22)425
- $\text{Li}_4\text{Cr}_2(\text{C}_4\text{H}_8)_4 \cdot 4\text{C}_4\text{H}_{10}\text{O}$, crystal and molecular structure (J. Krause, G. Schödl), (27)59
- $\text{Li}_4\text{Cr}_2(\text{CH}_3)_8 \cdot 4\text{C}_4\text{H}_8\text{O}$, IR and X-ray analyses (J. Krause, G. Marx, G. Schödl), (21)159
- (*o*-Lithiobenzyl)diorganoarsines and their reactivity (A. Tzschach, H. Nindel), (24)159
- Lithiumacetyl-pentacarbonyl chromate in reaction with dicyclopentadienyltitanium dichloride (E.O. Fischer, S. Fontana), (40)159
- Low-valent chromium, tungsten and manganese complexes, electrochemical oxidation of (J.A. McCleverty, D.G. Orchard, J.A. Connor, E.M. Jones, J.P. Lloyd, P.D. Rose), (30)C75
- Matrix isolated metal carbonyl anions (P.A. Breeze, J.J. Turner), (44)C7
- Metal carbonyl carbene groups as electron withdrawing substituents in ferrocene, furan, thiophen and pyrrole (J.A. Connor, E.M. Jones, J.P. Lloyd), (24)C20
- Metal carbonyl complexes containing a bridging cyanophosphine ligand (J.F. Nixon, J.R. Swain), (21)P13
- Metal carbonyl complexes of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Metal carbonyl photolysis and its reversal; probable spurious nature of "trigonal bipyramidal $\text{Mo}(\text{CO})_5$ " (M.J. Boylan, P.S. Braterman, A. Fullarton), (31)C29
- [(4-Methoxy-4-methylbutadienyl-1,3)methoxycarbene]pentacarbonylchromium(0) (L. Knauss, E.O. Fischer), (31)C71
- Methoxyphenylcarbene ligands, insertion into silicon-hydrogen bonds (E.O. Fischer, K.H. Dötz), (36)C4
- (Methoxyphenylcarbene)pentacarbonylchromium(0), kinetics and mechanism of aminolysis (H. Werner, E.O. Fischer, B. Heckl, C.G. Kreiter), (28)367
- , reactions of (E.O. Fischer, B. Heckl, H. Werner), (28)359
- , rearrangement with 1-aminoethanol (L. Knauss, E.O. Fischer), (31)C68
- , ring substituted complexes, preparation (E.O. Fischer, C.G. Kreiter, H.J. Kollmeier, J. Müller, R.D. Fischer), (28)237
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methylchromium σ -complexes, cyclization of diphenylacetylene on, cyclic and linear condensations (M. Michman, H.H. Zeiss), (25)161
- , —, gaseous products (J.R.C. Light, H.H. Zeiss), (21)391
- , —, hydrogen transfer reactions (M. Michman, H.H. Zeiss), (25)167
- Methylmethoxycarbenechromium(0) pentacarbonyl, conversion with diamines (E.O. Fischer, S. Fontana), (40)367

- Methyltriphenylphosphonium[oxy(methylene-triphenylphosphorane)carbene]pentacarbonylchromium(0), an ylide-carbene complex (D.K. Mitchell, W.C. Kaska), (49)C73
- Mixed sandwich chelate transition metal complexes, synthesis and stability (G.A. Razuvaev, G.A. Domrachev, O.N. Suvorova, L.G. Abakumova), (32)113
- Monosubstituted metal pentacarbonyl complexes, CO stretching force constants and mesomeric and inductive effects (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (28)391
- Neopentyl and related alkyls of chromium(IV) and other transition metals (W. Mowat, G. Wilkinson), (38)C35
- New π -complexes of chromium with monoolefins and alkynes (M. Herberhold, H. Alt), (42)407
- $N_2H_2[Cr(CO)_5]_2$, a diimine complex, reactions of (D. Sellmann, A. Brandl, R. Endell), (49)C22
- Nitrosyl complexes, unusual rearrangements observed in decomposition induced by electron impact (J. Müller), (23)C38
- Optically active derivatives of benzene tricarbonylchromium, determination of the configuration (G. Jaouen, R. Dabard), (21)P43
- Optically active metallocenes, racemisation (H. Falk, H. Lehner, J. Paul, U. Wagner), (28)115
- Organometal arsines as ligands in transition metal carbonyl complexes (H. Schumann, G. Pfeifer, H. Röser), (44)C10
- Organometal stibines as ligands in transition metal carbonyl complexes (H. Schumann, H.J. Breunig), (27)C28
- Oxonium salts as hydride ion abstracting agents in organometallic systems (J.A. Connor, E.J. Rasburn), (24)441
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentacarbonylchromium-carbene compounds containing heterocyclic and vinylic substituents, mass spectra (J.A. Connor, E.M. Jones), (31)389
- Peralkylchromium(IV) compounds, preparation of (W. Kruse), (42)C39
- Phenylacetylenylethoxycarbene as a ligand to the chromium(0) and tungsten(0) pentacarbonyl structure (E.O. Fischer, F.R. Kreissl), (35)C47
- (2-Phenylethyl tosylate)- and (2-phenylethyl bromide)-chromium tricarbonyl, elimination from π -chromium tricarbonyl complexed arenes in reaction with ethanolic sodium ethoxide (A. Cecccon, G.S. Biserni), (39)313
- Phenylphenoxy-carbene-pentacarbonylchromium(0) (E.O. Fischer, W. Kalbfus), (46)C15
- Phosphorus ylides as ligands in zero-valent metal complexes (K.A. Ostojka Starzewski, H. tom Dieck, K.D. Franz, F. Hohmann), (42)C35
- Photo-induced hydrogenation of conjugated dienes catalyzed by chromium hexacarbonyl (J. Nasielski, P. Kirsch, L. Wilputte-Steinert), (27)C13
- Ring-substituted methoxyphenylcarbene-pentacarbonylchromium(0) complexes (E.O. Fischer, H.J. Kollmeier, C.G. Kreiter, J. Müller, R.D. Fischer), (22)C39
- Sodium pentaphenylchromate adducts, crystal and molecular structure, determined by X-ray spectroscopy of (E. Müller, J. Krausse, K. Schmiedeknecht), (44)127
- Spin-spin interaction in unsymmetrical sandwich complexes (C. Eischenbroich, F. Gerson), (49)445
- Styrenetricarbonylchromium, preparation (M.D. Rausch, G.A. Moser, E.J. Zaiko, A.L. Lipman, Jr.), (23)185
- Substituted carbonylmetalates(0) of chromium, molybdenum and tungsten, preparation and properties (H. Behrens, E. Lindner, G. Lehnert), (22)665
- Substituted phospho- and arsenicboranes, σ -bonded complexes and their π -allyl derivatives (D.C. Beer, L.J. Todd), (36)77
- Tertiary phosphine and related substitution products of Group VI metal carbonyls, improved preparation (J. Chatt, G.J. Leigh, N. Thankarajan), (29)105
- Tetracarbonyl(hexamethylbicyclo[2.2.0]hexa-2,5-diene)chromium, crystal and molecular structure (G. Huttner, O.S. Mills), (29)275
- Tetrakis-alkylchromium compounds, EPR spectra of Cr^{IV} in (G.A. Ward, W. Kruse, B.K. Bower, J.C.W. Chien), (42)C43
- Transition metal-carbon σ -bonds, insertion of tetracyanoethylene into (S.R. Su, J.A. Hanna, A. Wojcicki), (21)P21
- Transition metal complexes of triphenylphosphonium cyclopentadienylyde and related ligands (D. Cashman, F.J. Lalor), (32)351

Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175

Transition metal tellurophene complexes (K. Öfele, E. Dotzauer), (42)C87

Triallylchromium(III) and tetraallyldichromium(II), reaction with 2-butyne (R.P.A. Sneeden, H.H. Zeiss), (28)259

Tricarbonylchromium π -complexes of pyrrole and pyrrole derivatives (K. Öfele, E. Dotzauer), (30)211

Tricarbonylchromium, heptafulvene complexes of (J.A.S. Howell, B.F.G. Johnson, J. Lewis), (42)C54

Tricarbonyl(phenylacetylene)chromium and tricarbonyl(styrene)chromium (G.R. Knox, D.G. Leppard, P.L. Pauson, W.E. Watts), (34)347

Triferrocenylphosphine derivatives of metal carbonyls, preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361

Trimethylstannyldiphenylphosphine pentacarbonylmetals, reactions with boron halides yielding methylhalostannyl compounds (H. Nöth, S.N. Sze), (43)249

2,4,6-Triphenylphosphorine-metal(0) carbonyls of chromium, molybdenum and tungsten (J. Deberitz, H. Nöth), (49)453

Triptycetricarbonylchromium(0) (R.L. Pohl, B.R. Willeford), (23)C45

Tris(dimethylamino)phosphine, mass spectra of metal carbonyl complexes of (F.E. Saalfeld, J.J. DeCorpo, M.V. McDowell), (44)333

Tris(*p*-fluorophenyl)phosphine, substitution reactions in carbonyl complexes of the transition metals (F.T. Delbeke, G.P. van der Kelen), (21)155

Tris(2-, 3- and 4-methoxyphenyl)chromium in reaction with 2-butyne (R.P.A. Sneeden, H.H. Zeiss), (40)163

[Tris(2-methoxyphenyl)chromium(III), reaction with 2-butyne (R.P.A. Sneeden, H.H. Zeiss), (29)C31

[Tris(methylthio)borane]chromium(0) tricarbonyl (H. Nöth, U. Schuchardt), (24)435

Tris(organometal phosphine)tricarbonylchromium and -molybdenum complexes (H. Schumann, W.-W. Du Mont), (49)C25

Tris(trimethylstannyl)phosphine-transition metal carbonyl complexes, cleavage of the Sn-P bond in (H. Schumann, E. von Deuster), (40)C27

Cobalt

Acetylenic phosphines and diphosphines, coordination complexes of (H.A. Patel, A.J. Carty, N.K. Hota), (50)247

1-Adamantylpentacyanocobaltate(III), preparation and properties of (S.H. Goh, L.-Y. Goh), (43)401

Alkyl-transition metal compounds, fragmentation and isomerization studies (R.P.A. Sneeden, H.H. Zeiss), (22)713

Alkylcobaloximes, photochemical and spontaneous insertion of oxygen into the Co-C bond (C. Fontaine, K.N.V. Duong, C. Merienne, A. Gaudemer, C. Giannotti), (38)167

-, photochemical insertion of sulphur into the Co-C bond of (C. Giannotti, C. Fontaine, B. Septe, D. Doue), (39)C74

Alkylcobalt complexes, and diphenylacetylene-cobalt complexes having a π -cyclopentadienyl group as a ligand, preparations and reactions (H. Yamazaki, N. Hagihara), (21)431

Alkylidynetricobalt nonacarbonyl complexes, new general route to (D. Seyferth, P.L.K. Hung, J.E. Hallgren), (44)C55

Alkyl(pyridine)cobaloximes, stereochemistry of the photochemical and thermal insertion of oxygen into the C-Co bond of (F.R. Jensen, R.C. Kiskis), (49)C46

α -(Alkynyl)dicobalt hexacarbonyl carbonium ions, stability of (K.M. Nicholas, R. Pettit), (44)C21

(Arene)Co₄(CO)₉ complexes, assignments of the C-O stretching infrared spectra and force constants of (G. Bor, G. Sbrignadello, F. Marcati), (46)357

(3)-1,2-B₉C₁₂H₁₂⁻ and [(3)-1,2-B₉C₂H₁₁]₂Co⁻ ions, ¹¹B NMR spectra (A.R. Siedle, G.M. Bodner, L.J. Todd), (33)137

Binuclear complexes of iron and cobalt with isocyanide ligands (M.J. Boylan, J. Bellerby, J. Newman, A.R. Manning), (47)C33

Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1

Binuclear disulphide-bridged derivative of cobalt carbonyl Co₂(CO)₆(C₆F₅SSC₆F₅) (G. Bor, G. Natile), (26)C33

2,2'-Bipyridine and 1,10-phenanthroline cobalt complexes, reactions with molecular hydrogen and conjugated dienes in the

- presence of tertiary phosphines (A. Camus, C. Cocevar, G. Mestroni), (39)355
- Bis(fuivalene)dibalt hexafluorophosphate, synthesis of (A. Davison, J.C. Smart), (49)C43
- Bis(pentafluorophenyl)cobalt complex, synthesis and reactions of (C.F. Smith, C. Tamborski), (32)257
- Bis(trialkyl-Group VB-tricarbonylcobalt) complexes, tautomerism in (D.J. Thornhill, A.R. Manning), (37)C41
- Bis(tributylphosphine) dicarbonyl cobalt as a catalyst in hydrogenation of homogeneous cyclohexene, kinetics of the reaction (G.F. Ferrari, A. Andreetta, G.F. Pregaglia, R. Ugo), (43)213
- Bis(tricobalt nonacarbonyl)/dicobalt hexacarbonyl derivative of 2,4-hexadiyne from the reaction of dicobalt octacarbonyl with hexachlorocyclopropane (D. Seyferth, R.J. Spohn, M.R. Churchill, K. Gold, F.R. Scholer), (23)237
- Carbamoyl-carbonyl complexes of cobalt in fluid ammonia (H. Krohberger, H. Behrens, J. Ellermann), (46)139
- C-Carbonyl derivatives of the methylidynetricobalt nonacarbonyl cluster (D. Seyferth, G.H. Williams), (38)C11
- Carbonylcobaltnitrosylbis(dimethylphenylphosphine), absence of rapid intramolecular rearrangement (R.J. Mawby, G. Wright, D. Ewing), (23)545
- Catalyzed codimerisation of butadiene and ethylene (G. Henrici-Olivé, S. Olivé), (35)381
- Cationic nitrosyls of nickel, cobalt and Group VI metals (B.F.G. Johnson, S. Bhaduri, N.G. Connelly), (40)C36
- π -C₃H₅Co(CO)₃ and π -C₅H₅Co(CO)₂, explanation of the reactivities of (D.A. Brown, H.L. Clarke, N.J. Fitzpatrick), (47)C11
- Chlorotris(tetracarbonylcobalt)tin, crystal structure (B.P. Bir'yukov, E.A. Kukhtenkova, Yu.T. Struchkov, K.N. Anisimov, N.E. Kolobova, V.I. Khandozhko), (27)337
- (C₆H₅)₃SnFe(CO)₂NOL and related complexes, dipole moments and molecular conformations of (S. Sorriso, G. Distefano, A. Foffani), (47)139
- ¹³C NMR shifts of paramagnetic metallocenes (P.K. Burkert, H.P. Fritz, F.H. Köhler, H. Rupp), (24)C59
- Cobaloxime(I) hydride, indication (M. Naumberg, K.N.V. Duong, A. Gaudemer), (25)231
- Cobalt carbonyl clusters (SCo₄(CO)₉[P(CH₃)₂]₂ and S₂Co₃(CO)₇P(CH₃)₂), mass spectrometry of (G. Natile, S. Pignataro, G. Innorta, G. Bor), (40)215
- Cobalt(0) cluster, synthesis and catalytic properties of (G.F. Pregaglia, A. Andreetta, G.F. Ferrari, G. Montrasi, R. Ugo), (33)73
- Cobalt complexes of 2,2'-bipyridine and 1,10-phenanthroline, reaction with alkyl halides and π -acids (G. Mestroni, A. Camus, E. Mestroni), (24)775
- , reversible addition of molecular hydrogen and conjugated dienes to (G. Mestroni, A. Camus, C. Cocevar), (29)C17
- Cobalt-germanium bond; the structure of Co[Ge(C₆H₅)₃](CO)₃[P(C₆H₅)₃] (J.K. Stalick, J.A. Ibers), (22)213
- [Co^{III}(C₅H₅)₂]₂[Co^ICl₄] and [Co^{III}(C₅H₅)₂]₂[ZnCl₄], crystallographic data (J.R. Günter, G. Mattmann, H. Werner), (25)475
- Co₂(CO)₈·AlBr₃ and related compounds; nature of metal carbonyl-Group III halide interactions (J.S. Kristoff, N.J. Nelson, D.F. Shriver), (49)C82
- Co(CO)₂(NO)L complexes, kinetics and equilibria in the replacement by carbon monoxide of the ligands (G. Innorta, G. Reichenbach, A. Foffani), (22)731
- Co(CO)₂(NO)(PPh₃) and Co(CO)(NO)(PPh₃)₂, crystal and molecular structures of (V.G. Albano, P.L. Bellon, G. Ciani), (38)155
- Complexes containing transition metal-indium bonds, synthesis (A.T.T. Hsieh, M.J. Mays), (37)9
- π -Crotyl- π -butadiene(triphenylphosphine)-cobalt(I) (P.V. Rinze, H. Nöth), (30)115
- π -Cyclooctenyl-1,5-cyclooctadienecobalt, synthesis and conversion with 1,5-cyclooctadiene to π -bicyclo[3.3.0]octadienyl-(1,5-cyclooctadiene)cobalt (H. Lehmkuhl, W. Leuchte, E. Janssen), (30)407
- π -Cyclopentadienyl dicarbonylcobalt, reactions with silyl-substituted acetylenes (H. Sakurai, J. Hayashi), (39)365
- cis*- and *trans*-(π -Cyclopentadienyl)[π -bis(trimethylsilyl)diphenylcyclobutadiene]cobalt, molecular and crystal structures of (C. Kabuto, J. Hayashi, H. Sakurai, Y. Kitahara), (43)C23
- Cyclopentadienylcobalt cyanides and isocyanides (J.A. Dineen, P.L. Pauson), (43)209
- Cyclopentadienyl(duroquinone)cobalt dihydrate, structural characterization of (V.A. Uchtman, L.F. Dahl), (40)403
- Cyclopentadienyl[(5-*exo*-(α -haloalkyl)cyclopentadienyl]cobalt complexes, stereoselectivity in rearrangement reactions (G.E. Herberich, G. Greiss, H.F. Heil), (22)723

- Cyclopentadienyliodobis(imidazole)cobalt(III) iodine (D.J. O'Sullivan, F.L. Lalor), (25)C80
- Cyclopentadienylmanganese tricarbonyl Group V and olefin derivatives, ⁵⁵Mn NQR and IR intensities of the carbonyl stretching vibrations in (W.P. Anderson, T.B. Brill, A.R. Schoenberg, C.W. Stanger, Jr.), (44)161
- Cyclopentadienylmetal compounds, redox properties in cobaltocene, nickelocene and related compounds (S.P. Gubin, S.A. Smirnova, L.T. Denisovich), (30)257
- Cyclopentadienylnickel and dicobalt hexacarbonyl complexes retaining the macrocyclic alkadiyne structure unit (R.B. King, I. Haiduc, A. Efraty), (47)145
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Decacarbonyltricobaltate mono-anion, novel nucleophilic properties (C.D.M. Mann, A.J. Cleland, S.A. Fieldhouse, B.H. Freeland, R.J. O'Brien), (24)C61
- Dicobalt complex, fluxional behaviour; example of metal-carbon σ - π interconversion (M. Rosenblum, W.P. Giering, B. North, D. Wells), (28)C17
- Dicobalt hexacarbonylbis(tributylphosphine) as a catalyst in the hydroformylation of propene (F. Piacenti, M. Bianchi, E. Benedetti, P. Frediani), (23)257
- Dicobalt octacarbonyl, acetylene bridged derivatives of (H.A. Patel, A.J. Carty, N.K. Hota), (50)247
- , and related compounds, reactions with gem-dihalides (D. Seyferth, M.D. Millar), (38)373
- , in reaction with hydrogen, kinetics and mechanism of the reaction (F. Ungváry), (36)363
- , reactions with boron and aluminium halides, reaction mechanism leading to methylidyne cobalt nonacarbonyl cluster compounds (G. Schmid, V. Bätzel), (46)149
- Dicyclopentadienylcobalt cation as electron donating group (G.E. Herberich, G. Greiss), (27)113
- Dicyclopentadienylcobalt, kinetics and mechanisms of the reaction with organic halides (G.E. Herberich, J. Schwarzer), (34)C43
- Dicyclopentadienylnickel and -cobalt, electron transfer reactions with triphenylmethyl chloride (H. Werner, G. Mattmann, A. Salzer, T. Winkler), (25)461
- Dimethylidyne cobalt hexacarbonyl cluster compound, preparation and investigation of (G. Schmid, B. Stutte), (37)375
- N,N'*-Ethylenebis(acetylacetonimine)- and *N,N'*-ethylenebis(benzoylacetonimine)-nitrosylcobalt, crystal and molecular structures (R. Wiest, R. Weiss), (30)C33
- (Fluoroalkyl)cobalt(III) Schiff-base complexes (A. Van den Bergen, K.S. Murray, B.O. West), (33)89
- Fluoro-aromatic acetylenes, reactions of (M.R. Wiles, A.G. Massey), (47)423
- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Functional alkylidyne cobalt nonacarbonyl complexes from dicobalt octacarbonyl, preparation of (D. Seyferth, J.E. Hallgren, P.L.K. Hung), (50)265
- Grignard-type reactions with transition metals; alkylation of carbon compounds in protic solvents (G. Agnès, G.P. Chiusoli, A. Marraccini), (49)239
- Halonitrosyldicarbonylcobalt anions, synthesis and reactivity; Nitrosation of benzyl halides (M. Foa, L. Cassar), (30)123
- Hexamethyl Dewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Hexamethylditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- Hydridotetracarbonylcobalt, reaction with fluoroolefins (B.L. Booth, R.N. Haszeldine, P.R. Mitchell), (21)203
- Hydrosilation of olefins catalyzed by rhodium and cobalt complexes (A.J. Chalk), (21)207
- (1-Indanyl)cobaloximes and (1-indanyl)dioxy-cobaloximes, NMR study of the structure of (C. Giannotti, C. Fontaine, A. Gaudemer), (39)381
- Indium(III) and thallium(III) complexes of the tetracarbonylcobaltate anion (W.R. Robinson, D.P. Schussler), (30)C5
- Investigation on the stability of the configuration of metal complexes by means of magnetic non-equivalence (H. Brunner, H.-D. Schindler, E. Schmidt, M. Vogel), (24)515
- Isocyanide complexes of manganese and chromium, electrochemical oxidation of (P.M. Treichel, G.E. Dirreen), (39)C20

- Maleate–fumarate system, isomerisation and hydrogenation by tetracarbonylhydrocobalt (P. Taylor, M. Orchin), (26)389
- MCo(CO)₅ (M = Mn or Re) and monosubstituted derivatives MnCo(CO)₅P(C₆H₅)₃, assignments in the C–O stretching region of the authentic infrared spectra (G. Sbrignadello, G. Bor, L. Maresca), (46)345
- Metal carbonyls and cyclopentadienyl metal carbonyls containing metal–metal bonds, sulphur dioxide reactions of (D.S. Field, M.J. Newlands), (27)221
- Metallocenes, electronic effects in (A.N. Nesmeyanov, N.S. Kochetkova, E.V. Leonova, E.I. Fedin, P.V. Petrovskii), (39)173
- Methyl–transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methylidynetricobalt enneacarbonyls, chemistry of; preparation and properties of a fluxional molecule PhCCO₃(CO)₆C₈H₈ (B.H. Robinson, J. Spencer), (33)97
- , reactions with electrophiles and nucleophiles, and new silicon derivatives (R. Dolby, T.W. Matheson, B.K. Nicholson, B.H. Robinson, J. Simpson), (43)C13
- , reactions with polyenes, dienes and alkenes (P.A. Elder, B.H. Robinson), (36)C45
- Methylidynetricobalt nonacarbonyl, C-arylation and alkylation by organomercury compounds (D. Seyferth, J.E. Hallgren, R.J. Spohn), (23)C55
- , methylation with monohalomethylmercurials (D. Seyferth, R.J. Spohn, J.E. Hallgren), (28)C34
- , synthesis and spectra of Co₈(CO)₂₄C₆ and similar acetylene derivatives (B.H. Robinson, J.L. Spencer), (30)267
- Methylidynetricobalt nonacarbonyl radical, evidence for (D. Seyferth, J.E. Hallgren), (49)C41
- Methyl(pyridinato)cobaloxime and methyl(aquo)cobaloxime, photochemical insertion of oxygen into the Co–C bond of (C. Giannotti, B. Septe, B. Denlian), (39)C5
- Methynyltricobalt enneacarbonyl compounds, initiation of radical polymerization by Co₃(CO)₉CY complexes (G. Pályi, F. Baumgartner, I. Czajlik), (49)C85
- Mixed transition-metal μ -diphenylphosphido complexes, preparation (K. Yasufuku, H. Yamazaki), (28)415
- Monoalkynylphosphines, coordination behaviour with metal carbonyls; X-ray structure of Co₄(CO)₁₀(Ph₂PC≡CCF₃)₂ (N.K. Hota, H.A. Patel, A.J. Carty, M. Mathew, G.J. Palenik), (32)C55
- Mono- and di-substituted cobalticinium salts, electrochemical reduction of (N. El Murr, R. Dabard, E. Laviron), (47)C13
- Nickel–cobalt, nickel–iron and nickel–manganese polynuclear carbonyl complexes (A.T.T. Hsieh, J. Knight), (26)125
- Nitrosonium ion, NO⁺, and its versatility in transition metal organometallic synthesis (N.G. Connelly, J.D. Davies), (38)385
- Nitrosyl-phosphine complexes of Co, Rh and Ir, reactions with quinones and activated olefins (G. La Monica, G. Navazio, P. Sandrini, S. Cenini), (31)89
- One-step synthesis of primary alcohols with a mixture of cobalt carbonyl, iron carbonyl and *N*-methylpyrrolidine as catalyst (B. Fell, J. Shanshool, F. Asinger), (33)69
- Organo-iron and -cobalt phthalocyanins in alkylation and arylation of olefins (M.E. Vol'pin, R. Taube, H. Drevs, L.G. Volkova, I.Ya. Levitin, T.M. Ushakova), (39)C79
- Organolithium compounds, reactions with cobaltous chloride (D.B. Denney, W.R. Davis), (24)537
- Organometallic intermediates in the homogeneous catalytic reduction of *gem*-trichloroalkanes in the presence of a Schiff's base cobalt complex (L.Ya. Levitin, M. Dvolaitzky, M.E. Vol'pin), (31)C37
- Organosulphur derivatives of cobalt and iron carbonyls, differences in ligand transfer, stability and fragmentation on electron impact of (G. Natile, G. Bor), (35)185
- Organotin–transition metal carbonyl complexes, synthesis from tris(trimethylstannyl)amine and hexamethyldistannoxane (E.W. Abel, M.O. Dunster), (49)435
- Osmium-containing mixed-metal carbonyls (J.R. Moss, W.A.G. Graham), (23)C23
- Pyridinatocobaloxime(I), mechanisms of nucleophilic substitution, and stereochemistry of the reaction with vinyl halides (K.N.V. Duong, A. Gaudemer), (22)473
- Reaction of tetrafluorobenzene, reaction with transition metal complexes (D.M. Roe, A.G. Massey), (23)547
- Salts of disubstituted cobalticinium cations, synthesis of (N. El Murr, R. Dabard), (39)C82
- Silicon-, germanium- and tin-substituted acetylenes and their dicobalt hexacarbonyl complexes (D. Seyferth, D.L. White), (32)317

- Silylammonium and silylphosphonium compounds, synthesis by reaction of amines and phosphines with silylcobalt tetracarbonyls (J.F. Bald, Jr., A.G. MacDiarmid), (22)C22
- Silyl-, disilyl- and silylmethyl-substituted π -cyclopentadienyl metal carbonyls via organotin intermediates (E.W. Abel, S. Moorhouse), (29)227
- Sodium tetracarbonylcobaltate(-1) and trimethylcyclopropenyl tetrafluoroborate, nature of the reaction product (R.B. King, A. Efraty), (24)241
- Solvents effects on the kinetics of the exchange between ^{14}CO and $\text{Co}(\text{CO})_2(\text{NO})[\text{P}(\text{C}_6\text{H}_5)_3]$ (G. Reichenbach), (31)103
- Substituted allyltricarbonylcobalt compounds, vibrational spectra and SCCMO studies (H.L. Clarke, N.J. Fitzpatrick), (43)405
- 2-Substituted pyridines, UV spectra, σ - π conjugation involving Group IV elements (W.K. Musker, R.L. Scholl), (27)37
- Synthesis of heterocyclic compounds via transition metal intermediates (C.W. Bird), (47)281
- Tautomeric complexes containing Ni-Co bonds ($(\pi\text{-C}_5\text{H}_5)_2\text{NiCo}(\text{CO})_4\text{L}$) (A.R. Manning), (40)C73
- Tetraethylammonium dibromobis(tetracarbonylcobalt)indate(III), crystal structure (P.D. Cradwick), (27)251
- Tetrafluorobenzobarrelene complexes of Mn, Co, Rh, Pd and Pt (D.M. Roe, A.G. Massey), (28)273
- Tetrakis(trifluorophosphine)cobalt and tetrakis(trifluorophosphine)potassiumcobalt, IR and Raman spectra (S. Bénazeth, A. Loutellier, M. Bigorgne), (24)479
- Tetrameric transition metal carbonyl zinc alkoxides (J.M. Burlitch, S.E. Hayes), (42)C13
- Thallos tetracarbonylcobaltate, a convenient and versatile source of the tetracarbonylcobaltate anion (S.E. Pedersen, W.R. Robinson, D.P. Schussler), (43)C44
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- Tribromotriindiumtetracobalt pentadecacarbonyl, crystal structure (P.D. Cradwick, D. Hall), (22)203
- (Tributylphosphine)cobalt(I) hydride carbonyl complexes, synthesis and catalytic properties (G.F. Pregaglia, A. Andreatta, G.F. Ferrari, R. Ugo), (30)387
- Tricarbonylcobalt nitrosyl complex, solvent effects on the kinetics of the monosubstitution reaction with triphenylarsine and triphenylphosphine (G. Cardaci, S.N. Murgia, A. Foffani), (23)265
- (Trimethylsilyl)cyclopentadiene, reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- Tris-tertiary phosphine cobalt nitrogen complexes, reduction (G. Speier, L. Markó), (21)P46
- Tris(tetracarbonylcobalt)tetrakis(tetrahydrofuran)erbium (R.S. Marianelli, M.T. Durney), (32)C41
- Tris(triphenylphosphine)dinitrogencobalt hydride, kinetics and mechanism of *cis*-2-pentene isomerisation by a catalyst formed from (S. Tyrlík), (39)371
- , and sodium naphthalene, a hydrogenation catalyst formed from (S. Tyrlík), (50)C46
- $\text{ZnCo}_2(\text{CO})_8$, condensation to $\text{Zn}_2\text{Co}_4(\text{CO})_{15}$ (J.M. Burlitch, S.E. Hayes), (29)C1

Copper

- Alkylation of vinylic copper compounds, stereospecific synthesis of di- and trisubstituted olefins by (J.F. Normant, G. Cahiez, C. Chuit, A. Alexakis, J. Villiéras), (40)C49
- Alkylvinylsilane and alkylvinyltin complexes of copper(I) chloride, preparation (J.W. Fitch, D.P. Flores, J.E. George), (29)263
- Arylcopper(I) compounds, autoxidation of (A. Camus, N. Marsich), (46)385
- , ^1H NMR spectra (A. Baici, A. Camus, G. Pellizer), (26)431
- Arylcopper-magnesium compounds (L.M. Seitz, R. Madl), (34)415
- Carbonyl chemistry of the Group IB metals (*Review*) (M.I. Bruce), (44)209
- Cationic olefin complexes of copper(I), NMR studies of structure and bonding (R.G. Salmon, J.K. Kochi), (43)C7
- $[(\pi\text{-C}_5\text{H}_5)_2\text{Fe}(\text{CO})_2(\text{C}\equiv\text{CPh})\text{CuCl}]_2$, crystal structure of (M.I. Bruce, R. Clark, J. Howard, P. Woodward), (42)C107
- Copper(I)-aryl bonds in cluster complexes: structure of $[\text{Cu}(2\text{-Me}_2\text{NC}_6\text{H}_4)]_4(\text{CuBr})_2 \cdot 1.5\text{C}_6\text{H}_6$ (J.M. Guss, R. Mason, K.M. Thomas, G. van Koten, J.G. Noltes), (40)C79
- Copper-catalyzed coupling of Grignard reagents and alkyl halides in THF solutions (M. Tamura, J.K. Kochi), (42)205

- Copper(I)-catalyzed decomposition of tetraethyllead, acetolysis of alkylcopper(I) intermediates (N.A. Clinton, J.K. Kochi), (42)229
- Copper(I) isocyanide complexes containing other donor ligands (J. Bailey, M.J. Mays), (47)217
- Copper(II) reduction by tetraethyllead, evidence for ethyl radicals in acetic acid (N.A. Clinton, J.K. Kochi), (42)241
- Di- π -cyclopentadienyl titanium di- μ -organothio copper(I) halides and chelating disulphide copper(I) halides (P.S. Braterman, V.A. Wilson), (31)131
- 1,4-Diethynyltetrafluorobenzene and pentafluorophenylacetylene, preparation of (F. Waugh, D.R.M. Walton), (39)275
- Dimetallic compounds derived from tetrachlorothiophene, preparation and reactions of (M.R. Smith, Jr., H. Gilman), (42)1
- Dimethyl lithium copper, reactivity towards mono- and bi-functional silanes (G. Chauvière, R. Corriu), (50)C5
- [2.2]Ferrocenophane-1,13-diyne, synthesis (M. Rosenblum, N.M. Brawn, D. Ciappenelli, J. Tancrede), (24)469
- Hexamethyl Dewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Lithium and cuprolithium derivatives of deca-chlorobiphenyl (P. Caubère, B. Gorny), (37)401
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methylbis(triphenylphosphine)copper etherate, insertion of CO_2 into the $\text{Cu}-\text{CH}_3$ bond of (A. Miyashita, A. Yamamoto), (49)C57
- Olefin and acetylene complexes of divalent copper (R.A. Zelonka, M.C. Baird), (33)267
- Organocopper(I) complexes containing nitrogen and phosphorus bidentate ligands (A. Camus, N. Marsich), (21)249
- Organometallic boron complexes, possible $^1\text{H}-^{11}\text{B}$ nuclear spin decouplings by ^{11}B quadrupole relaxation (R. v. Ammon, B. Kanellakopoulos, G. Schmid, R.D. Fischer), (25)C1
- Pentabromophenyl organometallics, synthesis and reactions of (C.F. Smith, G.J. Moore, C. Tamborski), (42)257
- Perfluoroalkylcopper(I) compounds and perfluoroalkyl iodide/copper mixtures, reactions with olefins (P.L. Coe, N.E. Milner), (39)395
- (Polyhaloaryl)copper compounds, reactions with acid chlorides and chlorosilanes (A.E. Jukes, S.S. Dua, H. Gilman), (21)241
- , reactions with aryl, alkyl and allyl halides (A.E. Jukes, S.S. Dua, H. Gilman), (24)791
- Silver(I) and copper(I), π -complexes of cyclic allenes with (G. Nagendrappa, G.C. Joshi, D. Devaprabhakar), (27)421
- Trialkylboranes, in reaction with copper(II) salts, an unusual electron-transfer oxidation-reduction (C.F. Lane), (31)421

Curium

- Lanthanide(III) and actinide(III) tricyclopentadienides, noncovalent character in the chemical bonds of (L.J. Nugent, P.G. Laubereau, G.K. Werner, K.L. Vander Sluis), (27)365
- Tricyclopentadienylcurium-244(III) (F. Baumgärtner, E.O. Fischer, H. Billich, E. Dornberger, B. Kanellakopoulos, W. Roth, L. Stieglitz), (22)C17

Erbium

- Lanthanide(III) and actinide(III) tricyclopentadienides, noncovalent character in the chemical bonds of (L.J. Nugent, P.G. Laubereau, G.K. Werner, K.L. Vander Sluis), (27)365
- Tris(tetracarbonylcobalt)tetrakis(tetrahydrofuran)erbium (R.S. Marianelli, M.T. Durney), (32)C41

Europium

- Organometallic compounds, use of a lanthanide shift reagent while recording NMR spectra (M.I. Foreman, D.G. Leppard), (31)C31
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Tris(dipivaloylmethanato)europium(III), influence on PMR spectra, and evidence for intramolecular complexation in functionally-substituted organotin compounds (M. Gielen, N. Goffin, J. Topart), (32)C38

Gallium

- Aluminium and gallium alkyl halogen and pseudohalogen complexes (F. Weller, I.L. Wilson, K. Dehnicke), (30)C1
- $(\text{CH}_3)_2\text{MOOX}(\text{CH}_3)_2$ compounds (M = Al, Ga, In; X = P, As), IR and Raman spectra (H. Olapinski, B. Schaible, J. Weidlein), (43)107

- Dialkylaluminium, -gallium and -indium thio-carboxylates (J. Weidlein), (32)181
- Dimethylgalliumdifluorophosphate (B. Schaible, J. Weidlein), (35)C7
- Disilyl amides of Group III metals, preparation, analysis, IR and Raman spectra (H. Bürger, J. Cichon, U. Goetze, U. Wannagat, H.J. Wismar), (33)1
- Ga_2Br_4 in reactions with alkyl bromides (W. Lind, I.J. Worrall), (36)35
- Gallium and indium; Annual survey 1971 (J.P. Oliver), (45)209
- Gallium–vinyl derivatives, ^1H NMR spectra of (H.D. Visser, J.P. Oliver), (40)7
- Ga_2X_4 reactions with methyl and ethyl halides (W. Lind, I.J. Worrall), (40)35
- Methyl- and ethylgallium halides, formation by the direct reaction between the metal and alkyl halide (M.J.S. Gynane, I.J. Worrall), (40)C59
- Organometallic 8-membered cyclic compounds of aluminium, gallium, indium and thallium (Review) (J. Weidlein), (49)257
- Tricyclopopylgallium, IR and Raman spectra (K.M. Margiolis, K. Dehnicke), (33)147
- Triethylsilanethiol and related compounds, reactions with triethylaluminium, -gallium and -indium (N.S. Vyazankin, M.N. Bochkarev, A.I. Charov), (27)175
- Trimeric dicyclopopylaluminium and -gallium ethylenimines, preparation, properties and IR, Raman and ^1H NMR spectra of (J. Müller, K. Margiolis, K. Dehnicke), (46)219
- ### Germanium
- 1,3-Addition of hydrogermanes to α,N -diphenyl-nitrone (J. Satgé, M. Lesbre, P. Rivière, S. Richelme), (34)C18
- Allylic derivatives of Group IVB elements, high resolution NMR studies (R.G. Jones, P. Partington, W.J. Rennie, R.M.G. Roberts), (35)291
- Asymmetric heptamethyldimetalazanes ($\text{Me}_3\text{M}-\text{NMe}-\text{M}'\text{Me}_3$) addition reactions with heterocumulenes (K. Itoh, T. Katsuura, I. Matsuda, Y. Ishii), (34)63
- Bis(triethylgermyl)cadmium, reactions with alkyl halides involving a one-electron transfer process (N.S. Vyazankin, V.T. Bychkov, O.V. Linzina, L.V. Aleksandrova, G.A. Razuvaev), (31)311
- Bis(triethylgermyl)mercury, oxidation in the presence of *t*-butyl alcohol (Yu.A. Alexandrov, V.N. Glushakova, G.A. Razuvaev), (40)
- Bis(trimethylgermyl)- and bis(trimethylstannyl)-cyclopentadienes, non-degenerate metallo-tropic rearrangement in (Yu.A. Ustynyuk, A.V. Kisin, A.A. Zenkin), (37)101
- Bis(trimethylgermyl)methylamide, oxide and sulphide, addition and subsequent elimination reactions of (K. Itoh, I. Matsuda, T. Katsuura, S. Kato, Y. Ishii), (34)75
- Bis(trimethylsilyl)mercury and bis(trimethylgermyl)mercury, photolytic reactions with benzene, toluene and anisole; free-radical aromatic silylation and germylation (S.W. Bennett, C. Eaborn, R.A. Jackson, R. Pearce), (28)59
- , rapid interaction (S.W. Bennett, H.J. Clase, C. Eaborn, R.A. Jackson), (23)403
- , reaction with organic dibromo compounds, an example of a molecular *cis*-1,2-elimination (S.W. Bennett, C. Eaborn, R.A. Jackson, R.W. Walsingham), (27)195
- Bis(trimethyl-silyl)-, germyl-, -stannyl-, bis(methyl-dichlorosilyl)- and (trimethylsilyl)propynylmercury, PMR investigation of self exchange of (T.F. Schaaf, J.P. Oliver), (32)307
- Bis(triphenylgermyl)cadmium, reactions with protic reagents (N.S. Vyazankin, V.T. Bychkov, O.V. Linzina, G.A. Razuvaev), (21)107
- (*p*→*d*) π Bonding in phenyltrichloro-tin, -germane and -silane (G.M. Whitesides, J.G. Selgestad, S.P. Thomas, D.W. Andrews, B.A. Morrison, E.J. Panek, J. San Filippo, Jr.), (22)365
- Boranes and carboranes, reactions with silanes, organosilanes and related compounds (W.A. Ledoux, R.N. Grimes), (28)37
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Bromo(tribromogermyl)-2,2'-bipyridinetricarbonyltungsten, crystal structure (E.M. Cradwick, D. Hall), (25)91
- Chalcogen containing silyl- and germyl-mercury compounds (E.N. Gladyshev, N.S. Vyazankin, V.S. Andreevichev, A.A. Klimov, G.A. Razuvaev), (28)C42
- Chlorosilanes and chlorogermanes, mechanisms of racemization (F. Carre, R. Corriu, M. Leard), (24)101
- Cinnamyl and benzyl derivatives of Group IVB elements, reactions in strongly basic media (W.J. Rennie, R.M.G. Roberts), (37)77
- p*- ClC_6H_4 - MMe_3 compounds (M = C, Si, Ge, Sn), ^{35}Cl nuclear quadrupole resonance study of (E.A. Lucken, S. Ardjomand, Y. Limouzin, J.C. Maire), (37)247

- Cobalt-germanium bond; the structure of $\text{Co}\{\text{Ge}(\text{C}_2\text{H}_5)_2\}_2\{\text{CO}\}_2$, $\{\text{C}_2\text{H}_5\}_2$ (S.K. Stallick, J.A. Ibers), (22)213
- Comparative study of the Sn-Fe, Co-Fe and Sn-Fe bonds and some further reactions of the Sn-Mn bond (R.E.J. Bickler, M.R. Booth, H.C. Clark), (24)145
- Compounds containing Group IV-Group II metal-metal bonds, synthesis and properties of (F.J.A. des Tombe, G.J.M. van der Kerk, H.M.J.C. Creemers, N.A.D. Carey, J.G. Noltes), (44)247
- Cyclic germanium 1,4-cyclohexanediolates, preparation and properties of (A.N. Sara), (47)331
- σ -Cyclopentadienyl compounds, of silicon, germanium and tin, ^{13}C NMR spectra of (Yu.K. Grishin, N.M. Sergeev, Yu.A. Ustynyuk), (22)361
- , of silicon, germanium, tin and lead (Review) (E.W. Abel, M.O. Dunster, A. Waters), (49)287
- Cyclopentadienyl derivatives of monogermane, fluxional behaviour (S.R. Stobart), (33)C11
- Cyclopentadienylsilanes and -germanes, influence of the hetero atom and its substituents on the cyclic-addition to acetylenic dienophiles (A. Laporterie, J. Dubac, P. Mazerolles), (46)C3
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Decacarbonyldirhenium(0), symmetrical cleavage of the metal-metal bond by UV irradiation in (M. Wrighton, D. Bredesen), (50)C35
- Dialkyldialkoxygermanes, condensations with diols (G. Korb, G. Levy, M. Brini, A. Deluzarche), (23)437
- Dialkyl(trialkylgermyl)phosphines, reactivity with various carbonyl derivatives (J. Satgé, C. Couret, J. Escudie), (24)633
- Dibromomethyl and bromochloromethyl derivatives of silicon and germanium, preparation by the (trihalomethyl)mercurial route and their reduction to monohalomethyl compounds (D. Seyferth, S.P. Hopper), (23)99
- 3-Dichloromethyl-1-metallacycloalkanes, thermolysis of (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29)371
- cis*-Dicyanoethylene-1,2-dithiolate ion, reactions with mono- and trisubstituted Group IVB organometallic compounds (E.S. Bretschneider, E.W. Aiden), (26)45
- Di- σ -cyclopentadienylybis(π -cyclopentadienylylirondicarbonyl)germane*, dynamic processes in (Yu.A. Ustynyuk, A.V. Kisin), (33)C61
- Diethyl(triphenylgermylperoxy)thallium and diethyl(triphenylsilylperoxy)thallium, synthesis and reactivity of (G.A. Razuvaev, V.A. Dodonov, T.I. Starostina, T.A. Ivanova), (37)233
- 10,11-Dihydro-5*H*-dibenzo[*b,f*]metallepins of Group IV, synthesis and characterization of (J.Y. Corey, M. Dueber, M. Malaidza), (36)49
- Dimethyldiethoxygermane, condensation with hydroquinone (G. Korb, G. Levy, M. Brini, A. Deluzarche), (23)445
- Dinuclear tetracarbonylmanganese-organometal-phosphine complexes (H. Schumann, H.-J. Kroth), (32)C47
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219
- Dodecamethylgermacyclohexasilane and dodecamethyl-1,4-digermacyclohexasilane (E. Carberry, B.D. Dombek), (22)C43
- Ferrocenylmethyl derivatives of silicon and germanium in reaction with methanol; anomalous solvolysis of the metal-carbon bond (T. Kondo, K. Yamamoto, M. Kumada), (35)C30
- Fluoroalkyl(triethylgermyl)mercurials, synthesis of (B.I. Petrov, O.A. Kruglaya, N.S. Vyazankin, B.I. Martynov, S.R. Sterlin, B.L. Dyatkin), (34)299
- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- 4-Germa-1,3-dioxanes, synthesis by insertion of carbonyl derivatives on various germylated oxetanes (J. Barrau, M. Massol, D. Mesnard, J. Satgé), (30)C67

- Germanium; Annual survey 1971 (B.C. Pant), (48)125
- , lead, zinc, cadmium and mercury substituted diazoalkanes (I. Loshakth), (37)203
- Germirenes and derivatives of germacyclopentene, synthesis of (J.V. Scibelli, M.D. Curtis), (40)317
- Germyl(methyl)cyclopentadiene, intramolecular rearrangements in (S.R. Stobart), (43)C26
- Germylphosphines, C-C insertion reactions on Ge-P bonds (J. Satgé, C. Couret, J. Escudié), (34)83
- Germyl- and silylphosphines, reactions with diacetyl (J. Satgé, C. Couret, J. Escudié), (36)76
- , reactions with ketenes and diketenes (C. Couret, J. Satgé, F. Couret), (47)67
- Group IV element substituted acetylenes, Diels-Alder reactions of α -pyrone with (D. Seyferth, D.L. White), (34)119
- Group IV organometalloidal compounds, radical-anionic coupling of (J.J. Eisch, G. Gupta), (50)C23
- Group IV substituted anilines, stabilities of the cation radicals (M.J. Drews, P.R. Jones), (44)253
- Group IVB alkyls, non-equivalent methylene protons in the 220 MHz spectra (C.J. Attridge, I. Struthers), (25)C17
- Group IVB compounds, reactions with acyl fluorides (J.D. Citron), (30)21
- Group IVB cyclopentadienyls, metallotropic rearrangements (A.V. Kisin, V.A. Korenevsky, N.M. Sergeev, Yu.A. Ustynyuk), (34)93
- Group IVB organometallic sulphides; cleavage of the Ge-S bond by electrophilic reagents (J.L. Wardell, R.D. Taylor, T.J. Lillie), (33) 25
- Halomethylzinc halides in the preparation of monohalomethyl derivatives of germanium, tin, lead and mercury (D. Seyferth, S.B. Andrews), (30)151
- Heptameric phenylsilyl- and phenylgermylphosphine (H. Schumann, H. Benda), (21) P12
- Heteronuclear metal-metal bonded compounds; Fe-Ge, Ni-Ge and Ni-Sn bonds (R.C. Edmondson, E. Eisner, M.J. Newlands, L.K. Thompson), (35)119
- Hexaalkyldigermoxanes, monoalkoxytrialkylgermanes, dialkoxydialkylgermanes, germaoxacycloalkanes, tentative correlation with their silicon and tin isologues (A. Marchand, M.-T. Forel, M. Lebedeff, J. Valade), (26)69
- Hexaalkyl-ditins and -digermanes, addition reactions to unsaturated systems (E.J. Bulten, H.A. Budding, J.G. Noltes), (22)C5
- Hexamerhyl derivatives of Group IV-M elements, $(CH_3)_2MM'(CH_3)_2$, PMR spectra (C.F. Shaw III, A.L. Allred), (28)53
- Hydrogermanes, reduction of organic halides with (H. Sakurai, K. Machida, A. Kusumi, F. Mita), (38)275
- Hyperconjugation, an alternative to the concept of the $p_\pi-d_\pi$ bond in Group IV chemistry (C.G. Pitt), (23)C35
- Isopropylphenyl-1-naphthylgermane, synthesis and optical behaviour (F. Carré, R. Corriu), (25)395
- Lithium alkyl amides (R_2NLi) in the cleavage of metal oxides and carboxy metal compounds (T. Cuvigny, H. Normant), (38)217
- (Main Group)-metallomethyl substituent effects by ^{19}F resonance: effect of aryl ring size (W. Kitching, A.J. Smith, W. Adcock, S.Q.A. Rizvi), (42)373
- Mechanisms of the metal-carbon cleavage in β -functional derivatives of silicon and germanium (F. Carré, R. Corriu, B. Henner), (22)589
- Metal-metal bond cleavage, exchange reactions (H.C. Clark, B.K. Hunter), (31)227
- Methylbromogermanes, vibrational spectra (D.F. Van de Vondel, G.P. Van der Kelen, G. Van Hooydenk), (23)431
- Methyl- α -naphthylphenylgermyllithium, Li-X exchange in the condensation reaction with propargylic bromides (A. Jean, M. Lequan), (42)C3
- (Methylsulphonyl)trimethylgermane, preparation and properties of (E. Lindner, K. Schardt), (50)C33
- 1- and 2-Methyltrigermene (S.T. Hosfield, K.M. Mackay), (24)107
- New organosilicon rearrangement (D. Seyferth, D.L. White), (26)C15
- Optically active ethyl(1-naphthyl)phenylgermyl-lithium, stereochemistry of reactions with alkyl halides (C. Eaborn, R.E.E. Hill, P. Simpson), (37)275
- , stereochemistry of reactions with carbonyl compounds (C. Eaborn, R.E.E. Hill, P. Simpson), (37)267
- Optically active germyl- and silyl-platinum complexes, preparation (C. Eaborn, P.N. Kapoor, D.J. Tune, C.L. Turpin, D.R.M. Walton), (34)153

- Organochlorogermanes, electron impact studies on, mass spectra and bond dissociation energies (J. Tamás, G. Czira, A.K. Maltsev, O.M. Nefedov), (40)311
- (Organogermanium)titanium dialkylamides (H. Bürger, H.J. Neese), (32)223
- Organogermeryl- and organosilyl-benzene thiols, novel synthesis of, rearrangements of p -LiC₆H₄SMR₃ to p -R₃MC₆H₄SLi compounds (A.R. Bassindale, D.R.M. Walton), (25)389
- Organometallic bis(p -hydroxyphenyl) derivatives of Group IV elements and related compounds (W. Davidsohn, B.R. LaLiberte, C.M. Goddard, M.C. Henry), (36)283
- Organometallic complexes of indene, sigma-tropism in (J. Dalton, C.A. McAuliffe), (39)251
- Organometalstibines as ligands in transition metalcarbonyl complexes (H. Schumann, H.J. Breunig), (27)C28
- Organomethoxygermanes and organomethoxyhalogermanes, synthesis and decomposition, new method to obtain bivalent organogermanium derivatives (M. Massol, J. Satgé, P. Rivière, J. Barrau), (22)599
- α - and β -Organopolyhalogermanes, synthesis by insertion of germynes (R(Cl)Ge:) on the halogen-carbon bond of organic halogen compounds (M. Massol, J. Barrau, P. Riviere, J. Satgé), (30)27
- Organosilicon- and organogermanium-substituted pyridine N -oxides, measurements of pK and hydrogen bond strengths of (M.A. Weiner, P. Schwartz), (35)285
- Organosilicon-, organogermanium-, and organotin-substituted pyridine N -oxides, N-O stretching frequencies (M.A. Weiner), (23)C20
- Organosilyl- and organogermeryl-substituted ferrocenes, acid-catalysed alcoholysis of (M. Kumada, T. Kondo, K. Mimura, K. Yamamoto, M. Ishikawa), (43)307
- , oxidation alcoholysis of (T. Kondo, K. Yamamoto, M. Kumada), (43)315
- , preparation of (M. Kumada, T. Kondo, K. Mimura, M. Ishikawa, K. Yamamoto, S. Ikeda, M. Kondo), (43)293
- 1-Oxa-2-germacycloalkanes and 1-oxa-2-germacycloalkenes, structure and chemical reactivity (M. Massol, J. Barrau, J. Satgé), (25)81
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Permethylcyclopolygermanes, preparation and spectroscopic properties of (E. Carberry, B.D. Dombek, S.C. Cohen), (36)61
- Phenoxyasilanes and phenoxygermanes, NMR spectra of; evidence for $p_{\pi}-d_{\pi}$ bonding in Si-O and Ge-O bonds (J.R. Chipperfield, D.F. Ewing, G.E. Gould), (46)263
- Phenyl(bromodichloromethyl)mercury-derived dichlorocarbene, insertion into C-H bonds of tetraalkylgermanes (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29)371
- α , β and γ -Phenylchlorogermeryl alcohols (P. Rivière, J. Satgé), (49)157
- Phenylchlorogermeryl aldehydes, ethylenic chloro- α -germylalkanols and α -germacycloalkanols (P. Rivière, J. Satgé), (49)173
- Phenylmethylchlorogermanes and p -substituted phenyltrichlorogermanes, dipole moments of (V. Vaisarová, J. Hetflejš, V. Chvalovský), (22)395
- Phenyl(trihalomethyl)mercury compounds, reactions with bis(trimethylsilyl)- and bis(trimethylgermyl)mercury (D. Seyferth, E.M. Hanson, B. Prokai, R.J. Cross), (24)33
- Ph₂Ge[Fe(CO)₂(π -C₅H₅)]₂ and analogous compounds; photochemical decarbonylation (A.J. Cleland, S.A. Fieldhouse, B.H. Freeland, R.J. O'Brien), (32)C15
- Phosphagerma- and arsagermacboranes, preparation, isomerisation and characterisation of (D.C. Beer, L.J. Todd), (50)93
- Phosphinous acid silyl, germanyl and stannyl esters of the type (R₂P-O-) _{n} ER'_{4- n} (K. Issleib, B. Walther), (22)375
- Polymetallated cyclopentadienes, synthesis (I.M. Pribytkova, A.V. Kisin, Yu.N. Luzikov, N.P. Makoveyeva, V.N. Torocheshnikov, Yu.A. Ustynyuk), (30)C57
- Polynuclear phenylphosphines, phenylarsines, (phenylphosphino)arsines and (phenylarsino)phosphines (H. Schumann, A. Roth, O. Stelzer), (24)183
- Propargylic and allenic Group IVB compounds with two neighbouring asymmetric centers, evidence for diastereoisomerism (A. Jean, M. Lequan), (50)75
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35

- Reaction of Si–Mn, Ge–Mn and Sn–Mn bonds with unsaturated fluorocarbons (H.C. Clark, T.L. Hauw), (42)429
- Reaction of sulphur dioxide with compounds containing Si–Fe, Ge–Fe and Sn–Fe bonds (R.E.J. Bichler, H.C. Clark), (23)427
- Reductive silylation (and germylation) of alcohols, and of benzyl and allyl ethers (N. Duffaut, C. Biran, J. Dunoguès, R. Calas), (24)C51
- Rhodium and platinum complexes as catalysts in hydrogermylation, of acetylenes, stereochemistry of the reaction (R.J.P. Corriu, J.J.E. Moreau), (40)73
- , of olefins, stereochemistry of the reaction (R.J.P. Corriu, J.J.E. Moreau), (40)55
- Rhodium–germanium complexes (F. Glockling, G.C. Hill), (22)C48
- $R_3M-Hg-M'R_3$ compounds, properties and exchange of trialkylmetal groups (T.N. Mitchell), (38)17
- 3-Sila- and 3-germabicyclo[3.1.0]hexanes (M. Lesbre, G. Manuel, P. Mazerolles, G. Cauquy), (40)C14
- Silicon-, germanium- and tin-substituted acetylenes and their dicobalt hexacarbonyl complexes (D. Seyferth, D.L. White), (32)317
- Silyl- and germyl–sulphur compounds, some reactions with the $Si^{II}-N$ bond (D.A. Armitage, M.J. Clark), (24)629
- Stannyll and related radical adducts to cyclopentadiene, examination of structure and conformation by ESR (T. Kawamura, J.K. Kochi), (47)79
- Stereochemistry of substitution at germanium in reactions with nucleophilic reagents (C. Eaborn, R.E.E. Hill, P. Simpson), (37)251
- 2-Substituted pyridines, UV spectra, $\sigma-\pi$ conjugation involving Group IV elements (W.K. Musker, R.L. Scholl), (27)37
- Tetraallylsilane, -germane and -tin, properties (M. Fishwick, M.G.H. Wallbridge), (25)69
- 1,1,3,3-Tetramethyl-1,3-disilacyclobutane and 1,1,3,3-tetramethyl-1-sila-3-germacyclobutane via active metal derivatives of bis-(chloromethyl)dimethylsilane (D. Seyferth, C.J. Attridge), (21)103
- Tetramethylmetal and bis(trimethylmetal) compounds, mass spectrometry and thermochemistry (M.F. Lappert, J.B. Pedley, J. Simpson, T.R. Spalding), (29)195
- Tetramethylmetal compounds, photoelectron spectra of and the lack of participation of M *d*-orbitals (R. Boschi, M.F. Lappert, J.B. Pedley, W. Schmidt, B.T. Wilkins), (50)69
- Tetraorganolead and hexaorganodilead compounds, reaction with ammonium hexachloroplumbate (B.C. Pant, W.E. Davidsohn), (39)295
- Tetraphenylsilicon, -germanium, -tin and -lead, piezoelectric organometallic crystals: growth and properties (H.W. Newkirk), (44)263
- Trialkylgermyl alkali metal compounds, in hexamethylphosphoric triamide, preparation and structure (E.J. Bulten, J.G. Noltes), (29)397
- , reactions in hexamethylphosphoric triamide with inorganic and organic compounds (E.J. Bulten, J.G. Noltes), (29)409
- (Tribromogermyl)manganese pentacarbonyl, $Br_3GeMn(CO)_5$, molecular structure (N.I. Gapotchenko, N.V. Alekseev, A.B. Antonova, K.N. Anisimov, N.E. Kolobova, Yu.T. Struchkov), (23)527
- Triethylgermane, in the reduction of substituted benzyl chlorides (H. Sakurai, K. Mochida), (42)339
- Triethylsilanethiol and related compounds, reactions with triethylaluminium, -gallium and -indium (N.S. Vyazankin, M.N. Bochkarev, A.I. Charov), (27)175
- Trimethylmetal derivatives of difunctional organic reagents, preparation and thermal reactions of (M. Wada, S.-I. Sato, M. Aritomi, M. Harakawa, R. Okawara), (39)99
- Trimethyl(methylthio)-stannane and -germane, vibrational spectra (D.F. Van de Vondel, E.V. Van den Berghe, G.P. Van der Kelen), (23)105
- α -Trimethylsilyl groups, effects on rates of reaction at carbon–halogen bonds (M.A. Cook, C. Eaborn, D.R.M. Walton), (29)389
- Triorganosilyl and -germyl sulfinic acid esters (E. Lindner, K. Schardt), (44)111
- Triorganotin hydrides and triorganostannyll–alkali compounds, cleavage reaction with phenyl azides (H. Schumann, S. Ronecker), (23)451
- Triphenylgermanium halides, electrochemistry of (R.J. Boczkowski, R.S. Bottei), (49)389
- Triphenylgermylsodium and dimsylsodium, unexpected reaction in DMSO (D.J. Sandman,

R. West), (30)C61

Triphenylsilicon, -germanium and -tin azides, reactions with their corresponding hydrides (T.-T. Tsai, W.L. Lehn, C.J. Marshall, Jr.), (22)387

Tris(organometal phosphine)tricarbonylchromium and -molybdenum complexes (H. Schumann, W.-W. Du Mont), (49)C25

Tris(triethylgermyl)stibine, influence of association on its oxidation by oxygen (Yu.A. Alexandrov, G.A. Razuvaev, G.N. Figurova), (27)207

Vinyl and phenyl derivatives of disilane and digermane, ethanolsysis catalyzed by palladium(II) complexes (K. Yamamoto, M. Kumada), (35)297

Gold

Carbonyl chemistry of the Group IB metals (Review) (M.I. Bruce), (44)209

Catalytic mechanism involving oxidative addition in the coupling of alkylgold(I) with alkyl halides (A. Tamaki, J.K. Kochi), (40)C81

Cationic olefin complexes of copper(I), NMR studies of structure and bonding (R.G. Salomon, J.K. Kochi), (43)C7

Dicyanoacetylene complexes of noble metals (G.K. McClure, W.H. Baddley), (27)155

Methylmercury(II), dimethylgold(III) and trimethylplatinum(IV) solutions in pyridine and liquid ammonia; ligand exchange in unsymmetrical dimethylgold(III) complexes (H. Hagnauer, G.C. Stocco, R.S. Tobias), (46)179

Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517

Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113

Organogold complexes, investigations of the oxidative addition to (A. Shiotani, H. Schmidbauer), (37)C24

Organogold(I) complexes containing *o*-vinylphenyl and *o*-allylphenyl ligands, reactivity of C-Au bonds in (M. Aresta, G. Vasapollo), (50)C51

Seven coordinate derivatives of niobium, tantalum and vanadium, preparation (A. Davison, J.E. Ellis), (23)C1

Tris(pentafluorophenyl)gold(III) (L.C. Vaughan, W.A. Sheppard), (22)739

Hafnium

Cyclooctatetraene complexes of titanium, zirconium and hafnium (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (25)447

Cyclooctatetraene-transition metal compounds, preparation using magnesium metal and synthesis of cyclooctatetraenemagnesium (H. Lehmkuhl, S. Kintopf, K. Mehler), (46)C1

Dicyclooctatetraenehafnium and its derivatives (H.-J. Kablitz, R. Kallweit, G. Wilke), (44)C49

μ -Methylene transition metal binuclear compounds: complexes with Me_2SiCH_2 and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36

Organometallic dimethylamides, reactions with protic compounds (A.D. Jenkins, M.F. Lappert, R.C. Srivastava), (23)165

Tetrabenzylhafnium and tetrabenzylzirconium, NMR studies of Lewis base adducts of (J.J. Felten, W.P. Anderson), (36)87

Tetracyclopentadienylnhafnium, X-ray structure of (V.I. Kulishov, E.M. Brainina, N.G. Boki, Yu.T. Struchkov), (36)333

Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175

1,1'-Trimethylenetitanocene, -zirconocene and -hafnocene dichlorides, preparation and properties of (M. Hillman, A.J. Weiss), (42)123

Holmium

Cyclopentadienyl complexes of uranium and some lanthanides, vapour pressure measurements by the effusion method (H.O. Haug), (30)53

Indium

Alkali tetramethylindate, preparation and crystal structure of $\text{Li}[\text{In}(\text{CH}_3)_4]$ and $\text{Na}[\text{In}(\text{CH}_3)_4]$ (K. Hoffmann, E. Weiss), (37)1

Alkali tetraphenylindates: $\text{M}[\text{In}(\text{C}_6\text{H}_5)_4]$, preparation of and crystal structure of $\text{Na}[\text{In}(\text{C}_6\text{H}_5)_4]$ (K. Hoffmann, E. Weiss), (50)25

- Alkylaluminium, -gallium and -indium compounds, sulphur dioxide insertion reactions (J. Weidlein), (24)63
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- $(\text{CH}_3)_2\text{MOOX}(\text{CH}_3)_2$ compounds ($M = \text{Al, Ga, In}$; $X = \text{P, As}$), IR and Raman spectra (H. Olapinski, B. Schaible, J. Weidlein), (43)107
- $\pi\text{-C}_5\text{H}_5\text{W}(\text{CO})_3^-$, variable site of Lewis basicity in complexes with $(\text{C}_6\text{H}_5)_3\text{In}$ and $(\text{C}_6\text{H}_5)_3\text{Al}$ (J.M. Burlitch, R.B. Peterson), (24)C65
- Complexes containing transition metal-indium bonds, synthesis (A.T.T. Hsieh, M.J. Mays), (37)9
- Compound of cyclic alumasilazane cation and tetramethylindanate anion (W. Wolfsberger, H. Schmidbauer), (27)181
- Dialkylaluminium, -gallium and -indium thiocarboxylates (J. Weidlein), (32)181
- Diethylindium acetate, preparation and structure of (H.-D. Hausen), (39)C37
- Diethylindium halides, preparations and properties (T. Maeda, H. Tada, K. Yasuda, R. Okawara), (27)13
- Diethylindium thiobenzoate, preparation and its reactions on hydrolysis and pyrolysis (H. Tada, R. Okawara), (28)21
- Disilyl amides of Group III metals, preparation, analysis, IR and Raman spectra (H. Bürger, J. Cichon, U. Goetze, U. Wannagat, H.J. Wismar), (33)1
- Gallium and indium; Annual survey 1971 (J.P. Oliver), (45)209
- Indium(III) and thallium(III) complexes of the tetracarbonylcobaltate anion (W.R. Robinson, D.P. Schussler), (30)C5
- Indium compounds in reactions with trimethylstibine sulphide (T. Maeda, G. Yoshida, R. Okawara), (44)237
- Indium in direct reaction with alkyl halides, synthesis of lower alkylindium halides (M.J.S. Gynane, L.G. Waterworth, I.J. Worrall), (40)C9
- Indium(I) iodide insertion into carbon-iodine bonds (J.S. Poland, D.G. Tuck), (42)315
- Indium monohalides, reactions with alkyl halides (M.J.S. Gynane, L.G. Waterworth, I.J. Worrall), (43)257
- Indium-vinyl derivatives, ^1H NMR spectra of (H.D. Visser, J.P. Oliver), (40)7
- $\text{K}[\text{In}(\text{CH}_3)_4]$, $\text{Rb}[\text{In}(\text{CH}_3)_4]$ and $\text{Cs}[\text{In}(\text{CH}_3)_4]$, crystal structures of (K. Hoffmann, E. Weiss), (50)17
- α -Mononitroalkyl derivatives of indium (L.M. Golubinskaya, V.I. Bregadze, E.V. Bryuchova, V.I. Svergun, G.K. Semin, O.Yu. Okhlobystin), (40)275
- Nitrosyl-phosphine complexes of Co, Rh and Ir, reactions with quinones and activated olefins (G. La Monica, G. Navazio, P. Sandrini, S. Cenini), (31)89
- Organoindium complexes, preparation and properties of (T. Maeda, R. Okawara), (39)87
- Organoindium compounds, reactions with sulphur dioxide (A.T.T. Hsieh), (27)293
- Organometallic 8-membered cyclic compounds of aluminium, gallium, indium and thallium (Review) (J. Weidlein), (49)257
- Tetraethylammonium dibromobis(tetracarbonylcobalt)indate(III), crystal structure (P.D. Cradwick), (27)251
- Thallos tetracarbonylcobaltate, a convenient and versatile source of the tetracarbonylcobaltate anion (S.E. Pedersen, W.R. Robinson, D.P. Schussler), (43)C44
- Trialkylindiums, SO_2 insertions reactions (H. Olapinski, J. Weidlein), (35)C53
- Tribromotriindiumtetracobalt pentadecacarbonyl, crystal structure (P.D. Cradwick, D. Hall), (2)203
- Tricyclopentadienylindium(III) and related compounds (J.S. Poland, D.G. Tuck), (42)307
- Triethylsilylanethiol and related compounds, reactions with triethylaluminium, -gallium and -indium (N.S. Vyazankin, M.N. Bochkarev, A.I. Charov), (27)175
- Trimethylindium in the reaction with toluene-3,4-dithiol (A.F. Berniaz, D.G. Tuck), (46)243
- ### Iridium
- Bis- μ -(diphenylphosphido)dicarbonylbis(triphenylphosphine)diiridium, synthesis and structure of (R. Mason, I. Sjötofte, S.D. Robinson, M.F. Uttley), (46)C61
- trans*-Chlorobis(triphenylphosphine)(thiocarbonyl)iridium(I), intermediates in synthesis of (M. Kubota, C.R. Carey), (24)491
- Chlorocarbonylbis(triphenylphosphine)iridium(I), thermochemistry of adducts of oxygen and sulphur dioxide with (S.J. Ashcroft, C.T. Mortimer), (24)783
- Chloro- η -1,5-cyclooctadiene- η -propeneiridium complex and its reaction products with carbon monoxide (P. Fougereux, R. Bonnaire, G. Pannetier), (49)495

- Condensation of alcohols catalysed by tertiary phosphine transition metal complexes (G. Gregorio, G.F. Pregaglia, R. Ugo), (37)385
- Dicarbonyl(pentamethylcyclopentadienyl)-rhodium and -iridium, oxidative addition reactions (J.W. Kang, P.M. Maitlis), (26)393
- Di- μ -chlorobis(π -1,5-cyclooctadienyl)diiridium diallyl ether complexes (G. Pannetier, R. Bonnaire, P. Fougeroux), (30)411
- Di- μ -chlorobis(π -1,5-cyclooctadienyl)diiridium in reaction with allyl chloride (G. Pannetier, P. Fougeroux, R. Bonnaire), (38)421
- Dicyanoacetylene complexes of noble metals (G.L. McClure, W.H. Baddley), (27)155
- Dicyanoketeniminato complexes of some noble metals (M. Lenarda, W.H. Baddley), (39)217
- (Dithioformato)bis(triphenylphosphine)dicarbonylrhenium, crystal and molecular structure (V.G. Albano, P.L. Bellon, G. Ciani), (31)75
- Equilibrium constants and rate constants between reagents and the catalyst $\text{IrX}(\text{CO})\text{L}_2$, and reaction rate of catalytic hydrogenation (W. Strohmeier), (32)137
- Hexachlorodisilane, reactions with transition metal complexes (F. Glocking, R.E. Houston), (50)C31
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Homogeneous cyclohexene oxidation catalysed by low valent tertiary phosphine-transition metal complexes (A. Fusi, R. Ugo, F. Fox, A. Pasini, S. Cenini), (26)417
- Hydrido- π -olefinic complexes of iridium (M.S. Fraser, W.H. Baddley), (36)377
- Hydridotricarbonyliridium-phosphine complexes (R. Whyman), (29)C36
- $\text{Ir}_2(\text{CO})_4(\text{PPh}_3)_2$ and $\text{HIr}(\text{CO})_3\text{PPh}_3$, synthesis and reactivity (L. Malatesta, M. Angoletta, F. Conti), (33)C43
- Iridium(III) and platinum(II) cationic cyclic carbene or carbon-bonded ylide complexes of (P.J. Fraser, W.R. Roper, F.G.A. Stone), (50)C54
- Iridium(I) and rhodium(I) complexes containing π ligands, temperature-dependent sulphur dioxide addition (A. Palazzi, M. Graziani, L. Busetto, G. Carturan, U. Belluco), (25)249
- Iridium and rhodium complexes in the decarbonylation and dehydrohalogenation of aliphatic acyl halides (J. Blum, S. Kraus, Y. Pickholtz), (33)227
- Iridium(III) cations, reactions with unsaturated ligands, formation of carbene and imino-ether complexes (H.C. Clark, L.E. Manzer), (47)C17
- Iridium(III) hydride, isocyanide derivatives (A. Araneo, F. Bonati, G. Minghetti), (25)C25
- , isocyanide derivatives of (A. Araneo, T. Napoletano, P. Fantucci), (42)471
- $\text{IrX}(\text{CO})\text{L}_2$, as homogeneous hydrating catalysts, selectivity as a function of the ligands X and L (W. Strohmeier, R. Fleischmann), (29)C39
- Isomerisation of heptenes catalysed by $\text{IrX}(\text{CO})\text{L}_2$ (W. Strohmeier, R. Fleischmann), (42)163
- Ligand exchange in the hydrogenation catalysts $\text{IrX}(\text{CO})\text{L}_2$ and $\text{RhX}(\text{CO})\text{L}_2$ (W. Strohmeier, W. Rehder-Stirnweiss, G. Reischig), (27)393
- Nitrosonium ion, NO^+ , and its versatility in transition metal organometallic synthesis (N.G. Connelly, J.D. Davies), (38)385
- (Pentamethylcyclopentadienyl)dicarbonyl-iridium, oxidative addition reactions with various iodine compounds (R.B. King, A. Efraty), (27)409
- (Pentamethylcyclopentadienyl)rhodium and -iridium complexes with oxy-ligands and exchange of methyl protons by deuterium under basic conditions (J.W. Kang, P.M. Maitlis), (30)127
- Polynuclear phosphine-substituted iridium carbonyls, reactions with carbon monoxide (R. Whyman), (24)C35
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Reactivity of the catalysts $\text{MCl}(\text{CO})\text{L}_2$ and $\text{MH}(\text{CO})\text{L}_3$ (M = Ir, Rh) in isomerization and hydrogenation of 1-heptenes (W. Strohmeier, R. Fleischmann, W. Rehder-Stirnweiss), (47)C37
- Reactivity of the hydrogenation catalyst $\text{IrX}(\text{CO})\text{L}_2$ [L = (PR₃)] as a function of X and L (W. Strohmeier, R. Fleischmann, T. Onoda), (28)281
- Rhodium(I) and iridium(I) carbonyl and olefin derivatives of salicylaldehyde Schiff-bases (R.J. Cozens, K.S. Murray, B.O. West), (27)399

- Rhodium and iridium carbonyl salts, cationic oxygen adducts from (L.M. Haines, E. Singleton), (30)C81
- Rhodium(III) and iridium(III) cyclopentadienyl compounds obtained by reaction of $[\text{CpM}(\text{CO})(\text{PPh}_3)_2\text{CH}_2\text{CN}]\text{BPh}_4$ complexes with nucleophiles (F. Faraone, P. Cusmano, P. Piraino, R. Pietropaolo), (44)391
- Solid state reversible reactions of square planar d^8 complexes with sulphur dioxide (E.C. Moroni, R.A. Friedel, I. Wender), (21)P23
- Solid state structures of $(\text{C}_8\text{H}_{12})(\text{PhMe}_2\text{P})_2\text{Ir}(\text{Me})$ and $(\text{C}_8\text{H}_{12})(\text{diphos})\text{Ir}(\text{Me})$, stereochemically non-rigid pentacoordinate Ir^{I} species (M.R. Churchill, S.A. Bezman), (31)C43
- Strained organosilicon heterocycles, role of the transition metal in homogeneous catalytic polymerization of (C.S. Cundy, C. Eaborn, M.F. Lappert), (44)291
- Tetrafluoroethylene and hexafluorobutylene adducts of fluoro- or chlorobis(triphenylphosphine)carbonyliridium, relative stabilities of (C.T. Mortimer, J.L. McNaughton, J. Burgess, M.J. Hacker, R.D.W. Kemmitt, M.I. Bruce, G. Shaw, F.G.A. Stone), (47)439
- Unusual cationic complexes of iridium (L.M. Haines, E. Singleton), (25)C83
- Iron**
- Acetyl- and methyl-iron complexes (M. Pańkowski, M. Bigorgne), (30)227
- Acylferrocenes, acetoxymercuration, novel synthesis of 1,2-disubstituted ferrocenes (R.F. Kovar, M.D. Rausch), (35)351
- Additions to the coordinated ethylene ligand in the $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{C}_2\text{H}_4)]^+$ complex (L. Busetto, A. Palazzi, R. Ros, U. Belluco), (25)207
- Alkyl isocyanate insertion into an iron-hydrogen bond (W. Jetz, R.J. Angelici), (35)C37
- Alkyl-transition metal compounds, fragmentation and isomerization studies (R.P.A. Sneeden, H.H. Zeiss), (22)713
- , hydrogen transfer reactions (R.P.A. Sneeden, H.H. Zeiss), (27)89
- π -Allyl derivatives of iron carbonyl, influence of σ -bonded ligands on the fragmentation of (A.N. Nesmeyanov, Yu.S. Nekrasov, N.P. Avakyan, I.I. Kritskaya), (33)375
- π -Allylic dicarbonylnitrosyliron complexes, polarographic behaviour (G. Paliani, S.M. Murgia, G. Cardaci), (30)221
- Allyliron tricarbonyl iodide in reaction with polypyrazolyborate salts (novel products), a type of allyl-propenyl isomerization (R.B. King, A. Bond), (46)C53
- Aluminium(I) ligands in iron carbonyl derivatives, stabilisation of (W. Petz, G. Schmid), (35) 321
- Arenecyclopentadienyliron compounds, NMR spectra of (A.N. Nesmeyanov, I.F. Leshchova, Yu.A. Ustynyuk, Ye.I. Sirotkina, I.N. Bolesova, L.S. Isayeva, N.A. Vol'kenau), (22)689
- 6,7-Benzobicyclo[3.2.2]nonadienyliron tricarbonyl tetrafluoroborate (A. Eisenstadt), (38)C32
- anti*-7,8-Benzotricyclo[4.2.0.0^{2,5}]deca-3,7,9-triene complexes of iron, molybdenum and chromium (Y. Menachem, A. Eisenstadt), (33)C29
- cis*-(1,2,6-*trihapto*:3,4,5-*trihapto*-Bicyclo[6.2.0]-deca-1,3,5-triene)hexacarbonyldiiron(Fe-Fe), structure and temperature-dependent NMR spectrum of (F.A. Cotton, B.A. Frenz, G. Deganello, A. Shaver), (50)227
- Bicyclo[3.1.0]-2-hexene and bicyclo[4.1.0]-2-heptene, in reactions with diiron ennea-carbonyl (R. Aumann), (47)C29
- Biferrocene, Vilsmeier formulation of (M.D. Rausch, T.M. Gund), (24)463
- Binuclear complexes of iron and cobalt with isocyanide ligands (M.J. Boylan, J. Bellerby, J. Newman, A.R. Manning), (47)C33
- σ, π -Binuclear complexes of transition metals coordinated to the monoolefin (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich, P.V. Petrovskii), (31)257
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in (R. Mason, D.M.P. Mingos), (50)53
- Bis(μ -alkyl- and -phenylsulphido)tricarbonyliron, stereochemistry of bis-substituted derivatives of (J.A. De Beer, R.J. Haines, R. Greatrex, N.N. Greenwood), (27)C33
- Bis[μ -(*t*-butylsulphido)tricarbonyliron], reaction with tertiary and ditertiary phosphines and phosphites (J.A. De Beer, R.J. Haines), (37) 173
- Bis(1,3-cyclohexadiene)monocarbonyliron, molecular and crystal structure (C. Krüger, Y.-H. Tsay), (33)59
- Bis(diorganostibino)methane-substituted metal carbonyl complexes, preparation and

- properties of (T. Fukumoto, Y. Matsumura, R. Okawara), (37)113
- Bis(μ -phenylsulphidotricarbonyliron), tertiary phosphine, phosphite and stibine and ditertiary phosphine and arsine derivatives of (J.A. De Beer, R.J. Haines), (36)297
- π -Bonded organic ligands, change of the electronic effect of the phenyl nucleus upon coordination with the $\text{Cr}(\text{CO})_5$ -group (S.P. Gubin, V.S. Khandkarova), (22)449
- Borohydride ion addition to coordinated isocyanides, structure of $\pi\text{-C}_5\text{H}_5\text{Fe}(\text{CO})\text{-}[(\text{CHNCH}_3)_2\text{BH}_2]$ (W.M. Butler, J.H. Ene-mark), (49)233
- (Bromomethyl)naphthalenes, reaction with nonacarbonyliron, novel route to the trimethylenemethane complexes (I.I. Kritskaya, G.P. Zol'nikova, I.F. Leshcheva, Yu.A. Ustyn-yuk, A.N. Nesmeyanov), (30)103
- Butadiene-monocarbonyliron complexes (A. Carbonaro, A. Greco), (25)477
- Butadiene(cyclooctatetraene)iron monocarbonyl, crystal structure determined by X-rays (I.W. Bassi, R. Scordamaglia), (37)353
- Carbamoyl-carbonyl complexes of iron in fluid ammonia (J. Ellermann, H. Behrens, H. Krohberger), (46)119
- Carbon magnetic resonance spectra of organo-metallic π -propene complexes (K.R. Aris, V. Aris, J.M. Brown), (42)C67
- Carbonyl and related complexes containing the ligands $\text{PhCH}_2\text{EMe}_2$ (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- o*-Carboranecarboxylic acid chlorides, rearrangement in the reaction with $\text{NaFe}(\text{CO})_2\text{C}_5\text{H}_5\pi$ (L.I. Zakharkin, L.V. Orlova, A.I. Kovredov, L.A. Fedorov, B.V. Lokshin), (27)95
- (*o*-Carboran-3-yl)- π -cyclopentadienyliron dicarbonyl, rearrangement in the reaction of halogens with (L.I. Zakharkin, L.V. Orlova, B.V. Lokshin, L.A. Fedorov), (40)15
- Cationic cyclopentadienyliron isocyanide complex, reaction with methylamine (R.J. Angelici, L.M. Charley), (24)205
- Cationic nitrosyl complexes of the type $[\text{M}(\text{CO})_2\text{NO}(\text{PPh}_3)_2]^+$ (M = Fe, Ru, or Os) (B.F.G. Johnson, J.A. Segal), (31)C79
- Cationic nitrosyls of nickel, cobalt and Group VI metals (B.F.G. Johnson, S. Bhaduri, N.G. Connelly), (40)C36
- $[(\pi\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2(\text{C}\equiv\text{CPh})\text{CuCl}]_2$, crystal structure of (M.I. Bruce, R. Clark, J. Howard, P. Woodward), (42)C107
- (+)- and (-)- $\text{C}_5\text{H}_5\text{Fe}(\text{CO})[\text{C}\equiv\text{N}-\text{CH}(\text{CH}_3)-(\text{C}_6\text{H}_5)]\text{I}$, optically active transition metal complexes (H. Brunner, M. Vogel); (35)169
- π -2-Chloroallyldicarbonylnitrosoiron, σ -allylic and ($\sigma + \pi$)-allylic complexes formed with phosphinic ligands (G. Cardaci, S.M. Murgia, A. Foffani), (37)C11
- Chloro- and iododicarbonyl- π -cyclopentadienyl-iron, reactions with tertiary phosphines and phosphites (R.J. Haines, A.L. Du Preez, I.L. Marais), (28)405
- Cholestadienyliron tricarbonyl cation, synthesis and abnormal reactions of (H. Alper, C.-C. Huang), (50)213
- $(\text{C}_6\text{H}_5)_3\text{SnFe}(\text{CO})_2\text{NOL}$ and related complexes, dipole moments and molecular conformations of (S. Sorriso, G. Distefano, A. Foffani), (47)139
- $\text{Co}_2(\text{CO})_8 \cdot \text{AlBr}_3$ and related compounds; nature of metal carbonyl-Group III halide interactions (J.S. Kristoff, N.J. Nelson, D.F. Shriver), (49)C82
- Comparative study of the Si-Fe, Ge-Fe and Sn-Fe bonds, and some further reactions of the Sn-Mn bond (R.E.J. Bichler, M.R. Booth, H.C. Clark), (24)145
- Complexes containing transition metal-indium bonds, synthesis of (A.T.T. Hsieh, M.J. Mays), (37)9
- Complexes of acetylenes coordinated on iron and nickel, preparation and structure of (K. Yasufuku, H. Yamazaki), (35)367
- π -Complexes of 1*H*-1,2-diazepines; synthesis and characterization of tricarbonyl-iron and -ruthenium derivatives (A.J. Carty, G. Kan, D.P. Madden, V. Snieckus, M. Stanton, T. Birchall), (32)241
- Coordination compounds of 2,3-diazabicyclo-[2.2.1]heptene-2 with *N*-containing ligands (M. Herberhold, W. Golla), (26)C27
- π -Crotyl- π -butadiene(triphenylphosphine)cobalt-(I) (P.V. Rinze, H. Nöth), (30)115
- Cyclic arsines, reactions with iron and manganese carbonyls (P.S. Elmes, B.O. West), (32)365
- (Cyclobutadiene)iron tricarbonyl, vibrational spectra of and bonding in (D.C. Andrews, G. Davidson), (36)349
- Cyclo- $\text{C}_7\text{H}_{10}\text{Fe}(\text{CO})_3^+\text{BF}_4^-$ in reaction with sodium borohydride (R. Aumann), (47)C29
- (Cycloheptatrienone)tricarbonyliron and (cycloheptadienone)tricarbonyliron, chemistry in highly acidic media of (D.F. Hunt, G.C. Farrant, G.T. Rodeheaver), (38)349
- 1,5-Cyclooctadienebis(iron tetracarbonyl), molecular and crystal structure (C. Krüger), (22)697

- (Cyclooctatetraene oxide)diiron hexacarbonyl, preparation and thermolysis (H. Maltz, G. Deganello), (27)383
- Cyclopentadienyl anion, π - and σ -orbital charge distribution (A.A. Koridze, S.P. Gubin, A.A. Lubovich, B.A. Kvasov, N.A. Ogorodnikova), (32)273
- (h^5 -Cyclopentadienyl)(*t*-butyl)iron dicarbonyl, preparation (W.P. Giering, M. Rosenblum), (25)C71
- pentahapto*-Cyclopentadienyldicarbonyliron *monohapto*-cyclopentadiene, ^{13}C NMR resonance of (D.J. Ciappenelli, F.A. Cotton, L. Kruczynski), (42)159
- Cyclopentadienyliron carbonyl derivatives, NMR study of (A.N. Nesmeyanov, I.F. Leshcheva, I.V. Polovyanyuk, Yu.A. Ustynyuk, L.G. Makarova), (37)159
- , reactions with azide ion (M. Graziani, L. Busetto, A. Palazzi), (26)261
- Cyclopentadienyliron complexes, substitution, insertion and decarbonylation reactions with phosphorus donor ligands (S.R. Su, A. Wojcicki), (27)231
- π -Cyclopentadienyliron dicarbonyl-mercurials, reactions with organolithium reagents (S.C. Cohen, S.H. Sage, W.A. Baker, Jr., J.M. Burlitch, R.B. Petersen), (27)C44
- Cyclopentadienylmetal compounds, redox properties in ferrocene, ruthenocene, osmocene (S.P. Gubin, S.A. Smirnova, L.I. Denisovich, A.A. Lubovich), (30)243
- Cyclopentadienylruthenium tricarbonyl cation, reaction with nucleophiles (A.E. Kruse, R.J. Angelici), (24)231
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Deoxygenation of a carbonyl group of iron pentacarbonyl (H. Alper, R.A. Partis), (35)C40
- Di- μ -acetyldiironhexacarbonyl complexes, reactions of (V. Kiener, E.O. Fischer), (42)447
- Dibutadieneiron carbonyl, vibrational spectrum of (G. Davidson, D.A. Duce), (44)365
- Dicarbonyl- π -cyclopentadienyl- σ -*S*-pentafluorophenylsulphonyliron, preparation, properties and structure (M.I. Bruce, A.D. Redhouse), (30)C78
- Di- σ -cyclopentadienylbis(π -cyclopentadienyl-iron)dicarbonylgermane, dynamic processes in (Yu.A. Ustynyuk, A.V. Kisin), (33)C61
- Dienetricarbonyliron derivatives, electron donor capacity in (J.M. Landesberg, L. Katz), (33)C15
- , electronic effects in; relation between $\nu(\text{C}\equiv\text{O})$ and Hammett's σ_p (J.M. Landesberg, L. Katz), (35)327
- Diethylindium acetate, preparation and structure of (H.D. Hausen), (39)C37
- 1,1'-Dihaloferrocenes, dipole moments and internal rotation in (S. Sorriso, G. Cardaci, S.M. Murgia), (44)181
- Dihydridodinitrogen iron(II) complex, reaction with ethylene (V.D. Bianco, S. Doronzo and M. Aresta), (42)C63
- Diiron enneacarbonyls, reaction with phosphines (P.S. Braterman, W.J. Wallace), (30)C17
- Diiron nonacarbonyl, reaction with *cis*-bicyclo-[6.2.0]deca-2,4,6-triene (F.A. Cotton, G. Deganello), (38)147
- (*syn,syn*-1,5-Dimethylpentadienyl)iron tricarbonyl cation, stereochemistry of the addition of amines to (G. Maglio, A. Musco, R. Palumbo), (32)127
- Dimethyltris(triphenylphosphine)iron(II) and ethyl(acetylacetonato)tris(triphenylphosphine)iron(II), preparation and properties of (Y. Kubo, A. Yamamoto, S. Ikeda), (46)C50
- Dinuclear derivatives of iron containing bridging carbonyls and phosphido or sulphido groups (R.J. Haines, C.R. Nolte, R. Greatex, N.N. Greenwood), (26)C45
- , synthesis and reactivity of (R.J. Haines, C.R. Nolte), (36)163
- Diolefin monocarbonyliron(0) complexes, role in butadiene oligomerization and polymerization (A. Carbonaro, F. Cambisi), (44)171
- μ,μ -Diorganothiodimetallates, isomerism in and structure of $[\text{Fe}(\text{CO})_3\text{SCF}_3]_2\text{C}_4\text{F}_6$ (J.L. Davidson, W. Harrison, D.W.A. Sharp, G.A. Sim), (46)C47
- Disilanyl derivatives of molybdenum, tungsten and iron (W. Malisch), (39)C28
- 2,2''- and 2,5''-Disubstituted diferrocenes, synthesis by direct coupling of 2-substituted lithioferrocenes (D.J. Booth, G. Marr, B.W. Rockett), (32)227
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219

- Ethyleneiron tetracarbonyl, study of vibrational spectrum of (D.C. Andrews, G. Davidson), (35)161
- $\text{Fe}_2\text{C}(\text{CO})_{15}$, novel synthesis from the $[\text{Fe}_6\text{C}(\text{CO})_{16}]^{2-}$ anion (R.P. Stewart, U. Anders, W.A.G. Graham), (32)C49
- $\text{Fe}_3(\text{CO})_8[\text{Ph}_2\text{PC}_2(\text{CF}_3)_2](\text{Ph}_2\text{P})$, X-ray structure of (T. O'Connor, A.J. Carty, M. Mathew, G.J. Palenik), (38)C15
- Ferricenium cations, decomposition by nucleophilic reagents (R. Prins, A.R. Korswagen, A.G.T.G. Kortbeek), (39)335
- , substituent effects in the ESR spectra (R. Prins, A.R. Korswagen), (25)C74
- Ferricenium salts, ESR spectra (R. Prins, A.G.T.G. Kortbeek), (33)C33
- Ferricinium trichloroferrate(II) and ferricinium tribromoferrate(II), preparation and properties of (S.M. Aharoni, M.H. Litt), (22)179
- Ferrocene and hydrochloric acid in the reduction of enones (K. Yamakawa, M. Moroe), (50)C43
- Ferrocene; Annual survey 1971 (B.W. Rockett, G. Marr), (45)389
- , polyolithiation (A.F. Halasa, D.P. Tate), (24)769
- , reaction with the boron trifluoride/acetic anhydride system (P. Carty, M.F.A. Dove), (21)195
- Ferrocenonium cation, reaction with O_2 and SO_2 (T.E. Bitterwolf, A.C. Ling), (40)C29
- [2.2]Ferrocenophane-1,13-diyne, synthesis (M. Rosenblum, N.M. Brawn, D. Ciappenelli, J. Tancrede), (24)469
- [3]Ferrocenophan-1-one, synthesis from ferrocene by a novel one-step annelation reaction (T.D. Turbitt, W.E. Watts), (46)109
- [3]Ferrocenophan-2-one tosylhydrazone, synthesis and thermal decomposition of its sodium salt (A. Sonoda, I. Moritani), (26)133
- Ferrocenyl ketones, and pinacols (M.D. Rausch, C.A. Pryde), (26)141
- , reaction with anhydrous silver tetrafluoroborate, new route to substituted ferricenium salts (P. Carty, M.F.A. Dove), (28)125
- Ferrocenyl- and (pentachlorophenyl)carbene complexes of chromium (G.A. Moser, E.O. Fischer, M.D. Rausch), (27)379
- Ferrocenylcarbonium ions, evidence of distortion of the fulvene ligand in (T.D. Turbitt, W.E. Watts), (49)C30
- , polarography of (J. Tirouflet, E. Laviron, C. Moïse, Y. Mugnier), (50)241
- , torsional barriers in (N.M.D. Brown, T.D. Turbitt, W.E. Watts), (46)C19
- Ferrocenylimmonium salts, preparation and properties of (P. Dixneuf, R. Dabard), (37)167
- Ferrocenylmethyl azide (D.E. Bublitz), (23)225
- Ferrocenylmethyl cyanide, lithiation of (G. Marr, J. Ronayne), (47)417
- Ferrocenylmethyl derivatives of silicon and germanium in reaction with methanol; anomalous solvolysis of the metal-carbon bond (T. Kondo, K. Yamamoto, M. Kumada), (35)C30
- 2-Ferrocenyl-2-propyl and ferrocenylmethyl cations, stabilities (E.A. Hill), (24)457
- 2-Ferrocenyl-2-propyl cation in reaction with cyclopentadiene, crystal structure of the product from (T.S. Cameron, J.F. Maguire, T.D. Turbitt, W.E. Watts), (49)C79
- 2-Ferrocenylquinoline, 1,4-addition of n-BuLi to (D.J. Booth, B.W. Rockett, J. Ronayne), (44)C29
- Ferrocenyltetrazole, preparation via a silyl azide (S.S. Washburne, W.R. Peterson, Jr.), (21)427
- Ferrocenylvinyl and -styryl systems, relative thermodynamic stabilities (M.J.A. Habib, J. Park, W.E. Watts), (21)P59
- Fe→Si back-bonding in carbonyliron derivatives with $\text{SiCH}_2\text{CH}_2\text{P}$ ligands (J. Grobe, U. Möller), (36)335
- Fluoro-aromatic acetylenes, reactions of (M.R. Wiles, A.G. Massey), (47)423
- Fluoroferrocene, synthesis of (F.L. Hedberg, H. Rosenberg), (28)C14
- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Germirenes and derivatives of germacyclopentene, synthesis of (J.V. Scibelli, M.D. Curtis), (40)317
- Halo derivatives of metal carbonyls, addition of the Lewis acids AlX_3 and FeCl_3 on (M. Pańkowski, B. Demerseman, G. Bouquet, M. Bigorgne), (35)155
- Heptafulvenetricarbonyliron (G.T. Rodeheaver, G.C. Farrant, D.F. Hunt), (30)C22
- Heteronuclear metal-metal bonded compounds; Fe-Ge, Ni-Ge and Ni-Sn bonds (R.C. Edmondson, E. Eisner, M.J. Newlands, L.K. Thompson), (35)119

- Hexachlorodisilane, reactions with transition metal complexes (F. Glockling, R.E. Houston), (50)C31
- Hexacoordinated pentakis(isocyanide)iron(II) compounds (F. Bonati, G. Minghetti, R. Leoni), (25)223
- 2,4-Hexadiyne and dodecacarbonyl triiron, an unusual trimetallic product from (R.B. King, C.W. Eavenson), (42)C95
- Hexamethyl Dewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Hexamethylditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- Hydrido- and dinitrogen complexes of iron, reaction of carbon dioxide with (V.D. Bianco, S. Doronzo, M. Rossi), (35)337
- Imines of benzoylferrocene and benzoylruthenocene, *syn-anti* isomerization (R. Damrauer, T.E. Rutledge), (29)C9
- π - and σ -Indenyl- and cyclopentadienyl-metal complexes, metal-ligand vibration frequencies in (E. Samuel, M. Bigorgne), (30)235
- Interaction of $C_5H_5Fe(CO)_2Ar$ with phosphines and phosphites, effect of the reaction conditions on (A.N. Nesmeyanov, L.G. Makarova, I.V. Polovnyanyuk), (22)707
- Investigation on the stability of the configuration of metal complexes by means of magnetic non-equivalence (H. Brunner, H.-D. Schindler, E. Schmidt, M. Vogel), (24)515
- Iron and ruthenium carbonyls, tellurium and selenium derivatives (E.D. Schermer, W.H. Baddley), (30)67
- Iron carbonyl, bridged sulphido derivatives of (J.A. De Beer, R.J. Haines), (24)757
- Iron carbonyl complexes, gas-phase electron diffraction studies of (M.I. Davis, C.S. Speed), (21)401
- , of fluorocarbon-bridged di(tertiary-arsines) (J.P. Crow, W.R. Cullen, J.R. Sams, J.E.H. Ward), (22)C29
- , of 1-pyrazolines (H. Kisch), (30)C25; (38)C19
- , with trimethyl Group VB ligands, IR and Raman spectra (M. Bigorgne), (24)211
- Iron carbonyls in reactions with ylides (H. Alper, R.A. Partis), (44)371
- Iron catalysed positional isomerisation of dichlorobutenes, kinetics and mechanism (G. Henrici-Olivé, S. Olivé), (29)307
- Iron catalysis in the reaction of Grignard reagents with alkyl halides (M. Tamura, J. Kochi), (31)289
- Iron-molybdenum and iron-tungsten anionic carbonyl clusters (A.T.T. Hsieh, M.J. Mays), (39)157
- Iron(II), new isocyanide complexes of (F. Bonati, G. Minghetti), (22)195
- Iron, ruthenium and osmium; Annual survey 1971 (J.A. McCleverty), (48)351
- Iron(II)-thioglycolic acid complex, crystallography of (S. Jeannin, Y. Jeannin, G. Lavigne), (40)187
- Iron-tin compounds, preparation and physical properties (D.S. Field, M.J. Newlands), (27)213
- Isomeric terferrocenyls in the polyrecombination reaction of ferrocene (H.W. Neuse), (40)387
- $L_2(CO)_3Fe \rightarrow HgX_2 \leftrightarrow [L_2(CO)_3Fe-HgX]^+ X^-$ complexes, iron-mercury bonds (B. Demersman, H. Bouquet, M. Bigorgne), (35)341
- 3-Lithiotetrafluorophenylcyclopentadienyliron dicarbonyl, synthesis and reactions (S.C. Cohen), (30)C15
- 1-Lithio-1'-(trimethylsilyl)ferrocene, preparation and use in the synthesis of heteroannularly-substituted (trimethylsilyl)ferrocenes (G. Marr, T.M. White), (30)97
- Lithium acyltetracarbonylferrates, preparation and reactivity (E.O. Fischer, V. Kiener), (23)215
- Low symmetry 4-coordinate organotin compounds, ^{119}Sn Mössbauer quadrupole splittings of; application of the point charge model (G.M. Bancroft, K.D. Butler, A.T. Rake), (34)137
- Magnetic non-equivalence of methyl groups in organotin compounds (D.R. Morris, B.W. Rockett), (40)C21
- Metal carbonyl carbene groups as electron withdrawing substituents in ferrocene, furan, thiophen and pyrrole (J.A. Connor, E.M. Jones, J.P. Lloyd), (24)C20
- Metal carbonyl complexes of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Metal carbonyls and cyclopentadienyl metal carbonyls containing metal-metal bonds, sulphur dioxide reactions of (D.S. Field, M.J. Newlands), (27)221
- Metal-metal bond cleavage, exchange reactions (H.C. Clark, B.K. Hunter), (31)227
- Metallocenes, comparative study of the arc discharge plasma ion composition and the mass spectra obtained under the electron impact (N.V. Zakurin, S.P. Gubin, V.P. Bochin), (23)535

- , electronic effects in (A.N. Nesmeyanov, N.S. Kochetkova, E.V. Leonova, E.I. Fedin, P.V. Petrovskii), (39)173
- Methoxy- and chloroferrocene, directed lithiation at the 2-position of (D.W. Slocum, B.P. Koonsvitsky, C.R. Ernst), (38)125
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- μ -Methylene transition metal binuclear compounds; complexes with Me_2SiCH_2 and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Mixed ferrocene/ferricinium salts, preparation and properties (S.M. Aharoni, M.H. Litt), (22)171
- Mixed sandwich chelate transition metal complexes, synthesis and stability (G.A. Razuvaev, G.A. Domrachev, O.N. Suvorova, L.G. Abakumova), (32)113
- Mixed transition-metal μ -diphenylphosphido complexes, preparation (K. Yasufuku, H. Yamazaki), (28)415
- Nickel-cobalt, nickel-iron and nickel-manganese polynuclear carbonyl complexes (A.T.T. Hsieh, J. Knight), (26)125
- Nitrogen configuration stability; the effect of a neighbouring ferrocene group (R. Damrauer), (32)121
- Nitrosoaromatic iron tricarbonyls, Mössbauer effect in (E. Frank, D.St.P. Bunbury), (23)229
- Nitrosonium ion, NO^+ , and its versatility in transition metal organometallic synthesis (N.G. Connelly, J.D. Davies), (38)385
- Normal coordinate analysis of the total ferrocene complex (J. Brunvoll, S.J. Cyvin, L. Schäfer), (27)107
- Octahedral metal-carbon σ -bonded complexes, formation by addition of hydrogen halide to mono-olefin chelate complexes of Fe^0 and Ru^0 (M.A. Bennett, G.B. Robertson, I.B. Tomkins, P.O. Whimp), (32)C19
- Olefin complexes of tetracarbonyliron (R. Fields, G.L. Godwin, R.N. Haszeldine), (26)C70
- On the nature of Brune's complex (M.I. Bruce, T.A. Kuc), (22)C1
- One-step synthesis of primary alcohols with a mixture of cobalt carbonyl, iron carbonyl and *N*-methylpyrrolidine as catalyst (B. Fell, J. Shanshool, F. Asinger), (33)69
- Optical activity on asymmetric iron atoms (H. Brunner, E. Schmidt), (21)P53
- Optically active diastereoisomeric iron compounds, preparation and chemical behaviour of (H. Brunner, E. Schmidt), (50)219
- Optically active iron complexes, inversion of configuration on the asymmetric iron atom (H. Brunner, E. Schmidt), (36)C18
- Optically active metallocenes, racemisation (H. Falk, H. Lehner, J. Paul, U. Wagner), (28)115
- Organo-iron and -cobalt phthalocyanins in alkylation and arylation of olefins (M.E. Vol'pin, R. Taube, H. Drevs, L.G. Volkova, I.Ya. Levitin, T.M. Ushakova), (39)C79
- Organoiron compounds, high speed liquid chromatographic analysis (R.E. Graf, C.P. Lillya), (47)413
- Organolithium and Grignard reagents, reactions with the cyclopentadienyliron tricarbonyl cation and its derivatives (M.Y. Darensbourg), (38)133
- Organometal arsines as ligands in transition metal carbonyl complexes (H. Schumann, G. Pfeifer, H. Röser), (44)C10
- Organometallic compounds, use of a lanthanide shift reagent while recording NMR spectra (M.I. Foreman, D.G. Leppard), (31)C31
- Organosilyl- and organogermyl-substituted ferrocenes, acid-catalysed alcoholysis of (M. Kumada, T. Kondo, K. Mimura, K. Yamamoto, M. Ishikawa), (43)307
- , oxidation alcoholysis of (T. Kondo, K. Yamamoto, M. Kumada), (43)315
- , preparation of (M. Kumada, T. Kondo, K. Mimura, M. Ishikawa, K. Yamamoto, S. Ikeda, M. Kondo), (43)293
- Organosulphur derivatives of cobalt and iron carbonyls, differences in ligand transfer, stability and fragmentation on electron impact of (G. Natile, G. Bor), (35)185
- Osmium-containing mixed-metal carbonyls (J.R. Moss, W.A.G. Graham), (23)C23
- trans*- π -Pentadienyliron tricarbonyl cations, generation from protonation of (*trans*,*trans*-2,4-hexadienyl)iron tricarbonyl (M. Brookhart, D.L. Harris), (42)441
- cis*- and *trans*-Pentadienyliron tricarbonyl cations, NMR studies (T.S. Sorensen, C.R. Jablonski), (25)C62
- Pentafluorophenylmercuric bromide, reactions with organometallic transition metal anions (T.A. George), (33)C13
- Pentanuclear carbidocarbonyl anion of iron (A.T.T. Hsieh, M.J. Mays), (37)C53
- σ -(Perfluoro-1-cyclopentenyl)metal complexes (R.E. Banks, R.N. Haszeldine, M. Lappin, A.B.P. Lever), (29)427
- Phenylpentalediiron pentacarbonyl (D.F. Hunt, J.W. Russell), (46)C22

- $\text{Ph}_2\text{Ge}[\text{Fe}(\text{CO})_2(\pi\text{-C}_5\text{H}_5)]_2$ and analogous compounds; photochemical decarbonylation (A.J. Cleland, S.A. Fieldhouse, B.H. Freeland, R.J. O'Brien), (32)C15
- Phosphine-nickel(II) complexes as hydrosilylation catalysts (Y. Kiso, M. Kumada, K. Tamao, M. Umeno), (50)297
- Phosphine substituted metal carbonyls, Raman and IR spectra; study of the metal-phosphorus force constant (M. Bigorgne), A. Loutellier, M. Pańkowski), (23)201
- Phosphines and allyldicarbonylnitrosyliron, kinetics of the monosubstitution reactions between (G. Cardaci, S.M. Murgia), (25)483
- Phosphonate and related derivatives of iron (R.J. Haines, A.L. Du Preez, L.L. Marais), (24)C26
- Phosphorus trifluoride substituted trimethylene-*methaneirontricarboxyl*, hindered rotation in (R.J. Clark, M.R. Abraham, M.A. Busch), (35)C33
- Phthalazine iron carbonyl complexes (H. Alper), (50)209
- Platinum(II)-metal bonded complexes (M. Akhtar, H.C. Clark), (22)233
- Polyfluoroaromatic derivatives of metal carbonyls, nucleophilic substitution reactions involving polynuclear aromatic fluorocarbons (M.I. Bruce), (21)415
- Polynuclear iron carbonyl dithiolene complexes (C.J. Jones, J.A. McCleverty, D.G. Orchard), (26)C19
- Protonated alkyl ferrocenes, ring tilt and restricted rotation in (T.E. Bitterwolf, A.C. Ling), (40)197
- Protonated ketones as NMR models for organo-transition metal cations (C.P. Lillya, R.A. Sahatjian), (32)371
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Reaction mechanism and properties of the compounds formed in the system: $\text{FeCl}_3 + \text{Mg} + \text{THF} + \text{N}_2$ (B. Jeżowska-Trzebiatowska, P. Sobota), (46)339
- Reaction of sulphur dioxide with compounds containing Si-Fe, Ge-Fe and Sn-Fe bonds (R.E.J. Bichler, H.C. Clark), (23)427
- Reaction of tetrafluorobenzene, reaction with transition metal complexes (D.M. Roe, A.G. Massey), (23)547
- Silylmethyl- and silylacetyl-iron complexes, rearrangements (K.H. Pannell), (21)P17
- Simple route to carbonyl and metal phosphine salts using NOPF_6 (R.H. Reimann, E. Singleton), (32)C44
- Sodium cyclopentadienyldicarbonylferrate, non-occurrence of ring-opening in the reaction with 1,2-dibromobenzocyclobutene (R.B. King, A. Efraty, W.C. Zipperer), (38)121
- Strained organosilicon heterocycles, role of the transition metal in homogeneous catalytic polymerization of (C.S. Cundy, C. Eaborn, M.F. Lappert), (44)291
- Structure of a metal compound obtained by bonding of a homotropyliene unit via 2 h^3 -allyl fragments to a $(\text{CO})_3\text{Fe}-\text{Fe}(\text{CO})_3$ group, analysed by NMR (R. Aumann, B. Lohmann), (44)C51
- 2-Substituted ferrocenylin compounds, and ferrocenes related to poly(vinyl chloride) stabilizers (D.R. Morris, B.W. Rockett), (35)179
- Substituted phospho- and arsenicboranes, σ -bonded complexes of and their π -allyl derivatives (D.C. Beer, L.J. Todd), (36)77
- p*-Substituted (tetraphenylcyclobutadiene), palladium halides, synthesis and reactions (D.F. Pollock, P.M. Maitlis), (26)407
- cis*- and *trans*- β -Substituted α -vinylferrocenes; configuration of trisubstituted ethylenes (A.A. Koridze, S.P. Gubin), (22)157
- Symmetrically disubstituted ferrocenes, synthesis of potential bidentate ligands (J.J. Bishop, A. Davison, M.L. Katcher, D.W. Lichtenberg, R.E. Merrill, J.C. Smart), (27)241
- Synthesis of heterocyclic compounds via transition metal intermediates (C.W. Bird), (47)281
- Tellurium and selenium derivatives of π -cyclopentadienyliiron dicarbonyl (E.D. Schermer, W.H. Baddley), (27)83
- 1,3-Terferrocenyl, synthesis and spectra of (E.W. Neuse, R.K. Crossland), (43)385
- Tertiary phosphine derivatives of carbonyl- π -cyclopentadienyliiron- μ -dicarbonyl- π -cyclopentadienylnickel, preparation of (K. Yasufuku, H. Yamazaki), (38)367
- Tetracarbonyldi- π -cyclopentadienyldiiron, ditertiary phosphine and arsine derivatives of (R.J. Haines, A.L. Du Preez), (21)181
- Tetracarbonyl- and tricarbonyliron complexes of α,β -unsaturated ketones, synthesis and reactions of (J.A.S. Howell, B.F.G. Johnson, P.L. Josty, J. Lewis), (39)329

- Tetrachloroiron(III) complex of hexakis-(acetonitrile)iron(II), crystallographic study of (G. Constant, J.-C. Daran, Y. Jeannin), (44)353
- Tetracyanoethylene-polyeneiron tricarbonyl adducts, oxidative degeneration of (D.J. Ehntholt, R.C. Kerber), (38)139
- Tetrafluorobenzobicyclo[2.2.2]octatrieneiron tricarbonyl, $C_{12}F_4H_6Fe(CO)_3$, structure (M.B. Hursthouse, A.G. Massey, A.J. Tomlinson, D.S. Urch), (21)P51
- Tetrameric transition metal carbonyl zinc alkoxides (J.M. Burlitch, S.E. Hayes), (42)C13
- Tin(II) halides in reaction with $[(\pi\text{-Ring})Fe(CO)_2]_2$ complexes (P. Hackett, A.R. Manning), (34)C15
- Transition metal alkyl compounds, preferred conformations in (J. Thomson, W. Keeney, M.C. Baird, W.F. Reynolds), (40)205
- Transition metal-carbene complexes, the acid amide group ($-\text{CON}(\text{C}_2\text{H}_5)_2$) as a new bridging ligand (E.O. Fischer, V. Kiener), (27)C56
- Transition metal-carbon σ -bonded complexes, diversity of behaviour of tetracyanoethylene towards (S.R. Su, A. Wojcicki), (31)C34
- Transition metal-carbon σ -bonds, insertion of tetracyanoethylene into (S.R. Su, J.A. Hanna, A. Wojcicki), (21)P21
- Transition metal complexes of triphenylphosphonium cyclopentadienylide and related ligands (D. Cashman, F.J. Lalor), (32)351
- , with α -methylbenzylimine of ethyl glyoxylate, nucleophilic attack of the complexed imine (J.Y. Chenard, D. Commereuc, Y. Chauvin), (33)C69
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- Transition metal-sulfone complexes (D.W. Lichtenberg, A. Wojcicki), (33)C77
- Transition metal tellurophene complexes (K. Öfele, E. Dotzauer), (42)C87
- Triangulo-tetracarbonyliron-carbonyltris(triphenyl phosphite)diplatinum (V.G. Albano, G. Cianì, M.I. Bruce, G. Shaw, F.G.A. Stone), (42)C99
- Tricarbonyl(diene)iron compounds, NMR study of the conformations of certain alcohol derivatives of (M.I. Foreman), (39)161
- Tricarbonyliron(0) complexes of condensed aromatic hydrocarbons (R.A. Bauer, E.O. Fischer, C.G. Kreiter), (24)737
- cis*- and *trans*-Tricarbonyl(η -pentadienyl)iron cations and their stereospecific interconversion (C.P. Lillya, R.A. Sahatjian), (25)C67
- B*-Triferrocenylborazine, preparation and properties (J.C. Kotz, W.J. Painter), (32)231
- Triferrocenylphosphine derivatives of metal carbonyls, preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361
- (Trimethylenemethane)iron tricarbonyl, vibrational spectra of (D.C. Andrews, G. Davidson), (43)393
- (Trimethylsilyl)cyclopentadiene, reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- 5-(Trimethylsilyl)cyclopentadiene, reactions with pentacarbonyliron and hexacarbonylmolybdenum (C.S. Kraihanzel, J. Conville), (23)357
- Trimethyltin derivatives of manganese and iron, exchange reactions of (R.M.G. Roberts), (47)359
- Trinuclear ferracyclopentadiene complexes via oligomerization of phosphino- and arsinoacetylenes (T. O'Connor, A.J. Carty, M. Mathew, G.J. Palenik), (38)C15
- Tris(dimethylamino)phosphine, mass spectra of metal carbonyl complexes (F.E. Saalfeld, J.J. DeCorpo, M.V. McDowell), (44)333
- Tris(*p*-fluorophenyl)phosphine, substitution reactions in carbonyl complexes of the transition metals (F.T. Delbeke, G.P. Van der Kelen), (21)155

Lanthanum

- Phenyls and alkyls of the Group IIIA metals (F.A. Hart, A.G. Massey, M.S. Saran), (21)147

Lead

- Acyltriphenyllead compounds, investigations (L.C. Willemsens), (27)45
- Alkenyllead compounds, acceptor properties of (R.J. Puddephatt, G.H. Thistlethwaite), (40)143
- Alkylation of lead and tin, effect of halide ions in (R. Galli, B.M. Giannaccari, L. Cassar), (25)429
- Aromatic tin and lead compounds with SO_2 , cleavage of the metal-carbon bonds (E. Lindner, U. Kunze), (23)C53
- Aryllead tricarbonylates, PMR spectra of (D. de Vos, J. Wolters), (39)C63

- Bis(triphenyllead)dichloromethane, chemistry and some reactions of $\text{Ph}_3\text{PbCCl}_2\text{Li}$ (C.M. Warner, J.G. Noltes), (24)C4
- (*p*-*d*) π Bonding in phenyltrichloro-tin, -germane, and -silane (G.M. Whitesides, J.G. Selgestad, S.P. Thomas, D.W. Andrews, B.A. Morrison, E.J. Panek, J. San Filippo, Jr.), (22)365
- Carbon-lead bonds, sulphur dioxide insertion into (C.W. Fong, W. Kitching), (21)365
- Conjugated butadienyllead and -tin compounds (E.C. Juenge, T.E. Snider, Y.-C. Lee), (22)403
- Copper(I)-catalyzed decomposition of tetraethyllead, acetolysis of alkylcopper(I) intermediates (N.A. Clinton, J.K. Kochi), (42)229
- Copper(II) reduction by tetraethyllead, evidence for ethyl radicals in acetic acid (N.A. Clinton, J.K. Kochi), (42)241
- Cyclopentadienyl compounds of silicon, germanium, tin and lead (*Review*) (E.W. Abel, M.O. Dunster, A. Waters), (49)287
- cis*-Dicyanoethylene-1,2-dithiolate ion, reactions with mono- and trisubstituted Group IVB organometallic compounds (E.S. Bretschneider, C.W. Allen), (38)43
- 10,11-Dihydro-5*H*-dibenzo[*b,f*] metalepins of Group IV, synthesis and characterization of (J.Y. Corey, M. Dueber, M. Malaidza), (36)49
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219
- Ethylaluminium and ethylmagnesium compounds, oxidation at a lead anode in THF (M. Fleischmann, D. Pletcher, C.J. Vance), (40)1
- Five-coordinated diorganolead(IV) (R. Bosco, R. Cefalu), (26)225
- Germanium, lead, zinc, cadmium and mercury substituted diazoalkanes (J. Lorberth), (27)303
- Halomethylzinc halides in the preparation of monohalomethyl derivatives of germanium, tin, lead and mercury (D. Seyferth, S.B. Andrews), (30)151
- Hexaaryldileads, acetolysis (V.G. Kumar Das, P.R. Wells), (23)143
- , preparation (L.C. Willemsens, G.J.M. van der Kerk), (21)123
- Hexaphenyldilead, cleavage by mercuric salts (V.G. Kumar Das, D.A. Moyes, P.R. Wells), (33)31
- Hexaphenyldi-tin and -lead in reaction with *t*-butylperoxy radicals, kinetic ESR study of (J.A. Howard, E. Furimsky), (46)C45
- Lead; Annual survey 1971 (L.C. Willemsens), (48)182
- (Main Group)-metallomethyl substituent effects by ^{19}F resonance: effect of aryl ring size (W. Kitching, A.J. Smith, W. Adcock, S.Q.A. Rizvi), (42)373
- Organolead compounds in reactions with dinitrogen tetroxide (K.C. Williams, D.W. Imhoff), (42)107
- Organolead(IV) thiocyanate compounds (N. Bertazzi, G. Alonzo, A. Silvestri, G. Consiglio), (37)281
- Organomercury, -tin and -lead derivatives, of 2,6-dimethyl-4-fluorothiophenol and 2,6-dibromo-4-fluorothiophenol, ^{19}F NMR study of steric hindrance and intramolecular coordination in (D.N. Kravtsov, B.A. Kvasov, L.S. Golovchenko, E.M. Rokhlina, E.I. Fedin), (39)107
- , of fluorophenols and fluorothiophenols, ^{19}F NMR study of electronic effects in (A.N. Nesmeyanov, D.N. Kravtsov, B.A. Kvasov, E.M. Rokhlina, V.M. Pachevskaya, L.S. Golovchenko, E.I. Fedin), (38)307
- Organometallic bis(*p*-hydroxyphenyl) derivatives of Group IV elements and related compounds (W. Davidsohn, B.R. LaLiberte, C.M. Goddard, M.C. Henry), (36)283
- Organotin and -lead halides, ylid complexes of (J. Buckle, P.G. Harrison), (49)C17
- Palladium(II) and platinum(II) lead bonded complexes (B. Crociani, M. Nicolini, D.A. Clemente, G. Bandoli), (49)249
- Palladium(II)-isocyanide complexes, reactions with phenyl derivatives of heavy metals (B. Crociani, M. Nicolini, T. Boschi), (33)C81
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Phenylsilver, synthesis and properties of (C.D.M. Beverwijk, G.J.M. van der Kerk), (43)C11

- 5-Plumbaspiro[4.4]nonane, synthesis and polymerization, and study of related plumbacyclopentanes and plumbacyclohexanes (E.C. Juenge, H.E. Jack), (21)359
- Plumbous chloride and dimethyllead dichloride complexes with methylaluminum dichloride (M. Bolesławski, S. Pasynekiewicz, H. Pszonka), (28)C31
- Plumbylation of aromatic ethers (L.C. Willemsens, D. de Vos, J. Spierenburg, J. Wolters), (39)C61
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149
- Stable organolead diazonium salts, preparation and properties for use as electron histochemical reagents (D.C. Livingston), (25)433
- Tetrakis(diphenylbromoplumbyl)methane, molecular structure in the crystal (J. Kroon, J.B. Hulscher, A.F. Peerdeman), (23)477
- Tetramethyllead, acidolysis, determination of concentrations in a competitive consecutive reaction system with PMR spectroscopy (V. Bade, F. Huber), (24)691
- Tetramethyllead and organoaluminum compounds, exchange of alkyl groups and chlorine (M. Bolesławski, S. Pasynekiewicz, K. Jaworski), (30)199
- Tetramethylmetal and bis(trimethylmetal) compounds, mass spectrometry and thermochemistry (M.F. Lappert, J.B. Pedley, J. Simpson, T.R. Spalding), (29)195
- Tetramethylmetal compounds, photoelectron spectra of and the lack of participation of *M d*-orbitals (R. Boschi, M.F. Lappert, J.B. Pedley, W. Schmidt, B.T. Wilkins), (50)69
- Tetraneopentyllead, difficulties in the synthesis of (K.C. Williams), (24)399
- Tetraorganolead and hexaorganodilead compounds, reaction with ammonium hexachloroplumbate (B.C. Pant, W.E. Davidsohn), (39)295
- Tetraorganolead and tetraorganotin, acidolysis, influence of the organic ligand on the reactivity (V. Bade, F. Huber), (24)387
- Tetraorganolead compounds, in reaction with 1-chloro-1,2,3-benzotriazole (B.C. Pant, J.G. Noltes), (36)293
- , reactions with *N*-bromosuccinimide (B.C. Pant), (24)697
- Tetraphenyllead, thermochemical studies on the halogenation of (R.A. Butler, A.S. Carson, P.G. Laye, W.V. Steele), (24)C11
- Tetraphenylsilicon, -germanium, -tin and -lead, piezoelectric organometallic crystals: growth and properties (H.W. Newkirk), (44)263
- Trialkylplumbylmagnesium chlorides, preparation and reactions (K.C. Williams), (22)141
- Trimethylaluminum, in reaction with lead monoxide (M. Bolesławski, S. Pasynekiewicz), (43)81
- (Triorganoplumbyl)metal reagents, reactions with polychloromethanes; tetrakis(triphenylplumbyl)methane and related compounds (L.C. Willemsens, G.J.M. van der Kerk), (23)471
- Triorganotin hydrides and triorganostannyl-alkali compounds, cleavage reaction with phenyl azides (H. Schumann, S. Ronecker), (23)451
- Triphenylphosphine oxide complexes of diphenyllead halides (H.J. Haupt, F. Huber), (33)175
- Triphenylplumbyl-containing *p,p'*-disubstituted 1,3-diphenyltetramethyldisiloxanes (P.J. Moehs, B.C. Pant), (22)37
- Tris[(trimethylsilyl)methyl]plumbylmagnesium chloride, preparation and reactions of (K.C. Williams), (23)465

Lithium

- Alkali metal additions to unsaturated systems (V. Kalyanaraman, M.V. George), (47)225
- Alkali tetramethylindate, preparation and crystal structure of $\text{Li}[\text{In}(\text{CH}_3)_4]$ and $\text{Na}[\text{In}(\text{CH}_3)_4]$ (K. Hoffmann, E. Weiss), (37)1
- Alkali tetraphenylindates: $\text{M}[\text{In}(\text{C}_6\text{H}_5)_4]$, preparation of and crystal structure of $\text{Na}[\text{In}(\text{C}_6\text{H}_5)_4]$ (K. Hoffmann, E. Weiss), (50)25
- 9-Alkyl-10-lithio-9-dihydroanthracenes, stereochemistry of the deuteration of (M. Lapouyade, M. Mary, H. Bouas-Laurent, P. Labandibar), (34)C25
- Alkyl lithium reagents in ether solutions, accurate titration of (R.A. Ellison, R. Griffin, F.N. Kotsonis), (36)209
- Alkyl lithiums and phenyllithium, reactions with carbon monoxide (P. Jutzi, F.-W. Schröder), (24)1
- Alkyltetraphenylantimony compounds, synthesis and properties (G. Dolleshall, N.A. Nesmeyanov, O.A. Reutov), (30)369
- Allyl aluminum compounds (H. Lehmkuhl, D. Reinehr), (23)C25

- p*-*t*-Amylbenzyl lithium, kinetic study of addition to 1,1-diphenylethylene in toluene (R. Waack, M.A. Doran, A.L. Gatzke), (46)1
- Arylmethyl lithiums, benzyl lithium and 1,1-diphenyl-*n*-hexyllithium, NMR study of carbon–lithium bonding in (L.D. McKeever, R. Waack), (28)145
- Asymmetric bifunctionally substituted organosilane, synthesis and stereochemistry; preparation of new optically active organosilicon compounds (R.J.P. Corriu, G.F. Lanneau, G.L. Royo), (35)35
- Bis(lithiumcyclopentadienylchromium trichloride–ditetrahydrofuran), crystal and molecular structure, determined by X-ray spectroscopy, of (B. Müller, J. Krausse), (44)141
- Bis[(trimethylsilyl)benzene]chromium(0), synthesis, properties and electron exchange with its radical cation (C. Elschenbroich), (22)677
- Bis(trimethylsilyl)diazomethane (D. Seyferth, T.C. Flood), (29)C25
- 1,4-Bis(trimethylsilyl)-1,4-dihydropyridine, preparation and properties (R.A. Sulzbach), (24)307
- 2,5-Bis(trimethylsilyl)thiophene, interaction with *n*-butyllithium (F.H. Pinkerton, S.F. Thames), (29)C4
- Bis(triphenyllead)dichloromethane, chemistry and some reactions of $\text{Ph}_3\text{PbCCl}_2\text{Li}$ (C.M. Warner, J.G. Noltes), (24)C4
- (1- and *trans*-2-Bromovinyl)trimethylsilane, reaction with lithium metal (G.R. Husk, A.M. Velitchko), (49)85
- n*-Butyllithium, kinetics in the cleavage of tetrahydrofuran in hydrocarbon solvent by (S.C. Honeycutt), (29)1
- , reaction with 3,3'-dibromo-4,4'-difluorobiphenyl (M. Martínez de Bertorello, H.E. Bertorello), (23)285
- , reactions with methyl-substituted pyridines, ¹H NMR spectra of carbanions produced by (K. Takahashi, K. Konishi, M. Ushio, M. Takaki, R. Asami), (50)1
- α -Chloro- β -lithium alkoxides, transposition to α -chloroenolates and synthesis of α -chloro ketones (J. Villiéras, C. Bacquet, J.F. Normant), (40)C1
- 2-(Chloromercuri)[(dimethylamino)methyl]ferrocene, preparation and synthetic utility of (D.W. Slocum, T.R. Engelmann), (24)753
- trans*-Cinnamyltriethyl- and *trans*-cinnamyltriphenyl-tin, reactions with tribromoborane; preferential transfer of the cinnamyl group from tin to boron (Y. Tanigawa, I. Moritani, S. Nishida), (28)73
- Cyclopentadienyl anion, π - and σ -orbital charge distribution (A.A. Koridze, S.P. Gubin, A.A. Lubovich, B.A. Kvasov, N.A. Ogorodnikova), (32)273
- Cyclopentadienylalkali and cyclopentadienylmagnesium compounds in tetrahydrofuran, spectra (W.T. Ford), (32)27
- π -Cyclopentadienylirondicarbonyl-mercurials, reactions with organolithium reagents (S.C. Cohen, S.H. Sage, W.A. Baker, Jr., J.M. Burlitch, R.B. Petersen), (27)C44
- Dibenzo[*b,f*]silepins, synthesis of (J.Y. Corey, M. Dueber, B. Bichlmeir), (26)167
- Dibromomethyl lithium and its homologues, synthesis of (J. Villieras, C. Bacquet, D. Masure, J.F. Normant), (50)C7
- 1,4-Diethynyltetrafluorobenzene and (pentafluorophenyl)acetylene, preparation of (F. Waugh, D.R.M. Walton), (39)275
- 10,11-Dihydro-5*H*-dibenzo[*b,f*]metallepins of Group IV, synthesis and characterization of (J.Y. Corey, M. Dueber, M. Malaidza), (36)49
- Dimetallic compounds derived from tetrachlorothiophene, preparation and reactions of (M.R. Smith, Jr., H. Gilman), (42)1
- N,N*-Dimethylaminomethyl lithium, preparation (D.J. Peterson), (21)P63
- 5,5-Dimethyl-5*H*-dibenzo[*b,f*]silepin, a 14 π -electron silicon heterocycle (F.K. Cartledge, P.D. Mollère), (26)175
- 1,1-Diphenyl-*n*-butyllithium, NMR studies in mixed solvents of benzene and tetrahydrofuran (Y. Okamoto, H. Yuki), (32)1
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- 2,3-Diphenylquinoxaline and its cyclodehydrogenation to dibenzo[*a,c*]phenazine (J.G. Smith, E.M. Levi), (36)215
- 2,2''- and 2,5''-Disubstituted biferrocenes, synthesis by direct coupling of 2-substituted lithioferrocenes (D.J. Booth, G. Marr, B.W. Rockett), (32)227
- Existence of allenic dianions derived from 3-methoxy-1-phenyl-1-propyne, synthesis of functionally allenic ether derivatives and α,β -ethylenic carbonyl compounds (Y. Leroux, R. Mantione), (30)295
- Ferrocene, polyolithiation (A.F. Halasa, D.P. Tate), (24)769

- Ferrocenyl- and (pentachlorophenyl)carbene complexes of chromium (G.A. Moser, E.O. Fischer, M.D. Rausch), (27)379
- Ferrocenylmethyl cyanide, lithiation of (G. Marr, J. Ronayne), (47)417
- 2-Ferrocenylquinoline, 1,4-addition of n-BuLi to (D.J. Booth, B.W. Rockett, J. Ronayne), (44)C29
- Fluoro-aromatic acetylenes, reactions of (M.R. Wiles, A.G. Massey), (47)423
- Formation of a chiral carbon centre by direct metallation into a methylene group (V.I. Sokolov, T.A. Sorokina, L.L. Troitskaya, L.I. Solovieva, O.A. Reutov), (36)389
- gem*-Halogenated organometallics and *gem*-halogenated enolates, formation and properties of malonic halogenated enolates (J. Villiéras), (34)209
- High purity organolithium initiators, preparation and analysis (P.J. Reed, J.R. Urwin), (39)1
- Interaction of organometallic reagents with certain aliphatic diazo compounds (E.M. Kaiser, C.D. Warner), (31)C17
- $\text{Li}_4\text{Cr}_2(\text{C}_4\text{H}_8)_6 \cdot 4\text{C}_2\text{H}_{10}\text{O}$, crystal and molecular structure (J. Krausse, G. Schödl), (27)59
- Lithiation of 2-fluoronaphthalene (T.N. Kinstle, J.P. Bechner), (22)497
- Lithio esters of carboxylic esters, preparation and properties of (L. Lochman, D. Lim), (50)9
- (*o*-Lithiobenzyl)diorganoarsines and their reactivity (A. Tzschach, H. Nindel), (24)159
- 3-Lithiotetrafluorophenylcyclopentadienyliron dicarbonyl, synthesis and reactions (S.C. Cohen), (30)C15
- 1-Lithio-1'-(trimethylsilyl)ferrocene, preparation and use in the synthesis of heteroannularly-substituted (trimethylsilyl)ferrocenes (G. Marr, T.M. White), (30)97
- Lithium acyltetracarbonylferrates, preparation and reactivity (E.O. Fischer, V. Kiener), (23)215
- Lithium alkyl amides (R_2NLi) in the cleavage of metal oxides and carboxy metal compounds (T. Cuvigny, H. Normant), (38)217
- Lithium and cuprolithium derivatives of deca-chlorobiphenyl (P. Caubère, B. Gorny), (37)401
- Lithium; Annual survey 1971 (W.H. Glaze), (48)1
- Lithium bis(pentafluorophenyl)silver, $\text{LiAg}(\text{C}_5\text{F}_5)_2$ (V.B. Smith, A.G. Massey), (23)C9
- Lithium bis(trimethylsilyl)amide, solvent effects on the aggregation of (B.Y. Kimura, T.L. Brown), (26)57
- Lithium compounds of functional mono- and polysilylated allenes, preparation and utilisation (R. Mantione, Y. Leroux), (31)5
- Lithium pentakis(pentafluorophenyl)tungsten (E. Kinsella, V.B. Smith, A.G. Massey), (34)181
- Lithium phosphoramides, preparation, alkylation and cyclisation reactions (P. Savignac, G. Lavielle, M. Dreux), (50)C1
- Lithium tetramethylaluminate, solvent effects on the PMR spectrum of (J.F. Ross, J.P. Oliver), (22)503
- Lithiumacetylpentacarbonyl chromate in reaction with dicyclopentadienyltitanium dichloride (E.O. Fischer, S. Fontana), (40)159
- Lithium- and tetraalkylammonium tetrabutylaluminates, preparation and characterization (T.D. Westmoreland, Jr., N. Ahmad, M.C. Day), (25)329
- Metal carbonyl complexes of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Methanetetraboronic and methanetriboronic esters, C-alkylation (D.S. Matteson, J.R. Thomas), (24)263
- Methoxy- and chloroferrocene, directed lithiation at the 2-position of (D.W. Slocum, B.P. Koonsvitsky, C.R. Ernst), (38)125
- (Methoxyphenylcarbene)pentacarbonylchromium(0) ring substituted complexes, preparation (E.O. Fischer, C.G. Kreiter, H.J. Kollmeier, J. Müller, R.D. Fischer), (28)237
- Methylithium, refinement of the crystal structure (E. Weiss, G. Hencken), (21)265
- , trimethylborane and dimethylzinc, theoretical study of the bonding in (M.F. Guest, I.H. Hillier, V.R. Saunders), (44)59
- Methyl- α -naphthylphenylgermyllithium, Li-X exchange in the condensation reaction with propargylic bromides (A. Jean, M. Lequan), (42)C3
- (Methylsulphinyl)methylithium and -sodium complexes with Lewis bases (K.R. Martin), (24)7
- Methyltris(triphenylphosphine)rhodium, reaction with diphenylacetylene (M. Michman, M. Balog), (31)395

- Model styryl-alkali metal compounds, NMR spectra (S. Bywater, D.J. Worsfold), (33) 273
- 3-Neopentylallyllithium, 1,4-addition product of t-butyllithium and 1,3-butadiene (W.H. Glaze, J.E. Hanicak, M.L. Moore, J. Chaudhuri), (44)39
- 3-Neopentylithium, reactions in hydrocarbon media (W.H. Glaze, J.E. Hanicak, D.J. Berry, D.P. Duncan), (44)49
- Optically active ethyl(1-naphthyl)phenylgermyllithium, stereochemistry of reactions with alkyl halides (C. Eaborn, R.E.E. Hill, P. Simpson), (37)275
- , stereochemistry of reactions with carbonyl compounds (C. Eaborn, R.E.E. Hill, P. Simpson), (37)267
- π -Orbital overlap requirement in 1,2-anionic rearrangements (J.J. Eisch, C.A. Kovacs), (30)C97
- Organogermyl- and organosilyl-benzene thiols, novel synthesis of, rearrangements of p -LiC₆H₄SMR₃ to p -R₃MC₆H₄SLi compounds (A.R. Bassindale, D.R.M. Walton), (25)389
- Organolead-lithium reagents (E.C. Juenge, T.E. Snider, Y.-C. Lee), (22)403
- Organolithium and Grignard reagents, reactions with the cyclopentadienyliron tricarbonyl cation and its derivatives (M.Y. Darensbourg), (38)133
- Organolithium and organosodium reagents, stereochemistry of the reactions with an asymmetric cyclosilane (R.J.P. Corriu, J.P.R. Massé), (34)221
- Organolithium compounds, derived from 4,4'-dibromooctafluorobiphenyl, reactions and thermal decomposition of (R.A. Contigiani, H.E. Bertorello, M. Martínez de Bertorello), (32)7
- , in the presence of lithium methoxyethoxide, ionic character: "coordination-agent-separated" ion pairs (T. Narita, T. Tsuruta), (30)289
- , reactions with cobaltous chloride (D.B. Denney, W.R. Davis), (24)537
- , reactions with quinolines, 1,4-addition and rearrangement in (J.J. Eisch, D.R. Comfort), (38)209
- Organolithium derivatives, dimerization (L. Skattebøl, R. Boulette), (24)547
- Organolithium reagents, addition to 1,1-diphenylethylene in diethyl ether, kinetics and structure reactivity behaviours (R. Waack, M.A. Doran), (29)329
- Organometallic bis(*p*-hydroxyphenyl) derivatives of Group IV elements and related compounds (W. Davidsohn, B.R. LaLiberte, C.M. Goddard, M.C. Henry), (36)283
- Organopotassium compounds, preparation (L. Lochmann, D. Lim), (28)153
- Organosilanes, reactions of tert-butyllithium with (R. West, G.A. Gornowicz), (28)25
- Pentachlorophenyllithium, reversibility in the reaction with aromatic nitriles (D.J. Berry, B.J. Wakefield), (23)1
- Peralkylchromium(IV) compounds, preparation of (W. Kruse), (42)C39
- (Perhaloaryl)dimethylsilanes, cleavage by organolithium compounds (M.R. Smith, Jr., H. Gilman), (37)35
- Perhaloaryllithium compounds, carbonation (D.S. Sethi, M.R. Smith, Jr., H. Gilman), (24)C41
- Trimethylsilyl-substituted bromomethylithium and -magnesium reagents (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethylsilyl-substituted chloromethylithium reagents: Me₃SiCCl₂Li and (Me₃Si)₂CClLi (D. Seyferth, E.M. Hanson, F.M. Armbrrecht, Jr.), (23)361
- Phenylacetylenylethoxycarbene as a ligand to the chromium(0) and tungsten(0) pentacarbonyl structure (E.O. Fischer, F.R. Kreissl), (35) C47
- Phenyl(α,α -dichlorobenzyl)mercury: a phenylchlorocarbene precursor (D. Seyferth, D.C. Mueller), (25)293
- Phenyllithium degree of association in diethyl ether solution; NMR studies of ⁷Li chemical exchange between phenyllithium and *p*-tolyllithium (J.A. Ladd, J. Parker), (28)1
- Polyhaloaryl compounds containing phosphorus (S.S. Dua, R.C. Edmondson, H. Gilman), (24)703
- (Polyhaloaryl)copper compounds, reactions with aryl, alkyl and allyl halides (A.E. Jukes, S.S. Dua, H. Gilman), (24)791
- Polyhaloaryl-metallic reagents, competitive reactions (R.C. Edmondson, A.E. Jukes, H. Gilman), (25)273
- Polymetalation of aromatic compounds (A.F. Halasa), (31)369
- Radiochemical assay of some Group I organometal derivatives using tritiated propanol (D.R. Campbell), (26)1
- 1,2-Rearrangements in the reactions of lithium with β -(2- and 4-pyridyl)ethyl chlorides (J.J. Eisch, C.A. Kovacs), (25)C33

- Reductive metalation of unsaturated compounds, the effect of allylic protons (J.G. Smith, R.T. Wikman), (49)91
- Rhodium complexes of allene pentamer (1,2,5-, 6,8-pentamethylenecyclodecane) (R.B. King, P.N. Kapoor), (33)383
- Spirocyclic compounds of pentacoordinated antimony, nucleophilic substitution reactions (D. Hellwinkel, M. Bach), (28)349
- Substitution on hexafluorobenzene with anilides (R. Koppang), (46)193
- Sulphur-substituted tetraorganotin compounds, preparation and reactions (D.J. Peterson), (26)215
- Symmetrically disubstituted ferrocenes, synthesis of potential bidentate ligands (J.J. Bishop, A. Davison, M.L. Katcher, D.W. Lichtenberg, R.E. Merrill, J.C. Smart), (27)241
- Tetraethylaluminate anions, vibrational spectra (C.A. Wilkie), (32)161
- Tetrafluoroaryl derivatives of phosphorus and sulphur, synthesis (P.G. Eller, D.W. Meek), (22)631
- Tetrakis(trimethylsilyl)allene, a convenient synthesis by metalation and silylation of allene (F. Jaffe), (23)53
- Trialkylgermyl alkali metal compounds, in hexamethylphosphoric triamide, preparation and structure (E.J. Buiten, J.G. Noltes), (29)397
- , reactions in hexamethylphosphoric triamide with inorganic and organic compounds (E.J. Bulten, J.G. Noltes), (29)409
- Tricyclopentadienylindium(III) and related compounds (J.S. Poland, D.G. Tuck), (42)307
- Triethylaluminium, reactions with epoxides (A.J. Lundeen, A.C. Oehlschlager), (25)337
- Trimethylsilyl-1,2-dihydrobenzocyclobutenes, base cleavage and its significance for the acidities of the 1-, 3-, and 4-positions of 1,2-dihydrobenzocyclobutene (C. Eaborn, A.A. Najam, D.R.M. Walton), (46)255
- Trimethylsilyllithium, reaction with carbon monoxide (P. Jutzi, F.W. Schröder), (24)C43
- (Trimethylsilyl)methyl isocyanides, synthesis and thermal rearrangements (R. West, G.A. Gornowicz), (25)385
- Trimethylstannyl-2,4-cycloheptadiene, a fluxional molecule (M.D. Curtis, R. Fink), (38)299
- Trimethylstannyl dibromomethylmagnesium chloride (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethyltindihalomethyl lithium reagents (D. Seyferth, F.M. Armbrrecht, Jr., R.L. Lambert, Jr., W. Tronich), (44)299
- (Triorganoplumbyl)metal reagents, reactions with polychloromethanes; tetrakis(triphenylplumbyl)methane and related compounds (L.C. Willemsens, G.J.M. van der Kerk), (23)471
- Triorganotin hydrides and triorganostannyl-alkali compounds, cleavage reactions with phenyl azides (H. Schumann, S. Ronecker), (23)451
- (Triphenylsilyl)lithium, reaction with di- and trihalobenzenes (O.W. Steudel, A.C. Ranade, H. Gilman), (26)327
- [Tris(trimethylsilyl)methyl]lithium, alkyl-lithium compound of unusual stability (M.A. Cook, C. Eaborn, A.E. Jukes, D.R.M. Walton), (24)529

Magnesium

- Alkoxy-alkyl mixed bridged organomagnesium compounds (J.A. Nackashi, E.C. Ashby), (35)C1
- Alkoxymagnesium halides (N.Ya. Turova, E.P. Turevskaya), (42)9
- Alkyl and aryl fluoro Grignard compounds, new and convenient method of preparation; reaction of magnesium alkyls with metal fluorides (E.C. Ashby, J.A. Nackashi), (24)C17
- Alkyl Grignard reagents, effects of the nature of halides on the alkyl group isomerisation in Ni-catalysed cross-coupling with organic halides of (Y. Kiso, K. Tamao, M. Kumada), (50)C12
- Alkyl-transition metal compounds, fragmentation and isomerization studies (R.P.A. Sneeden, H.H. Zeiss), (22)713
- Alkylmagnesium fluorides, composition of (E.C. Ashby, S. Yu), (29)339
- Alkylmagnesium halides, electronic structure and energy of formation (M. Astier, P. Millié), (31)139
- Alkyltetraphenylantimony compounds, synthesis and properties (G. Doleshall, N.A. Nesmeyanov, O.A. Reutov), (30)369
- Allenoxysilanes, preparation of (G. Merault, J.-P. Picard, P. Bourgeois, J. Dunoguès,

- N. Duffaut), (42)C80
- Allyl Grignard reagents, addition to conjugated anils, proposed radical pathway (J.J. Eisch, R.L. Harrell, Jr.), (21)21
- Allylmagnesium chloride 1,4-addition to 2-methylquinoline via 1,2-addition and subsequent rearrangement (J.J. Eisch, D.R. Comfort), (43)C17
- Allylmagnesium halides, addition to 1-alkenes (H. Lehmkuhl, D. Reinehr), (25)C47
- Arylcopper–magnesium compounds (L.M. Seitz, R. Madl), (34)415
- Asymmetric bifunctionally substituted organosilane, synthesis and stereochemistry; preparation of new optically active organosilicon compounds (R.J.P. Corriu, G.F. Lanneau, G.L. Royo), (35)35
- (Benzene)tricarbonylchromiums, examples of asymmetric induction in the series (A. Meyer, R. Dabard), (36)C38
- Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in (R. Mason, D.M.P. Mingos), (50)53
- α, ω -Bis(dimethylhydrosilyl)perfluorohexane, preparation of (M.R. Smith, Jr., H. Gilman), (46)251
- Bis(pentafluorophenyl)cobalt complex, synthesis and reactions of (C.F. Smith, C. Tamborski), (32)257
- Boron trifluoride etherate, isomerization during alkylation with alkylmagnesium halides (A.G. Davies, B.P. Roberts, R. Tudor), (31)137
- (2-Bromoalkyl)triphenylsilanes, reactions with magnesium and Grignard reagents (A.W.P. Jarvie, A.J. Bourne, R.J. Rowley), (39)93
- Butadienyl derivatives (E.C. Juenge, T.E. Snider, Y.-C. Lee), (22)403
- π -Carbanion Grignard reagent (C. Johnson, J. Toney, G.D. Stucky), (40)C11
- 3-Chloropropylchlorosilanes, improved cyclization procedure for (R. Damrauer, R.A. Davis, M.T. Burke, R.A. Karn, G.T. Goodman), (43)121
- Chlorosilanes used in polysilylation of aromatic nitriles, synthesis of enamines (C. Biran, J. Dédier, J. Dunoguès, R. Calas, N. Duffaut), (35)263
- Copper-catalyzed coupling of Grignard reagents and alkyl halides in THF solutions (M. Tamura, J.K. Kochi), (42)205
- 1,4-Cyclohexadiene, preparation from benzene by direct silylation (J. Dunoguès, R. Calas, N. Ardoin), (43)127
- Cyclooctatetraene-transition metal compounds, preparation using magnesium metal and synthesis of cyclooctatetraenemagnesium (H. Lehmkuhl, S. Kintopf, K. Mehler), (46)C1
- Cyclopentadienylalkali and cyclopentadienylmagnesium compounds in tetrahydrofuran, spectra (W.T. Ford), (32)27
- Dialkylmanganese species, elimination and catalytic decomposition (M. Tamura, J. Kochi), (29)111
- Dialkylthallium halides, alkylation with Grignard reagents in diethyl ether solution (D.A. Heyman), (35)C57
- Diaryl ditellurides from Grignard reagents and elemental tellurium (W.S. Haller, K.J. Irgolic), (38)97
- Diborane in reaction with Grignard reagents, new route to organoboranes, phenols and alcohols (S.W. Breuer, F.A. Broster), (35)C5
- Di-*n*-butylmagnesium-*N, N, N', N'*-tetramethylethylenediamine complex, preparation from a non-ethereal Grignard (M.H. Gitlitz, W.J. Considine), (23)291
- Dicyclopentadienyltin(I), reaction with phenylmagnesium bromide, ^{119}mSn Mössbauer investigation (P.G. Harrison, J.J. Zuckerman, J.G. Noltes), (31)C23
- Dimethylbis(quinuclidine)magnesium, structural properties of (J. Toney, G.D. Stucky), (22)241
- Dimethylsilylmethylmagnesium bromide, reaction of benzophenone with (A.W.P. Jarvie, R.J. Rowley), (36)C7
- 1,6-Disila[4.4.4]propellane and related compounds, preparation and characterization; evidence for a (trialkylsilyl)magnesium compound (K. Tamao, M. Kumada, A. Noro), (31)169
- Ethylaluminum and ethylmagnesium compounds, oxidation at a lead anode in THF (M. Fleischmann, D. Pletcher, C.J. Vance), (40)1
- α -Ethylene amides, silylation of (M. Bolourtchian, P. Bourgeois, J. Dunoguès, N. Duffaut, R. Calas), (43)139
- Ethylmagnesium bromide, reaction with aromatic hydrocarbons, formation of anions and carbanions (F.J. Reinders, R. Prins), (25)C41
- Ethylmagnesium compounds, degree of association in diisopropyl ether (P. Voorbergen, C. Blomberg, F. Bickelhaupt), (40)225

- Ferrocenyl ketones and pinacols (M.D. Rausch, C.A. Pryde), (26)141
- Formation of organotin compounds with Sn-Mg bonds (J.-C. Lahournère, J. Valade), (22)C3
- Functionally substituted organomagnesium compounds ($Y(CH_2)_nMgX$) in the synthesis of boron derivatives of the type $Y(CH_2)_n-B(OC_2H_5)_2$ (I. Miginiac, J. Blais), (29)349
- Grignard and Iotsich reagents, action of halogens upon (L.I. Zakharin, V.V. Gravilenko, B.A. Paley), (21)269
- Grignard reagents, radical formation during reactions with quinones (C. Blomberg, H.H. Grootveld, T.H. Gerner, F. Bickelhaupt), (24)549
- , reaction of benzophenone with, separation of the rate and product determining steps (T. Holm), (29)C45
- , reactions with 2,6-dichloropyridine (R. Koppang, A.C. Ranade, H. Gilman), (22)1
- , reaction with organic halides, electron transfer mechanism in (P.R. Singh, S.R. Tayal, A. Nigam), (42)C9
- , reactions with organic peroxides and disulphides (A.W.P. Jarvie, D. Skelton), (30)145
- Grignard-type reactions with transition metals; alkylation of carbon compounds in protic solvents (G. Agnès, G.P. Chiusoli, A. Marraccini), (49)239
- gem*-Halogenated organometallics and *gem*-halogenated enolates, formation and properties of malonic halogenated enolates (J. Villiéras), (34)209
- Hydrido carbene nickel complexes, evidence for the existence of (L. Farády, L. Markó), (43)51
- Hydrosilylmethyl Grignard reagents in the reduction of chlorosilanes (A.W.P. Jarvie, R.J. Rowley), (34)C7
- Hydrosilanes, new method of preparation starting from chlorosilanes (R. Calas, J. Dunoguès, N. Duffaut), (22)561
- Iron catalysis in the reaction of Grignard reagents with alkyl halides (M. Tamura, J. Kochi), (31)289
- (*o*-Lithiobenzyl)diorganoarsines and their reactivity (A. Tzschach, H. Nindel), (24)159
- Magnesium; Annual survey 1971 (C. Blomberg), (45)1
- Methinyltricobalt enneacarbonyls, reactions with electrophiles and nucleophiles, and new silicon derivatives (R. Dolby, T.W. Matheson, B.K. Nicholson, B.H. Robinson, J. Simpson), (43)C13
- Method for the creation of Si-C bonds from unsaturated hydrocarbons; substitution of allylic vinylic or phenylic hydrogen atoms (J. Dunoguès, R. Calas, N. Ardoin, C. Biran), (32)C31
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methylmagnesium halides, theoretical study of reaction mechanisms of (M. Astier, P. Millié), (47)311
- Methyltris(triphenylphosphine)rhodium, reaction with diphenylacetylene (M. Michman, M. Balog), (31)359
- Nickel Grignard reagent, preparation and reactions of (H. Felkin, P.J. Knowles), (37)C14
- Nickelocene, reactions with benzylmagnesium compounds; phenyltris(η -cyclopentadienyl-nickel)methane (T.I. Voyevodskaya, I.M. Pribytkova, Yu.A. Ustynyuk), (37)187
- Non-classical reactions during alkylation of, R_3SiX ($X = Cl, OCH_3$) by Grignard reagents (M.B. Lacout-Loustalet, J.P. Dupin, F. Métras, J. Valade), (31)337
- , R_nSiX_{4-n} ($X = Cl, OCH_3$) derivatives (M.B. Lacout-Loustalet, J.P. Dupin, F. Métras, J. Valade), (31)187
- Optically active organosilanes, stereochemistry of the reaction with organomagnesium compounds (R. Corriu, G. Royo), (40)229
- Organocadmium compounds, composition in diethyl ether solvent (J.R. Sanders, E.C. Ashby), (25)277
- Organochlorosilanes, reaction with conjugated dienes (J. Dunoguès, R. Calas, J. Dedier, F. Pesciotti), (25)51
- Organolithium and Grignard reagents, reactions with the cyclopentadienyliron tricarbonyl cation and its derivatives (M.Y. Darensbourg), (38)133
- Organomagnesium compounds, addition to alkenyl compounds (H. Lehmkuhl, D. Reinher), (34)1
- , derived from β -ethylenic halides, rearrangement in (P. Miginiac, B. Cousseran), (28)C5
- , dissociation in hexamethylphosphoric triamide (J. Ducom, B. Denise), (26)305
- Organomagnesium reagents, anomalous reactions with perfluoroaromatic compounds (W.L. Respass, C. Tamborski), (22)251
- Organoscandium compounds (R.S.P. Coutts, P.C. Wailes), (25)117

- Organotin alcohols, synthesis by reaction of 1-alkoxy-3-halotriorganotins with magnesiums (B. Delmond, J.-C. Pommier), (26)C7
- Palladium compounds (L_2PdCl_2 , CH_3MgBr), reaction of diphenylacetylene with (N. Garty, M. Michman), (36)391
- Partial silylation of *gem*-polychloro derivatives (J. Dunoguès, R. Calas, J. Malzac, N. Duffaut, C. Biran), (27)C1
- Pentabromophenyl organometallics, synthesis and reactions of (C.F. Smith, G.J. Moore, C. Tamborski), (42)257
- Pentabromophenylmagnesium bromide and 1,2,4,5-tetrabromophenylbis(magnesium bromide), improved synthesis (C.F. Smith, G.J. Moore, C. Tamborski), (33)C21
- Polyfluoroaromatic magnesium compounds, synthesis through exchange reaction (C. Tamborski, G.J. Moore), (26)153
- Polyhaloaryl compounds containing phosphorus (S.S. Dua, R.C. Edmondson, H. Gilman), (24)703
- (Polyhaloaryl)copper compounds, reactions with aryl, alkyl and allyl halides (A.E. Jukes, S.S. Dua, H. Gilman), (24)791
- Polyhaloaryl-metallic reagents, competitive reactions (R.C. Edmondson, A.E. Jukes, H. Gilman), (25)273
- gem*-Polymetallic compounds (B. Martel, M. Varache), (40)C53
- Polymetallophilic organic compounds, competitive intramolecular Grignard coupling reactions of (E.L. McCaffery, S.W. Shalaby), (44)227
- Reaction mechanism and properties of the compounds formed in the system: $FeCl_3 + Mg + THF + N_2$ (B. Jeżowska-Trzebiatowska, P. Sobota), (46)339
- Reaction of tetrafluorobenzene, reaction with transition metal complexes (D.M. Roe, A.G. Massey), (23)547
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149
- Reactions between olefins and Grignard reagents, structure of products formed in the presence of nickel chloride (L. Farády, L. Markó), (28)159
- Reactivity of organotin compounds with tin-magnesium bonds: epoxides and oxetanes (J.-C. Lahournère, J. Valade), (33)C4
- , ethylenic ketones (J.-C. Lahournère, J. Valade), (33)C7
- Silacyclobutanes, efficient synthesis of (R. Damrauer, R.A. Davis, M.T. Burke, R.A. Karn, G.T. Goodman), (43)121
- Silicon-carbon bonds, formation starting from chlorosilanes, *C*-silylation of esters (J.P. Picard, R. Calas, J. Dunoguès, N. Duffaut), (26)183
- , -, *C*-silylation of ethylenic aldehydes and ketones (R. Calas, J. Dunoguès, M. Bolourtchian), (26)195
- Silicon tetrachloride, non-classical reaction during alkylation by Grignard compounds (F. Métras, J.-C. Lahournère, J. Valade), (29)41
- Silyl azide Grignard adducts, mechanisms of the thermolysis of (N. Wiberg, W.-C. Joo), (22)349
- Silyl azides, mechanisms of the reactions with Grignard compounds (N. Wiberg, W.-C. Joo, P. Olbert), (22)341
- , reactions with Grignard compounds (N. Wiberg, W.-C. Joo), (22)333
- α -Silyl ketones, preparation from α -ethylenic acid chlorides (J. Dunoguès, M. Bolourtchian, R. Calas, N. Duffaut, J.-P. Picard), (43)157
- α -Silylated allenic derivatives, production by monodesilylation of 1,3-bis(trimethylsilyl)propyne (P. Bourgeois, G. Mérault), (39)C44
- Silylation of aromatic enoxysilanes (P. Cazeau, E. Frainnet, J. Dunoguès, R. Calas), (35)C11
- C*-Silylation of *N*-arylated aromatic amides, mechanism of (P. Bourgeois, N. Duffaut), (35)63
- C*-Silylation of cinnamic esters by means of the trialkylchlorosilane/magnesium/HMPT system (J.P. Picard), (34)279
- Silylation of α -ethylenic nitriles (M. Bolourtchian, R. Calas, J. Dunoguès, N. Duffaut), (33)303
- Silylation of intermediates formed during metalation of chloroacetonitriles (B. Martel, M. Varache), (38)C29
- C*-Silylation of ketones, starting from chlorotrialkylsilanes and magnesium (R. Calas, J. Dunoguès, J.-P. Pillot, C. Biran, N. Duffaut), (25)43
- Silylation of nitriles and aromatic imines (C. Biran, R. Calas, J. Dunoguès, N. Duffaut), (22)557
- C*-Silylation starting from acidic chlorides (J.-P. Picard, P. Bourgeois, J. Dunoguès, R. Calas), (39)C49
- Stable hydride complexes of magnesium alkyls and aryls, preparation (E.C. Ashby,

- R.C. Arnott), (21)P29
- Stereochemistry of polynuclear compounds: $[\text{C}_2\text{H}_5\text{Mg}_2\text{Cl}_3(\text{C}_4\text{H}_8\text{O})_3]_2$, a tetrameric Grignard reagent (J. Toney, G.D. Stucky), (28)5
- Stereochemistry of reactions of Grignard reagents with asymmetric cyclosilanes (R. Corriu, J. Massé), (35)51
- Stereoselectivity of the aldol condensation in the reaction of benzaldehyde and -chloroacetates (G. Kyriakou, M.C. Roux-Schmitt, J. Seyden-Penne), (47)315
- Tetranoeptyllead, difficulties in the synthesis of (K.C. Williams), (24)399
- Titanium hydride complexes, cyclopentadienyl ligands as a hydrogen source in the formation of (M.E. Vol'pin, A.A. Belyi, V.B. Shur, Yu.I. Lyakhovetsky, R.V. Kudryavtsev, N.N. Bubnov), (27)C5
- Trialkylplumbymagnesium chlorides, preparation and reactions (K.C. Williams), (22)141
- Tricyclopentadienylcurium-244(III) (F. Baumgärtner, E.O. Fischer, H. Billich, E. Dornberger, B. Kanellakopoulos, W. Roth, L. Stieglitz), (22)C17
- Trimethylchlorosilane, activity on epoxystyrene and 1,2-epoxybutane in the presence of magnesium (J. Dunoguès, R. Calas, N. Duffaut, J.-P. Picard), (26)C13
- , reactions with α - and β -ionone in the presence of magnesium (R. Calas, M. Bolourtchian, J. Dunoguès, N. Duffaut), (34)269
- Trimethylsilyl groups, polyaddition to naphthalene and biphenyl (J. Dunoguès, R. Calas, C. Biran, N. Duffaut, P. Lapouyade), (23)C50
- Trimethylsilyl substituted bromomethyl lithium and -magnesium reagents (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethylstannyl dibromomethylmagnesium chloride (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethyltin dihalomethyl lithium reagents (D. Seyferth, F.M. Armbrrecht, Jr., R.L. Lambert, Jr., W. Tronich), (44)299
- Trisubstituted alkenes, selective preparation of (J.-G. Duboudin, B. Jousseume), (44)C1
- Vinyl organomagnesium compounds, NMR study of the mechanism of formation and stereospecificity of reactions of (B. Méchin, N. Naulet), (39)229

Manganese

- Acetatobis(triphenylphosphine)dicarbonylmanganese(I), $(\text{CH}_3\text{CO}_2)_2\text{Mn}(\text{CO})_2[\text{P}(\text{C}_6\text{H}_5)_3]_2$, synthesis and structural characterisation of (W.K. Dean, G.L. Simon, P.M. Treichel, L.F. Dahl), (50)193
- Acetyl- and methylpentacarbonylmanganese in matrices at 15 K, IR evidence for the formation on photolysis of acetyl- and methyltetracarbonylmanganese (A.J. Rest), (25)C30
- Alkenylmanganese carbonyl derivatives, stereochemistry of cleavage of (B.L. Booth, R.G. Hargreaves), (33)365
- σ -Allylmanganese pentacarbonyl, vibrational spectra of (H.L. Clarke, N.J. Fitzpatrick), (40)379
- π -Benzene-phenylmethoxycarbenedicarbonylchromium(0) and related compounds, hindered rotation around the metal-carbon bond (H.J. Beck, E.O. Fischer, C.G. Kreiter), (26)C41
- Binuclear complexes of transition metals with a common unsaturated ligand (Review) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in (R. Mason, D.M.P. Mingos), (50)53
- Bis $\{\mu$ -[(trifluoromethyl)seleno]manganese tetracarbonyl $\}$ (C.J. Marsden, G.M. Sheldrick), (40)175
- Cacodyl derivatives of manganese carbonyls (J. Grobe, F. Kober), (29)295
- Carbamoylcarbonyl complexes of manganese in liquid NH_3 , chemistry of (H. Behrens, E. Lindner, D. Maertens, P. Wild, R.-J. Lampe), (34)367
- Carbonyl and related complexes containing the ligands $\text{PhCH}_2\text{EMe}_2$ (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Carbonyl dithiophosphinato manganese and rhenium complexes, reactivity (E. Lindner, K.-M. Matejcek), (34)195
- Carbonylation reaction of σ -propargylic complexes; formation of π -allylic complexes and of a σ -vinyl carboxyl complex (J.J. Rouston, C. Charrier, J.Y. Mérou, J. Bénéaim, G. Ciannotti), (38)C37
- CF_3S derivatives of manganese carbonyls, preparation (J. Grobe, F. Kober), (24)191
- Chelated σ -bonded Mn-C complex formed by

- hydrometallation of an olefinic tertiary phosphine, structure of (G.B. Robertson, P.O. Whimp), (49)C27
- [C₂H₅)Mn(CO)NO]₂ dynamic stereochemistry in (T.J. Marks, J.S. Kristoff), (42)C91
- Chromium and manganese carbonyl π -complexes of 2-benzylpyrrole and 2-phenylpyrrole; spectra and electronic effects (N.J. Gogan, C.S. Davies), (39)129
- (C₆H₅)₂TiMn(CO)₅ and ClTi[Mn(CO)₅]₂, preparation of (H.-J. Haupt, F. Neumann), (50)63
- Configuration of optically active β -(2-methyl- or 3-methylcymantrenoyl)- α,α -dimethylpropionic acids (M. Le Plouzennec, R. Dabard), (29)C33
- Coordination compounds of 2,3-diazabicyclo-[2.2.1]heptene-2 with *N*-containing ligands (M. Herberhold, W. Golla), (26)C27
- Cyclic arsines, reactions with iron and manganese carbonyls (P.S. Elmes, B.O. West), (32)365
- Cyclopentadienyl carbonyl complexes of manganese (B.V. Lokshin, A.G. Ginzburg, V.N. Setkina, D.N. Kursanov, I.B. Nemirovskaya), (37)347
- π -Cyclopentadienylmanganese tricarbonyl, arsenites and antimonites as ligands toward (T.B. Brill), (40)373
- Cyclopentadienylmanganese tricarbonyl Group V and olefin derivatives, ⁵⁵Mn NQR and IR intensities of the carbonyl stretching vibrations in (W.P. Anderson, T.B. Brill, A.R. Schoenberg, C.W. Stanger, Jr.), (44)161
- Cyclopentadienylmanganese tricarbonyl, photolytic conversion with cyclopentadiene (W. Bathelt, M. Herberhold, E.O. Fischer), (21)395
- Cyclopentadienyltricarbonylmanganese, photolysis and detection of (π -C₅H₅)Mn(CO)₂ (P.S. Braterman, J.D. Black), (39)C3
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or polynuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Decacarbonyl dimanganese hydrogenation and hydroformylation of olefins (T.A. Weil, S. Metlin, I. Wender), (49)227
- Dialkylmanganese species, elimination and catalytic decomposition (M. Tamura, J. Kochi), (29)111
- Dinuclear tetracarbonylmanganese-organometal phosphine complexes (H. Schumann, H.-J. Kroth), (32)C47
- o*-Diphenylphosphinobenzyl dimethylsilane, synthesis and reactivity of (H.G. Ang, P.T. Lau), (37)C4
- Diphosphine-substituted carbonyl complexes of manganese (R.H. Reimann, E. Singleton), (38)113
- Dithiocarboxylate complexes of manganese and rhenium, structure and bonding in (E. Lindner, R. Grimmer), (25)493
- Dithiophosphinate complexes, chemical behaviour towards metals of low-valent oxidation state (E. Lindner, K.-M. Matejcek), (29)283
- Exchange of ¹³CO with manganese pentacarbonyl hydride (A. Berry, T.L. Brown), (33)C67
- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Halo derivatives of metal carbonyls, addition of the Lewis acids AlX₃ and FeCl₃ on (M. Pańkowski, B. Demerseman, G. Bouquet, M. Bigorgne), (35)155
- Hexamethylditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- cis*-Hydridotetracarbonyl(triphenylphosphine)-manganese, reactions with organic halogen compounds (B.L. Booth, B.L. Shaw), (43)369
- Investigation on the stability of the configuration of metal complexes by means of magnetic non-equivalence (H. Brunner, H.-D. Schindler, E. Schmidt, M. Vogel), (24)515
- Isocyanide complexes of manganese and chromium, electrochemical oxidation of (P.M. Treichel, G.E. Dirreen), (39)C20
- Low symmetry 4-coordinate organotin compounds, ¹¹⁹Sn Mössbauer quadrupole splittings of; application of the point charge model (G.M. Bancroft, K.D. Butler, A.T. Rake), (34)137
- Low-valent chromium, tungsten and manganese complexes, electrochemical oxidation of (J.A. McCleverty, D.G. Orchard, J.A. Connor, E.M. Jones, J.P. Lloyd, P.D. Rose), (30)C75
- Manganese and rhenium pentacarbonyl halides, reactions with acetonitrile (J.G. Dunn, D.A. Edwards), (27)73
- Manganese carbonyl, indenyl and fluorenyl derivatives of (R.B. King, A. Efraty), (23)527
- Manganese(I) halodicarbonyl complexes, reactions of (I.S. Butler, N.J. Coville, H.K. Spendjian), (43)185
- Manganese(I) isocyanide complexes (P.M. Treichel, G.E. Dirreen, H.J. Mueh), (44)339
- Manganese pentacarbonyl bromide, factors limiting higher substitution of (R.H. Rei-

- mann, E. Singleton), (44)C18
- Manganese, technetium and rhenium; Annual survey 1971 (A. Wojcicki), (45)335
- MCo(CO)₅ (M = Mn or Re) and monosubstituted derivatives MnCo(CO)₅P(C₆H₅)₃, assignments in the C—O stretching region of the authentic infrared spectra (G. Sbrignadello, G. Bor, L. Maresca), (46)345
- Metal carbonyl complexes of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Metal carbonyls and cyclopentadienyl metal carbonyls containing metal—metal bonds, sulphur dioxide reactions of (D.S. Field, M.J. Newlands), (27)221
- Metal—metal bond cleavage, exchange reactions (H.C. Clark, B.K. Hunter), (31)227
- Metallocenes, comparative study of the arc discharge plasma ion composition and the mass spectra obtained under the electron impact (N.V. Zakurin, S.P. Gubin, V.P. Bochin), (23)535
- Methyl—transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Mixed transition-metal μ -diphenylphosphido complexes, preparation (K. Yasufuku, H. Yamazaki), (28)415
- Monosubstituted derivatives of cymantrene having a chiral centre in the substituent, steric relations and PMR spectra of (D.N. Kursanov, Z.N. Parnes, N.M. Loim, N.E. Kolobova, I.B. Zlotina, P.V. Petrovskii, E.I. Fedin), (44)C15
- Monosubstituted metal pentacarbonyl complexes, CO stretching force constants and mesomeric and inductive effects (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (28)391
- trans*-N₂H₂[C₅H₅Mn(CO)₂]₂, a diimine complex, reactions of (D. Seilmann), (44)C46
- Nickel—cobalt, nickel—iron and nickel—manganese polynuclear carbonyl complexes (A.T.T. Hsieh, J. Knight), (26)125
- Nitrosonium ion, NO⁺, and its versatility in transition metal organometallic synthesis (N.G. Connelly, J.D. Davies), (38)385
- Nitrosyltetracarbonylmanganese, IR spectrum in the solid state, evidence for C_{2v} molecular symmetry (A. Poletti, G. Paliani, R. Cataliotti, A. Foffani, A. Santucci), (43)377
- Optical antipodes of the [C₅H₅Mn*(CO)(NO)-P(C₆H₅)₃]⁺ cation (H. Brunner, H.-D. Schindler), (24)C7
- Optically active metallocenes, racemisation (H. Falk, H. Lehner, J. Paul, U. Wagner), (28)115
- Organometal arsines as ligands in transition metal carbonyl complexes (H. Schumann, G. Pfeifer, H. Röser), (44)C10
- Organometalphosphinecyclopentadienyldicarbonyl- and -methylcyclopentadienyldicarbonyl—manganese complexes (H. Schumann, O. Stelzer, J. Kuhlmeier, U. Niederreuther), (28)105
- Organotin—transition metal carbonyl complexes, synthesis from tris(trimethylstannyl)amine and hexamethyldistannoxane (E.W. Abel, M.O. Dunster), (49)435
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentafluorophenylmercuric bromide, reactions with organometallic transition metal anions (T.A. George), (33)C13
- σ -(Perfluoro-1-cyclopentenyl)metal complexes (R.E. Banks, R.N. Haszeldine, M. Lappin, A.B.P. Lever), (29)427
- Phosphine substituted metal carbonyls, Raman and IR spectra; study of the metal—phosphorus force constant (M. Bigorgne, A. Loutellier, M. Pańkowski), (23)201
- Reactions of Si—Mn, Ge—Mn and Sn—Mn bonds with unsaturated fluorocarbons (H.C. Clark, T.L. Hauw), (42)429
- Silyl-, disilyl- and silylmethyl-substituted π -cyclopentadienyl metal carbonyls via organotin intermediates (E.W. Abel, S. Moorhouse), (29)227
- Simple route to carbonyl and metal phosphine salts using NOPF₆ (R.H. Reimann, E. Singleton), (32)C44
- Solid manganese carbonyl compounds, chemical reactions in (I.G. de Jong, S.C. Srinivasan, D.R. Wiles), (26)119
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505
- Tetracarbonyl(diethyldithiophosphinate)manganese and -rhenium, preparation and properties (E. Lindner, K.-M. Matejcek), (24)C57
- Tetracarbonylnitrosylmanganese substitution (C.A. Udovich, R.J. Clark), (25)199
- Tetrafluorobenzobarrelene complexes of Mn, Co, Rh, Pd and Pt (D.M. Roe, A.G. Massey), (28)273
- Tetrakis(pentacarbonylmanganese)uranium (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (26)355

- Tetrameric transition metal carbonyl zinc alkoxides (J.M. Burlitch, S.E. Hayes), (42) C13
- Thallos tetracarbonylcobaltate, a convenient and versatile source of the tetracarbonylcobaltate anion (S.E. Pedersen, W.R. Robinson, D.P. Schussler), (43)C44
- Thiophosphinato-manganese complexes, study of (E. Lindner, H.-M. Ebinger), (47)133
- Transition metal-sultone complexes (D.W. Lichtenberg, A. Wojcicki), (33)C77
- (Tribromogermyl)manganese pentacarbonyl, $\text{Br}_3\text{GeMn}(\text{CO})_5$, molecular structure (N.I. Gapotchenko, N.V. Alekseev, A.B. Antonova, K.N. Anisimov, N.E. Kolobova, Yu.T. Struchkov), (23)525
- Triferrocenyphosphine derivatives of metal carbonyls, preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361
- (Trimethylsilyl)cyclopentadiene, reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- Trimethyltin derivatives of manganese and iron, exchange reactions of (R.M.G. Roberts), (47)359
- (Trimethyltin)pentacarbonylmanganese, cleavage reactions (M.R. Booth, D.J. Cardin, N.A.D. Carey, H.C. Clark, B.R. Sreenathan), (21)171
- Tris(pentacarbonylmanganese)thallium(III), preparation and some reactions of (A.T.T. Hsieh, M.J. Mays), (22)29
- , preparation from thallium(I) salts and pentacarbonylmanganese sodium (H.-J. Haupt, F. Neumann), (33)C56
- , synthesis of (A.T.T. Hsieh, M.J. Mays), (38)243
- [Tris(trimethylsilyl)silylpentacarbonyl]-manganese, and related compounds, synthesis (B.K. Nicholson, J. Simpson), (32)C29
- , crystal and molecular structure of (B.K. Nicholson, J. Simpson, W.T. Robinson), (47)403
- Mercury**
- Acetylmercuric bromide and bis(acetyl)-mercury interaction with aldehydes (G.A. Artamkina, I.P. Beletskaya, O.A. Reutov), (42)C17
- Acylation at the tin atom of Sn-H, Sn-C, Sn-Sn- and Sn-O-groups with lead tetraacetate (U. Christen, W.P. Neumann), (39) C58
- Acylferrocenes, acetoxymercuration, novel synthesis of 1,2-disubstituted ferrocenes (R.F. Kovar, M.D. Rausch), (35)351
- (2-Alkoxyalkyl)mercury chlorides, reaction with dithione (A.M. Kiwan, M.F.R. Fouda), (23)9
- Alkyltetraphenylantimony compounds, synthesis and properties (G. Doleshall, N.A. Nesmeyanov, O.A. Reutov), (30)369
- Allenic compounds of mercury (A. Jean, G. Guillermin, M. Lequan), (21)P1
- σ - and π -Allyl and benzyl derivatives of mercury and palladium, metal hydride reduction of (M.L. Bullpitt, W. Kitching), (46)21
- Allylmercuric halides, structure, IR and Raman spectra (C. Sourisseau, B. Pasquier), (39)51
- Allylmercury perchlorate, NMR and ^{203}Hg exchange studies (W. Kitching, M.L. Bullpitt, P.D. Sleezer, S. Winstein, W.G. Young), (34)233
- Anionic metal carbonyl carboxylates (W.J. Schlientz, Y. Lavender, N. Welcman, R.B. King, J.K. Ruff), (33)357
- Aqueous mercuric sulphate in the oxidation of olefins to unsaturated alcohols (H.B. Tinker), (32)C25
- Aryl(trifluoromethyl)mercury compounds, convenient synthesis of (D. Seyferth, S.P. Hopper, G.J. Murphy), (46)201
- π -Benzeneruthenium(II) complexes, reactions with alkylating reagents (R.A. Zelonka, M.C. Baird), (44)383
- Bis[bis(trifluoromethyl)aminoxy]mercury and *N,N*-bis(trifluoromethyl)hydroxylaminecaesium fluoride in the displacement of fluorine from perfluoroimines (R.E. Banks, D.R. Choudhury, R.N. Haszeldine, C. Oppenheim), (43)C20
- Bismuth-carbon bonds, formation by sulphur dioxide elimination (G.B. Deacon, G.D. Fallon, P.W. Felder), (26)C10
- Bis(phenyltricarboxylchromium)mercury, synthesis and properties of (G.A. Razuvaev, G.G. Petukhov, A.N. Artemov, N.I. Sirotkin), (37)313
- Bis(triethylgermyl)mercury, oxidation in the presence of *t*-butyl alcohol (Yu.A. Alexandrov, V.N. Glushakova, G.A. Razuvaev), (40)49
- Bis(trimethylsilyl)mercury, oxidation by oxygen in the presence of triphenylphosphine (Yu.A. Alexandrov, G.A. Razuvaev, V.N. Glushakova, V.Ya. Savukova), (27)201
- Bis(trimethylsilyl)mercury and bis(trimethylgermyl)mercury, photolytic reactions with benzene, toluene and anisole; free-radical

- aromatic silylation and germylation (S.W. Bennett, C. Eaborn, R.A. Jackson, R. Pearce), (28)59
- , rapid interaction (S.W. Bennett, H.J. Clase, C. Eaborn, R.A. Jackson), (23)403
- , reaction with organic dibromo compounds, an example of a molecular *cis*-1,2-elimination (S.W. Bennett, C. Eaborn, R.A. Jackson, R.W. Walsingham), (27)195
- Bis(trimethylsilyl)mercury, conversion with organotin compounds with Sn-O or Sn-N groups (T.N. Mitchell, W.P. Neumann), (22)C25
- , in reductive silylation of carbonyl compounds (G. Neumann, W.P. Neumann), (42) 277
- , reactions with aldehydes, chinones, ketenes and isocyanates (W.P. Neumann, G. Neumann), (25)C59
- , reactions with X=Y=Z polar bond systems (G. Neumann, W.P. Neumann), (42)293
- Bis(trimethyl-silyl)-, -germyl)-, -stannyl)-, bis-(methylchlorosilyl)- and (trimethylsilyl)-propynylmercury, PMR investigation of self exchange of (T.F. Schaaf, J.P. Oliver), (32) 307
- Bis(triphenyltin) oxide, in reaction with mercuric halides and related reactions (D. Datta, B. Majee, A.K. Ghosh), (29)251
- Bis[tris(trimethylsilylmethyl)stannyl]mercury; a stable stannylmercury compound (O.A. Kruglaya, G.S. Kalinina, B.I. Petrov, N.S. Vyazankin), (46)51
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Catalysis of hydrosilylation by bis(trimethylsilyl)mercury under UV irradiation (S.W. Bennett, C. Eaborn, R.A. Jackson), (21)79
- Chalcogen containing silyl- and germyl-mercury compounds (E.N. Gladyshev, N.S. Vyazankin, V.S. Andreevichev, A.A. Klimov, G.A. Razuvaev), (28)C42
- 2-(Chloromercuri)[(dimethylamino)methyl]-ferrocene, preparation and synthetic utility of (D.W. Slocum, T.R. Engelmann), (24)753
- N*-[2-(Chloromercuri)ethyl]diethylamine, crystal and molecular structure of (K. Toman, G.G. Hess), (49)133
- (C₆H₅)₃SnFe(CO)₂NOL and related complexes, dipole moments and molecular conformations of (S. Sorriso, G. Distefano, A. Foffani), (47)139
- Cleavage of molybdenum-tin and tungsten-tin bonds and synthesis of novel organomercury derivatives (R.M.G. Roberts), (40)359
- (2-Cyanoethyl)- and [2-(methoxycarbonyl)-ethyl] metals, photochemistry and mass spectra (G. Ahlgren, B. Åkermark, M. Nilsson), (30)303
- Cycloalkylmercury azides (A.-F. Shihada, K. Dehnicke), (26)157
- Cyclohexyl(trihalomethyl)mercury compounds, very reactive dihalocarbene precursors (D. Seyferth, C.K. Haas), (46)C33
- Cyclopentadienyl derivatives of mercury, substituent effects on the fluxional behaviour of (B. Floris, G. Ortaggi), (50)33
- π -Cyclopentadienyliron dicarbonyl-mercurials, reactions with organolithium reagents (S.C. Cohen, S.H. Sage, W.A. Baker, Jr., J.M. Burlitch, R.B. Petersen), (27)C44
- π -Cyclopentadienyls of palladium(II) and platinum(II) (R.J. Cross, R. Wardle), (23)C4
- Dialkylmercurials, preparation by treating organoboranes with mercuric acetate (J.D. Buhler, H.C. Brown), (40)265
- Diallylmercury, structure, IR and Raman spectra (C. Sourisseau, B. Pasquier), (39)65
- Dibromomethyl and bromochloromethyl derivatives of silicon and germanium, preparation by the (trihalomethyl)mercurial route and their reduction to monohalomethyl compounds (D. Seyferth, S.P. Hopper), (23) 99
- Di-*t*-butylmercury, mercuriation and demercuriation by (U. Blaukat, W.P. Neumann), (49) 323
- 3-Dichloromethyl-1-metallacycloalkanes, thermolysis of (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29) 371
- Dicycloalkylmercury compounds, IR and Raman spectra (A.-F. Shihade, K. Dehnicke), (24)45
- Dicyclopentadienylmercury, structure of (J. Mink, L. Bursics, G. Végh), (34)C4
- Diethylmercury and mercury metal. Application of the galvanostatic technique to radical reactions on the metal surface (K.P. Butin, A.N. Kashin, A.B. Ershler, V.V. Strelets, I.P. Beletskaya, O.A. Reutov), (39)39
- Dimethylmercury and perdeutero-dimethylmercury, rotation-vibration spectra (J. Mink, L. Nemes), (28)C39

- Diorganyl diselenides and ditellurides, reaction with organic mercury compounds, convenient method for the synthesis of unsymmetrical organic selenides and tellurides (Y. Okamoto, T. Yaño), (29)99
- Diphenylmercury, acceptor properties of (A.J. Canty, G.B. Deacon), (49)125
- , reaction with carbon tetrachloride at a mercury surface (R.A.G. Marshall, D.R. Pollard), (25)287
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- Divinyl- and methylvinylcadmium, and methylvinylmercury, synthesis and PMR studies (H.D. Visser, L.P. Stodulski, III, J.P. Oliver), (24)563
- Ethyl(triethylsilyl)mercury, autooxidation of (V.N. Glushakova, Yu.A. Alexandrov, G.A. Razuvaev), (40)43
- [2.2]Ferrocenophane-1,13-diyne, synthesis (M. Rosenblum, N.M. Brawn, D. Ciappenelli, J. Tancrede), (24)469
- Fluorenyl compounds of mercury (E. Samuel, M.D. Rausch), (37)29
- Fluorine substituted C—H acids, acidities of (K.P. Butin, A.N. Kashin, I.P. Beletskaya, L.S. German, V.R. Polishchuk), (25)11
- Fluoroalkyl(triethylgermyl)mercurials synthesis of (B.I. Petrov, O.A. Kruglaya, N.S. Vyazankin, B.I. Martynov, S.R. Sterlin, B.L. Dyatkin), (34)299
- Fluoroaryl mercurials, ¹⁹F NMR spectra of; electronic effect of mercury substituents (D.N. Kravtsov, B.A. Kvasov, L.S. Golovchenko, E.I. Fedin), (36)227
- Germanium, lead, zinc, cadmium and mercury substituted diazoalkanes (J. Lorberth), (27)303
- Halomethylzinc halides in the preparation of monohalomethyl derivatives of germanium, tin, lead and mercury (D. Seyferth, S.B. Andrews), (30)151
- Hexaphenyldilead, cleavage by mercuric salts (V.G. Kumar Das, D.A. Moyes, P.R. Wells), (33)31
- (2-Hydroxy- and 2-alkoxycycloalkyl)mercuric chlorides, cleavage by hydrochloric acid (A.M. Kiwan, A.A. Abdel-Hamid, M.F.R. Fouda), (23)19
- Hydroxymercurated olefins, conversion into nitromercurated olefins in aqueous solution (M. Matsuo, Y. Saito), (27)C41
- Improved organomercury route to difluorocarbene (D. Seyferth, S.P. Hopper), (26)C62
- Indenylmercury systems, structural studies (W. Kitching, B.F. Hegarty, D. Doddrell), (21)29
- π - and σ -Indenyl- and cyclopentadienyl-metal complexes, metal-ligand vibration frequencies in (E. Samuel, M. Bigorgne), (30)235
- α -Iodoalkyl derivatives of tin and mercury and bis[(trimethylsilyl)iodomethyl]mercury, improved synthesis by the organozinc route (D. Seyferth, S.B. Andrews, R.L. Lambert, Jr.), (37)69
- Iododemercuration, of (pentafluorophenyl)- and (pentachlorophenyl)mercury bromides (I.P. Beletskaya, I.V. Savinykh, V.N. Gulyachkina, O.A. Reutov), (26)23
- , of symmetrical organomercury compounds (I.P. Beletskaya, L.V. Savinykh, O.A. Reutov), (26)13
- $L_2(CO)_3Fe \rightarrow HgX_2 \leftrightarrow [L_2(CO)_3Fe-HgX]^+X^-$ complexes, iron—mercury bonds (B. Demerseman, G. Bouquet, M. Bigorgne), (35)341
- Mercuration of vinylboranes; conversion of acetylenes into vinylmercury salts via hydroboration—mercuration (R.C. Larock, H.C. Brown), (36)1
- Mercury; Annual survey 1971 (D. Seyferth), (41)155
- Mercury—carbon bonds, formation by sulphur trioxide elimination (P.G. Cookson, G.B. Deacon), (27)C9
- Mercury(II) derivatives of acetylacetone (F. Bonati, G. Minghetti), (22)5
- Mercury exchange between diphenylmercury and bis(*p*-chlorophenyl)mercury (D.R. Pollard, M.H. Thompson), (36)13
- Mercury—vinyl derivatives, ¹H NMR spectra of (H.D. Visser, J.P. Oliver), (40)7
- Methyl(allyl)thallium(III) derivatives, preparation and reactions (T. Abe, H. Kurosawa, R. Okawara), (25)353
- Methyldiynetricobalt nonacarbonyls, *C*-arylation and alkylation by organomercury compounds (D. Seyferth, J.E. Hallgren, R.J. Spohn), (23)C55
- , methylenation with monohalomethylmercurials (D. Seyferth, R.J. Spohn, J.E. Hallgren), (28)C34
- Methylmercuric fluoride, synthesis and vibrational spectra (D. Breitingner, A. Zober, M. Neubauer), (30)C49
- Methylmercury(II), dimethylgold(III) and trimethylplatinum(IV) solutions in pyridine and liquid ammonia; ligand exchange in

- unsymmetrical dimethylgold(III) complexes (H. Hagnauer, G.C. Stocco, R.S. Tobias), (46)179
- Methylmercury(II) thiocyanate, complexation by ionic thiocyanate, laser Raman, IR and NMR spectra of (J. Relf, R.P. Cooney, H.F. Henneike), (39)75
- Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113
- Monohydrosilanes, comparison of isotope effects in reactions of (L. Spialter, W.A. Swansiger, L. Pazdernik, M.E. Freeburger), (27)C25
- Monoorganomercury compounds, convenient procedure for conversion to diorganomercurials (R.C. Wade, D. Seyferth), (22)265
- Neighbouring group participation in organotin chemistry (R.M.G. Roberts), (32)323
- Neopentylmercury compounds, ^1H and ^{13}C NMR study of (G. Singh, G.S. Reddy), (42)267
- Optically active bis(methyl-1-naphthylphenylsilyl)mercury (C. Eaborn, R.A. Jackson, M.T. Rahman), (34)7
- Organoboranes containing secondary alkyl groups, mercuration of (R.C. Larock, H.C. Brown), (26)35
- Organomercuric amines (J. Lorberth, F. Weller), (32)145
- Organomercury anionic complexes in acetonitrile (G. Plazzogna, P. Zanella, L. Doretto), (29)169
- Organomercury CH_2 transfer system (D. Seyferth, C.K. Haas), (39)C41
- Organomercury compounds, β -elimination in the presence of nucleophiles (A.K. Prokof'ev, O.Yu. Okhlobystin), (36)239
- , mass spectroscopy (W.F. Bryant, T.H. Kinstle), (24)573
- , reaction with trinitrobenzene of, formation of Jackson–Meisenheimer complexes (I.P. Beletskaya, G.A. Artamkina, O.A. Reutov), (42)C16
- Organomercury, -tin and -lead derivatives, of 2,6-dimethyl-4-fluorothiophenol and 2,6-dibromo-4-fluorothiophenol, ^{19}F NMR study of steric hindrance and intramolecular coordination in (D.N. Kravtsov, B.A. Kvasov, L.S. Golovchenko, E.M. Rokhlina, E.I. Fedin), (39)107
- , —, of fluorophenols and fluorothiophenols, ^{19}F NMR study of electronic effects in (A.N. Nesmeyanov, D.N. Kravtsov, B.A. Kvasov, E.M. Rokhlina, V.M. Pachevskaya, L.S. Golovchenko, E.I. Fedin), (38)307
- Organomercury radicals, dismutation on the surface of mercury of (A.N. Kashin, A.B. Ershler, V.V. Strelets, K.S. Butin, I.P. Beletskaya, O.A. Reutov), (39)237
- Organometallic chlorides in reaction with chloroisocyanates (H. Leimeister, K. Dehnicke), (31)C3
- Organometallic complexes of indene, sigma-tropism in (J. Dalton, C.A. McAuliffe), (39)251
- Organotin carbonyl derivatives, tautomerism (I.F. Lutsenko, Yu.I. Baukov, I.Yu. Belavin), (24)359
- Palladium(II)–isocyanide complexes, reactions with phenyl derivatives of heavy metals (B. Crociani, M. Nicolini, T. Boschi), (33)C81
- Pentachlorophenylpentafluorophenylmercury (R.D. Chambers, D.J. Spring), (31)C13
- Pentafluorophenylmercuric bromide, reactions with organometallic transition metal anions (T.A. George), (33)C13
- C-Perchloroaziridines and their thermally induced rearrangement (D. Seyferth, W. Tronich), (21)P3
- Perfluoro-2-propenylmercurials (B.L. Dyatkin, L.G. Zhuravkova, B.I. Martynov, E.I. Mysov, S.R. Sterlin, I.L. Knunyants), (31)C15
- Phenylborenylmercury iodide, spontaneous symmetrisation in the crystal (V.I. Pakhomov, A.V. Medvedev, V.I. Bregadze, O.Yu. Okhlobystin), (29)15
- Phenyl(bromodichloromethyl)mercury, reaction with α -dicarbonyl (D. Seyferth, W.E. Smith), (26)C55
- Phenyl(bromodichloromethyl)mercury-derived dichlorocarbene, insertion into C–H bonds; further studies of the β -metal activated C–H insertion reaction (D. Seyferth, Y.M. Cheng, D.D. Traficante), (46)9
- , insertion into C–H bonds of tetraalkylgermanes (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29)371
- , insertion into the Si–C(ring) and β C–H bonds of the *cis* and *trans* isomers of 1,3-dimethyl-1-silacyclobutane (D. Seyferth, H.-M. Shih, J. Dubac, P. Mazerolles, B. Serres), (50)39
- Phenyl(α,α -dichlorobenzyl)mercury; a phenylchlorocarbene precursor (D. Seyferth, D.C. Mueller), (25)293
- Phenyl(1,1-dichloroethyl)mercury, a potential CH_2CCl transfer agent (D. Seyferth, D.C. Mueller), (28)325

- Phenyl(dichloromethyl)- and phenyl(bromochloromethyl)mercury, CHCl transfer to olefins via (D. Seyferth, H.D. Simmons, Jr., H.-M. Shih), (29)359
- Phenyl(dihalocarbomethoxymethyl)mercury compounds as halocarbomethoxycarbene transfer agents (D. Seyferth, R.A. Woodruff, D.C. Mueller, R.L. Lambert, Jr.), (43)55
- Phenyl(fluorodichloromethyl)mercury, improved preparation of and use as a fluorochlorocarbene precursor (D. Seyferth, G.J. Murphy), (49)117
- Phenyl(iodobromochloromethyl)mercury and phenyl(dibromofluoromethyl)mercury; highly reactive divalent transfer reagents (D. Seyferth, C.K. Haas, S.P. Hopper), (33)C1
- Phenyl(iododichloromethyl)mercury: a useful room temperature dichlorocarbene precursor (D. Seyferth, C.K. Haas), (30)C38
- Phenylmercuric hydroxide and oxide (A.J. Bloodworth), (23)27
- Phenylmercury compounds, vibrational spectra (J. Mink, G. Végh, Yu.A. Pentin), (35)225
- Phenyl(trifluoromethyl)mercury, synthesis by fluorination of phenyl(tribromomethyl)mercury (D. Seyferth, S.P. Hopper), (44)97
- Phenyl(trihalomethyl)mercurials, new reactions (D. Seyferth, W. Tronich), (21)P3
- Phenyl(trihalomethyl)mercury compounds, reactions with bis(trimethylsilyl)- and bis(trimethylgermyl)mercury (D. Seyferth, E.M. Hanson, B. Prokai, R.J. Cross), (24)33
- Phenylvanadium oxide dichloride, nature of the decomposition (W.T. Reichle, W.L. Carrick), (24)419
- Radical exchange reactions between organomercury compounds (I.P. Beletskaya, K.P. Butin, V.N. Shishkin, O.A. Reutov), (23)31
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149
- $\text{R}_3\text{M}-\text{Hg}-\text{M}'\text{R}_3$ compounds, properties and exchange of trialkylmetal groups (T.N. Mitchell), (38)17
- Ruthenium(II) isocyanide complexes containing tin or mercury (B.E. Prater), (33)215
- 2-Silanorcaranes, synthesis of (E. Rosenberg, J.J. Zuckerman), (33)321
- Stability of chlormerodrin [3-(chloromercurio)-2-methoxypropyl urea]: factors affecting its decomposition in aqueous solution and nature of the decomposition product (G.M. Cree), (27)1
- Substituted *N*-methylbenzenesulphonamides and their *N*-phenylmercury derivatives, PMR study of exchange reactions in (L.A. Fedorov, A.S. Peregodov, D.W. Kravtsov), (40)251
- Sulphinato complex intermediates in the Peters reaction (J.R. Brush, P.G. Cookson, G.B. Deacon), (34)C1
- Thallos tetracarbonylcobaltate, a convenient and versatile source of the tetracarbonylcobaltate anion (S.E. Pedersen, W.R. Robinson, D.P. Schussler), (43)C44
- Trimethylsilyl substituted bromomethyl lithium and -magnesium reagents (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethylsilyl substituted chloromethyl lithium reagents: $\text{Me}_3\text{SiCCl}_2\text{Li}$ and $(\text{Me}_3\text{Si})_2\text{CClLi}$ (D. Seyferth, E.M. Hanson, F.M. Armbrecht, Jr.), (23)361
- Trimethylsilyl substituted halomethylmercury compounds as precursors for trimethylsilyl substituted carbenes (D. Seyferth, E.M. Hanson), (27)19
- Trimethylstannyl dibromomethylmagnesium chloride (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Tris(tetracarbonylcobalt)tetrakis(tetrahydrofuran)erbium (R.S. Marianelli, M.T. Durney), (32)C41
- Vibrational spectra of RCH_2HgX - and $(\text{RCH}_2)\text{Hg}$ -type organomercury compounds (J. Mink, Yu.A. Pentin), (23)293

Metalloenes

- Acylferrocenes, acetoxymercuration, novel synthesis of 1,2-disubstituted ferrocenes (R.F. Kovar, M.D. Rausch), (35)351
- (Benzene)tricarbonylchromiums, examples of asymmetric induction in the series (A. Meyer, R. Dabard), (36)C38
- Biferrocene, Vilsmeier formylation of (M.D. Rausch, T.M. Gund), (24)463
- 2-(Chloromercuri)[(dimethylamino)methyl]-ferrocene, preparation and synthetic utility of (D.W. Slocum, T.R. Engelmann), (24)753
- Configuration of optically active β -(2-methyl- or 3-methylcymantrenoyl)- α,α -dimethylpropionic acids (M. Le Plouzennec, R. Dabard), (29)C33
- π -Cyclopentadienyl- π -benzenecromium(I) and the π -cyclopentadienyl- π -cycloheptatrienylchromium(I) cation, ESR and ^1H NMR spectra of (C. Elschenbroich, F. Gerson), (49)445

- Cyclopentadienylmetal compounds, redox properties in cobaltocene, nickelocene and related compounds (S.P. Gubin, S.A. Smirnova, L.I. Denisovich), (30)257
- , redox properties in ferrocene, ruthenocene, osmocene (S.P. Gubin, S.A. Smirnova, L.I. Denisovich, A.A. Lubovich), (30)243
- 1,1'-Dihaloferrocenes, dipole moments and internal rotation in (S. Sorriso, G. Cardaci, S.M. Murgia), (44)181
- 2,2''- and 2,5''-Disubstituted diferrocenes, synthesis by direct coupling of 2-substituted lithioferrocenes (D.J. Booth, G. Marr, B.W. Rockett), (32)227
- Ferrocenium cation, decomposition by nucleophilic reagents (R. Prins, A.R. Korswagen, A.G.T.G. Kortbeek), (39)335
- Ferrocene and hydrochloric acid in the reduction of enones (K. Yamakawa, M. Moroe), (50)C43
- Ferrocene; Annual survey 1971 (B.W. Rockett, G. Marr), (45)389
- , polyolithiation (A.F. Halasa, D.P. Tate), (24)769
- Ferrocenonium cation, reaction with O₂ and SO₂ (T.E. Bitterwolf, A.C. Ling), (40)C29
- [2,2]Ferrocenophane-1,13-diyne, synthesis (M. Rosenblum, N.M. Brawn, D. Ciappenelli, J. Tancrede), (24)469
- [3]Ferrocenophane-1-one, synthesis from ferrocene by a novel one-step annelation reaction (T.D. Turbitt, W.E. Watts), (46)109
- [3]Ferrocenophane-2-one tosylhydrazone, synthesis and thermal decomposition of its sodium salt (A. Sonoda, I. Moritani), (26)133
- Ferrocenyl ketones and pinacols (M.D. Rausch, C.A. Pryde), (26)141
- Ferrocenyl ketones, reaction with anhydrous silver tetrafluoroborate, new route to substituted ferrocenium salts (P. Carty, M.F.A. Dove), (28)125
- Ferrocenyl- and (pentachlorophenyl)carbene complexes of chromium (G.A. Moser, E.O. Fischer, M.D. Rausch), (27)379
- Ferrocenylcarbonium ions, evidence of distortion of the fulvene ligand in (T.D. Turbitt, W.E. Watts), (49)C30
- , polarography of (J. Tirouflet, E. Laviron, C. Moïse, Y. Mugnier), (50)241
- , torsional barriers in (N.M.D. Brown, T.D. Turbitt, W.E. Watts), (46)C19
- Ferrocenylimmonium salts, preparation and properties of (P. Dixneuf, R. Dabard), (37)167
- Ferrocenylmethyl cyanide, lithiation of (G. Marr, J. Ronayne), (47)417
- Ferrocenylmethyl derivatives of silicon and germanium in reaction with methanol; anomalous solvolysis of the metal-carbon bond (T. Kondo, K. Yamamoto, M. Kumada), (35)C30
- 2-Ferrocenyl-2-propyl and ferrocenylmethyl cations, stabilities (E.A. Hill), (24)457
- Fluoroferrocene, synthesis of (F.L. Hedberg, H. Rosenberg), (28)C14
- Imines of benzoylferrocene and benzoylruthenocene, *syn-anti* isomerization (R. Damrauer, T.E. Rutledge), (29)C9
- Isomeric terferrocenyls in the polyrecombination reaction of ferrocene (H.W. Neuse), (40)387
- 1-Lithio-1'-(trimethylsilyl)ferrocene, preparation and use in the synthesis of heteroannularly-substituted (trimethylsilyl)ferrocenes (G. Marr, T.M. White), (30)97
- Metal carbonyl carbene groups as electron withdrawing substituents in ferrocene, furan, thiophen and pyrrole (J.A. Connor, E.M. Jones, J.P. Lloyd), (24)C20
- Metallocenes, electronic effects in (A.N. Nesmeyanov, N.S. Kochetkova, E.V. Leonova, E.I. Fedin, P.V. Petrovskii), (39)173
- Methoxy- and chloroferrocene, directed lithiation at the 2-position of (D.W. Slocum, B.P. Koonsvitsky, C.R. Ernst), (38)125
- Mixed sandwich chelate transition metal complexes, synthesis and stability (G.A. Razuvaev, G.A. Domrachev, O.N. Suvorova, L.G. Abakumova), (32)113
- Nickelocene, 6-haloferrocenes and allylcyclopentadiene from (C. Moberg, M. Nilsson), (49)243
- , interaction with benzal anilines (Yu.A. Ustynyuk, V.A. Chertkov, I.V. Barinov), (29)C53
- , reactions with benzylmagnesium compounds; phenyltris(π -cyclopentadienylnickel)-methane (T.I. Voyevodskaya, I.M. Pribytkova, Yu.A. Ustynyuk), (37)187
- Nitrogen configuration stability; the effect of a neighbouring ferrocene group (R. Damrauer), (32)121
- Normal coordinate analysis of the total ferrocene complex (J. Brunvoll, S.J. Cyvin, L. Schäfer), (27)107
- Optically active metallocenes, racemisation (H. Falk, H. Lehner, J. Paul, U. Wagner), (28)115

- Organosilyl- and organogermyl-substituted ferrocenes, acid-catalysed alcoholysis of (M. Kumada, T. Kondo, K. Mimura, K. Yamamoto, M. Ishikawa), (43)307
- , oxidation alcoholysis of (T. Kondo, K. Yamamoto, M. Kumada), (43)315
- , preparation of (M. Kumada, T. Kondo, K. Mimura, M. Ishikawa, K. Yamamoto, S. Ikeda, M. Kondo), (43)293
- Protonated alkyl ferrocenes, ring tilt and restricted rotation in (T.E. Bitterwolf, A.C. Ling), (40)197
- Protonated ketones as NMR models for organotransition metal cations (C.P. Lillya, R.A. Sahatjian), (32)371
- Salts of disubstituted cobalticinium cations, synthesis of (N. El Murr, R. Dabard), (39) C82
- Spin—spin interaction in unsymmetrical sandwich complexes (C. Elschenbroich, F. Gerson), (49)445
- Symmetrically disubstituted ferrocenes, synthesis of potential bidentate ligands (J.J. Bishop, A. Davison, M.L. Katcher, D.W. Lichtenberg, R.E. Merrill, J.C. Smart), (27)241
- 1,3-Terferrocenyl, synthesis and spectra of (E.W. Neuse, R.K. Crossland), (43)385
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43) 175
- B*-Triferrocenylborazine, preparation and properties (J.C. Kotz, W.J. Painter), (32)231
- Triferrocenylphosphine derivatives of metal carbonyls, preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361
- 1,1'-Trimethylenetitanocene, -zirconocene and -hafnocene dichlorides, preparation and properties of (M. Hillman, A.J. Weiss), (42) 123
- Molybdenum**
- Allylidene(triphenylphosphorane)tetracarbonyl-molybdenum and -tungsten, a non-classical allylic system (A. Greco), (43)351
- Aminemolybdenum carbonyls (S.C. Tripathi, S.C. Srivastava), (23)193
- Anionic metal carbonyl carboxylates (W.J. Schlientz, Y. Lavender, N. Welcman, R.B. King, J.K. Ruff), (33)357
- Arenetricarbonyl—Group VIA metals, reactions with halide and pseudohalide ions (J.F. White, M.F. Farona), (37)119
- Benzazole—carbonyl complexes of chromium(0), molybdenum(0) and tungsten(0) (W. Beck, J.C. Weis, J. Wieczorek), (30)89
- Benzazole pentacarbonyl complexes of chromium(0), molybdenum(0) and tungsten(0), linkage isomerisation of (J.C. Weis, W. Beck), (44)325
- anti*-7,8-Benzotricyclo[4.2.0.0^{2,5}]deca-3,7,9-triene complexes of iron, molybdenum and chromium (Y. Menachem, A. Eisenstadt), (33)C29
- Benzoyl derivatives of molybdenum and tungsten cyclopentadienyl tricarbonyls, synthesis of (A.N. Nesmeyanov, L.G. Makarova, N.A. Ustynyuk, L.V. Bogatyreva), (46)105
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bisdinitrogen complexes of molybdenum (T.A. George, C.D. Seibold), (30)C13
- Bis(diorganostibino)methane-substituted metal carbonyl complexes, preparation and properties (T. Fukumoto, Y. Matsumura, R. Okawara), (37)113
- Bis(organometal phosphine)tetracarbonyl-chromium, -molybdenum, and -tungsten complexes (H. Schumann, J. Kuhlmei), (42)C57
- Bis(tricarbonyl- π -cyclopentadienyl)molybdenum, reaction with tertiary alkyl phosphites (R.J. Haines, C.R. Nolte), (24)725
- , reaction with tertiary phosphites, phosphonites and phosphinites (R.J. Haines, A.L. Du Preez, I.L. Marais), (28)97
- Bis(trimethylstannyl)methylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, U. Arbenz), (22) 411
- Carbonylation reaction of σ -propargylic complexes; formation of π -allylic complexes and of a σ -vinylic carboxyl complex (J.J. Roustan, C. Charrier, J.Y. Mérou, J. Bénaïm, G. Ciannotti), (38)C37
- Cationic nitrosyls of nickel, cobalt and Group VI metals (B.F.G. Johnson, S. Bhaduri, N.G. Connelly), (40)C36
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- (Chlorodimethylphosphine)- and (chlorodiphenylphosphine)-pentacarbonylmolybdenum, reactions with selected alcohols,

- ethanethiol, hydrogen sulphide, ammonia and several amines (C.S. Kraihanzel, C.M. Bartish), (43)343
- π -C₅H₅Mo(CO)₂[P(CH₃)₂C₆H₅]X complexes, unequivocal distinction between "cis" and "trans" isomers in (R.J. Mawby, G. Wright), (21)169
- Chromium, molybdenum and tungsten; Annual survey 1971 (D.J. Darensbourg), (45)257
- Cleavage of molybdenum-tin and tungsten-tin bonds and synthesis of novel organomercury derivatives (R.M.G. Roberts), (40)359
- Complexes containing transition metal-indium bonds, synthesis of (A.T.T. Hsieh, M.J. Mays), (37)9
- Complexes of B₃H₁₀CHP⁻ and B₃H₁₀CHAs⁻ with Group VI metal carbonyls (H.T. Silverstein, D.C. Beer, L.J. Todd), (21)139
- Convenient route to lower oxidation state complexes of molybdenum (J. Chatt, A.G. Wedd), (27)C15
- "Crowded" molybdenum(II) complex, stereochemical non-rigidity in (G. Wright, R.J. Mawby), (29)C29
- Cycloheptatriene, behaviour of (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (23)173
- Cycloheptatriene-Group VIB-tricarbonyls, reactions with 2,2'-bipyridine and 1,10-phenanthroline in polar and non-polar solvents (H. Behrens, E. Lindner, G. Lehnert), (22)439
- π -Cycloheptatrienylumtricarbonylmolybdenum-(0) tetrafluoroborate, crystal and molecular structure of (G.R. Clark, G.J. Palenik), (50)185
- Cyclohexyl isocyanide, direct insertion into the benzyl-molybdenum σ -bond (Y. Yamamoto, H. Yamazaki), (24)717
- Cyclooctatetraene complex of molybdenum (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (22)685
- π -Cyclopentadienyl carbonyls of molybdenum and tungsten, ¹⁹F NMR study of electronic effects in σ -phenyl derivatives (A.N. Nesmeyanov, L.G. Makarova, N.A. Ustynyuk, B.A. Kvasov, L.V. Bogatyreva), (34)185
- Cyclopentadienyl complexes of chromium, molybdenum and tungsten (*Review*) (K.W. Barnett, D.W. Sloum), (44)1
- π -Cyclopentadienyldicarbonylmolybdenum triphenylphosphine anion, reactions of (M.I. Bruce, B.L. Goodall, D.N. Sharrocks, F.G.A. Stone), (39)139
- π -Cyclopentadienylmolybdenum and π -indenylmolybdenum tricarbonyl dimers, racemization in derivatives of (J.W. Faller, A.S. Anderson, A. Jakubowski), (27)C47
- Cyclopentadienylmolybdenum compounds, observations on stereochemistry (J.L. Calderon, F.A. Cotton), (30)377
- π -Cyclopentadienylmolybdenum tricarbonyl halides, constrained phosphite ester complexes of (W.E. Stancifft, D.G. Hendricker), (50)175
- π -Cyclopentadienyloxochloromolybdenum alkoxides (S.P. Anand, R.K. Multani, B.D. Jain), (24)427
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Dicarbonyl-2,2'-bipyridinepyridine- π -allylmolybdenum tetrafluoroborate, [(CO)₂(C₁₀H₈N₂)(C₅H₅N)(π -C₃H₅)Mo]⁺[BF₄]⁻, crystal structure of (R.H. Fenn, A.J. Graham), (37)137
- Di- π -cyclopentadienylmolybdenum(VI) and -tungsten(VI), bis(borohydride) derivatives of (S.P. Anand, R.K. Multani, B.D. Jain), (26)115
- Di- π -cyclopentadienylmolybdenum(VI) and -tungsten(VI) oxide compounds, coordination complexes with bidentate ligands (S.P. Anand, R.K. Multani, B.D. Jain), (28)265
- Di- π -cyclopentadienylmolybdenum and -tungsten, preparation and reactions of divalent derivatives of (F.W.S. Benfield, B.R. Francis, M.L.H. Green), (44)C13
- [Dihydrobis(3,5-dimethyl-1-pyrazolyl)borate] (*h*³-cycloheptatrienyl)dicarbonylmolybdenum in solution (J.L. Calderon, F.A. Cotton, A. Shaver), (42)419
- Dimethylthallium- π -cyclopentadienyl molybdenum tricarbonyl (B. Walther, C. Rockstroh), (44)C4
- Disilanyl derivatives of molybdenum, tungsten and iron (W. Malisch), (39)C28
- cis-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219

- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Germirenes and derivatives of germacyclopentene, synthesis of (J.V. Scibelli, M.D. Curtis), (40)317
- Group VI metal carbonyls, reactions with some terdentate nitrogen donor ligands and oxidation of the products with iodine (J.G. Dunn, D.A. Edwards), (36)153
- Group VI metal hexacarbonyls, specific synthesis of monosubstituted derivatives of (J.A. Connor, E.M. Jones, G.K. McEwen), (43)357
- Group VIA metal tricarbonyl complexes of triphenylphosphonium cyclopentadienylide, reactions of various nucleophiles with (D. Cashman, F.J. Lalor), (24)C29
- Group VIA triphenylphosphonium (tricarbonyl-metal)cyclopentadienylides, reactions with trifluoroacetic acid and boron trifluoride (J.C. Kotz, D.G. Pedrotti), (22)425
- Heterogeneous binuclear dithiocarbamate complexes (W.K. Glass, T. Shiels), (35)C64
- Hexachlorodisilane, reactions with transition metal complexes (F. Glockling, R.E. Houston), (50)C31
- Hexamethylditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- Hexamethylphosphoric triamide, ligand in hexacarbonyl-substituted metal derivatives (O. Rogues, R. Poilblanc), (24)C47
- Homoallylic molybdenum complexes, formation and σ - π rearrangement of (J.Y. M  rour, C. Charrier, J. Bena  m, J.L. Roustan, D. Commereuc), (39)321
- [Hydridotris(1-pyrazolyl)borate] (h^5 -cyclopentadienyl)dicarbonylmolybdenum and [diethylbis(1-pyrazolyl)borate] (h^5 -cyclopentadienyl)dicarbonylmolybdenum, conformational isomerism in (J.L. Calderon, F.A. Cotton, A. Shaver), (38)105
- Investigation on the stability of the configuration of metal complexes by means of magnetic non-equivalence (H. Brunner, H.-D. Schindler, E. Schmidt, M. Vogel), (24)515
- Iron-molybdenum and iron-tungsten anionic carbonyl clusters (A.T.T. Hsieh, M.J. Mays), (39)157
- (Isothiocyanato)dicarbonyl-1,10-phenanthroline-(2-methylallyl)molybdenum $[\text{NCS}(\text{CO})_2(\text{C}_4\text{H}_7\text{N}_2)(\text{C}_4\text{H}_7)\text{Mo}]$, crystal structure (A.J. Graham, R.H. Fenn), (25)173
- Lewis basicity of transition metals (J.C. Kotz, D.G. Pedrotty), (22)425
- Metal carbonyl complexes; containing a bridging cyanophosphine ligand (J.F. Nixon, J.R. Swain), (21)P13
- , of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Metal carbonyl photolysis and its reversal: probable spurious nature of "trigonal bipyramidal $\text{Mo}(\text{CO})_5$ " (M.J. Boylan, P.S. Braterman, A. Fullarton), (32)C29
- Metal carbonyls and cyclopentadienyl metal carbonyls containing metal-metal bonds, sulphur dioxide reactions of (D.S. Field, M.J. Newlands), (27)221
- Metallocene dithiolene chelates, structure and synthesis of di- π -cyclopentadienyldithiophenylmolybdenum(IV) (A. Kutoglu, H. K  pf), (25)455
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Mixed aminemolybdenum tricarbonyls (S.C. Tripathi, S.C. Srivastava), (25)193
- Molybdenum(II) acetyl complexes, steric and electronic effects (K.W. Barnett, T.G. Pollman, T.W. Solomon), (36)C23
- Molybdenum carbonyl complexes of (dialkylamino)diphenylphosphines (L.K. Atkinson, D.C. Smith), (33)189
- Molybdenum carbonyl, synthesis and properties of poly-substituted derivatives (H. Friedel, I.W. Renk, H. tom Dieck), (26)247
- Monosubstituted metal pentacarbonyl complexes, CO stretching force constants and mesomeric and inductive effects (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (28)391
- New compounds containing Pt-Mo and Pd-Mo bonds (P. Braunstein, J. Dehand), (24)497
- Nitrosyl complexes, unusual rearrangements observed in decomposition induced by electron impact (J. M  ller), (23)C38
- Organometal arsines as ligands in transition-metal carbonyl complexes (H. Schumann, G. Pfeifer, H. R  ser), (44)C10
- Organometallic stereochemistry, ring currents in the elucidation of (J.W. Faller, A. Jakubowski), (31)C75
- Organometalstibines as ligands in transition metal carbonyl complexes (H. Schumann, H.J. Breunig), (27)C28
- Organotin-transition metal carbonyl complexes, synthesis from tris(trimethylstannyl)amine and hexamethyldistannoxane (E.W. Abel, M.O. Dunster), (49)435

- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentacarbonyl(trifluorophosphine)molybdenum, molecular structure (D.M. Bridges, G.C. Holywell, D.W.H. Rankin, J.M. Freeman), (32)87
- Pentafluorophenylmercuric bromide, reactions with organometallic transition metal anions (T.A. George), (33)C13
- Phenolic and carboxylic derivatives of dicyclooctatetraenylmolybdenum oxide dichloride, preparation and properties (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (28)399
- Phosphine substituted acyldicarbonyl- π -cyclopentadienylmolybdenum complexes, conformation in solution (P.J. Craig, J. Edwards), (46)335
- Phosphine substituted carbonyl- π -cyclopentadienyl complexes of molybdenum and tungsten, steric influence of bulky groups in phosphines, exchange phenomenon between 2 isomers (P. Kalck, R. Pince, R. Poiblanc, J. Roussel), (24)445
- Phosphorus methylene and allylidene ylides, reactions with metal carbonyls (A. Greco), (43)351
- Phosphorus ylides as ligands in zero-valent metal complexes (K.A. Ostoja Starzewski, H. tom Dieck, K.D. Franz, F. Hohmann), (42)C35
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Simple route to carbonyl and metal phosphine salts using NOPF₆ (R.H. Reimann, E. Singleton), (32)C44
- Stable σ -phenylmolybdenum derivative (A.N. Nesmeyanov, L.G. Makarova, N.A. Ustynyuk), (23)517
- Substituted carbonyl nitrosyl halides of molybdenum and tungsten, synthesis of (W.R. Robinson, M.E. Swanson), (35)315
- Substituted carbonylmetallates(0) of chromium, molybdenum and tungsten, preparation and properties (H. Behrens, E. Lindner, G. Lehnert), (22)665
- Substituted phospho- and arsenicboranes, σ -bonded complexes and their π -allyl derivatives (D.C. Beer, L.J. Todd), (36)77
- Synthesis of halo metal carbonyls by the reductive carbonylation of halides and oxyhalides of molybdenum and tungsten (L. Bencze), (37)C37
- Tertiary phosphine and related substitution products of Group VI metal carbonyls, improved preparation (J. Chatt, C.J. Leigh, N. Thankarajan), (29)105
- [Tetrakis(1-pyrazolyl)borate] (*h*⁵-cyclopentadienyl)dicarbonylmolybdenum, conformational isomerism in (J.L. Calderon, F.A. Cotton, A. Shaver), (37)127
- Tetrameric transition metal carbonyl zinc alkoxides (J.M. Burlitch, S.E. Hayes), (42)C13
- Transition metal-carbon σ -bonded complexes, diversity of behaviour of tetracyanoethylene towards (S.R. Su, A. Wojcicki), (31)C34
- Transition metal-carbon σ -bonds, insertion of tetracyanoethylene into (S.R. Su, J.A. Hanna, A. Wojcicki), (21)P21
- Transition metal complexes of triphenylphosphonium cyclopentadienylide and related ligands (D. Cashman, F.J. Lalor), (32)351
- Transition metal derivatives of aryl diazonium ions, arylazo molybdenum clusters (F.J. Lalor, P.L. Pauson), (25)C51
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- Transition metal-sulfone complexes (D.W. Lichtenberg, A. Wojcicki), (33)C77
- Triferrocenylphosphine derivatives of metal carbonyls, preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361
- Tri(μ -hydroxo)hexacarbonylditungstate(0) trianion, structure in the salt K₃[W₂(OH)₃(CO)₆] · 2H₂O (V.G. Albano, G. Ciani, M. Manassero), (25)C55
- (Trimethylsilyl)cyclopentadiene, reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- 5-(Trimethylsilyl)cyclopentadiene, reactions with pentacarbonyliron and hexacarbonylmolybdenum (C.S. Kraihanzel, J. Conville), (23)357
- Trimethylstannyldiphenylphosphine pentacarbonylmetals, reactions with boron halides yielding methylhalostannyl compounds (H. Nöth, S.N. Sze), (43)249
- 2,4,6-Triphenylphosphorine-metal(0) carbonyls of chromium, molybdenum and tungsten (J. Deberitz, H. Nöth), (49)453
- Tris(dimethylamino)phosphine, mass spectra of metal carbonyl complexes of (F.E. Saal-

- feld, J.J. DeCorpo, M.V. McDowell), (44)333
- Tris(*p*-fluorophenyl)phosphine, substitution reactions in carbonyl complexes of the transition metals (F.T. Delbeke, G.P. Van der Kelen), (21)155
- Tris(organometal phosphine)tricarbonylchromium and -molybdenum complexes (H. Schumann, W.-W. Du Mont), (49)C25
- Tris(trimethylstannyl)phosphine-transition metal carbonyl complexes, cleavage of the Sn—P bond in (H. Schumann, E. von Deuster), (40)C27
- ### Neodymium
- Cyclopentadienyl complexes of uranium and some lanthanides, vapour pressure measurements by the effusion method (H.O. Haug), (30)53
- Lanthanide(III) and actinide(III) tricyclopentadienides, noncovalent character in the chemical bonds of (L.J. Nugent, P.G. Labereau, G.K. Werner, K.L. Vander Sluis), (27)365
- Lanthanide complexes with cyclooctatetraene dianion (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (24)C68
- Lanthanide tricyclopentadienyl complexes, mass spectra and bond energies (J.L. Thomas, R.G. Hayes), (23)487
- Monocyclooctatetraenelanthanide chlorides, a new class of cyclooctatetraene complexes (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (28)C24
- ### Nickel
- Aliphatic dithiol dianion bridged dinuclear organonickel compounds (F. Sato, T. Yoshida, M. Sato), (37)381
- Alkyl Grignard reagents, effects of the nature of halides on the alkyl group isomerisation in Ni-catalysed cross-coupling with organic halides of (Y. Kiso, K. Tamao, M. Kumada), (50)C12
- Alkyl—transition metal compounds, fragmentation and isomerization studies (R.P.A. Sneeden, H.H. Zeiss), (22)713
- Allene cyclooligomerization and polymerization catalyzed by a nickel(0) complex (R.J. De Pasquale), (32)381
- π -Allylnickel and π -allylpalladium complexes, fluorophosphine-induced ligand coupling reactions of (H.T. Dodd, J.F. Nixon), (32)C67
- π -Allylnickel iodide, aspects of catalytic activity of (G. Henrici-Olivé, S. Olivé, E. Schmidt), (39)201
- Asymmetric hydrosilation with a chiral phosphinenickel(II) complex (K. Yamamoto, Y. Uramoto, M. Kumada), (31)C9
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Binuclear nickel-azobenzene complex (I.V. Barinov, T.I. Voyevodskaya, Yu.A. Ustynyuk), (30)C28
- Bis(π -allylnickel haloacetates) (F. Dawans, J.C. Marechal, Ph. Teyssie), (21)259
- Bis[bis(tricyclohexylphosphine)nickel]dinitrogen, preparation, reactions and structure (P.W. Jolly, K. Jonas, C. Krüger, Y.-H. Tsay), (33)109
- Bis(*t*-butylisocyanide)(diphenylacetylene)nickel(0), structure of (R.S. Dickson, J.A. Ibers), (36)191
- Bis(π -crotylnickel halides), ¹³C NMR spectra of (L.A. Churlyayeva, M.I. Lobach, G.P. Kondratenkov, V.A. Kormer), (39)C23
- Bis(1,5-cyclooctadiene)nickel, reaction with cyclopentadiene and methylcyclopentadiene; formation of novel σ, π -cyclooctenyl complexes (K.W. Barnett), (21)477
- Bis(ethylene)(tricyclohexylphosphine)nickel, molecular and crystal structure (C. Krüger, Y.-H. Tsay), (34)387
- Bis(trimethylstannyl)methylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, U. Arbenz), (22)411
- Bis(triphenylphosphine)(π -ethylene)nickel, complexes derived from reactions with alkyl and boron halides (S.C. Cundy, H. Nöth), (30)135
- N*-Bonded thiazazole organonickel compound, preparation and properties of (F. Sato, M. Etoh, M. Sato), (37)C51
- Carbon—nickel addition to benzyne (R.G. Miller, D.P. Kuhlman), (26)401
- Carbonyl and related complexes containing the ligands PhCH₂EMe₂ (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Cationic nitrosyls of nickel, cobalt and Group VI metals (B.F.G. Johnson, S. Bhaduri, N.G. Connelly), (40)C36
- [π -C₂H₂NiPh₂P(CH₂)_nPPh₂]⁺Cl⁻, preparation and properties (F. Sato, M. Sato), (33)C73
- ¹³C NMR shifts of paramagnetic metallocenes (P.K. Burkert, H.P. Fritz, F.H. Köhler, H. Rupp), (24)C59

- Complexes of acetylenes coordinated on iron and nickel, preparation and structure of (K. Yasufuku, H. Yamazaki), (35)367
- π -Cyclopentadienylnickel bis(trimethylphosphine)-nickel chloride, properties (M. Sato, F. Sato, T. Yoshida), (26)C49
- , reaction with various anions (X^-) in aqueous solution, formation of novel π - $C_5H_5NiXPBu_3$ (M. Sato, F. Sato, T. Yoshida), (31)415
- π -Cyclopentadienylnickel bis(trimethylphosphine)-nickel halide (M. Sato, F. Sato, T. Yoshida), (27)273
- α -Cyclopentadienyl- π -cyclopentadienyl- π -(2,2,4-trimethyl-3-hydroxy-3-pentenoic acid lactone)nickel (M. Sato, K. Ichibori, F. Sato), (26)267
- Cyclopentadienylmetal compounds, redox properties in cobaltocene, nickelocene and related compounds (S.P. Gubin, S.A. Smirnova, L.T. Denisovich), (30)257
- Cyclopentadienylnickel and dicobalt hexacarbonyl complexes retaining the macrocyclic alkadiyne structure unit (R.B. King, I. Haiduc, A. Efraty), (47)145
- π -Cyclopentadienylnickel dithiolate complexes, preparation of (F. Sato, M. Sato), (50)C49
- π -Cyclopentadienylnickel bis(diphenylphosphine)-alkyl chloride, reaction with aqueous sodium cyanide (F. Sato, T. Uemura, M. Sato), (39)C25
- trans,trans,trans*-1,5,9-Cyclopentadienylnickel, three-dimensional structure of (D.J. Brauer, C. Krüger), (44)397
- π -Cyclopentadienyls of nickel(II), *S*-sulphinato- and thiolato-nickel compounds (M. Sato, F. Sato, N. Takemoto, K. Iida), (34)205
- π -Cyclopentadienyls of palladium(II) and platinum(II) (R.J. Cross, R. Wardle), (23)C4
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or polynuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Dichloro[1,2-bis(dimethylphosphino)-1,2-dicarba-*closo*-dodecaborane]nickel(II) as catalyst in the hydrosilylation of olefins with (M. Kumada, K. Sumitani, Y. Kiso, K. Tamao), (50)319
- Dicyanoacetylene complexes of noble metals (G.K. McClure, W.H. Baddley), (27)155
- Dicyclooctadienylnickel(0), reactions with Me_2AlSPh , Et_2AlPPh_2 and $(Me_2AlSCH_2)_2$ (T. Hirabayashi, Y. Ishii), (39)C85
- Dicyclopentadienylnickel and -cobalt, electron transfer reactions with triphenylmethyl chloride (H. Werner, G. Mattmann, A. Salzer, T. Winkler), (25)461
- Diiodocarbonyl bis(trimethylphosphine)nickel, synthesis and configuration of (M. Pańkowski, M. Bigorgne), (35)397
- Fluoro-aromatic acetylenes, reactions of (M.R. Wiles, A.G. Massey), (47)423
- Grignard-type reactions with transition metals; alkylation of carbon compounds in protic solvents (G. Agnès, G.P. Chiusoli, A. Marraccini), (49)239
- Halo derivatives of metal carbonyls, addition of the Lewis acids AlX_3 and $FeCl_3$ on (M. Pańkowski, B. Demerseman, G. Bouquet, M. Bigorgne), (35)155
- Heteronuclear metal-metal bonded compounds; Fe-Ge, Ni-Ge and Ni-Sn bonds (R.C. Edmondson, E. Eisner, M.J. Newlands, L.K. Thompson), (35)119
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Hexamethylditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- Hydrido carbene nickel complexes, evidence for the existence of (L. Farády, L. Markó), (43)51
- Importance of the transition metal in the catalysis of a diene rearrangement (R.G. Miller, P.A. Pinke, R.D. Stauffer, H.J. Golden), (29)C42
- Metal-catalyzed addition of HCN to olefinic silanes (E.S. Brown, E.A. Rick, F.D. Mendi-cino), (38)37
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- μ -Methylene transition metal binuclear compounds; complexes with Me_3SiCH_2 and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Mixed transition-metal μ -diphenylphosphido complexes, preparation (K. Yasufuku, H. Yamazaki), (28)415
- Nickel-based catalyst in the synthesis of 1,4-hexadiene; factors controlling activity and selectivity (A.C.L. Su, J.W. Collette), (36)177
- Nickel carbonyl in reaction with β -bromostyrene in the presence of alkynes (M. Ryang, Y. Sawa, S.N. Somasundaram, S. Murai, S. Tsutsumi), (46)375
- Nickel-cobalt, nickel-iron and nickel-manganese polynuclear carbonyl complexes (A.T.T. Hsieh, J. Knight), (26)125

- Nickel complexes, as catalyst in the reaction of active methylene compounds with butadiene (R. Baker, D.E. Halliday, T.N. Smith), (35)C61
- , as hydrosilation catalysts (E.W. Bennett, P.J. Orenski), (28)137
- Nickel(II) complexes containing nitrogen donor ligands, halogenation reactions (M.K. Misra, D.V. Ramana Rao), (22)227
- Nickel containing Ziegler systems, reaction with carbon monoxide (J.R. Olechowski), (32)269
- Nickel Grignard reagent, preparation and reactions of (H. Felkin, P.J. Knowles), (37)C14
- Nickel(0)diphosphine complexes, behaviour towards unsaturated organic compounds (B. Corain, M. Bressan, P. Rigo), (28)133
- Nickel(dipyridyl)(benzonitrile) as an active polymerization catalyst of acrylonitrile, preparation (M. Uchino, S. Ikeda), (33)C41
- Nickel(II), palladium(II) and platinum(II) compounds derived from *N,N*-dialkylbenzylamines (G. Longoni, P. Fantucci, P. Chini, F. Canziani), (39)413
- Nickel-phosphine complexes as catalysts for hydrosilylation, mechanism of (Y. Kiso, M. Kumada, K. Maeda, K. Sumitani, K. Tamao), (50)311
- Nickelocene, 6-halofulvenes and allylcyclopentadiene from (C. Moberg, M. Nilsson), (49)243
- , interaction with benzal anilines (Yu.A. Ustynyuk, V.A. Chertkov, I.V. Barinov), (29)C53
- , interaction with *o*-halogenated azobenzenes; 4-phenyl-4H-cyclopenta[*c*]cinnoline, a new pseudo-azulene (Yu.A. Ustynyuk, I.V. Barinov), (23)551
- , reactions with benzylmagnesium compounds; phenyltris(π -cyclopentadienylnickel)-methane (T.I. Voyevodskaya, I.M. Pribytkova, Yu.A. Ustynyuk), (37)187
- Nitrosyl complexes, unusual rearrangements observed in decomposition induced by electron impact (J. Müller), (23)C38
- Organometallic nickel compounds, electrochemical synthesis (H. Lehmkuhl, W. Leuchte), (23)C30
- Organometallic triphenylphosphine derivatives, incipient chirality in (J.M. Brown, K. Mertis), (47)C5
- Organonickel compounds, syntheses by decarboxylation reactions (P.G. Cookson, G.B. Deacon), (33)C38
- Organosilicon carbonates, a new class of compounds (M. Paul, J. Dunoguès, R. Calas, É. Fraignet), (38)267
- Organotin-transition metal carbonyl complexes, synthesis from tris(trimethylstanny)amine and hexamethyldistannoxane (E.W. Abel, M.O. Dunster), (49)435
- Oxidative additions to nickel(0), preparation and properties of a new series of arylnickel(II) complexes (M. Hidai, T. Kashiwagi, T. Ikeuchi, T. Uchida), (30)279
- [1-Pentaborylbis(trifluoromethyl)phosphine]-nickel tricarbonyl (A.B. Burg, I.B. Mishra), (24)C33
- Phenyl(dipyridyl)nickel chloride, an olefin dimerization catalyst, preparation (M. Uchino, A. Yamamoto, S. Ikeda), (24)C63
- Phenylisothiocyanate insertion into π -C₅H₅NiPBu₃SC₂H₅ (F. Sato, M. Sato), (46)C63
- Phosphine-nickel(II) complexes as hydrosilylation catalysts (Y. Kiso, M. Kumada, K. Tamao, M. Umeno), (50)297
- Phosphine substituted metal carbonyls, Raman and IR spectra; study of the metal-phosphorus force constant (M. Bigorgne, A. Loutellier, M. Pańkowski), (23)201
- Reactions between olefins and Grignard reagents, structure of products formed in the presence of nickel chloride (L. Farády, L. Markó), (28)159
- Square-planar dialkynyl complexes of nickel(II), palladium(II) and platinum(II), IR spectra (H. Masai, K. Sonogashira, N. Hagihara), (26)271
- Stereochemistry of the insertion reaction of norbornene into a nickel-allyl and a palladium-allyl bond (M.C. Gallazzi, T.L. Hanlon, G. Vituli, L. Porri), (33)C45
- p*-Substituted (tetraphenylcyclobutadiene)-palladium halides, syntheses and reactions (D.F. Pollock, P.M. Maitlis), (26)407
- Synthesis of heterocyclic compounds via transition metal intermediates (C.W. Bird), (47)281
- Tautomeric complexes containing Ni-Co bonds [(π -C₅H₅)NiCo(CO)₄L] (A.R. Manning), (40)C73
- Tertiary phosphine derivatives of carbonyl- π -cyclopentadienylnickel- μ -dicarbonyl- π -cyclopentadienylnickel, preparation of (K. Yasufuku, H. Yamazaki), (38)367

7,7,8,8-Tetracyanoquinodimethane, charge-transfer interaction with *trans*-bis(trialkylphosphine)dialkynylplatinum(II) and related complexes (H. Masai, K. Sonogashira, N. Hagihara), (34)397

Tetraphosphinenickel(0), Ni(PH₃)₄, (M. Trabelsi, A. Loutellier, M. Bigorgne), (40)C45

Thiolatonickel compounds, carbon disulphide insertion reactions with (F. Sato, K. Iida, M. Sato), (39)197

Transition metal alkyl compounds, preferred conformations in (J. Thomson, W. Keeney, M.C. Baird, W.F. Reynolds), (40)205

Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175

Tri-*n*-butylphosphine- π -cyclopentadienylnickel mercaptides, synthesis and properties of (M. Sato, T. Yoshida), (39)389

Tricarbonyl(dinitrogen)nickel, IR evidence for (A.J. Rest), (40)C76

(Tricyclohexylphosphine)methylnickel(II) 2,4-pentanedionate, a square-planar complex containing a σ -Ni-C bond, molecular and crystal structure of (B.L. Barnett, C. Krüger), (42)169

Tris(*p*-fluorophenyl)phosphine, substitution reactions in carbonyl complexes of the transition metals (F.T. Delbeke, G.P. Van der Kelen), (21)155

(+)-Tris[(*S*)-2-methylbutyl]aluminium and (*RS*)-4-methyl-1-hexene, kinetics of the displacement reaction catalysed by bis(*N*-methylsalicylaldimine)nickel (G.P. Giacomelli, L. Lardicci, P. Pino), (33)105

Niobium

Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1

Dicyclopentadienylniobium group, complexes with (F.W. Siegert, H.J. de Liefde Meijer), (23)177

Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517

μ -Methylene transition metal binuclear compounds: complexes with Me₃SiCH₂⁻ and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36

Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113

Organometallic dimethylamides, reactions with protic compounds (A.D. Jenkins, M.F. Lappert, R.C. Srivastava), (23)165

Seven coordinate derivatives of niobium, tantalum and vanadium, preparation (A. Davison, J.E. Ellis), (23)C1

Substituted carbonyl anions of vanadium, niobium and tantalum, preparation (A. Davison, J.E. Ellis), (31)239

Osmium

Bi- and polynuclear metal complexes with bridging ligands, geometries of and bonding in (R. Mason, D.M.P. Mingos), (50)53

Carbonyl hydrides of osmium and intermediacy of Os(CO)₄ in their formation (J.R. Moss, W.A.G. Graham), (23)C47

Cationic nitrosyl complexes of the type [M(CO)₂NO(PPh₃)₂]⁺ (M = Fe, Ru, or Os) (B.F.G. Johnson, J.A. Segal), (31)C79

Cyclopentadienylmetal compounds, redox properties in ferrocene, ruthenocene, osmocene (S.P. Gubin, S.A. Smirnova, L.I. Denisovich, A.A. Lubovich), (30)243

Dependence of $\mu(X\equiv Y)$ in the IR spectra of [Ru(CH₃)₂(X \equiv Y)]²⁺ upon counter-anion and upon solvent (X \equiv Y = N₂, CO, MeCN, PhCN or *t*-BuCN) (J. Chatt, G.J. Leigh, N. Thankarajan), (25)C77

Dodecacarbonyltriosmium, dehydrogenation of organic and inorganic molecules by (A.J. Deeming, M. Underhill), (42)C60

-, diphenylacetylenic derivatives of (O. Gambino, G.A. Vaglio, R.P. Ferrari, G. Cetini), (30)381

Dodecacarbonyltriruthenium and -triosmium, products from pyrolysis of (C.R. Eady, B.F.G. Johnson, J. Lewis), (37)C39

Fluxional behaviour of π -bonded acetylenes (J. Ashley-Smith, B.F.G. Johnson, J.A. Segal), (49)C38

Iron, ruthenium and osmium; Annual survey 1971 (J.A. McCleverty), (48)351

Osmium-containing mixed-metal carbonyls (J.R. Moss, W.A.G. Graham), (23)C23

Oxidative addition reactions in cluster complexes of osmium: intracluster reactions of benzyne and a novel "phenyl" complex (G.J. Gainsford, J.M. Guss, P.R. Ireland, R. Mason, C.W. Bradford, R.S. Nyholm), (40)C70

Palladium

- syn*- and *anti*-(1-Alkyl- π -allyl)palladium chlorides (J. Lukas, J.E. Ramakers-Blom, T.G. Hewitt, J.J. de Boer), (46)167
- Alkylation of olefins with "alkylpalladium acetates"; intramolecular shift of an acetato-palladium group in "neophylpalladium acetate" (R.F. Heck), (37)389
- σ - and π -Allyl and benzyl derivatives of mercury and palladium, metal hydride reduction of (M.L. Bullpitt, W. Kitching), (46)21
- Allyl complexes of platinum and palladium, and diene complexes of rhodium, interaction of tin(II) chloride with (J.N. Crosby, R.D.W. Kemmitt), (26)277
- π -Allylic and σ -allylic complexes of palladium(II), ligand substituent effects on relative stabilities of (J. Powell, W.-L. Chan), (35)203
- π -Allylic complexes, [$(\pi$ -C₄H₇- and π -C₃H₅)Pd(PPh₂R)SnCl₃], NMR spectra of (M. Sakakibara, Y. Takahashi, S. Sakai, Y. Ishii), (27)139
- , of Pd^{II} and Rh^{II} from the ring-opening reaction of methylenecyclobutane with PdCl₂ and [Rh(CO)₂Cl]₂ (R. Rossi, P. Diversi, L. Porri), (31)C40
- π -Allylic palladium complexes of 1,3-diphenyltriazene and 1-methyl-3-phenyltriazene, conformational studies of (T. Jack, J. Powell), (27)133
- π -Allylic palladium Schiff-base complexes (B.E. Reichert, B.O. West), (36)C29
- π -Allylnickel and π -allylpalladium complexes, fluorophosphine-induced ligand coupling reactions of (H.T. Dodd, J.F. Nixon), (32)C67
- π -Allylpalladium chloride, alkaline hydrolysis of (F.R. Hartley, M.D. Higgs), (44)197
- , reaction of isocyanide with (T. Kajimoto, H. Takahashi, J. Tsuji), (23)275
- π -Allylpalladium complexes, β -ketoamine derivatives of (A. Musco, R. Rampone, P. Ganis, C. Pedone), (34)C48
- , nuclear magnetic double resonance experiments (P.W.N.M. van Leeuwen, A.P. Praat), (22)483
- , UV and visible spectra (F.R. Hartley), (21)227
- , synthesis from olefins and PdCl₂, mechanism of the reaction and role of the solvent (F. Conti, M. Donati, G.F. Pregaglia, R. Ugo), (30)421
- Allylpalladium halides-1,3-butadiene system, chemical exchange and polymerisation process in (V.N. Sokolov, G.M. Khvostic, I.Ya. Poddubnyi, G.P. Kondratenkov), (29)313
- Asymmetric π -allylic palladium(II) complexes, pyridine promoted *syn-syn* and *anti-anti* proton exchange in (E. Ban, A. Chan, J. Powell), (34)405
- π -Benzybis(triethylphosphine)palladium(II) tetrafluoroborate (R.R. Stevens, G.D. Shier), (21)495
- Bicyclo[3.3.1]nona-2,6-diene complexes with Pd^{II}, Pt^{II} and Rh^I (J.K.A. Clarke, E. McMahon, J.B. Thomson, B. Zeeh), (31)283
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bisisocyanide derivatives of Pd^{II} in reaction with bidentate ligands (R. Zanella, T. Boschi, M. Nicolini, U. Belluco), (49)C91
- σ -Bonded aryl derivatives of palladium(II) (S. Sergi, F. Faraone, L. Silvestro, R. Pietropaolo), (33)403
- σ -Bonded palladium complexes, characterization by oxidative cleavage with Collins' reagent (E. Vedejs, M.F. Salomon, P.D. Weeks), (40)221
- Carbonyl and related complexes containing the ligands PhCH₂EMe₂ (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Carbonylation of ethanol promoted by palladium chloride (M. Graziani, P. Uguagliati, C. Carturan), (27)275
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- μ -Chloro-chloro-di- π -allyl(cyclohexane oxime)-dipalladium, crystal structure (Y. Kitano, T. Kajimoto, M. Kashiwagi, Y. Kinoshita), (33)123
- Compounds containing Pt-Mo and Pd-Mo bonds (P. Braunstein, J. Dehand), (24)497
- Coordination-catalyzed *ortho*-halogenation of azobenzene (D.R. Fahey), (27)283
- 1,5-Cyclooctadienedichloropalladium, nature of a complex obtained by reaction with benzylamine (C. Agami, J. Levisalles, F. Rosemunch), (39)C17

- π -Cyclopentadienyls of palladium(II) and platinum(II) (R.J. Cross, R. Wardle), (23)C4
- Determination of palladium in organometallic complexes (F.R. Hartley, J.L. Wagner), (42)477
- Di- μ -acetatobis(2-methylallyl-3-norbornyl)di-palladium(II), molecular structure (M. Zocchi, G. Tieghi, A. Albinati), (33)C47
- Di- μ -chlorobis(trihapto-1,5-cyclooctadienyl)-palladium, preparation and reactions (C. Agami, J. Levisalles, F. Rose-Munch), (35)C59
- Dichloro(2,3-diphenylcyclopropenylidene)-palladium(II) (K. Öfele), (22)C9
- Dicyanoacetylene complexes of noble metals (G.L. McClure, W.H. Baddley), (27)155
- Dicyanoketeniminato complexes of some noble metals (M. Lenarda, W.H. Baddley), (39)217
- trans-Diiodobis(t-butylisonitrile)palladium(II), crystal and molecular structure of (N.A. Bailey, N.W. Walker, J.A.W. Williams), (37)C49
- Dimeric palladium salts, low-temperature NMR studies of (P.W.N.M. van Leeuwen, J. Lukas, A.P. Praat, M. Appelman), (38)199
- 1,2-Disubstituted π -allylpalladium chloride complexes, steric factors in (J.W. Faller, M.T. Tully, K.J. Laffey), (37)193
- Fluoro-aromatic acetylenes, reactions of (M.R. Wiles, A.G. Massey), (47)423
- Formation of a chiral carbon centre by direct metallation into a methylene group (V.I. Sokolov, T.A. Sorokina, L.L. Troitskaya, L.I. Solovieva, C.A. Reutov), (36)389
- Hexafluoro-2-butyne, insertion into a palladium-allyl bond (T.G. Appleton, H.C. Clark, R.C. Poller, R.J. Puddephatt), (39)C13
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- π -Homoallylic complexes of palladium(II), insertion of 1,2-dienes into (R.P. Hughes, J. Powell), (34)C51
- Homogeneous cyclohexenes oxidation catalysed by low valent tertiary phosphine-transition metal complexes (A. Fusi, R. Ugo, F. Fox, A. Pasini, S. Cenini), (26)417
- β -Ketoamine derivatives of symmetrically and dissymmetrically substituted π -allyl-palladium complexes (A. Musco, P.F. Swinton), (50)333
- Magnetic non-equivalence in substituted allyl-palladium compounds in relation to molecular rearrangements (P.W.N.M. van Leeuwen, A.P. Praat, M. van Diepen), (29)433
- Metal-catalyzed addition of HCN to olefinic silanes (E.S. Brown, E.A. Rick, F.D. Mendicino), (38)37
- Metallocenes, comparative study of the arc discharge plasma ion composition and the mass spectra obtained under the electron impact (N.V. Zakurin, S.P. Gubin, V.P. Bochyn), (23)535
- π -Methallylpalladium compounds, NMR studies (P.W.N.M. van Leeuwen, A.P. Praat), (21)501
- (π -Methallyl)(2-(*R,S*)- α -phenylethylimino-3-penten-4-olato)palladium(II), crystal and molecular structure of (R. Claverini, P. Ganis, C. Pedone), (50)327
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methyl(allyl)thallium(III) derivatives, preparation and reactions (T. Abe, H. Kurosawa, R. Okawara), (25)353
- Methylenecyclobutane in reaction with palladium chloride and $[\text{Rh}(\text{CO})_2\text{Cl}]_2$, a reexamination (R. Rossi, P. Diversi, L. Porri), (47)C21
- Mixed sandwich chelate transition metal complexes, synthesis and stability (G.A. Razuvaev, G.A. Domrachev, O.N. Suvorova, L.G. Abakumova), (32)113
- Nickel(II), palladium(II) and platinum(II) compounds derived from *N,N*-dialkylbenzylamines (G. Longoni, P. Fantucci, P. Chini, F. Canziani), (39)413
- Olefin complexes of palladium(II), preparation and properties of (G.F. Pregaglia, F. Conti, B. Minasso, R. Ugo), (47)165
- Organo-iron and -cobalt phthalocyanins in alkylation and arylation of olefins (M.E. Vol'pin, R. Taube, H. Drevs, L.G. Volkova, I.Ya. Levitin, T.M. Ushakova), (39)C79
- Palladium(II) acetate in *o*-metalation reactions of *N*-phenylbenzaldimine and related compounds (H. Onoue, I. Moritani), (43)431
- Palladium(II)-allyl complexes, mechanisms of formation of, reaction of PdCl_2^- with allyl ether (R. Pietropaolo, F. Faraone, S. Sergi, D. Pietropaolo), (42)177
- Palladium(II) and platinum(II) carbene complexes containing metal-tin bonds (F. Bonati, G. Minghetti, T. Boschi, B. Crociani), (25)255
- Palladium(II) and platinum(II) complexes in the formation of allenes (J. Lukas, J.P. Visser, A.P. Kouwenhoven), (50)349
- Palladium(II) and platinum(II) lead bonded complexes (B. Crociani, M. Nicolini,

- D.A. Clemente, G. Bandoli), (49)249
Palladium(0) and platinum(0) triphenylphosphine complexes, carbon-carbon bond rupture promoted by (M. Lenarda, R. Ros, M. Graziani, U. Belluco), (46)C29
Palladium-carbon bond, *cis*-addition to coordinated olefins (R.P. Hughes, J. Powell), (30)C45
Palladium(II)-carbon σ bonds, formation from carbene derivatives (B. Crociani, T. Boschi), (24)C1
Palladium(II) catalyzed dimerization of olefinic compounds (M.G. Barlow, M.J. Bryant, R.N. Haszeldine, A.G. Mackie), (21)215
Palladium catalyzed reaction of butadiene with acetic acid in the presence of phosphites (D. Rose, H. Lepper), (49)473
Palladium(II) catalyzed rearrangement of bicyclo[6.1.0]non-4-ene to *cis,cis*-1,5-cyclonadiene (G. Albelo, M.F. Rettig), (42)183
Palladium(II) chloride in reactions with allylic sulphides, formation of C-Pd σ -complexes from (Y. Takahashi, A. Tokuda, S. Sakai, Y. Ishii), (35)415
Palladium(II) cleavage of allylsilanes (J.M. Kliegman), (29)73
Palladium compounds (L_2PdCl_2 , CH_3MgBr), reaction of diphenylacetylene with (N. Garty, M. Michman), (36)391
Palladium(II)-isocyanide complexes, reactions with phenyl derivatives of heavy metals (B. Crociani, M. Nicolini, T. Boschi), (33)C81
-, substituent effects on carbene formation in (G.A. Larkin, R.P. Scott, M.G.H. Wallbridge), (37)C21
 $PdCl_2$ complexes of substituted *cis,cis*-1,5-cyclooctadienes, preparation from 8-membered cyclic compounds and their analogues: substituted *cis*-1,2-divinylcyclobutanes (P. Heimbach, M. Molin), (49)483
 $PdCl_2$ induced rearrangement of substituted *cis,trans*-1,5-cyclodecadienes (P. Heimbach, M. Molin), (49)477
[Pd(CNPh)₂]₁ in reaction with activated olefins and *p*-quinones (D. Pietropaolo, T. Boschi, R. Zanella, U. Belluco), (49)C88
 σ -Perhaloaryl derivatives of palladium, formation and properties (M.D. Rausch, F.E. Tibbetts), (21)487
Phosphine-nickel(II) complexes as hydrosilylation catalysts (Y. Kiso, M. Kumada, K. Tamao, M. Umeno), (50)297
Platinum(II) and palladium(II) complexes formed from 1-hexen-5-one (allylacetone) (B.T. Heaton, D.J.A. McCaffrey), (43)437
Platinum(IV) carbene complexes, formation by oxidative addition (A.L. Balch), (37)C19
cis- and *trans*- $PtCl_2[C(NPhCH_2)_2]PEt_3$, crystal and molecular structure of (D.J. Cardin, B. Çetinkaya, E. Çetinkaya, M.F. Lappert, L.J. Manojlović-Muir, K.W. Muir), (44)C59
Reduction of allylic chlorides and $PdCl_2$ (or $PtCl_2$) to π -allyl complexes (J.H. Lukas, J.E. Blom), (26)C25
Square-planar dialkynyl complexes of nickel(II), palladium(II) and platinum(II), IR spectra (H. Masai, K. Sonogashira, N. Hagihara), (26)271
Stable palladium(II) carbonyl complexes containing palladium-carbon σ -bonds (H. Inoue, K. Nakagawa, I. Moritani), (35)217
Stable palladium(0) carbonyl complexes containing triphenylphosphine, synthesis and properties (K. Kudo, M. Hida, Y. Uchida), (33)393
Stereochemistry of the insertion reaction of norbornene into a nickel-allyl and a palladium-allyl bond (M.C. Gallazzi, T.L. Hanlon, G. Vituli, L. Porri), (33)C45
Stereospecific addition of dienes to palladium chloride (J.H. Lukas, P.W.N.M. van Leeuwen, H.C. Volger, A.P. Kouwenhoven), (47)153
Substituted π -allylpalladium chloride complexes, carbonium ion derived from (J. Lukas, P.A. Kramer), (31)111
Substituted allylpalladium compounds, magnetically nonequivalent groups (P.W.N.M. van Leeuwen, A.P. Praat, M. van Diepen), (24)C31
p-Substituted (tetraphenylcyclobutadiene)palladium halides, syntheses and reactions (D.F. Pollock, P.M. Maitlis), (26)407
Sulphur dioxide insertion reaction into palladium-oxygen bonds (M. Graziani, R. Ros, G. Carturan), (27)C19
Synthesis of heterocyclic compounds via transition metal intermediates (C.W. Bird), (47)281
Tetracyanoethylene complexes with palladium and rhodium isocyanide derivatives (T. Boschi, P. Uguagliati, B. Crociani), (30)283
7,7,8,8-Tetracyanoquinodimethane, charge-transfer interaction with *trans*-bis(trialkylphosphine)dialkynylplatinum(II) and related complexes (H. Masai, K. Sonogashira, N. Hagihara), (34)397

- Tetrafluorobenzobarrelene complexes of Mn, Co, Rh, Pd and Pt (D.M. Roe, A.G. Massey), (28)273
- Tetrakis(triphenylphosphine)palladium(0), addition of aryl halides to (P. Fitton, E.A. Rick), (28)287
- Tetrakis(triphenylphosphine)palladium(0) and -platinum(0), catalytic dimerisation of malodinitrile with (K. Schorpp, P. Kreutzer, W. Beck), (37)397
- Transition metal complexes with α -methylbenzylimine of ethyl glyoxylate, nucleophilic attack of the complexed imine (J.Y. Chenard, D. Commereuc, Y. Chauvin), (33)C69
- Transition metal tellurophene complexes (K. Öfele, E. Dotzauer), (42)C87
- Trimethylenediphosphine complexes of palladium(II) (V.D. Bianco, S. Doronzo), (30)431
- Tris(triphenylphosphine)- and tris(triphenylphosphite)palladium(0), preparation of (W. Kuran, A. Musco), (40)C47
- α,β -Unsaturated acid chlorides and "aryl-palladium chlorides", preparation of ketene derivatives from (R.F. Heck), (33)399
- Vinyl and phenyl derivatives of disilane and digermane, ethanolsysis catalyzed by palladium(II) complexes (K. Yamamoto, M. Kumada), (35)297
- σ -Vinyl palladium(II), reaction with benzene or toluene; evidence for the reaction mechanism (S. Danno, I. Moritani, Y. Fujiwara), (27)279
- Phosphorus**
- Acetatobis(triphenylphosphine)dicarbonylmanganese(I), $(\text{CH}_3\text{CO}_2)_2\text{Mn}(\text{CO})_2[\text{P}(\text{C}_6\text{H}_5)_3]_2$, synthesis and structural characterisation of (W.K. Dean, G.L. Simon, P.M. Treichel, L.F. Dahl), (50)193
- Acetylenic phosphines and diphosphines, coordination complexes of (H.A. Patel, A.J. Carty, N.K. Hota), (50)247
- Alkoxy and aroxy derivatives of pentavalent phosphorus and antimony compounds, thermal decomposition of (G.A. Razuvaev, N.A. Osanova), (38)77
- Allene cyclooligomerization and polymerization catalyzed by a nickel(0) complex (R.J. De Pasquale), (32)381
- σ - and π -Allyl and benzyl derivatives of mercury and palladium, metal hydride reduction of (M.L. Bullpitt, W. Kitching), (46)21
- π -Allylic and σ -allylic complexes of palladium(II), ligand substituent effects on relative stabilities of (J. Powell, W.-L. Chan), (35)203
- π -Allylic complexes [$(\pi\text{-C}_4\text{H}_7\text{-}$ and $\pi\text{-C}_3\text{H}_5\text{-})\text{Pd}(\text{PPh}_2\text{R})\text{SnCl}_3$], NMR spectra of (M. Sakakibara, Y. Takahashi, S. Sakai, Y. Ishii), (27)139
- π -Allylic tris(trifluorophosphine)rhodium(I) complexes, ligand exchange in (D.A. Clement, J.F. Nixon, B. Wilkins), (37)C43
- Allylidene(triphenylphosphorane)tetracarbonylmolybdenum and -tungsten, a non-classical allylic system (A. Greco), (43)351
- Aluminium(I) ligands in iron carbonyl derivatives, stabilisation of (W. Petz, G. Schmid), (35)321
- Aminophosphines, ESR study of the reaction with *t*-butoxyl radicals (R.W. Dennis, B.P. Roberts), (43)C2
- Anionic metal carbonyl carboxylates (W.J. Schlientz, Y. Lavender, N. Welcman, R.B. King, J.K. Ruff), (33)357
- Arenechromium tricarbonyl and arenechromium dicarbonyl triphenylphosphine complexes, IR study of (B.V. Lokshin, V.I. Zdanovich, N.K. Baranetskaya, V.N. Setkina, D.N. Kursanov), (37)331
- , PMR spectroscopic study of protonation in (D.N. Kursanov, V.N. Setkina, P.V. Petrovskii, V.I. Zdanovich, N.K. Baranetskaya, I.D. Rubin), (37)339
- Asymmetric hydrosilylation of ketones catalyzed by chiral phosphineplatinum(II) complexes (K. Yamamoto, T. Hayashi, M. Kumada), (46)C65
- , with a chiral phosphine-nickel(II) complex (K. Yamamoto, Y. Uramoto, M. Kumada), (31)C9
- Basicity of free and coordinated trimethylphosphite in the presence of boron trifluoride (B. Demerseman, G. Bouquet, M. Bigorgne), (35)125
- Benzene complexes of ruthenium(II), reactions of (R.A. Zelonka, M.C. Baird), (35)C43
- π -Benzeneruthenium(II) complexes, reactions with alkylating reagents (R.A. Zelonka, M.C. Baird), (44)383
- π -Benzylbis(triethylphosphine)palladium(II) tetrafluoroborate (R.R. Stevens, G.D. Shier), (21)495
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- 2,2'-Bipyridine and 1,10-phenanthroline cobalt complexes, reactions with molecular hydrogen and conjugated dienes in the presence of tertiary phosphines (A. Camus, C. Cocevar, G. Mestroni), (39)355

- Bis[bis(tricyclohexylphosphine)nickel]dinitrogen, preparation, reactions and structure (P.W. Jolly, K. Jonas, C. Krüger, Y.-H. Tsay), (33)109
- Bis[μ -(*t*-butylsulphido)tricarbonyliron], reaction with tertiary and ditertiary phosphines and phosphites (J.A. De Beer, R.J. Haines), (37)173
- Bisdinitrogen complexes of molybdenum (T.A. George, C.D. Seibold), (30)C13
- Bis(diorganophosphino)dimethylaminomethane and diethylphosphinodimethylamino-methoxymethane, reactive behaviour of (K. Issleib, M. Lischewski), (46)297
- Bis- μ -(diphenylphosphido)dicarbonylbis(triphenylphosphine)diiridium, synthesis and structure of (R. Mason, I. Sjøtofte, S.D. Robinson, M.F. Uttley), (46)C61
- Bis(ethylene)(tricyclohexylphosphine)nickel, molecular and crystal structure (C. Krüger, Y.-H. Tsay), (34)387
- Bis(fulvalene)dicobalt hexafluorophosphate, synthesis of (A. Davison, J.C. Smart), (49)C43
- Bis(organometal phosphine)tetracarbonylchromium, -molybdenum, and -tungsten complexes (H. Schumann, J. Kuhlmeier), (42)C57
- Bis(pentafluorophenyl)cobalt complex, synthesis and reactions of (C.F. Smith, C. Tamborski), (32)257
- Bis(μ -phenylsulphido)tricarbonyliron, tertiary phosphine, phosphite and stibine and ditertiary phosphine and arsine derivatives of (J.A. De Beer, R.J. Haines), (36)297
- Bis[(silylamino)boryl]amines, agents for syntheses of borazines and heterocyclic compounds (H. Nöth, M.J. Sprague), (23)323
- Bis(trialkyl-Group VB-tricarbonylcobalt) complexes, tautomerism in (D.J. Thornhill, A.R. Manning), (37)C41
- Bis(tricarbonyl- π -cyclopentadienylmolybdenum), reaction with tertiary alkyl phosphites (R.J. Haines, C.R. Nolte), (24)725
- , reaction with tertiary phosphites, phosphonites and phosphinites (R.J. Haines, A.L. Du Preez, I.L. Marais), (28)97
- Bis(triethylsilyl)mercury, oxidation by oxygen in the presence of triphenylphosphine (Yu.A. Alexandrov, G.A. Razuvaev, V.N. Glushakova, V.Ya. Savukova), (27)201
- Bis(trimethylstannyl)methylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, U. Arbenz), (22)411
- Bis(triphenylphosphine)(1,1-dichloro-2,2-dicyanoethylene)platinum(0), Pt[Cl₂C=C(CN)₂][P(C₆H₅)₃]₂, structure of (A. McAdam, J.N. Francis, J.A. Ibers), (29)149
- Bis(triphenylphosphine)(π -ethylene)nickel, complexes derived from reactions with alkyl and boron halides (S.C. Cundy, H. Nöth), (30)135
- Bis(triphenylphosphine)(halogen-substituted ethylene)platinum(0) complexes, structure of (J.N. Francis, A. McAdam, J.A. Ibers), (29)131
- Bis[*o*-vinylphenyl]diphenylphosphine]-rhodium(I) cation, preparation and reactions of (P.R. Brookes), (43)415
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Cacodyl derivatives of manganese carbonyls (J. Grobe, F. Kober), (29)295
- Carbamoyl-carbonyl complexes, of cobalt in fluid ammonia (H. Krohberger, H. Behrens, J. Ellermann), (46)139
- , of iron in fluid ammonia (J. Ellermann, H. Behrens, H. Krohberger), (46)119
- , of manganese in liquid NH₃, chemistry of (H. Behrens, E. Lindner, D. Maertens, P. Wild, R.-J. Lampe), (34)367
- Carbonatobis(triphenylarsine)platinum(II) in reactions with fluoro-olefins, chloro-olefins and related molecules in ethanol (M.J. Hacker, G.W. Littlecote, R.D.W. Kemmitt), (47)189
- Carbonyl and related complexes containing the ligands PhCH₂EMe₂ (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Carbonyl dithiophosphinato manganese and rhenium complexes, reactivity (E. Lindner, K.M. Matejcek), (34)195
- Carbonylcobaltnitrosyibis(dimethylphenylphosphine), absence of rapid intramolecular rearrangement (R.J. Mawby, G. Wright, D. Ewing), (23)545
- Carbonylphosphine complexes of chromium, crystal and molecular structure of (G. Huttner, S. Schelle), (47)383
- Carboxylato rhodium carbonyl complexes, phosphine-substituted derivatives of (G. Csontos, B. Heil, L. Markó), (37)183
- Catalytic mechanism involving oxidative addition in the coupling of alkylgold(I) with alkyl halides (A. Tamaki, J.K. Kochi), (40)C81

- Catalyzed codimerisation of butadiene and ethylene (G. Henrici-Olivé, S. Olivé), (35)381
- Cationic derivatives of rhodium(I), addition of allyl halides and other addenda molecules to (L.M. Haines), (25)C85
- Cationic nitrosyl complexes of the type $[M(CO)_2NO(PPh_3)_2]^+$ (M = Fe, Ru, or Os) (B.F.G. Johnson, J.A. Segal), (31)C79
- Cationic platinum(II) carbene complexes, 1H NMR spectra (H.C. Clark, L.E. Manzer), (30)C89
- Chelated σ -bonded Mn-C complex formed by hydrometallation of an olefinic tertiary phosphine, structure of (G.B. Robertson, P.O. Whimp), (49)C27
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- π -2-Chloroallyldicarbonylnitrosoiron, σ -allylic and ($\sigma + \pi$)-allylic complexes formed with phosphinic ligands (G. Cardaci, S.M. Murgia, A. Foffani), (37)C11
- trans*-Chlorobis(triphenylphosphine)(thiocarbonyl)iridium(I), intermediates in synthesis of (M. Kubota, C.R. Carey), (24)491
- Chlorocarbonylbis(triphenylphosphine)iridium(I), thermochemistry of adducts of oxygen and sulphur dioxide with (S.J. Ashcroft, C.T. Mortimer), (24)783
- Chlorocarbonylbis(triphenylphosphine)rhodium, as a catalyst in the autoxidation of diphenylmethane (L.W. Fine, M. Grayson, V.H. Suggs), (22)219
- Chloro- and iododicarbonyl- π -cyclopentadienyl-iron, reactions with tertiary phosphines and phosphites (R.J. Haines, A.L. Du Preez, O.L. Marais), (28)405
- (Chlorodimethylphosphine)- and (chlorodiphenylphosphine)pentacarbonylmolybdenum, reactions with selected alcohols, ethanethiol, hydrogen sulphide, ammonia and several amines (C.S. Kraihanzel, C.M. Bartish), (43)343
- π -C₅H₅Mo(CO)₂[P(CH₃)₂C₆H₅]₂X complexes, unequivocal distinction between "cis" and "trans" isomers in (R.J. Mawby, G. Wright), (21)169
- (CH₃)₂MOOX(CH₃)₂ compounds (M = Al, Ga, In; X = P, As), IR and Raman spectra (H. Olapinski, B. Schaible, J. Weidlein) (43)107
- $[\pi$ -C₅H₅NiPh₂P(CH₂)₂Ph₂]⁺Cl⁻, preparation and properties (F. Sato, M. Sato), (33)C73
- $(\pi$ -C₅H₅)Rh(CO)L (L = CO, PPh₃) complexes, reactions of (F. Faraone, C. Ferrara, E. Rotondo), (33)221
- (C₆H₅)₃SnFe(CO)₂NOL and related complexes, dipole moments and molecular conformations of (S. Sorriso, G. Distefano, A. Foffani), (47)139
- Cobalt carbonyl clusters (ScO₄(CO)₉[P(CH₃)₂]₂ and S₂Co₃(CO)₇P(CH₃)₂), mass spectrometry of (G. Natile, S. Pignataro, G. Innorta, G. Bor), (40)215
- Cobalt(0) clusters, synthesis and catalytic properties of (G.F. Pregaglia, A. Andreetta, G.F. Ferrari, G. Montrasi, R. Ugo), (33)73
- Co(CO)₂(NO)L complexes, kinetics and equilibria in the replacement by carbon monoxide of the ligands (G. Innorta, G. Reichenbach, A. Foffani), (22)731
- Co(CO)₂(NO)(PPh₃) and Co(CO)(NO)(PPh₃)₂, crystal and molecular structures of (V.G. Albano, P.L. Bellon, G. Ciani), (38)155
- Complexes of acetylenes coordinated on iron and nickel, preparation and structure of (K. Yasufuku, H. Yamazaki), (35)367
- Complexes of B₉H₁₀CHP⁻ and B₉H₁₀CHAS⁻ with Group VI metal carbonyls (H.T. Silverstein, D.C. Beer, L.J. Todd), (21)139
- Complexes of platinum with triphenylphosphine and 2-methyl-3-buten-2-ol (A. Furlani, P. Bicev, M.V. Russo, P. Carusi), (29)321
- Compound of cyclic alumasilazane cation and tetramethylindanate anion (W. Wolfsberger, H. Schmidbaur), (27)181
- Copper(I) isocyanide complexes containing other donor ligands (J. Bailey, M.J. Mays), (47)217
- π -Crotyl- π -butadiene(triphenylphosphine)cobalt(I) (P.V. Rinze, H. Nöth), (30)115
- (2-Cyanoethyl)diphenylphosphine-rhenium(II) complexes (B.N. Storhoff), (43)197
- Cyclic compounds with Pt-C σ -bonds formed by insertion of an olefinic phosphine into Pt-H bonds (P.R. Brookes), (47)179
- Cyclic silylphosphinimonium cations (W. Wolfsberger, H. Schmidbaur), (28)301
- Cycloheptatrienetricarbonylchromium, photochemical reactions of (W.P. Anderson, W.G. Blenderman, K.A. Drews), (42)139
- (Cyclooctatetraene)tricarbonylruthenium, kinetics and mechanism of reactions with phosphorus(III) ligands (F. Faraone, F. Cusmano, R. Pietropaolo), (26)147

- π -Cyclopentadienylbis(tri-*n*-butylphosphine)-nickel chloride, properties (M. Sato, F. Sato, T. Yoshida), (26)C49
- π -Cyclopentadienylbis(tri-*n*-butylphosphine)-nickel halide (M. Sato, F. Sato, T. Yoshida), (27)273
- π -Cyclopentadienyldicarbonylmolybdenum triphenylphosphine anion, reactions of (M.I. Bruce, B.L. Goodall, D.N. Sharrocks, F.G.A. Stone), (39)139
- Cyclopentadienyliron carbonyl derivatives, reactions with azide ion (M. Graziani, L. Busetto, A. Palazzi), (26)261
- Cyclopentadienyliron complexes, substitution, insertion and decarbonylation reactions with phosphorus donor ligands (S.R. Su, A. Wojcicki), (27)231
- π -Cyclopentadienylmanganese tricarbonyl, arsenites and antimonites as ligands toward (T.B. Brill), (40)373
- Cyclopentadienylmanganese tricarbonyl Group V and olefin derivatives, ⁵⁵Mn NQR and IR intensities of the carbonyl stretching vibrations in (W.P. Anderson, T.B. Brill, A.R. Schoenberg, C.W. Stanger, Jr.), (44)161
- π -Cyclopentadienylmolybdenum tricarbonyl halides, constrained phosphite ester complexes of (W.E. Stanclift, D.G. Hendricker), (50)175
- Cyclopentadienylruthenium phosphine complex, novel ring substitution reaction in (T. Blackmore, M.I. Bruce, F.G.A. Stone, R.E. Davis, N.V. Raghavan), (49)C35
- Deoxygenation of a carbonyl group of iron pentacarbonyl (H. Alper, R.A. Partis), (35)C40
- Dependence of $\mu(X\equiv Y)$ in the IR spectra of $[Ru(NH_3)_5(X\equiv Y)]^{2+}$ upon counter-anion and upon solvent ($X\equiv Y = N_2, CO, MeCN, PhCN$ or *t*-BuCN) (J. Chatt, G.J. Leigh, N. Thankarajan), (25)C77
- Di- μ -acetyldiironhexacarbonyl complexes, reactions of (V. Kiener, E.O. Fischer), (42)447
- Dialkyl(trialkylgermyl)phosphines, reactivity with various carbonyl derivatives (J. Satgé, C. Couret, J. Escudie), (24)633
- Di-*n*-butyl-2,2-*d*₂-bis(triphenylphosphine)-platinum(II), ¹H NMR spectrum of (G.M. Whitesides, J.F. Gaasch), (33)241
- μ -Dichlorobis(di-*t*-butyl-*p*-tolylphosphine) tetracarbonyldiruthenium(I), structural chemistry of and metal-metal bond formation by steric effects (R. Mason, K.M. Thomas, D.F. Gill, B.L. Shaw), (40)C67
- μ -Dichlorotetracarbonyldirhodium-phosphine complexes; evidence of oxidative addition involving new dinuclear complexes (J. Gallay, D. de Montauzon, R. Poilblanc), (38)179
- Dicobalt octacarbonyl, acetylene bridged derivatives of (H.A. Patel, A.J. Carty, N.K. Hota), (50)247
- , and related compounds, reactions with gem-dihalides (D. Seyferth, M.D. Millar), (38)373
- Dicyanoacetylene complexes, of noble metals (G.K. McClure, W.H. Baddley), (27)155
- , of platinum (G.L. McClure, W.H. Baddley), (25)261
- Dicyanoketeniminato complexes of some noble metals (M. Lenarda, W.H. Baddley), (39)217
- Dicyclooctadienylnickel(0), reactions with Me₂AlSPH, Et₂AlPPh₂ and (Me₂AlSCH₂)₂ (T. Hirabayashi, Y. Ishii), (39)C85
- Dihydrodichlorobis(triphenylphosphine)-platinum(IV), spectroscopic characterization as *trans*-hydrochlorobis(triphenylphosphine)-platinum(II) (J.T. Dunler, D.M. Roundhill), (30)C35
- Diiodocarbonyl bis(trimethylphosphine)nickel, synthesis and configuration of (M. Pańkowski, M. Bigorgne), (35)397
- Diiron enneacarbonyls, reaction with phosphines (P.S. Braterman, W.J. Wallace), (30)C17
- Dimethylgalliumdifluorophosphate (B. Schaible, J. Weidlein), (35)C7
- Dimethylphenylphosphine, in reaction with rhenium carbonyl (E. Singleton, J.T. Moelwyn-Hughes, A.W.B. Garner), (21)449
- 2-(Dimethylphosphino)ethylsilanes, Si-functional (J. Grobe, U. Möller), (31)157
- Dinuclear derivatives of iron containing bridging carbonyls and phosphido or sulphido groups (R.J. Haines, C.R. Nolte, R. Greatrex, N.N. Greenwood), (26)C45
- , synthesis and reactivity of (R.J. Haines, C.R. Nolte), (36)163
- Dinuclear tetracarbonylmanganese-organometal phosphine complexes (H. Schumann, H.-J. Kroth), (32)C47
- Diphenylethylphosphine oxide adduct of tetrakis(μ_3 -hydroxotricarbonylhydridotungsten), crystal and molecular structure (V.G. Albano, G. Ciani, M. Manassero, M. Sansoni), (34)353
- o*-Diphenylphosphinobenzyl dimethylsilane, synthesis and reactivity of (H.G. Ang, P.T. Lau), (37)C4
- [(Diphenylphosphino)methyl]trimethylsilane, novel reaction of carbon tetrachloride with (B.E. Cooper, W.J. Owen), (21)329

- Diphosphine-substituted carbonyl complexes of manganese (R.H. Reimann, E. Singleton), (38)113
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219
- (Dithioformato)bis(triphenylphosphine)dicarbonylrhenium, crystal and molecular structure (V.G. Albano, P.L. Bellon, G. Ciani), (31)75
- Dithiophosphate complexes, chemical behaviour towards metals of low-valent oxidation state (E. Lindner, K.-M. Matejcek), (29)283
- Dodecacarbonyltriruthenium, bimolecular substitution reactions of (A.J. Poë, M.V. Twigg), (50)C39
- $Fe_3(CO)_8[Ph_2PC_4(CF_3)_2](Ph_2P)$, X-ray structure of (T. O'Connor, A.J. Carty, M. Mathew, G.J. Palenik), (38)C15
- Fe→Si back-bonding in carbonyliron derivatives with $SiCH_2CH_2P$ ligands (J. Grobe, U. Möller), (36)335
- Fluxional behaviour of π -bonded acetylenes (J. Ashley-Smith, B.F.G. Johnson, J.A. Segal), (49)C38
- Functional alkylidynetricobalt nonacarbonyl complexes from dicobalt octacarbonyl, preparation of (D. Seyferth, J.E. Hallgren, P.L.K. Hung), (50)265
- Germlylphosphines, C—C insertion reactions on Ge—P bonds (J. Satgé, C. Couret, J. Escudié), (34)83
- Germlyl- and silylphosphines, reactions with diacetyl (J. Satgé, C. Couret, J. Escudié), (30)C70
- , reactions with ketenes and diketenes (C. Couret, J. Satgé, F. Couret), (47)67
- Group VA chalcogenides, synthesis and IR spectra (G.N. Chremos, R.A. Zingaro), (22)637
- Group VIA triphenylphosphonium (tricarbonylmetal)cyclopentadienyliides, reactions with trifluoroacetic acid and boron trifluoride (J.C. Kotz, D.G. Pedrotti), (22)425
- Heptameric phenylsilyl- and phenylgermylphosphine (H. Schumann, H. Benda), (21) P12
- Hexamethylphosphoric triamide, ligand in hexacarbonyl-substituted metal derivatives (O. Rogues, R. Poilblanc), (24)C47
- Homogeneous cyclohexene oxidation catalysed by low valent tertiary phosphine—transition metal complexes (A. Fusi, R. Ugo, F. Fox, A. Pasini, S. Cenini), (26)417
- trans*-Hydrido(arenethiolato)bis(triphenylphosphine)platinum(II), transmission of electronic effects in (A.E. Keskinen, C.V. Senoff), (37) 201
- Hydridocarbonyltris(triphenylphosphine)rhodium, reactions with alkynes (B.L. Booth, A.D. Lloyd), (35)195
- Hydridodiphenyl- and -dimethylphenylphosphine complexes of platinum(II), preparation and spectra of (H.C. Clark, H. Kurosawa), (36) 399
- Hydridoiridium complexes, reactions of tetracyanoethylene (M.S. Fraser, G.F. Everitt, W.H. Baddley), (35)403
- Hydrido- π -olefinic complexes of iridium (M.S. Fraser, W.H. Baddley), (36)377
- Hydridotricarbonyliridium—phosphine complexes (R. Whyman), (29)C36
- (2-Hydroxyalkyl)silanes, rearrangement with thionyl chloride and phosphorous tribromide (A.J. Bourne, A.W.P. Jarvie), (24)335
- Importance of the transition metal in the catalysis of a diene rearrangement (R.G. Miller, P.A. Pinke, R.D. Stauffer, H.J. Golden), (29)C42
- Interaction of $C_2H_2Fe(CO)_2Ar$ with phosphines and phosphites, effect of the reaction conditions on (A.N. Nesmeyanov, L.G. Makarova, I.V. Polovnyanyuk), (22)707
- Investigation of the stability of the configuration of metal complexes by means of magnetic non-equivalence (H. Brunner, H.-D. Schindler, E. Schmidt, M. Vogel), (24)515
- Iodotrimethylbis(dimethylphenylphosphine)platinum(IV), mechanism of thermal elimination of ethane from (M.P. Brown, R.J. Puddephatt, C.E.E. Upton), (49)C61
- $Ir_2(CO)_6(PPh_3)_2$ and $HIr(CO)_3PPh_3$, synthesis and reactivity (L. Malatesta, M. Angoletta, F. Conti), (33)C43
- Iridium(III) cations, reactions with unsaturated ligands, formation of carbene and imino—ether complexes (H.C. Clark, L.E. Manzer), (47)C17
- Iron carbonyls in reactions with ylides (H. Alper, R.A. Partis), (44)371

- , with trimethyl Group VB ligands, IR and Raman spectra (M. Bigorgne), (24)211
- Isomerisation of olefins catalysed by transition metal complexes, π -allylmetal hydride mechanism for (J.P. Nixon, B. Wilkins), (44)C25
- Lithium phosphoramides, preparation, alkylation and cyclisation reactions (P. Savignac, G. Lavielle, M. Dreux), (50)C1
- Manganese carbonyl, indenyl and fluorenyl derivatives of (R.B. King, A. Efraty), (23)527
- Manganese(I) halodicarbonyl complexes, reactions of (I.S. Butler, N.J. Coville, H.K. Spendjian), (43)185
- MCo(CO)₉ (M = Mn or Re) and monosubstituted derivatives MnCo(CO)₈P(C₆H₅)₃, assignments in the C—O stretching region of the authentic infrared spectra (G. Sbrignadello, G. Bor, L. Maresca), (46)345
- Metal carbonyl complexes, containing a bridging cyanophosphine ligand (J.F. Nixon, J.R. Swain), (21)P13
- , of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Metal-catalyzed addition of HCN to olefinic silanes (E.S. Brown, E.A. Rick, F.D. Mendicino), (38)37
- Methyl isocyanide complexes of rhodium, preparation and reactions (A.L. Balch, J. Miller), (32)263
- Methylbis(triphenylphosphine)copper etherate, insertion of CO₂ into the Cu—CH₃ bond of (A. Miyashita, A. Yamamoto), (49)C57
- Methyltriphenylphosphonium [oxy(methylene-triphenylphosphorane)carbene]pentacarbonylchromium(0), an ylide—carbene complex (D.K. Mitchell, W.C. Kaska), (49)C73
- Methyltris(triphenylphosphine)rhodium, reaction with diphenylacetylene (M. Michman, M. Balog), (31)395
- Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113
- Mixed transition-metal μ -diphenylphosphido complexes, preparation (K. Yasufuku, H. Yamazaki), (28)415
- Molybdenum(II) acetyl complexes, steric and electronic effects (K.W. Barnett, T.G. Pollman, T.W. Solomon), (36)C23
- Molybdenum carbonyl complexes of (dialkyl-amino)diphenylphosphines (L.K. Atkinson, D.C. Smith), (33)189
- Molybdenum carbonyl, synthesis and properties of poly-substituted derivatives (H. Friedel, I.W. Renk, H. tom Dieck), (26)247
- Monoalkynylphosphines, coordination behaviour with metal carbonyls; X-ray structure of Co₄(CO)₁₀(Ph₂PC≡CCF₃)₂ (N.K. Hota, H.A. Patel, A.J. Carty, M. Mathew, G.J. Palenik), (32)C55
- Mono- and bidentate dithiophosphinato complexes of rhenium, preparation of (E. Lindner, H. Berke), (39)145
- Mono- and triruthenium carbonyl—trifluorophosphine systems (C.A. Udovich, R.J. Clark), (36)355
- Nickel—phosphine complexes as catalysts for hydrosilylation, mechanism of (Y. Kiso, M. Kumada, K. Maeda, K. Sumitani, K. Tamao), (50)311
- Nickel-based catalyst in the synthesis of 1,4-hexadiene; factors controlling activity and selectivity (A.C.L. Su, J.W. Collette), (36)177
- Nickel-containing Ziegler systems, reaction with carbon monoxide (J.R. Olechowski), (32)269
- Nickel(0)diphosphine complexes, behaviour towards unsaturated organic compounds (B. Corain, M. Bressan, P. Rigo), (28)133
- Nitrosyl-phosphine complexes of Co, Rh and Ir, reactions with quinones and activated olefins (G. La Monica, G. Navazio, P. Sandrini, S. Cenini), (31)89
- Novel organorhodium complex, structure of the product of the reaction of Rh(PPh₃)₂(PPh₂-C₆H₄) with two molecules of diphenylacetylene (J.S. Ricci, J.A. Ibers), (27)261
- Optical antipodes of the [C₂H₅Mn*(CO)(NO)-P(C₆H₅)₃]⁺ cation (H. Brunner, H.-D. Schindler), (24)C7
- Optically active diastereoisomeric iron compounds, preparation and chemical behaviour of (H. Brunner, E. Schmidt), (50)219
- Organoaluminium complexes with hexamethylphosphoric triamide (S. Pasynkiewicz, Z. Buczkowski), (22)525
- Organochlorosilanes, reactions with conjugated dienes (J. Dunoguès, R. Calas, J. Dedier, F. Pesciotti), (25)51
- Organocopper(I) complexes containing nitrogen and phosphorus bidentate ligands (A. Camus, N. Marsich), (21)249
- Organogold complexes, investigations of the oxidative addition to (A. Shiotani, H. Schmidbauer), (37)C24

- Organolithium and Grignard reagents, reactions with the cyclopentadienyliron tricarbonyl cation and its derivatives (M.Y. Darensbourg), (38)133
- Organomagnesium compounds, dissociation in hexamethylphosphoric triamide (J. Ducom, B. Denise), (26)305
- Organometallic boron complexes, possible ^1H - ^{11}B nuclear spin decouplings by ^{11}B quadrupole relaxation (R. v. Ammon, B. Kanellakopoulos, G. Schmid, R.D. Fischer), (25)C1
- Organometallic nickel compounds, electrochemical synthesis (H. Lehmkuhl, W. Leuchte), (23)C30
- Organometallic triphenylphosphine derivatives, incipient chirality in (J.M. Brown, K. Mertis), (47)C5
- Organometal phosphinecyclopentadienyldicarbonyl- and -methylcyclopentadienyldicarbonyl-manganese complexes (H. Schumann, O. Stelzer, J. Kuhlmeier, U. Niederreuther), (28)105
- Organophosphine and organoarsine compounds, dipole moments and structure of (N. Saraswathi, S. Soundararajan), (46)289
- Organosilicon-Group V compounds, reactions with nitrosyl chloride (J.E. Byrne, C.R. Russ), (22)357
- Oxidation of phenyl-substituted silole radical anions and dianions, chemiluminescence in (E.G. Janzen, W.B. Harrison, C.M. Dubose, Jr.), (40)281
- Palladium(II) and platinum(II) complexes in the formation of allenes (J. Lukas, J.P. Visser, A.P. Kouwenhoven), (50)349
- Palladium(0) and platinum(0) triphenylphosphine complexes, carbon-carbon bond rupture promoted by (M. Lenarda, R. Ros, M. Graziani, U. Belluco), (46)C29
- Palladium compounds (L_2PdCl_2 , CH_3MgBr), reaction of diphenylacetylene with (N. Garty, M. Michman), (36)391
- Palladium(II)-isocyanide complexes, reactions with phenyl derivatives of heavy metals (B. Crociani, M. Nicolini, T. Boschi), (33)C81
- Palladium-catalyzed reaction of butadiene with acetic acid in the presence of phosphites (D. Rose, H. Lepper), (49)473
- [1-Pentaborylbis(trifluoromethyl)phosphine]-nickel tricarbonyl (A.B. Burg, I.B. Mishra), (24)C33
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentacarbonyl(trifluorophosphine)molybdenum, molecular structure (D.M. Bridges, G.C. Holywell, D.W.H. Rankin, J.M. Freeman), (32)87
- Pentamethyldisilane, evidence for "silylenoid" species in disproportionation catalyzed by *trans*-[PtCl₂(Et₃P)₂] (K. Yamamoto, H. Okinoshima, M. Kumada), (27)C31
- Phenylisothiocyanate insertion into $\pi\text{-C}_5\text{H}_5\text{NiPBu}_3\text{SC}_2\text{H}_5$ (F. Sato, M. Sato), (46)C63
- Phosphagerma- and arsagermacarboranes, preparation, isomerisation and characterisation of (D.C. Beer, L.J. Todd), (50)93
- Phosphine-nickel(II) complexes as hydrosilylation catalysts (Y. Kiso, M. Kumada, K. Tamao, M. Umeno), (50)297
- Phosphine substituted acyldicarbonyl- π -cyclopentadienylmolybdenum complexes, conformation in solution (P.J. Craig, J. Edwards), (46)335
- Phosphine substituted carbonyl- π -cyclopentadienyl complexes of molybdenum and tungsten, steric influence of bulky groups in phosphines, exchange phenomenon between 2 isomers (P. Kalck, R. Pince, R. Poilblanc, J. Roussel), (24)445
- Phosphine substituted metal carbonyls, Raman and IR spectra; study of the metal-phosphorus force constant (M. Bigorgne, A. Loutelier, M. Pańkowski), (23)201
- Phosphines and allyldicarbonylnitrosyliron, kinetics of the monosubstitution reactions between (G. Cardaci, S.M. Murgia), (25)483
- Phosphonate and related derivatives of iron (R.J. Haines, A.L. Du Preez, L.L. Marais), (24)C26
- Phosphoranyl radicals, $\text{R}_n\text{P}(\text{OR})_{4-n}$, kinetic study of α - and β -scission (A.G. Davies, R.W. Dennis, D. Griller, B.P. Roberts), (40)C33
- Phosphorus methylene and allylidene ylides, reactions with metal carbonyls (A. Greco), (43)351
- Phosphorus-phosphorus coupling constants in *cis*- and *trans*-isomers of bis(trifluorophosphine)chromium (T.R. Johnson, R.M. Lynden-Bell, J.F. Nixon), (21)P15
- Phosphorus trifluoride substituted trimethylenemethaneiron tricarbonyl, hindered rotation in (R.J. Clark, M.R. Abraham, M.A. Busch), (35)C33

- Phosphorus trihalide pentacarbonyl tungsten complexes, ^{183}W – ^{31}P spin–spin coupling interactions in (E.O. Fischer, L. Knauss, R.L. Kreiter, J.G. Verkade), (37)C7
- Phosphorus ylides as ligands in zero-valent metal complexes (K.A. Ostoja Starzewski, H. tom Dieck, K.D. Franz, F. Hohmann), (42)C35
- Platinum(II) complexes formed by olefinic tertiary phosphines, bromination of (M.A. Bennett, W.R. Kneen, R.S. Nyholm), (26)293
- Polyhaloaryl compounds containing phosphorus (S.S. Dua, R.C. Edmondson, H. Gilman), (24)703
- Polynuclear phenylphosphines, phenylarsines, (phenylphosphino)arsines and (phenylarsino)phosphines (H. Schumann, A. Roth, O. Stelzer), (24)183
- Polynuclear phosphine-substituted iridium carbonyls, reactions with carbon monoxide (R. Whyman), (24)C35
- Poly(organotin phosphonates) (S. Freireich, D. Gertner, A. Zilkha), (25)111
- Preparation of chelating ligands with $\text{Si}-\text{X}(\text{CH}_3)_2$ and $\text{C}-\text{X}(\text{CH}_3)_2$ donating groups ($\text{X} = \text{N}$ or P) (J. Grobe, U. Möller), (33)13
- trans*- $\text{PtHCl}(\text{Et}_3\text{P})_2$, reactions with perfluorocyclobutene and perfluoropropene and conversion of a cyclobutenyl to a furyl group (W.J. Cherwinski, H.C. Clark), (29)451
- trans*- $\text{PtHX}(\text{PR}_3)_2$, reactivity with carbon disulphide (A. Palazzi, L. Busetto, M. Graziani), (30)273
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Reactivity of the catalysts $\text{MCl}(\text{CO})\text{L}_2$ and $\text{MH}(\text{CO})\text{L}_3$ ($\text{M} = \text{Ir}, \text{Rh}$) in isomerization and hydration of 1-heptenes (W. Strohmeier, R. Fleischmann, W. Rehder-Stirnweiss), (47)C37
- Reactivity of the hydrogenation catalyst $\text{IrX}(\text{CO})\text{L}_2$ [$\text{L} = (\text{PR}_3)_3$] as a function of X and L (W. Strohmeier, R. Fleischmann, T. Onoda), (28)281
- Rhenium carbonyl, reaction with methylidphenylphosphine (J.T. Moelwyn-Hughes, A.W.B. Garner, N. Gordon), (26)373
- Rhodium and iridium carbonyl salts, cationic oxygen adducts from (L.M. Haines, E. Singleton), (30)C81
- Rhodium(III) and iridium(III) cyclopentadienyl compounds obtained by reaction of $[\text{CpM}(\text{CO})(\text{PPh}_3)_2\text{CH}_3\text{CN}]\text{BPh}_4$ complexes with nucleophiles (F. Faraone, P. Cusmano, P. Piraino, R. Pietropaolo), (44)391
- Rhodium carbonyls, reactions with ligands (B.L. Booth, M.J. Else, R. Fields, R.N. Haszeldine), (27)119
- Rhodium(I) complexes, intra- and intermolecular exchange in some (D.P. Price, J.A. Osborn), (30)C84
- Rhodium(I)–olefin complexes formed by olefinic tertiary phosphines, addition of hydrogen chloride to (M.A. Bennett, S.J. Gruber, E.J. Hann, R.S. Nyholm), (29)C12
- , 5 coordinate (M.A. Bennett, E.J. Hann), (29)C15
- Rhodium–trifluorophosphine complex, oxidative addition reactions of (R.B. King, A. Efraty), (36)371
- Ruthenium isocyanide complexes containing triphenylphosphine, triphenylarsine and triphenylstibine (B.E. Prater), (34)379
- Silanes, interaction with bis(triphenylphosphine)ethyleneplatinum(0); hydrosilylation of olefins with this complex (K. Yamamoto, T. Hayashi, M. Kumada), (28)C37
- Silicon–carbon bonds, formation starting from chlorosilanes, C-silylation of esters (J.P. Picard, R. Calas, J. Dunoguès, N. Duffaut), (26)183
- , –, C-silylation of ethylenic aldehydes and ketones (R. Calas, J. Dunoguès, M. Bolourtchan), (26)195
- Silylammonium and silylphosphonium compounds, synthesis by reaction of amines and phosphines with silylcobalt tetracarbonyls (J.F. Bald, Jr., A.G. MacDiarmid), (22)C22
- C-Silylation of ketones, starting from chlorotrialkylsilanes and magnesium (R. Calas, J. Dunoguès, J.-P. Pillot, C. Biran, N. Duffaut), (25)43
- Silylphosphine imines, trans-silylation reactions (W. Wolfsberger, H.H. Pickel, H. Schmidbaur), (28)307
- Silylphosphines and silylarsines, reactions with covalent halides (J.E. Byrne, C.R. Russ), (38)319
- Simple route to carbonyl and metal phosphine salts using NOPF_6 (R.H. Reimann, E. Singleton), (32)C44
- Solid-state structures of $(\text{C}_8\text{H}_{12})(\text{PhMe}_2\text{P})_2\text{Ir}(\text{Me})$ and $(\text{C}_8\text{H}_{12})(\text{diphos})\text{Ir}(\text{Me})$, stereochemically non-rigid pentacoordinate Ir^{I} species (M.R. Churchill, S.A. Bezman), (31)C43

- Solvents effects on the kinetics of the exchange between ^{14}CO and $\text{Co}(\text{CO})_2(\text{NO})[\text{P}(\text{C}_6\text{H}_5)_3]$ (G. Reichenbach), (31)103
- Spirophosphoranyl radicals, stability towards β -scission of tetra-alkoxyphosphoranyl radicals (D. Griller, B.P. Roberts), (42)C47
- Stable palladium(0) carbonyl complexes containing triphenylphosphine, synthesis and properties (K. Udo, M. Hidai, Y. Uchida), (33)393
- Stable platinum(0) complex of cyclohexyne, structure of (G.B. Robertson, P.O. Whimp), (32)C69
- Substituted carbonyl anions of vanadium, niobium and tantalum, preparation (A. Davison, J.E. Ellis), (31)239
- Substituted carbonyl nitrosyl halides of molybdenum and tungsten, synthesis of (W.R. Robinson, M.E. Swanson), (35)315
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505
- Substituted phospho- and arsenic boranes, σ -bonded complexes of and their π -allyl derivatives (D.C. Beer, L.J. Todd), (36)77
- Substitution on hexafluorobenzene with anilides (R. Koppang), (46)193
- Symmetrically disubstituted ferrocenes, synthesis of potential bidentate ligands (J.J. Bishop, A. Davison, M.L. Katcher, D.W. Lichtenberg, R.E. Merrill, J.C. Smart), (27)241
- Tautomeric complexes containing Ni-Co bonds $[(\pi\text{-C}_5\text{H}_5)\text{NiCo}(\text{CO})_4\text{L}]$ (A.R. Manning), (40)C73
- Tertiary phosphine and related substitution products of Group VI metal carbonyls, improved preparation (J. Chatt, G.J. Leigh, N. Thankarajan), (29)105
- Tertiary phosphine derivatives of carbonyl- π -cyclopentadienyliron- μ -dicarbonyl- π -cyclopentadienylnickel, preparation of (K. Yasufuku, H. Yamazaki), (38)367
- Tetrabenzylhafnium and tetrabenzylzirconium, NMR studies of Lewis base adducts of (J.J. Felten, W.P. Anderson), (36)87
- Tetracarbonyl[1,2-bis(diphenylphosphino)-ethane] vanadium(0), preparation of derivatives of (A. Davison, J.E. Ellis), (36)131
- Tetracarbonyldi- π -cyclopentadienyldiiron, ditertiary phosphine and arsine derivatives of (R.J. Haines, A.L. Du Preez), (21)181
- Tetracarbonyl(diethyldithiophosphinate)manganese and -rhenium, preparation and properties (E. Lindner, K.M. Matejcek), (24)C57
- Tetracarbonylnitrosylmanganese substitution (C.A. Udovich, R.J. Clark), (25)199
- 7,7,8,8-Tetracyanoquinodimethane, charge-transfer interaction with *trans*-bis(trialkylphosphine)dialkynylplatinum(II) and related complexes (H. Masai, K. Sonogashira, N. Hagihara), (34)397
- Tetrafluoroaryl derivatives of phosphorus and sulphur, synthesis (P.G. Eller, D.W. Meek), (22)631
- Tetrafluoroethylene and hexafluorobutene adducts of fluoro- or chlorobis(triphenylphosphine)carbonyliridium, relative stabilities of (C.T. Mortimer, J.L. McNaughton, J. Burgess, M.J. Hacker, R.D.W. Kemmitt, M.I. Bruce, G. Shaw, F.G.A. Stone), (47)439
- Tetrakis(trifluorophosphine)cobalt and tetrakis(trifluorophosphine)potassiumcobalt, IR and Raman spectra (S. Bénazeth, A. Loutellier, M. Bigorgne), (24)479
- Tetrakis(triphenylphosphine)palladium(0), addition of aryl halides to (P. Fitton, E.A. Rick), (28)287
- , and tetrakis(triphenyl)platinum(0), catalytic dimerisation of malodinitrile with (K. Schropp, P. Kreutzer, W. Beck), (37)397
- Tetraoxyspirophosphoranes, synthesis and tautomerism of (D. Bernard, C. Laurencio, R. Burgada), (47)113
- Tetraphosphinenickel(0), $\text{Ni}(\text{PH}_3)_4$ (M. Trabelsi, A. Loutellier, M. Bigorgne), (40)C45
- Thallium(I) and dimethylthallium(III) diphenylphosphinite (B. Walther), (38)237
- Thiophosphinato-manganese complexes, study of (E. Lindner, H.-M. Ebinger), (47)133
- Transition metal alkyl compounds, preferred conformations in (J. Thomson, W. Keeney, M.C. Baird, W.F. Reynolds), (40)205
- Transition metal carbon σ -bonded complexes, diversity of behaviour of tetracyanoethylene towards (S.R. Su, A. Wojcicki), (31)C34
- Transition metal complexes, of hexaphenylcarbodiphosphorane (W.C. Kaska, D.K. Mitchell, R.F. Reichelderfer), (47)391
- , of triphenylphosphonium cyclopentadienylide and related ligands (D. Cashman, F.J. Lalor), (32)351
- Trialkoxydimethylaminophosphoranyl radicals in solution, pseudorotation of (R.W. Dennis, B.P. Roberts), (47)C8

- Trialkyl Group Va chalcogenides, correlation of metal-chalcogen stretching frequencies in (G.N. Chremos, R.A. Zingaro), (22)647
- Trialkyltin acetylides, reactions with low oxidation state transition metal complexes, addition, cleavage and alkylation (B. Cetinkaya, M.F. Lappert, J. McMeeking, D. Palmer), (34)C37
- Triangulo-tetracarbonyliron-carbonyltris(triphenyl phosphite)diplatinum (V.G. Albano, G. Ciani, M.I. Bruce, G. Shaw, F.G.A. Stone), (42)C99
- (Tributylphosphine)cobalt(I) hydride carbonyl complexes, synthesis and catalytic properties (G.F. Pregaglia, A. Andreetta, G.F. Ferrari, R. Ugo), (30)387
- Tri-*n*-butylphosphine- π -cyclopentadienylnickel mercaptides, synthesis and properties of (M. Sato, T. Yoshida), (39)389
- Tricarbonylcobalt nitrosyl complex, solvent effects on the kinetics of the monosubstitution reaction with triphenylarsine and triphenylphosphine (G. Cardaci, S.M. Murgia, A. Foffani), (23)265
- (Tricyclohexylphosphine)methylnickel(II) 2,4-pentanedionate, a square-planar complex containing a σ -Ni-C bond, molecular and crystal structure of (B.L. Barnett, C. Krüger), (42)169
- Triferrocenyphosphine derivatives of metal carbonyls preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361
- Trimethylenediphosphine complexes of palladium(II) (V.D. Bianco, S. Doronzo), (30)431
- Trimethylsilyldiphenylphosphine, and triphenylphosphine, influence on the 2 isomeric phthalyl chlorides (H. Kunzek, K. Rühlmann), (42)391
- , in reactions with aromatic acid chlorides to give aromatic acid phosphides (H. Kunzek, M. Braun, E. Nesener, K. Rühlmann), (49)149
- (Trimethylstannyldi-*t*-butylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, L. Rösch, O. Stelzer), (21)351
- Trimethylstannyldiphenylphosphine pentacarbonylmetals, reactions with boron halides yielding methylhalostannyll compounds (H. Nöth, S.N. Sze), (43)249
- (Trimethylstannyll)phosphine synthesis; observation of phosphorus-tin nuclear spin-spin coupling (A.D. Norman), (28)81
- Trinuclear ferracyclopentadiene complexes via oligomerization of phosphino- and arsinoacetylenes (T.O'Connor, A.J. Carty, M. Mathew, G.J. Palenik), (38)C15
- Triphenylphosphine oxide complexes of diphenyllead halides (H.J. Haupt, F. Huber), (33)175
- Triphenylphosphine, reaction with organometal haloacetates (T. Okada, R. Okawara), (42)117
- 2,4,6-Triphenylphosphorine-metal(0) carbonyls of chromium, molybdenum and tungsten (J. Deberitz, H. Nöth), (49)453
- Triphenylstibine in reactions with *t*-butyl- and triphenylsilyl hydroperoxides (G.A. Razuvaev, T.G. Brilkina, E.V. Krasilnikova, T.I. Zinovjeva, A.I. Filimonov), (40)151
- Tris(dimethylamino)phosphine, mass spectra of metal carbonyl complexes of (F.E. Saalfeld, J.J. DeCorpo, M.V. McDowell), (44)333
- Tris(*p*-fluorophenyl)phosphine, substitution reactions in carbonyl complexes of the transition metals (F.T. Delbeke, G.P. Van der Kelen), (21)155
- Tris(organometalphosphine)tricarbonylchromium and -molybdenum complexes (H. Schumann, W.-W. Du Mont), (49)C25
- Tris-silyl phosphines, restriction towards inversion (O.J. Scherer, R. Mergner), (40)C64
- Tris-tertiary phosphine cobalt nitrogen complexes, reduction (G. Speier, L. Markó), (21)P46
- Tris(triethylgermyl)stibine, influence of association on its oxidation by oxygen (Yu.A. Alexandrov, G.A. Razuvaev, G.N. Figueroa), (27)207
- Tris(trimethylstannyll) phosphine-transition metal carbonyl complexes, cleavage of the Sn-P bond in (H. Schumann, E. von Deuster), (40)C27
- Tris(triphenylphosphine)carbonylrhodium in the isomerisation of 1-, 2-*cis*- and 2-*trans*-heptene under catalytic hydration conditions (W. Strohmeier, W. Rehder-Stirnweiss), (26)C22
- Tris(triphenylphosphine)dinitrogenocobalt hydride, kinetics and mechanism of *cis*-2-pentene isomerisation by a catalyst formed from (S. Tyrlik), (39)371
- , and sodium naphthalene, a hydrogenation catalyst formed from (S. Tyrlik), (50)C46
- Tris(triphenylphosphine)- and tris(triphenylphosphite)-palladium(0), preparation of (W. Kuran, A. Musco), (40)C47

Unusual cationic complexes of iridium

(L.M. Haines, E. Singleton), (25)C83

Vanadium hexacarbonyl, reactions with

olefin-phosphine ligands (L.V. Interrante, G.V. Nelson), (25)153

Vicinal bis(dimethylarsino) compounds,

synthesis (R.D. Feltham, H.G. Metzger), (33)347

Platinum

Allyl complexes of platinum and palladium,

and diene complexes of rhodium, interaction of tin(II) chloride with (J.N. Crosby, R.D.W. Kemmitt), (26)277

 π -Allyl palladium compounds, synthesis fromolefins and PdCl_2 , mechanism of the reaction and role of the solvent (F. Conti, M. Donati, G.F. Pregaglia, R. Ugo), (30)421

Asymmetric hydrosilylation of ketones

catalyzed by chiral phosphineplatinum(II) complexes (K. Yamamoto, T. Hayashi, M. Kumada), (46)C65

Bicyclo[3.3.1]nona-2,6-diene complexes with

 Pd^{II} , Pt^{II} and Rh^{I} (J.K.A. Clarke, E. McMahon, J.B. Thomson, B. Zeeh), (31)283

Bis(triphenylphosphine)(1,1-dichloro-2,2-

dicyanoethylene)platinum(0), $\text{Pt}[\text{Cl}_2\text{C}=\text{C}(\text{CN})_2]_2$, structure of (A. McAdam, J.N. Francis, J.A. Ibers), (29)149

Bis(triphenylphosphine)(halogen-substituted ethylene)platinum(0) complexes, structure

of (J.N. Francis, A. McAdam, J.A. Ibers), (29)131

 σ -Bonded aryl-platinum complexes (S. Sergi,

V. Marsala, R. Pietropaolo, F. Faraone), (23)281

Carbene complexes of platinum(II), NMR

spectra of (E.M. Badley, B.J.L. Kilby, R.L. Richards), (27)C37

Carbonatobis(triphenylarsine)platinum(II) in

reactions with fluoro-olefins, chloro-olefins and related molecules in ethanol (M.J. Hacker, G.W. Littlecote, R.D.W. Kemmitt), (47)189

Carbonyl and related complexes containing the

ligands $\text{PhCH}_2\text{EMe}_2$ ($\text{E} = \text{P}, \text{As}$) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325Cationic platinum(II) carbene complexes, ^1H

NMR spectra (H.C. Clark, L.E. Manzer), (30)C89

Chelating diphosphine and diarsine palladium

and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123

Chloro-, bromo- and iodotrimethylplatinum(IV),

vibrational spectra (D.E. Clegg, J.R. Hall), (22)491

trans-Chloro(triphenylsilyl)bis(dimethylphenyl-

phosphine)platinum and its arsenic analogue, reactions (J. Chatt, C. Eaborn, P.N. Kapoor), (23)109

Complexes of platinum with triphenylphosphine

and 2-methyl-3-butyn-2-ol (A. Furlani, P. Bicev, M.V. Russo, P. Carusi), (29)321

Compounds containing Pt-Mo and Pd-Mo

bonds (P. Braunstein, J. Dehand), (24)497

Condensation of alcohols catalysed by tertiary

phosphine transition metal complexes (G. Gregorio, G.F. Pregaglia, R. Ugo), (37)385

Cyclic compounds with Pt-C σ -bonds formed

by insertion of an olefinic phosphine into Pt-H bonds (P.R. Brookes), (47)179

 π -Cyclopentadienyls of palladium(II) and

platinum(II) (R.J. Cross, R. Wardle), (23)C4

 π -Cyclopentadienyltrimethylplatinum(IV),

thermal stability and structure (K.W. Egger), (24)501

Di-n-butyl-2,2-*d*₂-bis(triphenylphosphine)-platinum(II), ^1H NMR spectrum of (G.M. Whitesides, J.F. Gaasch), (33)241*p*-Dicarbonyl complexes of trimethylplatinum-(IV), ^1NMR spectra of (J.R. Hall, G.A. Swile), (21)237

Dicarbonylbis(diphenylethylphosphine)-

platinum(0) crystal and molecular structure (V.G. Albano, P.L. Bellon, M. Manassero), (35)423

trans-Dichloro(amine)(olefin)platinum(III)

complexes, conformation of the olefinic ligand in (R. Lazzaroni, P. Salvadori, P. Pino), (43)233

trans-Dichloro(benzylamine)[(2*R*, 3*S*)-3-methyl-

1-pentene]platinum(II) complex, absolute configuration by X-ray diffraction analysis (S. Merlino, R. Lazzaroni, G. Montagnoli), (30)C93

(+)-*cis*-Dichloro-[(*S*)-1-butene] [(*S*)-1-methyl-

benzylamine]platinum(II), absolute configuration and crystal structure of (C. Pedone, E. Benedetti), (29)443

cis-Dichloro(1,5-hexadiene)platinum(II) dia-stereoisomeric complexes with (*S*)- α -methylbenzylamine, absolute configurations and crystal structures (C. Pedone, E. Benedetti), (31)403*trans*-Dichloro(pyridine)(olefin)platinum(II)

complexes, NMR studies (R. Lazzaroni, C.A. Veracini), (33)131

- 1,6-Dichloro-2,3-trimethylene-4,5-bis(pyridine)-platinum(IV), synthetic studies and reactivity and crystal structure of (R.D. Gillard, M. Keeton, R. Mason, M.F. Pilbrow, D.R. Russell), (33)247
- Dicyanoacetylene complexes of platinum (G.L. McClure, W.H. Baddley), (25)261
- Dicyanoketeniminato complexes of some noble metals (M. Lenarda, W.H. Baddley), (39)217
- Dihydrodichlorobis(triphenylphosphine)-platinum(IV), spectroscopic characterization as *trans*-hydrochlorobis(triphenylphosphine)-platinum(II) (J.T. Dumler, D.M. Roundhill), (30)C35
- Dimethylformamide carbonylation of platinum group metals under mild homogeneous conditions; reactions of carbonyl-containing complexes (Ju.S. Varshavsky, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina), (31)119
- Fluoro-olefin complexes of platinum(0), protonation of (R.D.W. Kemmitt, B.Y. Kimura, G.W. Littlecott, R.D. Moore), (44)403
- Hexachlorodisilane, reactions with transition metal complexes (F. Glockling, R.E. Houston), (50)C31
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Homogeneous *as* cyclohexene oxidation catalysed by low valent tertiary phosphine-transition metal complexes (A. Fusi, R. Ugo, F. Fox, A. Pasini, S. Cenini), (26)417
- trans*-Hydrido(arenethiolato)bis(triphenylphosphine)platinum(II), transmission of electronic effects in (A.E. Keskinen, C.V. Senoff), (37)201
- Hydridodiphenylmethyl- and -dimethylphenylphosphine complexes of platinum(II), preparation and spectra of (H.C. Clark, H. Kurosawa), (36)399
- Hydrido(organosilyl)bis(triphenylphosphine)-platinum(II) by a new route (C. Eaborn, A. Pidcock, B. Ratcliff), (43)C5
- Iodotrimethylbis(dimethylphenylphosphine)-platinum(IV), mechanism of thermal elimination of ethane from (M.P. Brown, R.J. Puddephatt, C.E.E. Upton), (49)C61
- Iodo- and hydroxo-trimethylplatinum(IV), ¹H NMR evidence for mixed tetramers of (J.R. Hall, G.A. Swile), (44)201
- Iridium(III) and platinum(II) cationic cyclic carbene or carbon-bonded ylide complexes of (P.J. Fraser, W.R. Roper, F.G.A. Stone), (50)C54
- Methoxide addition to (diallyl ether)platinum(II) chloride; absolute configuration of a diastereoisomeric product and stereochemical implications (E. Benedetti, A. De Renza, A. Panunzi, C. Pedone), (39)403
- Methoxydienylplatinum(II) complexes, reactions with carbon monoxide (A. Vitagliano, G. Paiaro), (49)C49
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methylmercury(II), dimethylgold(III) and trimethylplatinum(IV) solutions in pyridine and liquid ammonia; ligand exchange in unsymmetrical dimethylgold(III) complexes (H. Hagnauer, G.C. Stocco, R.S. Tobias), (46)179
- Methyl- and trifluoromethylplatinum complexes, convenient synthesis for (H.C. Clark, L.E. Manzer), (38)C41
- Nickel(II), palladium(II) and platinum(II) compounds derived from *N,N*-dialkylbenzylamines (G. Longoni, P. Fantucci, P. Chini, F. Canziani), (39)413
- Nitrosyl-phosphine complexes of Co, Rh and Ir, reactions with quinones and activated olefins (G. La Monica, G. Navazio, P. Sandrini, S. Cenini), (31)89
- Nucleophilic addition and rearrangement reactions of coordinated olefins (R.N. Haszeldine, R.V. Parish, D.W. Robbins), (23)C33
- Olefin and acetylene platinum(0) complexes, reactivity towards tetrachloro-*o*-benzoquinone (D.M. Barlex, R.D.W. Kemmitt, G.W. Littlecott), (43)225
- Optically active germyl- and silyl-platinum complexes, preparation (C. Eaborn, P.N. Kapoor, D.J. Tune, C.L. Turpin, D.R.M. Walton), (34)153
- Palladium(II) and platinum(II) complexes, carbene complexes containing metal-tin bonds (F. Bonati, G. Minghetti, T. Boschi, B. Crociani), (25)255
- , formed from 1-hexen-5-one (allylacetone) (B.T. Heaton, D.J.A. McCaffrey), (43)437
- , in the formation of allenes (J. Lukas, J.P. Visser, A.P. Kouwenhoven), (50)349
- , lead bonded complexes (B. Crociani, M. Nicolini, D.A. Clemente, G. Bandoli), (49)249
- Palladium(0) and platinum(0) triphenylphosphine complexes, carbon-carbon bond rupture promoted by (M. Lenarda, R. Ros, M. Graziani, U. Belluco), (46)C29

- Pentamethyldisilane, and *sym*-tetramethyldisilane, disproportionation catalysed by platinum complexes (K. Yamamoto, H. Okinoshima, M. Kumada), (23)C7
- , evidence for "silylenoid" species in disproportionation catalyzed by *trans*-[PtCl₂(Et₃P)₂] (K. Yamamoto, H. Okinoshima, M. Kumada), (27)C31
- Phosphine–nickel(II) complexes as hydrosilylation catalysts (Y. Kiso, M. Kumada, K. Tamao, M. Umeno), (50)297
- Platinum acetylene complexes, implications of high resolution NMR spectra (J.H. Nelson, J.J.R. Reed, H.B. Jonassen), (29)163
- , oxidative addition reactions (P.B. Tripathy, D.M. Roundhill), (24)247
- Platinum(IV) carbene complexes, formation by oxidative addition (A.L. Balch), (37)C19
- Platinum–carbon σ -bonds, insertion of sulphur dioxide into (F. Faraone, L. Silvestro, S. Sergi, R. Pietropaolo), (46)379
- Platinum(II) complexes, formed by olefinic tertiary phosphines, bromination of (M.A. Bennett, W.R. Kneen, R.S. Nyholm), (26)293
- , isonitrile complexes, X-ray structure analysis (B. Jovanović, L. Manojlović-Muir, K.W. Muir), (33)C75
- , metal bonded complexes (M. Akhtar, H.C. Clark), (22)233
- , new isocyanide complexes of (F. Bonati, G. Minghetti), (24)251
- , of allenes (K. Vrieze, H.C. Volger, A.P. Praat), (21)467
- Platinum(0) complexes of cyclopropenes (J.P. Visser, A.J. Schipperijn, J. Lukas), (47)433
- Platinum(0), interaction with cyclopropenones (J.P. Visser, J.E. Ramakers-Blom), (44)C63
- cis*- and *trans*-PtCl₂[C(NPhCH₂)₂]PEt₃, crystal and molecular structure of (D.J. Cardin, B. Cetinkaya, E. Cetinkaya, M.F. Lappert, L.J. Manojlović-Muir, K.W. Muir), (44)C59
- trans*-[PtCl(COR)(PPh₃)₂] complexes, *trans*-influence of acyl groups in (S.P. Dent, C. Eaborn, A. Pidcock, B. Ratcliff), (46)C68
- trans*-PtHCl(Et₃P)₂, reactions with perfluorocyclobutene and perfluoropropene and conversion of a cyclobutenyl to a furyl group (W.J. Cherwinski, H.C. Clark), (29)451
- trans*-PtHX(PR₃)₂, reactivity with carbon disulphide (A. Palazzi, L. Busetto, M. Graziani), (30)273
- Pyridinium propylidene complexes of platinum(II) and platinum(IV), crystal and molecular structure (M. Keeton, R. Mason, D.R. Russell), (33)259
- Reaction of tetrafluorobenzene, reaction with transition metal complexes (D.M. Roe, A.G. Massey), (23)547
- Reduction of allylic chlorides and PdCl₂ (or PtCl₂) to π -allyl complexes (J.H. Lukas, J.E. Blom), (26)C25
- Silanes, interaction with bis(triphenylphosphine)ethyleneplatinum(0); hydrosilation of olefins with this complex (K. Yamamoto, T. Hayashi, M. Kumada), (28)C37
- Square-planar dialkynyl complexes of nickel(II), palladium(II) and platinum(II), IR spectra (H. Masai, K. Sonogashira, N. Hagihara), (26)271
- Stable platinum(0) complex of cyclohexyne, structure of (G.B. Robertson, P.O. Whimp), (32)C69
- Strained organosilicon heterocycles, role of the transition metal in homogeneous catalytic polymerization of (C.S. Cundy, C. Eaborn, M.F. Lappert), (44)291
- S-Sulphinato platinum(II) complexes, formation by insertion of SO₂ on Pt–C σ bonds (F. Faraone, L. Silvestro, S. Sergi, R. Pietropaolo), (34)C55
- Sulphurdiimine and carbodiimine compounds of rhodium and platinum (J. Kuyper, K. Vrieze, A. Oskam), (46)C25
- 7,7,8,8-Tetracyanoquinodimethane, charge-transfer interaction with *trans*-bis(trialkylphosphine)dialkynylplatinum(II) and related complexes (H. Masai, K. Sonogashira, N. Hagihara), (34)397
- Tetrafluorobenzobarrelene complexes of Mn, Co, Rh, Pd and Pt (D.M. Roe, A.G. Massey), (28)273
- Tetrakis(diphenylmethylphosphine)platinum(0), reactions of haloolefins with (J. Lewis, B.F.G. Johnson, K.A. Taylor, J.D. Jones), (32)C62
- Tetrakis(triphenylphosphine)palladium(0) and -platinum(0), catalytic dimerisation of malodinitrile with (K. Schropp, P. Kreutzer, W. Beck), (37)397
- Tetraphenylcyclobutadiene–platinum compounds (F. Canziani, P. Chini, A. Quarta, A. di Martino), (26)285
- Transition metal complexes, of hexaphenylcarbodiphosphorane (W.C. Kaska,

- D.K. Mitchell, R.F. Reichelderfer), (47)391
 —, with α -methylbenzylimine of ethyl glyoxylate, nucleophilic attack of the complexed imine (J.Y. Chenard, D. Commereuc, Y. Chauvin), (33)C69
 Triangulo-tetracarbonyliron-carbonyltris(tri-phenyl phosphite)diplatinum (V.G. Albano, G. Ciani, M.I. Bruce, G. Shaw, F.G.A. Stone), (42)C99
 Trimethylplatinum(IV), amine, pyridine and 3,5-lutidine complexes of (J.R. Hall, G.A. Swile), (42)479
 —, complexes of β -diketones, thio- β -diketones and β -iminoketones, ^1H NMR and IR spectra of (J.R. Hall, G.A. Swile), (47)195
 —, complexes with O-N bidentate ligands (V. Romano, R. Badalamenti, T. Pizzino, F. Maggio), (42)199
 Trimethylplatinum(IV) compounds, evidence for *cis* and *trans* influences by ^1H NMR spectra (D.E. Clegg, J.R. Hall, G.A. Swile), (38)403
p-Trimethylsilylstyrene and its trichloroplatinic derivative, PMR study of (Y. Limouzin, J.C. Maire), (39)255
 Zeise's salt, reaction of cyclopropane with (D.B. Brown), (24)787
- Potassium**
- Alkali metal additions to unsaturated systems (V. Kalyanaraman, M.V. George), (47)225
 Alkali metal dibutylboron, reaction with alkyl halides in diethyl ether solution (D.J. Pasto, P.W. Wojtkowski), (34)251
 Alkali tetramethylindate, preparation and crystal structure of $\text{Li}[\text{In}(\text{CH}_3)_4]$ and $\text{Na}[\text{In}(\text{CH}_3)_4]$ (K. Hoffmann, E. Weiss), (37)1
 Alkali tetraphenylindates: $\text{M}[\text{In}(\text{C}_6\text{H}_5)_4]$, preparation of and crystal structure of $\text{Na}[\text{In}(\text{C}_6\text{H}_5)_4]$ (K. Hoffmann, E. Weiss), (50)25
 $\text{K}[\text{In}(\text{CH}_3)_4]$, $\text{Rb}[\text{In}(\text{CH}_3)_4]$ and $\text{Cs}[\text{In}(\text{CH}_3)_4]$, crystal structures of (K. Hoffmann, E. Weiss), (50)17
 Lanthanide complexes with cyclooctatetraene dianion (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (24)C68
 Model styryl-alkali metal compounds, NMR spectra (S. Bywater, D.J. Worsfold), (33)273
 Organopotassium compounds, preparation (L. Lochmann, D. Lim), (28)153
 Potassium cyanotrimethylaluminat, synthesis and structure of (J.L. Atwood, R.E. Cannon), (47)321
 Potassium dihydrogen arsenide, reaction with halobenzenes (H.-S. Kuo, W.L. Jolly), (30)361
 Radiochemical assay of some Group I organo-metal derivatives using tritiated propanol (D.R. Campbell), (26)1
 Reductive metalation of unsaturated compounds, the effect of allylic protons (J.G. Smith, R.T. Wikman), (49)91
 Sodium and potassium; Annual survey 1971 (W.H. Glaze), (48)65
 Sodium-potassium-biphenyl adduct, hydrolysis of (S.A. De Licastro, M.A. Ruveda), (39)225
 Stable hydride complexes of magnesium alkyls and aryls, preparation (E.C. Ashby, R.C. Arnott), (21)P29
 Trialkylgermyl alkali metal compounds, in hexamethylphosphoric triamide, preparation and structure (E.J. Bulten, J.G. Noltes), (29)397
 —, reactions in hexamethylphosphoric triamide with inorganic and organic compounds (E.J. Bulten, J.G. Noltes), (29)409
 Tri- $(\mu$ -hydroxo)hexacarbonylditungstate(0) trianion, structure in the salt $\text{K}_3[\text{W}_2(\text{OH})_3(\text{CO})_6] \cdot 2\text{H}_2\text{O}$ (V.G. Albano, G. Ciani, M. Manassero), (25)C55
 α, β -Unsaturated organosilanes, ESR detection of radical-anion intermediates derived from (J.J. Eisch, L.E. Smith), (50)C18
- Praseodymium**
- Cyclopentadienyl complexes of uranium and some lanthanides, vapour pressure measurements by the effusion method (H.O. Haug), (30)53
 Lanthanide(III) and actinide(III) tricyclopentadienides, noncovalent character in the chemical bonds of (L.J. Nugent, P.G. Laubereau, G.K. Werner, K.L. Vander Sluis), (27)365
 Lanthanide complexes with cyclooctatetraene dianion (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (24)C68
 Monocyclooctatetraenelanthanide chlorides, a new class of cyclooctatetraene complexes (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (28)C24
 Phenyls and alkyls of the Group IIIA metals (F.A. Hart, A.G. Massey, M.S. Saran), (21)147

Rhenium

- σ, π -Binuclear complexes of transition metals, coordinated to the monoolefin (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich, P.V. Petrovskii), (31)257
- , with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bis(π -cyclopentadienyl)pentacarbonyldirhenium, synthesis and X-ray structure (A.S. Foust, J.K. Hoyano, W.A.G. Graham), (32)C65
- Carbamoyl carbonyl complexes of rhenium(I), synthesis and reactions (R.J. Angelici, A.E. Kruse), (22)461
- Carbonyl dithiophosphinato manganese and rhenium complexes, reactivity (E. Lindner, K.-M. Matejcek), (34)195
- Carbonyl hydrides of osmium and intermediacy of Os(CO)₄ in their formation (J.R. Moss, W.A.G. Graham), (23)C47
- Carboxylato complexes of rhenium(I) compounds (E. Lindner, R. Grimmer), (31)249
- Cationic rhenium carbonyl complexes, preparation and reactivity (A.M. Brodie, G. Hulley, B.F.G. Johnson, J. Lewis), (24)201
- Complexes containing transition metal-indium bonds, synthesis (A.T.T. Hsieh, M.J. Mays), (37)9
- (2-Cyanoethyl)diphenylphosphine-rhenium(II) complexes (B.N. Storhoff), (43)197
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Dependence of $\mu(X \equiv Y)$ in the IR spectra of [Ru(NH₃)₂(X≡Y)]²⁺ upon counter-anion and upon solvent (X≡Y = N₂, CO, MeCN, PhCN or t-BuCN) (J. Chatt, G.J. Leigh, N. Thankarajan), (25)C77
- Dicarbonyldinitrogen complexes of rhenium(I) (J. Chatt, J.R. Dilworth, G.J. Leigh), (21)P49
- μ -Dichlorobis[tetracarbonylrhenium(I)] with ligands having Group VI donor atoms, bridge splitting reactions (F. Faraone, S. Sergi, R. Pietropaolo), (24)453
- o*-Diphenylphosphinobenzyl dimethylsilane, synthesis and reactivity of (H.G. Ang, P.T. Lau), (37)C4
- Dirhenium decacarbonyl, molecular structure (N.I. Gapotchenko, N.V. Alekseev, N.E. Kolobova, K.N. Anisimov, I.A. Ronova, A.A. Johansson), (35)319
- Dithiocarboxylate complexes of manganese and rhenium, structure and bonding in (E. Lindner, R. Grimmer), (25)493
- Dithiocarboxylate complexes of rhenium, preparation (E. Lindner, R. Grimmer, H. Weber), (23)209
- (Dithioformato)bis(triphenylphosphine)dicarbonylrhenium, crystal and molecular structure (V.G. Albano, P.L. Bellon, G. Ciani), (31)75
- Dithiophosphinate complexes, chemical behaviour towards metals of low-valent oxidation state (E. Lindner, K.-M. Matejcek), (29)283
- Hexamethyliditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- Manganese and rhenium pentacarbonyl halides, reactions with acetonitrile (J.G. Dunn, D.A. Edwards), (27)73
- Manganese, technetium and rhenium; Annual survey 1971 (A. Wojcicki), (45)335
- MCo(CO)₉ (M = Mn or Re) and monosubstituted derivatives MnCo(CO)₈PC₆H₅₃, assignments in the C-O stretching region of the authentic infrared spectra (G. Sbrignadello, G. Bor, L. Maresca), (46)345
- Methyl- and hydrido(π -cyclopentadienyl)-carbonyl nitrosylrhenium (R.P. Stewart, N. Okamoto, W.A.G. Graham), (42)C32
- Mono- and bidentate dithiophosphinato complexes of rhenium, preparation of (E. Lindner, H. Berke), (39)145
- Nitratopentacarbonylrhenium(I), monosubstituted complexes of (R. Davis), (40)183
- Organorhenium chemistry (*Review*) (H.C. Lewis, Jr., B.N. Storhoff), (43)1
- Oxidation of C₅H₅Re(CO)₂N₂H₄ to C₅H₅Re(CO)₂N₂ (D. Sellmann), (36)C27
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbecke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Re₂(CO)₈(NCO)₂, synthesis and properties of (R.B. Saillant), (39)C71
- Rhenium carbonyl, reaction with dimethylphenylphosphine and dimethylphenylarsine (E. Singleton, J.T. Moelwyn-Hughes, A.W.B. Garner), (21)449
- , reaction with methyl diphenylphosphine (J.T. Moelwyn-Hughes, A.W.B. Garner, N. Gordon), (26)373

- Simple route to carbonyl and metal phosphine salts using NOPF_6 (R.H. Reimann, E. Singleton), (32)C44
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505
- Tetracarbonyl(diethylthiophosphinate)manganese and -rhenium, preparation and properties (E. Lindner, K.-M. Matejcek), (24)C57
- Trihydridobis(1,2-bisdiphenylphosphinoethane)-rhenium(III), $\text{ReH}_3(\text{DPPE})_2$, X-ray structure of (V.G. Albano, P.L. Bellon), (37)151
- (Trimethylsilyl)cyclopentadiene, reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- ### Rhodium
- Allyl complexes of platinum and palladium, and diene complexes of rhodium, interaction of tin(II) chloride with (J.N. Crosby, R.D.W. Kemmitt), (26)277
- π -Allylic complexes of Pd^{II} and Rh^{II} from the ring-opening reaction of methylenecyclobutane with PdCl_2 and $[\text{Rh}(\text{CO})_2\text{Cl}_2]$ (R. Rossi, P. Diversi, L. Porri), (31)C40
- π -Allylic tris(trifluorophosphine)rhodium(I) complexes, ligand exchange in (D.A. Clement, J.F. Nixon, B. Wilkins), (37)C43
- Bicyclo[3.3.1]nona-2,6-diene complexes with Pd^{II} , Pt^{II} and Rh^{I} (J.K.A. Clarke, E. McMahon, J.B. Thomson, B. Zeeh), (31)283
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bis[*o*-vinylphenyl]diphenylphosphine]-rhodium(I) cation, preparation and reactions of (P.R. Brookes), (43)415
- Carbon magnetic resonance spectra of organometallic π -propene complexes (K.R. Aris, V. Aris, J.M. Brown), (42)C67
- Carbonyl and related complexes containing the ligands $\text{PhCH}_2\text{EMe}_2$ ($\text{E} = \text{P}, \text{As}$) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Carboxylato rhodium carbonyl complexes, phosphine-substituted derivatives of (G. Csontos, B. Heil, L. Markó), (37)183
- Cationic derivatives of rhodium(I), addition of allyl halides and other addenda molecules to (L.M. Haines), (25)C85
- Cationic rhodium(I) olefin complexes, unusual conformation of ethylene ligands in $[\text{Rh}(\text{C}_2\text{H}_4)_3(\text{CH}_3\text{CN})_2]\text{BF}_4$ (F. Maspero, E. Perrotti, F. Simonetti), (38)C43
- Chlorocarbonylbis(triphenylphosphine)rhodium, as a catalyst in the autoxidation of diphenylmethane (L.W. Fine, M. Grayson, V.H. Suggs), (22)219
- $[(\pi\text{-C}_5\text{H}_5)\text{Rh}(\text{CO})]_2(\text{CF}_3\text{C}\equiv\text{CCF}_3)$, a probable intermediate in the cyclization of acetylenes by $(\pi\text{-C}_5\text{H}_5)\text{Rh}(\text{CO})_2$ (R.S. Dickson, H.P. Kirsch), (32)C13
- $(\pi\text{-C}_5\text{H}_5)\text{Rh}(\text{CO})\text{L}$ ($\text{L} = \text{CO}, \text{PPh}_3$) complexes, reactions of (F. Faraone, C. Ferrara, E. Rotondo), (33)221
- Complexes of the type *trans*- $[\text{Rh}(\text{CO})\text{L}_2\text{Cl}]$ ($\text{L} = \text{S}(\text{C}_2\text{H}_5)_2, \text{Se}(\text{C}_2\text{H}_5)_2, \text{Te}(\text{C}_2\text{H}_5)_2$) preparation and oxidative addition reactions (F. Faraone, R. Pietropaolo, S. Sergi), (24)797
- Condensation of alcohols catalysed by tertiary phosphine transition metal complexes (G. Gregorio, G.F. Pregaglia, R. Ugo), (37)385
- π -Cyclopentadienyl carbonyls of molybdenum and tungsten, ^{19}F NMR study of electronic effects in σ -phenyl derivatives (A.N. Nesmeyanov, L.G. Makarova, N.A. Ustynuk, B.A. Kvasov, L.V. Bogatyreva), (34)185
- π -Cyclopentadienyldiethylenorhodium(I), ethylene displacement from (J.F. Nixon, A.A. Pinkerton), (37)C47
- π -Cyclopentadienyl- π -tetraphenylcyclobutadiene-rhodium(I), synthesis and molecular structure of (G.D. Cash, J.F. Helling, M. Mathew, G.J. Palenik), (50)277
- Dicarbonyl(pentamethylcyclopentadienyl)-rhodium and -iridium, oxidative addition reactions (J.W. Kang, P.M. Maitlis), (26)393
- Dicarbonyl(pentane-2,4-dionato)rhodium, reaction of 1,3,5-cycloheptatriene with (B.E. North, M. Rosenblum), (21)445
- μ -Dichlorotetracarboxyldirrhodium, mono- and dinuclear derivatives of (R. Poilblanc, J. Gallay), (27)C53
- μ -Dichlorotetracarboxyldirrhodium-phosphine complexes; evidence of oxidative addition involving new dinuclear complexes (J. Gallay, D. de Montauzon, R. Poilblanc), (38)179
- Dicyanoacetylene complexes of noble metals (G.L. McClure, W.H. Baddley), (27)155
- Dicyanoketeniminato complexes of some noble metals (M. Lenarda, W.H. Baddley), (39)217

- π -Diene- π -cyclopentadienylrhodium(I) complexes, crystal structure of (M.G.B. Drew, S.M. Nelson, M. Sloan), (39)C9
- α -Diketonorhodium(I) complexes, reaction with allene; formation of π -allylic derivatives of Rh^{III} (G. Pantini, P. Racanelli, A. Immirzi, L. Porri), (33)C17
- Dimethylformamide carbonylation of platinum group metals under mild homogeneous conditions; reactions of carbonyl-containing complexes (Ju.S. Varshavsky, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina), (31)119
- (Dithioformato)bis(triphenylphosphine)dicarbonylrhenium, crystal and molecular structure (V.G. Albano, P.L. Bellon, G. Ciani), (31)75
- Dodecacarbonyltetrahodium, improved synthesis at atmospheric pressure (S. Martinengo, P. Chini, G. Giordano), (27)389
- Duroquinone rhodium π -complexes, crystal and molecular structure (G.G. Aleksandrov, Yu.T. Struchkov, V.S. Khandkarova, S.P. Gubin), (25)243
- Halogen bridged complexes of rhodium(I), preparation and reactivity of (D.M. Barlex, M.J. Hacker, R.D.W. Kemmitt), (43)425
- Hexachlorodisilane, reactions with transition metal complexes (F. Glockling, R.E. Houston), (50)C31
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Homogeneous cyclohexene oxidation catalysed by low valent tertiary phosphine-transition metal complexes (A. Fusi, R. Ugo, F. Fox, A. Pasini, S. Cenini), (26)417
- Hydridocarbonyltris(triphenylphosphine)rhodium, reactions with alkynes (B.L. Booth, A.D. Lloyd), (35)195
- Hydrosilation of olefins catalyzed by rhodium and cobalt complexes (A.J. Chalk), (21)207
- Iridium(II) and rhodium(I) complexes containing π -ligands, temperature-dependent sulphur dioxide addition (A. Palazzi, M. Graziani, L. Busetto, G. Carturan, U. Belluco), (25)249
- Iridium and rhodium complexes in the decarbonylation and dehydrohalogenation of aliphatic acyl halides (J. Blum, S. Kraus, Y. Pickholtz), (33)227
- Isomerisation of *cis,trans*-1,5-cyclodecadiene by RhCl₃·3H₂O in ethanol (D.L. Schmitt, H.B. Jonassen), (49)469
- Isomerisation of heptenes with RhH(CO)(PPh₃)₃ as catalyst (W. Strohmeier, W. Rehder-Stirnweiss), (22)C27
- Isomerisation of olefins catalysed by transition metal complexes, π -allylmetal hydride mechanism for (J.F. Nixon, B. Wilkins), (44)C25
- Ligand exchange in the hydrogenation catalysts IrX(CO)L₂ and RhX(CO)L₂ (W. Strohmeier, W. Rehder-Stirnweiss, G. Reischig), (27)393
- Methyl isocyanide complexes of rhodium, preparation and reactions (A.L. Balch, J. Miller), (32)263
- Methyl transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methyl(allyl)thallium(III) derivatives, preparation and reactions (T. Abe, H. Kurosawa, R. Okawara), (25)353
- Methylene-cyclobutane in reaction with palladium chloride and [Rh(CO)₂Cl]₂, a reexamination (R. Rossi, P. Diversi, L. Porri), (47)C21
- μ -Methylene transition metal binuclear compounds: complexes with Me₃SiCH₂⁻ and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Methyltris(triphenylphosphine)rhodium, reaction with diphenylacetylene (M. Michman, M. Balog), (31)395
- Nitrosonium ion, NO⁺, and its versatility in transition metal organometallic synthesis (N.G. Connelly, J.D. Davies), (38)385
- Nitrosyl-phosphine complexes of Co, Rh and Ir, reactions with quinones and activated olefins (G. La Monica, G. Navazio, P. Sandrini, S. Cenini), (31)89
- Nitrosyl-tetrazene derivatives of rhodium and iridium, preparation and reactions of (G. La Monica, P. Sandrini, F. Zingales, S. Cenini), (50)287
- Novel organorhodium complex, structure of the product of the reaction of Rh(PPh₃)₂(PPh₂-C₆H₄) with two molecules of diphenylacetylene (J.S. Ricci, J.A. Ibers), (27)261
- Pentacoordinate complex of rhodium(I), preparation and reactions of (P.R. Brookes), (42)459
- (Pentamethylcyclopentadienyl)rhodium and -iridium complexes with oxy-ligands and exchange of methyl protons by deuterium under basic conditions (J.W. Kang, P.M. Maitlis), (30)127
- Reactivity of the catalysts MCl(CO)L₂ and MH(CO)L₃ (M = Ir, Rh) in isomerization and hydrogenation of 1-heptenes (W. Strohmeier, R. Fleischmann, W. Rehder-Stirnweiss), (47)C37

- Rhodium(I) and iridium(I) carbonyl and olefin derivatives of salicylaldehyde Schiff-base (R.J. Cozens, K.S. Murray, B.O. West), (27)399
- Rhodium and iridium carbonyl salts, cationic oxygen adducts from (L.M. Haines, E. Singleton), (30)C81
- Rhodium(III) and iridium(III) cyclopentadienyl compounds obtained by reaction of $[\text{CpM}(\text{CO})(\text{PPh}_3)_2\text{CH}_2\text{CN}]\text{BF}_4$ complexes with nucleophiles (F. Faraone, F. Cusmano, P. Piraino, R. Pietropaolo), (44)391
- Rhodium(I) and rhodium(III) compounds, *o*-metalation reactions of aromatic ketoximes by (H. Onoue, I. Moritani), (44)189
- Rhodium carbonyl chloride in reaction with carbon monoxide (P.E. Cattermole, A.G. Osborne), (37)C17
- Rhodium carbonyl halides, IR investigations of the reactions with carbon monoxide at elevated pressures (D.E. Morris, H.B. Tinker), (49)C53
- Rhodium carbonyls, reactions with ligands (B.L. Booth, M.J. Else, R. Fields, R.N. Haszeldine), (27)119
- Rhodium catalyzed codimerization of α -olefin and conjugate dienes, activation and reactivation of catalyst by organic chlorides (A.C.L. Su, J.W. Collette), (46)369
- Rhodium(I) cationic complexes, synthesis of (C. Cocevar, G. Mestroni, A. Camus), (35)389
- Rhodium complexes, containing cyanoolefins (F. Faraone, R. Pietropaolo, S. Sergi, P. Piraino), (24)805
- , in reaction with azobenzene (M.I. Bruce, M.Z. Iqbal, F.G.A. Stone), (40)393
- , of allene pentamer (1,2,5,6,8-pentamethyl-encyclodecane) (R.B. King, P.N. Kapoor), (33)383
- Rhodium(I) complexes, intra- and intermolecular exchange in some (D.P. Rice, J.A. Osborn), (30)C84
- , of allenes (K. Vrieze, H.C. Volger, A.P. Praat), (21)467
- Rhodium(III) complexes, of a quadridentate Schiff-base ligand, preparation and reduction of, and synthesis of organorhodium(III) derivatives (R.J. Cozens, K.S. Murray, B.O. West), (38)391
- , with 2,2'-bipyridine, aspects of the chemistry under reducing conditions of (I.I. Bhayat, W.R. McWhinnie), (46)159
- Rhodium-germanium complexes (F. Glockling, G.C. Hill), (22)C48
- Rhodium(I)-olefin complexes formed by olefinic tertiary phosphines, addition of hydrogen chloride to (M.A. Bennett, S.J. Gruber, E.J. Hann, R.S. Nyholm), (29)C12
- , 5 coordinate (M.A. Bennett, E.J. Hann), (29)C15
- Rhodium-trifluorophosphine complex, oxidative addition reactions of (R.B. King, A. Efraty), (36)371
- Ruthenium and rhodium hydrido complexes, reactions with carbon dioxide involving reversible insertion (S. Komiya, A. Yamamoto), (46)C58
- Silyl-, disilyl- and silylmethyl-substituted π -cyclopentadienyl metal carbonyls via organotin intermediates (E.W. Abel, S. Moorhouse), (29)227
- Solid state reversible reactions of square planar d^3 complexes with sulphur dioxide (E.C. Moroni, R.A. Friedel, I. Wender), (21)P23
- Strained organosilicon heterocycles, role of the transition metal in homogeneous catalytic polymerization of (C.S. Cundy, C. Eaborn, M.F. Lappert), (44)291
- Sulphur diimine and carbodiimine compounds of rhodium and platinum (J. Kuyper, K. Vrieze, A. Oskam), (46)C25
- Synthesis of heterocyclic compounds via transition metal intermediates (C.W. Bird), (47)281
- Tetracyanoethylene complexes with palladium and rhodium isocyanide derivatives (T. Boschi, P. Uguagliati, B. Crociani), (30)283
- Tetrafluorobenzobarrelene complexes of Mn, Co, Rh, Pd and Pt (D.M. Roe, A.G. Massey), (28)273
- Tetrakis(arylisocyanide)rhodium(I) perchlorates, NMR evidence for free rotation of coordinated tetracyanoethylene in its square pyramidal adducts with (K. Kawakami, T. Kaneshima, T. Tanaka), (34)C21
- Transition metal complexes with α -methylbenzylimine of ethyl glyoxylate, nucleophilic attack of the complexed imine (J.Y. Chenard, D. Commereuc, Y. Chauvin), (33)C69
- Tris(triphenylphosphine)carbonylrhodium in the isomerisation of 1-, 2-*cis*- and 2-*trans*-heptene under catalytic hydration conditions (W. Strohmeier, W. Rehder-Stirnweiss), (26)C22

Rubidium

- Alkali metal additions to unsaturated systems (V. Kalyanaraman, M.V. George), (47)225
- Alkali tetramethylindate, preparation and crystal structure of $\text{Li}[\text{In}(\text{CH}_3)_4]$ and $\text{Na}[\text{In}(\text{CH}_3)_4]$ (K. Hoffmann, E. Weiss), (37)1
- Alkali tetraphenylindates: $\text{M}[\text{In}(\text{C}_6\text{H}_5)_4]$, preparation of and crystal structure of $\text{Na}[\text{In}(\text{C}_6\text{H}_5)_4]$ (K. Hoffmann, E. Weiss), (50)25
- $\text{K}[\text{In}(\text{CH}_3)_4]$, $\text{Rb}[\text{In}(\text{CH}_3)_4]$ and $\text{Cs}[\text{In}(\text{CH}_3)_4]$, crystal structures of (K. Hoffmann, E. Weiss), (50)17

Ruthenium

- Anionic, neutral and cationic complexes of ruthenium(II) (L. Ruiz-Ramirez, T.A. Stephenson, E.S. Switkes), (49)C77
- Azulenetriruthenium heptacarbonyl, isolation and crystal structure; intermediate in the formation of tetrahedral azulene-ruthenium-carbonyl clusters (M.R. Churchill, F.R. Scholer, J. Wormald), (28)C21
- Benzene ruthenium(II) complexes, reactions of (R.A. Zelonka, M.C. Baird), (35)C43
- π -Benzene ruthenium(II) complexes, reactions with alkylating reagents (R.A. Zelonka, M.C. Baird), (44)383
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Carbonyl and related complexes containing the ligands $\text{PhCH}_2\text{EMe}_2$ (E = P, As) (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (38)325
- Cationic nitrosyl complexes of the type $[\text{M}(\text{CO})_2\text{NO}(\text{PPh}_3)_2]^+$ (M = Fe, Ru, or Os) (B.F.G. Johnson, J.A. Segal), (31)C79
- π -Complexes of 1*H*-1,2-diazepines; synthesis and characterization of tricarbonyl-iron and -ruthenium derivatives (A.J. Carty, G. Kan, D.P. Madden, V. Snieckus, M. Stanton, T. Birchall), (32)241
- Condensation of alcohols catalysed by tertiary phosphine transition metal complexes (G. Gregorio, G.F. Pregaglia, R. Ugo), (37)385
- 1,5-Cyclooctadienetricarbonylruthenium, ligand displacement reactions of (A.J.P. Domingos, B.F.G. Johnson, J. Lewis), (49)C33
- Cyclooctadienetricarbonylruthenium, structure of a complex derived from (F.A. Cotton, M.D. LaPrade), (39)345
- (Cyclooctatetraene)tricarbonylruthenium, kinetics and mechanisms of reactions with phosphorus(III) ligands (F. Faraone, F. Cusmano, R. Pietropaolo), (26)147
- Cyclooct-1-ene-5-yne tetraruthenium undecacarbonyl (R. Mason, K.M. Thomas), (43)C39
- Cyclopentadienylmetal compounds, redox properties in ferrocene, ruthenocene, osmocene (S.P. Gubin, S.A. Smirnova, L.I. Denisovich, A.A. Lubovich), (30)243
- π -Cyclopentadienylruthenium complexes, metallation and related reactions (M.I. Bruce, R.C.F. Gardner, F.G.A. Stone), (40)C39
- Cyclopentadienylruthenium phosphine complex, novel ring substitution reaction in (T. Blackmore, M.I. Bruce, F.G.A. Stone, R.E. Davis, N.V. Raghavan), (49)C35
- Cyclopentadienylruthenium tricarbonyl cation, reactions with nucleophiles (A.E. Kruse, R.J. Angelici), (24)231
- Dependence of $\mu(\text{X}\equiv\text{Y})$ in the IR spectra of $[\text{Ru}(\text{NH}_3)_2(\text{X}\equiv\text{Y})]^{2+}$ upon counter-anion and upon solvent ($\text{X}\equiv\text{Y} = \text{N}_2, \text{CO}, \text{MeCN}, \text{PhCN}$ or *t*-BuCN) (J. Chatt, G.J. Leigh, N. Thankarajan), (25)C77
- μ -Dichlorobis(di-*t*-butyl-*p*-tolylphosphine)tetracarbonyldiruthenium(I), structural chemistry of and metal-metal bond formation by steric effects (R. Mason, K.M. Thomas, D.F. Gill, B.L. Shaw), (40)C67
- μ -Dichlorobis[tetracarbonylruthenium(I)] with ligands having Group VI donor atoms, bridge splitting reactions (F. Faraone, S. Sergi, R. Pietropaolo), (24)453
- Di- μ -halobis(halocarbonylruthenium) IR spectra and reactivity of (E. Benedetti, G. Braca, G. Sbrana, F. Salvetti, B. Grassi), (37)361
- Divalent ruthenium complexes containing nonplanar *hexahapto*-benzene (M.A. Bennett, G.B. Robertson, A.K. Smith), (43)C41
- Dodecacarbonylruthenium, complexes with azobenzene or *o*-semidine (M.I. Bruce, M.Z. Iqbal, F.G.A. Stone), (31)275
- , reaction with bicyclo[3.2.1]-2,6-octadiene (A.J.P. Domingos, B.F.G. Johnson, J. Lewis), (36)C43
- , reactions with arylbutadienes (M. Valle, O. Gambino, L. Milone, G.A. Vaglio, G. Cetini), (38)C46
- , reactions with asymmetrically substituted acetylenes (E. Sappa, O. Gambino, L. Milone, G. Cetini), (39)169

- Dodecacarbonyltriruthenium and -triosmium, products from pyrolysis of (C.R. Eady, B.F.G. Johnson, J. Lewis), (37)C39
- Dodecacarbonyltriruthenium, bimolecular substitution reactions of (A.J. Poë, M.V. Twigg), (50)C39
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Imines of benzoylferrocene and benzoylruthenocene, *syn-anti* isomerization (R. Damrauer, T.E. Rutledge), (29)C9
- π - and σ -Indenyl- and cyclopentadienyl-metal complexes, metal-ligand vibration frequencies in (E. Samuel, M. Bigorgne), (30)235
- Iron and ruthenium carbonyls, tellurium and selenium derivatives (E.D. Schermer, W.H. Baddley), (30)67
- Iron, ruthenium and osmium; Annual survey 1971 (J.A. McCleverty), (48)351
- Metallocenes, comparative study of the arc discharge plasma ion composition and the mass spectra obtained under the electron impact (N.V. Zakurin, S.P. Gubin, V.P. Bochin), (23)535
- Metalloporphyrins, multiple resonance studies of ligand exchange in (J.W. Faller, J.W. Sibert), (31)C5
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Mono- and triruthenium carbonyl-trifluorophosphine systems (C.A. Udovich, R.J. Clark), (36)355
- Octahedral metal-carbon σ -bonded complexes, formation by addition of hydrogen halide to monoolefin chelate complexes of Fe⁰ and Ru⁰ (M.A. Bennett, G.B. Robertson, I.B. Tomkins, P.O. Whimp), (32)C19
- Organoruthenium clusters obtained from α -H₄Ru₄(CO)₁₂ (A.J. Canty, B.F.G. Johnson, J. Lewis), (43)C35
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Ru₃(CO)₁₂ in reaction with chalcogen compounds (E. Sappa, O. Gambino, G. Cetini), (35)375
- Ruthenium and rhodium hydrido complexes, reactions with carbon dioxide involving reversible insertion (S. Komiya, A. Yamamoto), (46)C58
- Ruthenium(II) carbonyl porphine complexes, inter- and intramolecular ligand exchange reactions with nitrogen bases (S.S. Eaton, G.R. Eaton, R.H. Holm), (39)179
- , with nitrogen bases, lability of (S.S. Eaton, G.R. Eaton, R.H. Holm), (32)C52
- Ruthenium(0) complex in reaction with methyl iodide; opposing photochemical and thermal isomerizations of ruthenium(II) complexes (J. Jeffery, R.J. Mawby), (40)C42
- Ruthenium complexes, oxidative-addition of α -quinones to (A.L. Balch, Y.S. Sohn), (30)C31
- Ruthenium(II) isocyanide complexes containing tin or mercury (B.E. Prater), (33)215
- Ruthenium isocyanide complexes containing triphenylphosphine, triphenylarsine and triphenylstibine (B.E. Prater), (34)379
- Ruthenium(II) isocyanide complexes, isomerism in (B.E. Prater), (27)C17
- Ruthenocenyl as substituent, electronic influence of (S.P. Gubin, A.A. Lubovich), (22)183
- Styrene and ethylene complexes of ruthenium in the catalytic hydrogenation of olefins (S. Komiya, A. Yamamoto, S. Ikeda), (42)C65
- Tetracarbonylbis(cyclooctatetraene)triruthenium(0), molecular dynamics of fluxional molecules in the solid state (C.E. Cottrell, C.A. Fyfe, C.V. Senoff), (43)203
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- Tripyrazolylborato-ruthenium carbonyl complexes (M.I. Bruce, D.N. Sharrocks, F.G.A. Stone), (31)269
- Trirutheniumdodecacarbonyl, mass spectrometric investigations at different electron energies and temperatures (A. Herlan), (28)423
- , reactions with diphenylacetylene in alkaline solution (O. Gambino, E. Sappa, G. Cetini), (44)185
- ### Samarium
- Lanthanide complexes with cyclooctatetraene dianion (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (24)C68
- Lanthanide tricyclopentadienyl complexes, mass spectra and bond energies (J.L. Thomas, R.G. Hayes), (23)487
- Monocyclooctatetraenelanthanide chlorides, a new class of cyclooctatetraene complexes (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (28)C24

Scandium

- Organoscandium compounds (R.S.P. Coutts, P.C. Wailes), (25)117
 Phenyls and alkyls of the Group IIIA metals (F.A. Hart, A.G. Massey, M.S. Saran), (21)147

Selenium

- Alkoxy-, alkylthio- and (organylseleno)dialkylarsines (L.S. Sagan, R.A. Zingaro, K.J. Irgolic), (39)301
 Aluminium and gallium alkyl halogen and pseudohalogen complexes (F. Weller, I.L. Wilson, K. Dehnicke), (30)C1
 Benzazole-carbonyl complexes of chromium(0), molybdenum(0) and tungsten(0) (W. Beck, J.C. Weis, J. Wiczorek), (30)89
 Benzazole pentacarbonyl complexes of chromium(0), molybdenum(0) and tungsten(0), linkage isomerization of (J.C. Weis, W. Beck), (44)325
 Bis[μ -(trifluoromethyl)seleno]manganese tetracarbonyl} (C.J. Marsden, G.M. Sheldrick), (40)175
 Chalcogen containing silyl- and germyl-mercury compounds (E.N. Gladyshev, N.S. Vyazankin, V.S. Andreevichev, A.A. Klimov, G.A. Razuvaev), (28)C42
 (2-Cyanoethyl)- and [2-(methoxycarbonyl)ethyl]metals, photochemistry and mass spectra (G. Ahlgren, B. Åkermark, M. Nilsson), (30)303
 Diaryllithium(III) selenocyanates (T.N. Srivastava, K.K. Bajpai), (31)1
 Di- π -cyclopentadienyltitanium pentachalcogenides [(C₅H₅)₂TiS_{5-x}Se_x], structural properties of π -(*h*⁵-C₅H₅)₂TiS₅ (E.F. Epstein, I. Bernal, H. Köpf), (26)229
 Diorganyl diselenides and ditellurides, reaction with organic mercury compounds, convenient method for the synthesis of unsymmetrical organic selenides and tellurides (Y. Okamoto, T. Yano), (29)99
 Iron and ruthenium carbonyls, tellurium and selenium derivatives (E.D. Schermer, W.H. Baddley), (30)67
 Ru₃(CO)₁₂ in reaction with chalcogen compounds (E. Sappa, O. Gambino, G. Cetini), (35)375
 Stable selenonium ylides, synthesis of (N.N. Magdesieva, R.A. Kandgetcyan, A.A. Ibragimov), (42)399

- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505
 Tellurium and selenium derivatives of π -cyclopentadienyliron dicarbonyl (E.D. Schermer, W.H. Baddley), (27)83
 Trimethylaluminum pseudohalide complexes, preparation, ¹H NMR and Raman spectra of (F. Weller, K. Dehnicke), (36)23
 Tris(alkyl- and -arylseleno)boranes, preparation and reactions with nucleophiles and electrophiles (M. Schmidt, H.D. Block), (25)17

Silicon

- Acylation at the tin atom of Sn-H-, Sn-C-, Sn-Sn- and Sn-O-groups with lead tetraacetate (U. Christen, W.P. Neumann), (39)C58
 Alkaline cleavage of substituted phenyltrimethylsilanes in aqueous dimethylsulphoxide (J. Cretney, G.J. Wright), (28)49
 (Alkenyldimethylsilyl)carbenes, intramolecular reactions (J.W. Connolly, P.F. Fryer), (30)315
 Alkoxy- and alkylalkoxysilanes, amino derivatives (R.C. Mehrotra, P. Bajaj), (24)611
 Alkoxysilanes, synthesis by insertion reactions of halosilanes with cyclic ethers (R.C. Mehrotra, P. Bajaj), (22)41
 Alkoxytriorganotins and compounds with Si-H bonds, stereochemistry of exchange reactions (M. Pereyre, J. Pijselman), (25)C27
 Alkyl(dimethylamino)chlorosilanes, preparation and spectroscopic studies (S.S. Washburne, W.R. Peterson, Jr.), (21)59
 Alkylidynetricobalt nonacarbonyl complexes, new general route to (D. Seyferth, P.L.K. Hung, J.E. Hallgren), (44)C55
 Alkylolithiums and phenyllithium, reactions with carbon monoxide (P. Jutzi, F.-W. Schröder), (24)1
 Alkylsilanes, cleavage by strong acids (D.H. O'Brien, C.M. Harbordt), (21)321
 —, —, formation of methanesulphonyl fluoride (C.M. Harbordt, D.H. O'Brien), (24)327
 Alkylvinylsilane and alkylvinyltin complexes of copper(I) chloride, preparation (J.W. Fitch, D.P. Flores, J.E. George), (29)263
 Allenoxysilanes, preparation of (G. Merault, J.-P. Picard, P. Bourgeois, J. Dunoguès, N. Duffaut), (42)C80

- Allylic derivatives of Group IVB elements, high resolution NMR studies (R.G. Jones, P. Partington, W.J. Rennie, R.M.G. Roberts), (35)291
- Allylsilanes, Si-C cleavage in (R. Calas, J. Dunoguès), (27)C21
- Allylsilicon and benzylsilicon derivatives, quantum chemical calculations (J. Nagy, J. Réffy), (23)79
- (Aminoalkoxy)silanes, interaction with organohalosilanes (R.C. Mehrotra, P. Bajaj), (26)161
- Arylacetic acid esters, conversion with sodium and trimethylchlorosilane (K. Rühlmann, H. Seefluth, Th. Kiriakidis, G. Michael, H. Jancke, H. Kriegsmann), (27)327
- Arylhydrosilanes, abstraction of hydrogen atoms by the trichloromethyl radical (Y. Nagai, H. Matsumoto, M. Hayashi, E. Tajima, M. Ohtsuki, N. Sekikawa), (29)209
- Aryltrimethylstannanes, interaction with cyanogen chloride and bromide; a route to aryl cyanides (E.H. Bartlett, C. Eaborn, D.R.M. Walton), (46)267
- Asymmetric bifunctionally substituted organosilane, synthesis and stereochemistry; preparation of new optically active organosilicon compounds (R.J.P. Corriu, G.F. Lanneau, G.L. Royo), (35)35
- Asymmetric heptamethyldimetallazanes (Me₃M-NMe-M'Me₃) addition reactions with heterocumulenes (K. Itoh, T. Katsuura, I. Matsuda, Y. Ishii), (34)63
- Asymmetric hydrosilylation, of ketones catalyzed by chiral phosphineplatinum(II) complexes (K. Yamamoto, T. Hayashi, M. Kumada), (46)C65
- , with a chiral phosphine-nickel(II) complex (K. Yamamoto, Y. Uramoto, M. Kumada), (31)C9
- Base-catalyzed cleavage of benzyl-silicon bonds, question of intermediacy of carbanions (A. Alexander, C. Eaborn, T.G. Traylor), (21)P65
- Benzoyltrimethylsilane, photochemical reaction with organosilicon hydrides (H. Watanabe, T. Kogure, Y. Nagai), (43)285
- 2-Benzothiazolyltrimethylsilane, new rearrangement reactions with (P. Jutzki, H.J. Hoffmann), (40)C61
- Benzylfluorosilanes, electrophilic chlorination of (J. Včelák, V. Chvalovský), (23)47
- Benzylsilanes and phenyldisilanes, NMR spectra (F.K. Cartledge, K.H. Riedel), (34)11
- N,N'*-Bis(chlorodimethylsilyl)tetramethylcyclo-
- disilazane and its derivatives, preparation and properties (L.W. Bredt, R.L. Elliott, J.C. Wiley, Jr.), (24)315
- α,ω -Bis(dimethylhydrosilyl)perfluoro hexane, preparation of (M.R. Smith, Jr., H. Gilman), (46)251
- Bis(organosilyl)methylhydrazines, ¹H NMR spectra (B. Bichlmeir, R. West), (32)35
- Bis(silyl)amines in reaction with trimethylaluminium (N. Wiberg, W. Baumeister, P. Zahn), (36)267
- Bis[(silylamino)boryl]amines, agents for syntheses of borazines and heterocyclic compounds (H. Nöth, M.J. Sprague), (23)323
- Bis-stannyl-benzylpinacols, photochemical preparation of, as well as thermal dissociation of benzylpinacol derivatives in free aryl₂COR radicals (H. Hillgärtner, B. Schroeder, W.P. Neumann), (42)C83
- Bis(triethylsilyl)mercury, oxidation by oxygen in the presence of triphenylphosphine (Yu.A. Alexandrov, G.A. Razuvaev, V.N. Glushakova, V.Ya. Savukova), (27)201
- 2,3-Bis(trifluoromethyl)-7,7-dimethyl-silabicyclo [2.2.2]octa-2,5-diene, a silaalkene generator (T.J. Barton, E. Kline), (42)C21
- Bis- and tris(trimethylsilyl)acetic acid, preparation of (O.W. Steward, J.S. Johnson, C. Eaborn), (46)97
- Bis(trimethylsilyl)acetylene, unexpected products from the reductive trimethylsilylation of (L.C. Quass, R. West, C.R. Husk), (21)65
- Bis[(trimethylsilyl)benzene]chromium(0), synthesis, properties and electron exchange with its radical cation (C. Elschenbroich), (22)677
- Bis(trimethylsilyl)cyclopentadiene, ¹H NMR spectra and dynamic behaviour (Yu.A. Ustyn-yuk, A.V. Kisin, I.M. Pribytkova, A.A. Zenkin, N.D. Antonova), (42)47
- Bis(trimethylsilyl)diazomethane (D. Seyferth, T.C. Flood), (29)C25
- 1,4-Bis(trimethylsilyl)-1,4-dihydropyridine, preparation and properties (R.A. Sulzbach), (24)307
- Bis(trimethylsilyl)-, -germyl)-, -stannyl)-, bis-(methylchlorosilyl)- and (trimethylsilyl)-propynylmercury, PMR investigation of self exchange of (T.F. Schaaf, J.P. Oliver), (32)307
- Bis(trimethylsilyl) peroxides, non-radical substitution and redox reactions of (D. Brandes, A. Blaschette), (49)C6

- 1,2-Bis(trimethylsilyl)indene, fluxional behaviour of; evidence for 1,2-shifts (A. Davison, P.E. Rakita), (21)P55
- Bis(trimethylsilyl)mercury and bis(trimethylgermyl)mercury, photolytic reactions with benzene, toluene and anisole; free-radical aromatic silylation and germylation (S.W. Bennett, C. Eaborn, R.A. Jackson, R. Pearce), (28)59
- , rapid interaction (S.W. Bennett, H.J. Clase, C. Eaborn, R.A. Jackson), (23)403
- , reaction with organic dibromo compounds, example of a molecular *cis*-1,2-elimination (S.W. Bennett, C. Eaborn, R.A. Jackson, R.W. Walsingham), (27)195
- Bis(trimethylsilyl)mercury, conversion with organotin compounds with Sn—O or Sn—N groups (T.M. Mitchell, W.P. Neumann), (22)C25
- Bis(trimethylsilyl)mercury in reductive silylation, of azo and *N*-heterocyclic compounds (H.P. Becker, W.P. Neumann), (37)57
- , carbonyl compounds (G. Neumann, W.P. Neumann), (42)277
- , —, reactions with X=Y=Z polar bond systems (G. Neumann, W.P. Neumann), (42)293
- Bis(trimethylsilyl)mercury(II), reactions with aldehydes, quinones, ketenes and isocyanates (W.P. Neumann, G. Neumann), (25)C59
- Bis(trimethylsilyl)polyyenes, Friedel—Crafts reactions with acyl chlorides; route to terminal alkynyl ketones (D.R.M. Walton, F. Waugh), (37)45
- 2,5-Bis(trimethylsilyl)thiophene, interaction with *n*-butyllithium (F.H. Pinkerton, S.F. Thames), (29)C4
- Bis[tris(trimethylsilylmethyl)stannyl]mercury; a stable stannylmercury compound (O.A. Kruglaya, G.S. Kalinina, B.I. Petrov, N.S. Vyazankin), (46)51
- (*p*→*d*) π Bonding in phenyltrichloro-tin, -germane, and -silane (G.M. Whitesides, J.G. Selgestad, S.P. Thomas, D.W. Andrews, B.A. Morrisor, E.J. Panek, J. San Filippo, Jr.), (22)365
- Boranes and carboranes, reactions with silanes, organosilanes and related compounds (W.A. Ledoux, R.N. Grimes), (28)37
- Boron—carbon bond formation through silyl derivatives (B. Roques, D. Florentin), (46)C38
- (2-Bromoalkyl)triphenylsilanes, reactions with magnesium and Grignard reagents (A.W.P. Jarvie, A.J. Bourne, R.J. Rowley), (39)93
- (2-Bromoethyl)trimethylsilane, mechanism of solvolysis; evidence for the migration of the trimethylsilyl group (M.A. Cook, C. Eaborn, D.R.M. Walton), (24)301
- Bromomethyl- and iodomethyl-substituted disilanes, preparation (K. Tamao, M. Kumada), (30)329
- (1- and *trans*-2-Bromovinyl)trimethylsilane, reaction with lithium metal (G.R. Husk, A.M. Velitchko), (49)85
- Carbon-functional organosilicon compounds, containing an α -hetero substituent (J.A. Connor, P.D. Rose), (24)C45
- , ^{29}Si NMR chemical shifts in (J. Schraml, J. Pola, V. Chvalovský, M. Mägi, E. Lippmaa), (49)C19
- C-Carbonyl derivatives of the methylidynetricobalt nonacarbonyl cluster (D. Seyferth, G.H. Williams), (38)C11
- Catalysis of hydrosilylation by bis(trimethylsilyl)mercury or tert-butyl peroxide under UV irradiation (S.W. Bennett, C. Eaborn, R.A. Jackson), (21)79
- Catalysis of hydrosilylation of olefins by butyl peroxide under UV irradiation (C. Eaborn, M.R. Harrison, D.R.M. Walton), (31)43
- Chalcogen containing silyl- and germyl-mercury compounds (E.N. Gladyshev, N.S. Vyazankin, V.S. Andreevichev, A.A. Klimov, G.A. Razuvaev), (28)C42
- (Chloroalkyl)silanes, rates of reaction (D.S. Boak, B.G. Gowenlock), (29)385
- (Chlorodimethylphosphine)- and (chlorodiphenylphosphine)-pentacarbonylmolybdenum, reactions with selected alcohols, ethanethiol, hydrogen sulphide, ammonia and several amines (C.S. Kraihanzel, C.M. Bartish), (43)343
- Chloromethyl- and dichloromethyl-substituted chlorodisilanes, preparation and behaviour toward aluminium halides (K. Tamao, M. Kumada), (30)339
- 3-Chloropropylchlorosilanes, improved cyclization procedure for (R. Damrauer, R.A. Davis, M.T. Burke, R.A. Karn, G.T. Goodman), (43)121
- Chlorosilanes, and chlorogermanes, mechanisms of racemization (F. Carré, R. Corriu, M. Leard), (24)101
- , in hexaalkylphosphoric triamides and tetraalkylureas, reduction with sodium hydride (A.J. Chalk), (21)95
- , used in polysilylation of aromatic nitriles, synthesis of enamines (C. Biran, J. Dédier, J. Dunoguès, R. Calas, N. Duffaut), (35)263

- Cinnamyl and benzyl derivatives of Group IVB elements, reactions in strongly basic media (W.J. Rennie, R.M.G. Roberts), (37)77
- p*-C₆H₄-MMe₃ compounds (M = C, Si, Ge, Sn), ³⁵Cl nuclear quadrupole resonance study of (E.A. Lucken, S. Ardjomand, Y. Limouzin, J.C. Maire), (37)247
- Comparative study of the Si-Fe, Ge-Fe and Sn-Fe bonds, and some further reactions of the Sn-Mn bond (R.E.J. Bichler, M.R. Booth, H.C. Clark), (24)145
- Compound of cyclic alumasilazane cation and tetramethylindanate anion (W. Wolfsberger, H. Schmidbaur), (27)181
- Cyclic disilthianes and trisilthianes, ¹H NMR study of the equilibria between (K. Moedritzer), (21)315
- Cyclic fluorosilanes, preparation of (T.H. Chao, S.L. Moore, J. Laane), (33)157
- Cyclic siloxanes, reactions with acidic and basic reagents (D. Harber, A. Holt, A.W.P. Jarvie), (38)255
- Cyclic α -silyl ketones, synthesis, IR and UV spectra, and chemical behaviour (R.J.P. Corriu, J.P. Massé), (22)321
- Cyclic silylamides, novel type of tautomerism in (B. Dejak, Z. Lasocki), (44)C39
- Cyclodisilazanes, mass spectroscopic studies of (C. Lageot, J.C. Maire), (37)239
- (Cycloheptatrienone)tricarboxyliron and (cycloheptadienone)tricarboxyliron, chemistry in highly acidic media of (D.F. Hunt, G.C. Farrant, G.T. Rodeheaver), (38)349
- 1,4-Cyclohexadiene, preparation from benzene by direct silylation (J. Dunoguès, R. Calas, N. Ardoin), (43)127
- σ -Cyclopentadienyl compounds of silicon, germanium and tin, ¹³C NMR spectra of (Yu.K. Grishin, N.M. Sergeyev, Yu.A. Ustynuk), (22)361
- Cyclopentadienyl compounds of silicon, germanium, tin and lead (*Review*) (E.W. Abel, M.O. Dunster, A. Waters), (49)287
- cis*- and *trans*-(π -Cyclopentadienyl)[π -bis(trimethylsilyl)diphenylcyclobutadiene]cobalt, molecular and crystal structures of (C. Kabuto, J. Hayashi, H. Sakurai, Y. Kitahara), (43)C23
- π -Cyclopentadienyldicarbonylcobalt, reactions with silyl-substituted acetylenes (H. Sakurai, J. Hayashi), (39)365
- Cyclopentadienylsilanes and -germanes, influence of the hetero atom and its substituents on the cyclo-addition to acetylenic dienophiles (A. Laporterie, J. Dubac, P. Mazerolles), (46)C3
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Decacarbonyltricobaltate mono-anion, novel nucleophilic properties (C.D.M. Mann, A.J. Cleland, S.A. Fieldhouse, B.H. Freeland, R.J. O'Brien), (24)C61
- Decaisobutylcyclopentasilane, isolation and characterization (G.R. Husk, R. Wexler, B.M. Kilcullen), (29)C49
- Dehydrofluorination and cleavage of the Si-N bond in boron trifluoride/silylamine systems (G. Elter, O. Glemser, W. Herzog), (36)257
- Dibenzo[*b,f*]silepins, synthesis of (J.Y. Corey, M. Dueber, B. Bichlmeir), (26)167
- Diboryl(poly)sulphanes, study on, and redox reaction between dialkylhaloboranes and sulphur compounds (W. Siebert, E. Gast, M. Schmidt), (23)329
- Dibromomethyl and bromochloromethyl derivatives of silicon and germanium, preparation by the (trihalomethyl)mercurial route and their reduction to monohalomethyl compounds (D. Seyferth, S.P. Hopper), (23)99
- 3,3-Dichlor-3*H*-3-benzosilepin (L. Birkofer, H. Haddad, H. Zamarlik), (25)C57
- Dichloro[1,2-bis(dimethylphosphino)-1,2-dicarba-*closo*-dodecaborane]nickel(II) as catalyst in the hydrosilylation of olefins with (M. Kumada, K. Sumitani, Y. Kiso, K. Tamao), (50)319
- 3-Dichloromethyl-1-metallacycloalkanes, thermolysis of (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29)371
- (Dichloromethyl)silanes, action of triorganosilanes on (B. Martel), (21)311
- Diethyl(triphenylgermylperoxy)thallium and diethyl(triphenylsilylperoxy)thallium, synthesis and reactivity of (G.A. Razuvaev, V.A. Dodonov, T.I. Starostina, T.A. Ivanova), (37)233
- 1,4-Diethynyltetrafluorobenzene and (pentafluorophenyl)acetylene, preparation of (F. Waugh, D.R.M. Walton), (39)275
- 10,11-Dihydro-5*H*-dibenzo[*b,f*]metalepins of Group IV, synthesis and characterization of (J.Y. Corey, M. Dueber, M. Malaidza), (36)49

- Diisobutylaluminium hydride, reduction of silicon halides and alkoxides with (L.H. Sommer, C.M. Golino, D.N. Roark, R.D. Bush), (49)C3
- Dimetallic compounds derived from tetrachlorothiophene, preparation and reactions of (M.R. Smith, Jr., H. Gilman), (42)1
- (Dimethylalumino)(trimethylsilyl)methylamine in reactions with carbonyl compounds, preparative application of (T. Sakakibara, T. Hirabayashi, Y. Ishii), (46)231
- Dimethylithium copper, reactivity towards mono- and bi-functional silanes (G. Chauvière, R. Corriu), (50)C5
- 5,5-Dimethyl-5*H*-dibenzo[*b,f*]silepin, a 14 π -electron silicon heterocycle (F.K. Cartledge, P.D. Mollère), (26)175
- cis*- and *trans*-4a,8a-Dimethyl-4a,8a-disiladecalin, synthesis and oxidation with peroxides (K. Tamao, M. Kumada), (31)35
- 2-(Dimethylphosphino)ethylsilanes, Si-functional (J. Grobe, U. Möller), (31)157
- 3,3-Dimethyl-3-silabicyclo[3.2.0]heptane (L. Birkofer, D. Prüstel), (32)C75
- Dimethylsilyl- and methylene-bridged aromatic groups, ESR spectra of anion radicals (F. Correa-Duran, A.L. Allred, R.J. Loyd), (49)373
- , phosphorescent triplet states (F. Correa-Duran, A.L. Allred), (49)365
- , polarography and UV spectroscopy (F. Correa-Duran, A.L. Allred, D.E. Glover, D.E. Smith), (49)353
- Dimethylsilylmethylmagnesium bromide, reaction of benzophenone with (A.W.P. Jarvie, R.J. Rowley), (36)C7
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- o*-Diphenylphosphinobenzyl dimethylsilane, synthesis and reactivity of (H.G. Ang, P.T. Lau), (37)C4
- [(Diphenylphosphino)methyl]trimethylsilane, novel reaction of carbon tetrachloride with (B.E. Cooper, W.J. Owen), (21)329
- Disilanyl derivatives of molybdenum, tungsten and iron (W. Malisch), (39)C28
- 1,6-Disila[4.4.4]propellane and related compounds, preparation and characterization; evidence for a (trialkylsilyl)magnesium compound (K. Tamao, M. Kumada, A. Noro), (31)169
- Disilyl amides of Group III metals, preparation, analysis, IR and Raman spectra (H. Bürger, J. Cichon, U. Goetze, U. Wannagat, H.J. Wismar), (33)1
- cis*- and *trans*-1,2-Disubstituted 1,2-dimethyl-1,2-disilacyclohexanes, preparation, characterization and stereochemistry of (K. Tamao, M. Kumada, M. Ishikawa), (31)17
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219
- Disubstituted phenyltrimethylsilanes, additivity of substituent effects in acid cleavage of (C. Eaborn, Z.S. Salih, D.R.M. Walton), (36)41
- Dodecamethylcyclohexasilane photolysis; generation of dimethylsilylene and some of its insertion reactions (M. Ishikawa, M. Kumada), (42)325
- Dodecamethylcyclotetrasilazane (U. Wannagat, R. Braun, L. Gerschler, H.-J. Wismar), (26)321
- Dodecamethylgermacyclohexasilane and dodecamethyl-1,4-digeracyclohexasilane (E. Carberry, B.D. Dombek), (22)C43
- 14 π -Electron systems with five-valent silicon (P. Jutzi), (22)297
- Enoxysilanes, new method of preparation (R. Bourhis, E. Frainnet), (28)C11
- Ethynylsilanes, preparation (U. Krüerke), (21)83
- Ethyl- and phenylchlorosilanes, thermodynamics (M.J. van Dalen, P.J. van den Berg), (24)277
- α -Ethylene amides, silylation of (M. Bolourtchian, P. Bourgeois, J. Dunoguès, N. Duffaut, R. Calas), (43)139
- Ethyltrichlorosilane and ethyltrimethylsilane, thermolysis of (C. Eaborn, J.M. Simmie, I.M.T. Davidson), (47)45
- Ethyl(triethylsilyl)mercury, autooxidation of (V.N. Glushakova, Yu.A. Alexandrov, G.A. Razuvaev), (40)43
- Ethyltrimethylsilane, calculation of thermal *A* factors for methyl and ethyl rupture (W.L. Hase, J.W. Simons), (32)47
- Ferrocene, polyolithiation (A.F. Halasa, D.P. Tate), (24)769
- Ferrocenylmethyl derivatives of silicon and germanium in reaction with methanol; anomalous solvolysis of the metal-carbon

- bond (T. Kondo, K. Yamamoto, M. Kumada), (35)C30
- Ferrocenyltetrazole, preparation via a silyl azide (S.S. Washburne, W.R. Peterson, Jr.), (21)427
- Fe→Si back-bonding in carbonyliron derivatives with SiCH₂CH₂P ligands (J. Grobe, U. Möller), (36)335
- Fluoro and azido groups on the dimethylsilicon moiety, redistribution equilibria (H. Müller, J.R. Van Wazer), (23)395
- Fluoro-Group IV metal-organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Functional alkylidynetricobalt nonacarbonyl complexes from dicobalt octacarbonyl, preparation of (D. Seyferth, J.E. Hallgren, P.L.K. Hung), (50)265
- Functionally-substituted 1,3,5,7-tetrasiladamantanes, facile reactions with nucleophilic reagents of (G.D. Homer, L.H. Sommer), (49)C13
- , reactions with electrophilic reagents (G.D. Homer, L.H. Sommer), (46)C7
- Germyl- and silylphosphines, reactions with diacetyl (J. Satgé, C. Couret, J. Escudé), (30)C70
- , reactions with ketenes and diketenes (C. Couret, J. Satgé, F. Couret), (47)67
- Group IV element substituted acetylenes, Diels-Alder reactions of α -pyrone with (D. Seyferth, D.L. White), (34)119
- Group IV organometalloidal compounds, radical-anionic coupling of (J.J. Eisch, G. Gupta), (50)C23
- Group IV substituted anilines, stabilities of the cation radicals (M.J. Drews, P.R. Jones), (44)253
- Group IVB alkyls, non-equivalent methylene protons in the 220 MHz spectra (C.J. Attridge, I. Struthers), (25)C17
- Group IVB compounds, of indene and indane, σ - π conjugation in (P.E. Rakita, M.K. Hoffman, M.N. Andrews, M.M. Bursey), (49)213
- , reactions with acyl fluorides (J.D. Citron), (30)21
- Group IVB cyclopentadienyls, metallotropic rearrangements (A.V. Kisin, V.A. Korenevsky, N.M. Sergeev, Yu.A. Ustynyuk), (34)93
- (α -Haloalkyl)silanes, reaction with Lewis acids (T.J. Hairston, D.H. O'Brien), (29)79
- Halosilanes, conversions with *N*-protected amino acids (H. Buchwald, C. Seidel, H. Kunzek, P. Ludwig, B. Frölich, K. Rühlmann), (37)C1
- α -Halosilanes, reaction with antimony pentafluoride (T.J. Hairston, D.H. O'Brien), (23)C41
- Heptameric phenylsilyl- and phenylgermylphosphine (H. Schumann, H. Benda), (21)P12
- Hexaalkyldigermoxanes, monoalkoxytrialkylgermanes, dialkoxydialkylgermanes, germaoxacycloalkanes, tentative correlation with their silicon and tin isologues (A. Marchand, M.-T. Forel, M. Lebedeff, J. Valade), (26)69
- Hexaalkyldisilanes, action of ketones and alcohols on, in the presence of catalysts (P. Gerval, R. Calas, E. Frainnet, J. Dunoguès), (31)329
- , synthesis from trialkylchlorosilanes (H. Sakurai, A. Okada), (36)C13
- Hexachlorodisilane, reactions with transition metal complexes (F. Glockling, R.E. Houston), (50)C31
- Hexamethyl derivatives of Group IV-M elements, (CH₃)₃MM'(CH₃)₃, PMR spectra (C.F. Shaw, III, A.L. Allred), (28)53
- Hexaorganodisilane, thermal Si-Si/Si-Si redistribution of (H. Sakurai, A. Hosomi), (36)C15
- Hydrido(organosilyl)bis(triphenylphosphine)platinum(II) by a new route (C. Eaborn, A. Pidcock, B. Ratcliff), (43)C5
- Hydrogermanes, reduction of organic halides with (H. Sakurai, K. Mochida, A. Hosomi, F. Mita), (38)275
- Hydrolysis of *sym*-tetrafunctional methylenedisilanes, synthesis of cage compounds by (D.J. Cooke, N.C. Lloyd, W.J. Owen), (22)55
- Hydrosilanes, new method of preparation starting from chlorosilanes (R. Calas, J. Dunoguès, N. Duffaut), (22)561
- Hydrosilation of olefins catalyzed by rhodium and cobalt complexes (A.J. Chalk), (21)207
- Hydrosiloxane additions and isomerisations of 2- and 1-propenyl ethers (C.L. Schilling, Jr.), (29)93
- Hydrosilylmethyl Grignard reagents in the reduction of chlorosilanes (A.W.P. Jarvie, R.J. Rowley), (34)C7
- (2-Hydroxyalkyl)silanes, rearrangement with thionyl chloride and phosphorus tribromide (A.J. Bourne, A.W.P. Jarvie), (24)335

- Hyperconjugation, an alternative to the concept of the $p_{\pi}-d_{\pi}$ bond in Group IV chemistry (C.G. Pitt), (23)C35
- α -Iodoalkyl derivatives of tin and mercury and bis[(trimethylsilyl)iodomethyl]mercury, improved synthesis by the organozinc route (D. Seyferth, S.B. Andrews, R.L. Lambert, Jr.), (37)69
- (Iodoethynyl)trialkylsilanes, improved synthesis of (D.R.M. Walton, M.J. Webb), (37)41
- cis,trans*-Isomerism in *O*-silylated monocarbonyl compounds (G.S. Burlachenko, T.A. Manukina, Yu.I. Baukov), (33)C59
- Ketene alkyltrialkylsilyl acetals, synthesis, pyrolysis and NMR studies (C. Ainsworth, F. Chen, Y.-N. Kuo), (46)59
- Ketene bis(trialkylsilyl)acetals, synthesis, pyrolysis and spectral studies (C. Ainsworth, Y.-N. Kuo), (46)73
- Kinetics and substitution effects of the exchange reactions between alkoxytriorganotin and compounds with Si-H bonds (J. Pijselman, M. Pereyre), (32)C72
- 1-Lithio-1'-(trimethylsilyl)ferrocene, preparation and use in the synthesis of heteroannularly-substituted (trimethylsilyl)ferrocenes (G. Marr, T.M. White), (30)97
- Lithium alkyl amides (R_2NLi) in the cleavage of metal oxides and carboxy metal compounds (T. Cuvigny, H. Normant), (38)217
- Lithium bis(trimethylsilyl)amide, solvent effects on the aggregation of (B.Y. Kimura, T.L. Brown), (26)57
- Lithium compounds of functional mono- and polysilylated allenes, preparation and utilisation (R. Mantione, Y. Leroux), (31)5
- Long-chain conjugated polyacetylenes, attenuation of hydrocarbon acidity and transmission of substituent electrical effects in (R. Eastmond, T.R. Johnson, D.R.M. Walton), (50)87
- (Main Group)-metallomethyl substituent effects by ^{19}F resonance: effect of aryl ring size (W. Kitching, A.J. Smith, W. Adcock, S.Q.A. Rizvi), (42)373
- Mechanisms of the metal-carbon cleavage in β -functional derivatives of silicon and germanium (F. Carré, R. Corriu, B. Henner), (22)589
- 6-, 7- and 9-Membered oligodimethylsilazanes (L. Gerschler, U. Wannagat), (29)217
- Me_nSiCl_{4-n} and related series, photoelectron spectra and energy level trends in (M.C. Green, M.F. Lappert, J.B. Pedley, W. Schmidt, B.T. Wilkins), (31)C55
- $(Me_3Si)_2NAI_2Me_5$, structure and stability of (N. Wiberg, W. Baumeister), (36)277
- m*- and *p*- $[(Me_3Si)_xXH_{(3-x)}]C_6H_4F$ compounds ($x=0-3$), ^{19}F NMR spectra of (A.R. Bassindale, C. Eaborn, D.R.M. Walton), (21)91
- Metal-catalyzed addition of HCN to olefinic silanes (E.S. Brown, E.A. Rick, F.D. Mendicino), (38)37
- Methynyltricobalt enneacarbonyls, reactions with electrophiles and nucleophiles, and new silicon derivatives (R. Dolby, T.W. Matheson, B.K. Nicholson, B.H. Robinson, J. Simpson), (43)C13
- Method for the creation of Si-C bonds from unsaturated hydrocarbons; substitution of allylic, vinylic or phenylic hydrogen atoms (J. Dunoguès, R. Calas, N. Ardoin, C. Biran), (32)C31
- Methoxyphenylcarbene ligands, insertion into silicon-hydrogen bonds (E.O. Fischer, K.H. Dötz), (36)C4
- Methylchlorogermanes and -stannanes, rates of reactions with sodium (D.S. Boak, N.J. Friswell, B.G. Gowenlock), (27)333
- Methylchlorosilanes, reaction with mixtures of pyridine and nitromethane (J. Manzur, W. Zamudio), (44)107
- , thermochemistry of (S.N. Hajiev, M.J. Agarunov), (22)305
- Methylchlorosilylalkenes, hydroboration of (P.R. Jones, J.K. Myers), (34)C9
- 5-Methyldichlorosilylcyclopentadiene, (AA'BB'X system), analysis of the NMR spectrum of (N.M. Sergeyev, G.I. Avramenko, Yu.A. Ustynyuk), (22)79
- Methyldichlorosilylcyclopentadiene, PMR spectra (N.M. Sergeyev, G.I. Avramenko, Yu.A. Ustynyuk), (22)63
- μ -Methylene transition metal binuclear compounds: complexes with Me_3SiCH_2 and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Methylphenyl-1-naphthyl(-)-menthoxysilanes, preparation and determination of optical purity of (A. Holt, A.W.P. Jarvie, G.J. Jervis), (21)75
- Methylphenylsilylene, reaction with cyclohexene and generation of (M. Ishikawa, M. Ishiguro, M. Kumada), (49)C71
- Methylsiloxane polymers, branched-chain, pyrolysis-gas chromatography (G. Garzo, K. Pehrsson), (30)187
- Methylsilyl and silylmethyl halides, electric dipole moment study (J.M. Bellama, A.G. MacDiarmid), (24)91

- Molecular structure of pyrrole derivatives, quantum chemical calculations by the Pariser–Parr–Pople method (J. Nagy, P. Hencsei), (24)603
- Mono-, bis- and tris-(dimethylsilyl)methyl groups, electronic effects of (A.R. Bassindale, C. Eaborn, D.R.M. Walton), (21)91
- Monohydrosilanes, comparison of isotope effects in reactions of (L. Spialter, W.A. Swansiger, L. Pazdernik, M.E. Freeburger), (27)C25
- Mono-, bis- and tris-(trimethylsilyl)methyl groups, substituent effects and determination of σ - and σ^+ -constants (M.A. Cook, C. Eaborn, D.R.M. Walton), (24)293
- Mono-, bis- and tris-(trimethylsilyl)silyl groups, substituent effects and leaving group abilities in electrophilic aromatic substitution (M.A. Cook, C. Eaborn, D.R.M. Walton), (23)85
- New organosilicon rearrangement (D. Seyferth, D.L. White), (26)C15
- Nickel complexes as hydrosilylation catalysts (E.W. Bennett, P.J. Orenski), (28)137
- Nickel–phosphine complexes as catalysts for hydrosilylation, mechanism of (Y. Kiso, M. Kumada, K. Maeda, K. Sumitani, K. Tamao), (50)311
- NMR investigation of the transmission of substituent effects through silicon (R.H. Cox, W.K. Austin, Jr.), (26)331
- Non-classical reactions during alkylation of, R_3SiX ($X = Cl, OCH_3$) by Grignard reagents (M.B. Lacout-Loustalet, J.P. Dupin, F. Métras, J. Valade), (31)337
- , R_nSiX_{4-n} ($X = Cl, OCH_3$) derivatives (M.B. Lacout-Loustalet, J.P. Dupin, F. Métras, J. Valade), (31)187
- Nonvolatile organotin halides, novel purification (G.J.D. Peddle, G. Redl), (23)461
- Optically active bis(methyl-1-naphthylphenylsilyl)mercury (C. Eaborn, R.A. Jackson, M.T. Rahman), (34)7
- Optically active germlyl- and silyl-platinum complexes, preparation (C. Eaborn, P.N. Kapoor, D.J. Tune, C.L. Turpin, D.R.M. Walton), (34)153
- Optically active organosilanes, stereochemistry of the reaction with organomagnesium compounds (R. Corriu, G. Royo), (40)229
- Optically active *O*-silyl- β -dicarbonyl compounds, preparation and structure (I.K. Kusnezowa, K. Rühlmann, E. Gründemann), (47)53
- Organochlorosilanes, insertion reactions with cyclic ethers (P. Bajaj, R.C. Mehrotra, J.-C. Maire, R. Ouaki), (40)301
- , reaction with conjugated dienes (J. Dunoguès, R. Calas, J. Dedier, F. Piscioti), (25)51
- Organogermlyl- and organosilyl-benzene thiols, novel synthesis of, rearrangements of *p*- $LiC_6H_4SMR_3$ to *p*- $R_3MC_6H_4SLi$ compounds (A.R. Bassindale, D.R.M. Walton), (25)389
- Organogold complexes, investigations of the oxidative addition to (A. Shiotani, H. Schmidbaur), (37)C24
- Organolithium and organosodium reagents, stereochemistry of the reactions with an asymmetric cyclosilane (R.J.F. Corriu, J.P.R. Massé), (34)221
- Organometallic bis(*p*-hydroxyphenyl) derivatives of Group IV elements and related compounds (W. Davidssohn, B.R. LaLiberte, C.M. Goddard, M.C. Henry), (36)283
- Organometallic chlorides in reaction with chloroisocyanates (H. Leimeister, K. Dehnicke), (31)C3
- Organometallic complexes of indene, sigma-tropism in (J. Dalton, C.A. McAuliffe), (39)251
- Organopolysilanes, photolysis of (M. Ishikawa, M. Ishiguro, M. Kumada), (49)C71
- Organosilanes, reactions of tert-butyllithium with (R. West, G.A. Gornowicz), (28)25
- Organosilicated sultines, insertion reactions of sulphuric anhydride in the silicon–carbon bond (J. Dubac, P. Mazerolles, M. Joly, W. Kitching, C.W. Fong, W.H. Atwell), (25)C20
- Organosilicon and organogermanium substituted pyridine *N*-oxides, measurements of *pK* and hydrogen bond strengths of (M.A. Weiner, P. Schwartz), (35)285
- Organosilicon and organotin hydrides, reaction with zinc carbenoids, generated from diethylzinc and geminal diiodoalkanes (J. Nishimura, J. Furukawa, N. Kawabata), (29)237
- Organosilicon carbonates, a new class of compounds (M. Paul, J. Dunoguès, R. Calas, E. Fraignet), (38)267
- Organosilicon–Group V compounds, reactions with nitrosyl chloride (J.E. Byrne, C.R. Russ), (22)357
- Organosilicon, organogermanium, and organotin substituted pyridine *N*-oxides, *N*–O stretching frequencies (M.A. Weiner), (23)C20
- Organosilicon sultones, and sultines; insertion reactions of sulphurous anhydride to Si–C

- bonds (J. Dubac, P. Mazerolles, M. Joly, W. Kitching, C.W. Fong, W.H. Atwell), (34)17
- , competitive sulphonation reactions with other Si—X bonds (X = C, N, O₂Cl), of the Si—C bonds in cyclosilabutanes (J. Dubac, P. Mazerolles, M. Joly), (22)C7
- Organosilicon vinyl compounds, quantum chemical calculations (J. Nagy, J. Réffy), (22)573
- Organosilyl and organogermyl substituted ferrocenes, acid-catalysed alcoholysis of (M. Kumada, T. Kondo, K. Mimura, K. Yamamoto, M. Ishikawa), (43)307
- , oxidation alcoholysis of (T. Kondo, K. Yamamoto, M. Kumada), (43)315
- , preparation of (M. Kumada, T. Kondo, K. Mimura, M. Ishikawa, K. Yamamoto, S. Ikeda, M. Kondo), (43)293
- Organosilylamines, in addition reactions of arylsulphonyl isocyanates, pyrolysis of the adducts (K. Itoh, N. Kato, Y. Ishi), (22)49
- Organotin carbonyl derivatives, tautomerism (I.F. Lutsenko, Yu.I. Baukov, I.Yu. Belavin), (24)359
- Oxidation of phenyl-substituted silole radical anions and dianions, chemiluminescence in (E.G. Janzen, W.B. Harrison, C.M. Dubose, Jr.), (40)281
- Palladium(II) cleavage of allylsilanes (J.M. Kliegman), (29)73
- Partial silylation of *gem*-polychloro derivatives (J. Dunogués, R. Calas, J. Malzac, N. Duffaut, C. Biran), (27)C1
- Pentabromophenyl organometallics, synthesis and reactions of (C.F. Smith, G.J. Moore, C. Tamborski), (42)257
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentamethyldisilane, and *sym*-tetramethyldisilane, disproportionation catalysed by platinum complexes (K. Yamamoto, H. Okinoshima, M. Kumada), (23)C7
- , evidence for "silylenoid" species in disproportionation catalyzed by *trans*-[PtCl₂-(Et₃P)₂] (K. Yamamoto, H. Okinoshima, M. Kumada), (27)C31
- (Perhaloaryl)dimethylsilanes, cleavage by organolithium compounds (M.R. Smith, Jr., H. Gilman), (37)35
- Perhalosilanes, reaction with benzaldehyde (A.F. Webb, D.S. Sethi, H. Gilman), (21)P61
- Permethylated linear polysilanes, photolysis of (M. Ishikawa, T. Takaoka, M. Kumada), (42)333
- Phenoxyethylsilanes, calculation of bond structure by Parisier–Parr–Pople method (J. Nagy, P. Hencsei), (32)39
- Phenoxygermanes, and phenoxygermanes, NMR spectra of; evidence for *p*_π–*d*_π bonding in Si–O and Ge–O bonds (J.R. Chipperfield, D.F. Ewing, G.E. Gould), (46)263
- , molecular structure (J. Nagy, P. Hencsei), (24)285
- Phenyl and chlorine substituted (halomethyl)disilanes, alkaline cleavage (K. Tamao, M. Kumada), (30)349
- Phenyl isocyanate and phenyl isothiocyanate, addition of optically active aminosilanes to (K.D. Kaufmann, H. Bormann, K. Rühlmann, G. Engelhardt, H. Kriegsmann), (23)385
- Phenyl substituted 1,1-dimethylsilacyclopentanes and -silacyclopentadienes and 1,1,4,4-tetramethyl-2,3,5,6-tetra-phenyl-1,4-disilacyclohexadiene, mass spectra of (R. Maruca, M. Oertel, L. Roseman), (35)253
- Phenyl(bromodichloromethyl)mercury-derived dichlorocarbene, insertion into C–H bonds; further studies of the β-metal activated C–H insertion reaction (D. Seyferth, Y.M. Cheng, D.D. Traficante), (46)9
- , insertion into C–H bonds of tetraalkylgermanes (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29)371
- , insertion into the Si–C(ring) and β C–H bonds of the *cis* and *trans* isomers of 1,3-dimethyl-1-silacyclobutane (D. Seyferth, H.-M. Shih, J. Dubac, P. Mazerolles, B. Serres), (50)39
- Phenyl(α,α-dichlorobenzyl)mercury: a phenylchlorocarbene precursor (D. Seyferth, D.C. Mueller), (25)293
- Phenyl(1,1-dichloroethyl)mercury, a potential CH₂CCl transfer agent (D. Seyferth, D.C. Mueller), (28)325
- Phenyl(dichloromethyl)- and phenyl(bromochloromethyl)mercury, CHCl transfer to olefins via (D. Seyferth, H.D. Simmons, Jr., H.-M. Shih), (29)359
- Phenyl(dihalocarbomethoxymethyl)mercury compounds as halocarbomethoxycarbene transfer agents (D. Seyferth, R.A. Woodruff, D.C. Mueller, R.L. Lambert, Jr.), (43)55
- Phenylfluorosilanes, electrophilic chlorination (B. Lapeška, V. Bažant, V. Chvalovský), (23)41

- Phenyl(iodobromochloromethyl)mercury and phenyl(dibromofluoromethyl)mercury: highly reactive divalent transfer reagents (D. Seyferth, C.K. Haas, S.P. Hopper), (33)C1
- Phenyl(iododichloromethyl)mercury: a useful room temperature dichlorocarbene precursor (D. Seyferth, C.K. Haas), (30)C38
- Phenylmethylchlorogermanes and *p*-substituted phenyltrichlorogermanes, dipole moments of (V. Vaisarová, J. Hettflejš, V. Chvalovský), (22)395
- Phenylpentamethyldisilanes, substituents effect in the mass spectra of (H. Sakurai, M. Kira, T. Sato), (42)C24
- Phenylsilanes, quantum chemical calculations (J. Nagy, J. Réffy), (23)71
- Phenyl(trihalomethyl)mercury compounds, reactions with bis(trimethylsilyl)- and bis(trimethylgermyl)mercury (D. Seyferth, E.M. Hanson, B. Prokai, R.J. Cross), (24)33
- Phenyltrimethylsilanes, study by NMR spectroscopy of transannular effects in (J.M. Angelelli, J.C. Maire, Y. Vignollet), (22)313
- $\text{Ph}_2\text{Ge}[\text{Fe}(\text{CO})_2(\pi\text{-C}_3\text{H}_5)]_2$ and analogous compounds; photochemical decarbonylation (A.J. Cleland, S.A. Fieldhouse, B.H. Freeland, R.J. O'Brien), (32)C15
- Phosphine-nickel(II) complexes as hydrosilylation catalysts (Y. Kiso, M. Kumada, K. Tamao, M. Umeno), (50)297
- Phosphinous acid silyl, germanyl and stannyl esters of the type $(\text{R}_2\text{P}-\text{O}-)_n\text{ER}'_{4-n}$ (K. Issleib, B. Walther), (22)375
- Polyfluoroaromatic magnesium compounds, synthesis through exchange reaction (C. Tamborski, G.J. Moore), (26)153
- Polyhaloaryl compounds containing phosphorus (S.S. Dua, R.C. Edmondson, H. Gilman), (24)703
- (Polyhaloaryl)copper compounds, reactions with acid chlorides and chlorosilanes (A.E. Jukes, S.S. Dua, H. Gilman), (21)241
- Polyhaloaryl-metallic reagents, competitive reactions (R.C. Edmondson, A.E. Jukes, H. Gilman), (25)273
- Polymetalation of aromatic compounds (A.F. Halasa), (31)369
- Polymetalated cyclopentadienes, synthesis (I.M. Pribytkova, A.V. Kisin, Yu.N. Luzikov, N.P. Makoveyeva, V.N. Torocheshnikov, Yu.A. Ustynyuk), (30)C57
- Polysilicon halides, preparation by aluminium halide catalyzed interchange of methyl and halogen on silicon (M. Ishikawa, M. Kumada, H. Sakurai), (23)63
- Preparation of chelating ligands with $\text{Si}-\text{X}(\text{CH}_3)_2$ and $\text{C}-\text{X}(\text{CH}_3)_2$ donating groups ($\text{X} = \text{N}$ or P) (J. Grobe, U. Möller), (33)13
- Propargylic and allenic Group IVB compounds, with two neighbouring asymmetric centers, evidence for diastereoisomerism (A. Jean, M. Lequan), (50)75
- Reaction of sulphur dioxide with compounds containing $\text{Si}-\text{Fe}$, $\text{Ge}-\text{Fe}$, and $\text{Sn}-\text{Fe}$ bonds (R.E.J. Bichler, H.C. Clark), (23)427
- Reactions of $\text{Si}-\text{Mn}$, $\text{Ge}-\text{Mn}$ and $\text{Sn}-\text{Mn}$ bonds with unsaturated fluorocarbons (H.C. Clark, T.L. Hauw), (42)429
- Reductive silylation (and germylation) of alcohols, and of benzyl and allyl ethers (N. Duffaut, C. Biran, J. Dunoguès, R. Calas), (24)C51
- $\text{R}_3\text{M}-\text{Hg}-\text{M}'\text{R}_3$ compounds, properties and exchange of trialkylmetal groups (T.N. Mitchell), (38)17
- Saturated organosilicon compounds, quantum chemical calculation of $d_\pi-p_\pi$ interaction and σ bond systems (J. Nagy, J. Réffy), (22)565
- Selective exchange of alkyl and chloro groups attached to silicon (K.R. Beck, R.A. Benkeser), (21)P35
- SiH_2 and SiH_3 , absolute entropies (P. John, J.H. Purnell), (29)233
- 3-Sila- and 3-germabicyclo[3.1.0]hexanes (M. Lesbre, G. Manuel, P. Mazerolles, G. Cauquy), (40)C14
- Silacyclobutanes, efficient synthesis of (R. Damrauer, R.A. Davis, M.T. Burke, R.A. Karn, G.T. Goodman), (43)121
- Silacyclopentadiene, new derivatives of (J.C. Brunet, C. Lemahieu), (49)381
- α - and β -Silacyclopentanol (G. Manuel, P. Mazerolles, J.-C. Florence), (30)5
- 2-Sila-1,3-dioxolanes, mechanism of the acid-catalysed propanolysis of (B. Bøe), (43)275
- Silanes, interaction with bis(triphenylphosphine)-ethyleneplatinum(0); hydrosilation of olefins with this complex (K. Yamamoto, T. Hayashi, M. Kumada), (28)C37
- 7-Silanorbornadienes, hydrolytic and thermal decomposition studies (R. Maruca, R. Fischer, L. Roseman, A. Gehring), (49)139
- 2-Silanorcaranes, synthesis of (E. Rosenberg, J.J. Zuckerman), (33)321

- Silicon-carbon bonds, formation starting from chlorosilanes, C-silylation of esters (J.P. Picard, R. Calas, J. Dunoguès, N. Duffaut), (26)183
- , C-silylation of ethylenic aldehydes and ketones (R. Calas, J. Dunoguès, M. Bolourtchian), (26)195
- Silicon cyclopentadienyls, prototropism and dimerisations of (G.I. Avramenko, N.M. Sergeyev, Yu.A. Ustynyuk), (37)89
- Silicon σ -cyclopentadienyls, 1,2 shift and spectral regularities in (N.M. Sergeyev, G.I. Avramenko, A.V. Kisin, V.A. Korenevsky, Yu.A. Ustynyuk), (32)55
- Silicon difluoride, reactions with allene (C.S. Liu, J.C. Thompson), (38)249
- Silicon, germanium and tin substituted acetylenes and their dicobalt hexacarbonyl complexes (D. Seyferth, D.L. White), (32)317
- Silicon monoxide, reactions with organic compounds (E.T. Schaschel, D.N. Gray, P.L. Timms), (35)69
- Silicon-nitrogen compounds, phenyl-substituted (L.W. Breed, R.L. Elliott, J.C. Wiley, Jr.), (31)179
- Silicon tetrachloride, non-classical reaction during alkylation by Grignard compounds (F. Métras, J.-C. Lahournère, J. Valade), (29)41
- Silico-olefins, π -bond energy in (R. Walsh), (38)245
- Silyl- and germyl-sulphur compounds, some reactions with the SiH-N bond (D.A. Armitage, M.J. Clark), (24)629
- Silyl azide Grignard adducts, mechanisms of the thermolysis of (N. Wiberg, W.-C. Joo), (22)349
- Silyl azides, facile preparation with dipolar aprotic solvents (S.S. Washburne, W.R. Peterson, Jr.), (33)153
- , mechanisms of the reactions with Grignard compounds (N. Wiberg, W.-C. Joo, P. Olbert), (22)341
- , photolysis (D.W. Klein, J.W. Connolly), (33)311
- , reactions with Grignard compounds (N. Wiberg, W.-C. Joo), (22)333
- Silyl, disilyl and silylmethyl substituted π -cyclopentadienyl metal carbonyls via organotin intermediates (E.W. Abel, S. Moorhouse), (29)227
- α -Silyl ketones, preparation from α -ethylenic acid chlorides (J. Dunoguès, M. Bolourtchian, R. Calas, N. Duffaut, J.-P. Picard), (43)157
- Silyl radicals, chlorine-abstraction and chlorine-migration reactions of (D. Atton, S.A. Bone, I.M.T. Davidson), (39)C47
- Silyl substituted polyynes, base-catalyzed cleavage of (R. Eastmond, T.R. Johnson, D.R.M. Walton), (50)87
- 2-Silyl substituted pyridines, anhydride, acid halide and chloroformate cleavage of the silicon-carbon bond (F.H. Pinkerton, S.F. Thames), (24)623
- α -Silylalkynes, $\text{R}'\text{C}\equiv\text{CSiR}_3$, sulphonation and synthesis of α -acetylenesulphonic acids (P. Bourgeois, R. Calas), (22)89
- (Silylamino)boranes by cleavage of boron-halogen bonds with heptamethyldisilazane (H. Nöth, M.J. Sprague), (22)11
- Silylammonium and silylphosphonium compounds, synthesis by reaction of amines and phosphines with silylcobalt tetracarbonyls (J.F. Bald, Jr., A.G. MacDiarmid), (22)C22
- N*-Silylaniline derivatives, quantum chemical calculations of the structure of (J. Nagy, P. Hencsei), (38)261
- Silyl-, methylsilyl- and dimethylsilylarenes, conformations of (R.J. Ouellette, J.M. Pang, S.H. Williams), (39)267
- Silylated allenes from some perhalogenated hydrocarbons, formation (D.H. Ballard, T. Brennan, H. Gilman), (22)583
- α -Silylated allenic derivatives, production by monodesilylation of 1,3-bis(trimethylsilyl)propyne (P. Bourgeois, G. Mèrault), (39)C44
- C-Silylated amino acids, synthesis of (N. Duffaut, P. Bourgeois, J. Dunoguès, R. Calas), (46)C41
- Silylated sulphoximines, trans-silylation experiments (W. Wolfsberger, H. Schmidbaur), (28)317
- Silylation of aromatic amides (P. Bourgeois, R. Calas, N. Duffaut, J. Dunoguès), (32)79
- Silylation of aromatic enoxysilanes (P. Cazeau, E. Frainnet, J. Dunoguès, R. Calas), (35)C11
- C-Silylation of *N*-arylated aromatic amides, mechanism of (P. Bourgeois, N. Duffaut), (35)63
- C-Silylation of cinnamic esters by means of the trialkylchlorosilane/magnesium/HMPT system (J.P. Picard), (34)279
- Silylation of α -ethylenic nitriles (M. Bolourtchian, R. Calas, J. Dunoguès, N. Duffaut), (33)303
- Silylation of intermediates formed during metalation of chloroacetonitriles (B. Martel, M. Varache), (38)C29
- C-Silylation of ketones starting from chlorotrialkylsilanes and magnesium (R. Calas,

- J. Dunoguès, J.-P. Pillot, C. Biran, N. Duffaut), (25)43
- Silylation of nitriles and aromatic imines (C. Biran, R. Calas, J. Dunoguès, N. Duffaut), (22)557
- C-Silylation starting from acidic chlorides (J.-P. Picard, P. Bourgeois, J. Dunoguès, R. Calas), (39)C49
- Silylcyclopentadiene, molecular structure in the gas phase (J.E. Bentham, D.W.H. Rankin), (30)C54
- O-Silyl- β -dicarbonyl optically active compounds, reactions of (I.K. Kusnezowa, K. Rühlmann), (50)81
- Silylenes in the pyrolysis of silicon compounds, factor influencing the formation of (I.M.T. Davidson), (24)97
- Silylethylene compounds, quantum chemical investigations of the σ - and π -bonding system (J. Nagy, M.T. Vándorffy), (31)205, 217
- Silylmethyl- and silylacetyl-iron complexes, rearrangements (K.H. Pannell), (21)P17
- Silylphosphine imines, trans-silylation reactions (W. Wolfsberger, H.H. Pickel, H. Schmidbaur), (28)307
- Silylphosphines and silylarsines, reactions with covalent halides (J.E. Byrne, C.R. Russ), (38)319
- 4-Silyltetrachloropyridines (S.S. Dua, R.C. Edmondson, H. Gilman), (27)33
- Silylthioethers, novel route to (I. Ojima, M. Nihonyanagi, Y. Nagai), (50)C26
- Silyltriazenes, thermolysis of (N. Wiberg, H.J. Pracht), (40)289
- Si-Si/Si-Si redistribution of hexaalkyldisilanes catalyzed by silyl anions (H. Sakurai, A. Okada), (35)C13
- Sodium and trimethylchlorosilane in reaction with 1,2-diketones (K. Rühlmann, B. Fichte, T. Kiriakidis, C. Michael, G. Michael, E. Gründemann), (34)41
- Sodium bis(trimethylsilyl)amide, action on dichloromethane in the presence of aromatic compounds (B. Martel, E. Aly), (29)61
- Stannyl and related radical adducts to cyclopentadiene, examination of structure and conformation by ESR (T. Kawamura, J.K. Kochi), (47)79
- Stereochemistry of reactions of Grignard reagents with asymmetric cyclosilanes (R. Corriu, J. Massé), (35)51
- Strained organosilicon heterocycles, role of the transition metal in homogeneous catalytic polymerisation of (C.S. Cundy, C. Eaborn, M.F. Lappert), (44)291
- Substituted ethylenes, photoelectron spectra and molecular properties; effects of α - and β -silyl substituents on π -systems (P. Mollère, H. Bock, G. Becker, G. Fritz), (46)89
- Substituted indenyl derivatives of silicon and tin, fluxional behaviour (A. Davison, P.E. Rakita), (23)407
- Substituted phenylsilanes, phenylmethylsilanes and phenyldimethylsilanes, correlation of Hammett σ -constants with NMR parameters (Y. Nagai, M.-A. Ohtsuki, T. Nakano, H. Watanabe), (35)81
- Substituted phenyl- and benzyltrimethylsilanes, electronic interactions in; IR intensities as a measure of intramolecular interactions (N.C. Cutress, A.R. Katritzky, C. Eaborn, D.R.M. Walton, R.D. Topsom), (43)131
- 2-Substituted pyridines, UV spectra, σ - π conjugation involving Group IV elements (W.K. Musker, R.L. Scholl), (27)37
- Substituted silacyclobutanes, sulphonating reactions (J. Dubac, P. Mazerolles, M. Lesbre, M. Joly), (25)367
- Sulphinylamino tin compounds (D.A. Armitage, A.W. Sinden), (44)C43
- Sulphur dioxide insertion into carbon-tin bonds; rearrangements accompanying insertion (C.W. Fong, W. Kitching), (22)107
- Tellurophene, synthesis of (T.J. Barton, R.W. Roth), (39)C66
- Tetraallylsilane, -germane and -tin, properties (M. Fishwick, M.G.H. Wallbridge), (25)69
- Tetrachlorosilicon and bis(trimethylsilyl)sodium amide, reaction resulting in 1,3,5,7-tetrakis-(trimethylsilyl)-2,2,6,6-tetramethyl-2,4,6-trisila-1,3,5-triazaspiro[3.3]heptane (U. Wannagat, J. Herzig, H. Bürger), (23)273
- Tetrakis(trimethylsilyl)allene, a convenient synthesis by metalation and silylation of allene (F. Jaffe), (23)53
- 1,1,3,3-Tetramethyl-1,3-disilacyclobutane and 1,1,3,3-tetramethyl-1-sila-3-germacyclobutane via active metal derivatives of bis-(chloromethyl)dimethylsilane (D. Seyferth, C.J. Attridge), (21)103
- Tetramethylene (α -trimethylsilyl- or α -trimethylstannyl)phenacyl sulphonium salts and ylides (K. Itoh, S. Kato, Y. Ishii), (34)293
- Tetramethylmetal and bis(trimethylmetal) compounds, mass spectrometry and thermochemistry (M.F. Lappert, J.B. Pedley, J. Simpson, T.R. Spalding), (29)195
- Tetramethylmetal compounds, photoelectron spectra of and the lack of participation of

- M d*-orbitals (R. Boschi, M.F. Lappert, J.B. Pedley, W. Schmidt, B.T. Wilkins), (50)69
- Tetramethylsilane, kinetic studies of the decomposition of (R.P. Clifford, B.G. Gowenlock, C.A.F. Johnson, J. Stevenson), (34)53
- 1,1,2,2-Tetramethyl-3,4,5,6-tetraphenyl-1,2-disila-3,4-cyclohexadiene, synthesis and oxidation of (Y. Nakadaira, H. Sakurai), (47)61
- Tetraneopentyllead, difficulties in the synthesis of (K.C. Williams), (24)399
- Tetraorganolead and hexaorganodilead compounds, reaction with ammonium hexachloroplumbate (B.C. Pant, W.E. Davidsohn), (39)295
- Tetraphenylsilicon, -germanium, -tin and -lead, piezoelectric organometallic crystals: growth and properties (H.W. Newkirk), (44)263
- Thermal rearrangements involving interchange between groups on silicon and those on its α -carbon (W.J. Bevan, R.N. Haszeldine, J. Middleton, A.E. Tipping), (23)C17
- Through-conjugation through a tetrahedral silicon atom (U. Weidner, A. Schweig), (37)C29
- 4-Tosyl-1,1-dimethyl-1-silacyclohexane, solvolysis (S.S. Washburne, R.R. Chawla), (31)C20
- Transition metal alkyl compounds, preferred conformations in (J. Thomson, W. Keeney, M.C. Baird, W.F. Reynolds), (40)205
- N*-(Trialkylsilyl)anilines, base-catalysed solvolysis of (A.R. Bassindale, C. Eaborn, D.R.M. Walton), (43)265
- , mechanism of the methanolysis of (A.R. Bassindale, C. Eaborn, D.R.M. Walton), (25)57; (27)C24
- Trichlorosilane, addition to myrcene (L.D. Nasiak, H.W. Post), (23)91
- Tricyclosilanes, synthesis and behaviour (R. Corriu, P. Gilard, J. Massé), (21)47
- Triethylsilane, action on phenylacetic acid esters (M. Paul, E. Frainnet), (30)C64
- Triethylsilanethiol and related compounds, reactions with triethylaluminium, -gallium and -indium (N.S. Vyazankin, M.N. Bochkarev, A.I. Charov), (27)175
- (2,4,6-Trimethoxyphenyl)trimethylsilane, acid cleavage of (C. Eaborn, Z.S. Salih, D.R.M. Walton), (36)47
- Trimethylchlorosilane, activity on epoxystyrene and 1,2-epoxybutane in the presence of magnesium (J. Dunoguès, R. Calas, N. Duffaut, J.-P. Picard), (26)C13
- , in the direct *C*-silylation of acetone (J. Dunoguès, R. Calas, N. Duffaut, P. Lapouyade), (49)C9
- , reactions with α - and β -ionone in the presence of magnesium (R. Calas, M. Bolourtchian, J. Dunoguès, N. Duffaut), (34)269
- Trimethylcyclopentadienylsilane, electron diffraction study of the molecular structure of (N.N. Veniaminov, Yu.A. Ustynuk, N.V. Alekseev, I.A. Ronova, Yu.T. Struchkov), (22)551
- Trimethylmetal derivatives of difunctional organic reagents, preparation and thermal reactions of (M. Wada, S.-I. Sato, M. Arimoto, M. Harakawa, R. Okawara), (39)99
- Trimethylsilane, kinetic study of the gas phase reaction with methyl chloride (C. Eaborn, J.M. Simmie, I.M.T. Davidson), (44)273
- Trimethylsilyl derivatives of diphenylmethane, phenanthrene, dihydrophenanthrene and pyrene, acid cleavage of and comparison of substituent effects in desilylation and detritiation (C. Eaborn, Z. Lasocki, J.A. Sperry), (35)245
- Trimethylsilyl groups, polyaddition to naphthalene and biphenyl (J. Dunoguès, R. Calas, C. Biran, N. Duffaut, P. Lapouyade), (23)C50
- Trimethylsilyl radicals, rate constant for the self-reaction of (P.T. Frangopol, K.U. Ingold), (25)C9
- Trimethylsilyl substituted bromoethylolithium and -magnesium reagents (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethylsilyl substituted chloromethylolithium reagents; $\text{Me}_3\text{SiCCl}_2\text{Li}$ and $(\text{Me}_3\text{Si})_2\text{CClLi}$ (D. Seyferth, E.M. Hanson, F.M. Armbrrecht, Jr.), (23)361
- Trimethylsilyl substituted halomethylmercury compounds as precursors for trimethylsilyl-substituted carbenes (D. Seyferth, E.M. Hanson), (27)19
- p*-(Trimethylsilyl)acetanilide, mass spectroscopic study (C. Lageot, Y. Limouzin, J.-C. Maire), (38)23
- (Trimethylsilyl)bicyclo[2.2.1]heptanones, preparation and characterization of (H.G. Kuivila, G.L. Grady), (21)302
- N*-Trimethylsilylcarbamic acid, trimethylsilyl ester (L. Birkofer, P. Sommer), (35)C15
- (Trimethylsilyl)cyclopentadiene, gas phase isomerization of (E.W. Abel, M.O. Dunster), (33)161

- , reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- 5-(Trimethylsilyl)cyclopentadiene, reactions with pentacarbonyliron and hexacarbonylmolybdenum (C.S. Kraihanzel, J. Conville), (23)357
- o*-(Trimethylsilyl)cyclopentadiene, intramolecular 1,5-transfer and equilibrium between the positional isomers of (K.W. Egger, T.L. James), (26)335
- Trimethylsilyldiazomethane, preparation and properties (D. Seyferth, H. Menzel, A.W. Dow, T.C. Flood), (44)279
- Trimethylsilyl-1,2-dihydrobenzocyclobutenes, base cleavage and its significance for the acidities of the 1-, 3-, and 4-positions of 1,2-dihydrobenzocyclobutene (C. Eaborn, A.A. Najam, D.R.M. Walton), (46)225
- Trimethylsilyldiphenylphosphine, and triphenylphosphine, influence on the 2 isomeric phthalyl chlorides (H. Kunzek, K. Rühlmann), (42)391
- , in reactions with aromatic acid chlorides to give aromatic acid phosphides (H. Kunzek, M. Braun, E. Nesener, K. Rühlmann), (49)149
- Trimethylsilyllithium, reaction with carbon monoxide (P. Jutzi, F.W. Schröder), (24)C43
- N*-[(Trimethylsilyl)methyl] aromatic amines, lowering of oxidation potentials of (B.E. Cooper, W.J. Owen), (29)33
- 2-(Trimethylsilyl)- and 2-(trimethylstannyl)-1-methylpyrrole and -thiophene, cleavage with carbonyl reagents (J.R. Pratt, F.H. Pinkerton, S.F. Thames), (38)29
- (Trimethylsilyl)methyl isocyanides, synthesis and thermal rearrangements (R. West, G.A. Gornowicz), (25)385
- 1- and 2-Trimethylsilylnaphthalene prepared from 1- and 2-trimethylsiloxynaphthalene (L. Birkofer, N. Ramadan), (44)C41
- (Trimethylsilyl)pyrazoles, rearrangement of the trimethylsilyl group in (D.H. O'Brien, C.-P. Hsung), (27)185
- p*-Trimethylsilylstyrene and its trichloroplatinic derivative, PMR study of (Y. Limouzin, J.C. Maire), (39)255
- Trimethylstannyl dibromomethylmagnesium chloride (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethyltridihalomethyl lithium reagents (D. Seyferth, F.M. Armbrecht, Jr., R.L. Lambert, Jr., W. Tronich), (44)299
- Triorganosilyl and -germyl sulfonic acid esters (E. Lindner, K. Schardt), (44)111
- Triorganotin hydrides and triorganostannyl-alkali compounds, cleavage reactions with phenyl azides (H. Schumann, S. Ronecker), (23)451
- Triphenylphosphine, reaction with organometal haloacetates (T. Okada, R. Okawara), (42)117
- Triphenylplumbyl-containing *p,p'*-disubstituted 1,3-diphenyltetramethyldisiloxanes (P.J. Moehs, B.C. Pant), (22)37
- Triphenylsilicon, -germanium and -tin azides, reactions with their corresponding hydrides (T.-T. Tsai, W.L. Lehn, C.J. Marshall, Jr.), (22)387
- (Triphenylsilyl)lithium, reaction with di- and trihalobenzenes (O.W. Steudel, A.C. Ranade, H. Gilman), (26)327
- Triphenylstibine in reactions with *t*-butyl- and triphenylsilyl hydroperoxides (G.A. Razuvaev, T.G. Brilkina, E.V. Krasilnikova, T.I. Zinovjeva, A.I. Filimonov), (40)151
- Tris- and tetrakis(dimethylphenylsilyl)methane (S.-L. Liu, M.-M. Ma), (24)89
- Tris- and tetrakis(trimethylsilyl)cyclopentadiene (P. Jutzi, R. Sauer), (50)C29
- Tris-silyl phosphines, restriction towards inversion (O.J. Scherer, R. Mergner), (40)C64
- Tris(triethylsilyl)silanes, preparation and spectra (H. Burger, W. Kilian), (26)47
- Tris(trimethylsilyl)halosilanes, preparation, properties, NMR, IR and Raman spectra, and normal coordinate analysis (H. Bürger, W. Kilian, K. Burczyk), (21)291
- [Tris(trimethylsilyl)methyl]lithium, alkyl lithium compound of unusual stability (M.A. Cook, C. Eaborn, A.E. Jukes, D.R.M. Walton), (24)529
- Tris[(trimethylsilyl)methyl]plumbylmagnesium chloride, preparation and reactions of (K.C. Williams), (23)465
- [Tris(trimethylsilyl)silyl]pentacarbonylmanganese, and related compounds, synthesis (B.K. Nicholson, J. Simpson), (32)C29
- , crystal and molecular structure of (B.K. Nicholson, J. Simpson, W.T. Robinson), (47)403
- α,β -Unsaturated organosilanes, ESR detection of radical-anion intermediates derived from (J.J. Eisch, L.E. Smith), (50)C18
- Vinyl and phenyl derivatives of disilane and digermane, ethanolysis catalyzed by palladium(II) complexes (K. Yamamoto, M. Kumada), (35)297

- Vinyl- and phenyl(aminoalkoxy)silanes, synthesis (R.C. Mehrotra, P. Bajaj), (25)359
- Vinyl- and allylsilanes, nature of bonding in, effects of σ - π (hyperconjugation) and p_{π} - d_{π} conjugation (U. Weidner, A. Schweig), (39)261
- Silver**
- Anionic metal carbonyl carboxylates (W.J. Schlientz, Y. Lavender, N. Welcman, R.B. King, J.K. Ruff), (33)357
- Arylsilver compounds, CO_2 complex formation with (C.D.M. Beverwijk, G.J.M. van der Kerk), (49)C59
- Carbon magnetic resonance spectra of organo-metallic π -propene complexes (K.R. Aris, V. Aris, J.M. Brown), (42)C67
- Carbonyl chemistry of the Group IB metals (Review) (M.I. Bruce), (44)209
- Cationic olefin complexes of copper(I), NMR studies of structure and bonding (R.G. Salomon, J.K. Kochi), (43)C7
- Ferrocenyl ketones, reaction with anhydrous silver tetrafluoroborate, new route to substituted ferricenium salts (P. Carty, M.F.A. Dove), (28)125
- HexamethylDewarbenzene, metal-catalysed electrocyclic reactions of (C.J. Attridge, S.J. Maddock), (26)C65
- Lithium bis(pentafluorophenyl)silver, $\text{LiAg}(\text{C}_6\text{F}_5)_2$ (V.B. Smith, A.G. Massey), (23)C9
- Perfluoroisopropylsilver, action on alkyl halides and carbon dioxide (G. Dubot, D. Mansuy, S. Lecolier, J.F. Normant), (42)C105
- Phenylsilver, synthesis and properties of (C.D.M. Beverwijk, G.J.M. van der Kerk), (43)C11
- Silver(I) and copper(I), π -complexes of cyclic allenes with (G. Nagendrappa, G.C. Joshi, D. Devaprabhakar), (27)421
- Silver(I) ions in catalysis of ring closure reactions of trienes (P.W.N.M. van Leeuwen, H.C. Volger, M. Appelman, C.J. Gaasbeek), (33)C49
- Triorganosilyl and -germyl sulfinic acid esters (E. Lindner, K. Schardt), (44)111
- Sodium**
- Alkali metal additions to unsaturated systems (V. Kalyanaraman, M.V. George), (47)225
- Alkali metal dibutylboron, reaction with alkyl halides in diethyl ether solution (D.J. Pasto, P.W. Wojtkowski), (34)251
- Alkali tetramethylindate, preparation and crystal structure of $\text{Li}[\text{In}(\text{CH}_3)_4]$ and $\text{Na}[\text{In}(\text{CH}_3)_4]$ (K. Hoffmann, E. Weiss), (37)1
- Alkali tetraphenylindates: $\text{M}[\text{In}(\text{C}_6\text{H}_5)_4]$, preparation of and crystal structure of $\text{Na}[\text{In}(\text{C}_6\text{H}_5)_4]$ (K. Hoffmann, E. Weiss), (50)25
- (Alkenyldimethylsilyl)carbenes, intramolecular reactions (J.W. Connolly, P.F. Fryer), (30)315
- σ - and π -Allyl and benzyl derivatives of mercury and palladium, metal hydride reduction of (M.L. Bullpitt, W. Kitching), (46)21
- Arylacetic acid esters, conversion with sodium and trimethylchlorosilane (K. Rühlmann, H. Seefluth, Th. Kiriakidis, G. Michael, H. Jancke, H. Kriegsmann), (27)327
- Asymmetrical tertiary stibines, $(\text{C}_6\text{H}_5)(\text{CH}_3)_2\text{RSb}$ and $[(\text{C}_6\text{H}_5)(\text{CH}_3)_2\text{Sb}]_2(\text{CH}_3)_n$, preparation of (S. Sato, Y. Matsumura, R. Okawara), (43)333
- (Benzyl chlorides)-chromium tricarbonyl and sodium thiocyanate exchange reactions in acetone, steric and electronic effects of (A. Cecon, S. Sartori), (50)161
- Bis(fulvalene)dicobalt hexafluorophosphate, synthesis of (A. Davison, J.C. Smart), (49)C43
- (Bromomethyl)tin compounds in reactions with sodium thiolates (R.D. Brasington, R.C. Poller), (40)115
- o*-Carboranecarboxylic acid chlorides, rearrangement in the reaction with $\text{NaFe}(\text{CO})_2\text{C}_2\text{H}_5$ - π (L.I. Zakharkin, L.V. Orlova, A.I. Kovredov, L.A. Fedorov, B.V. Lokshin), (27)95
- Cyclopentadienylalkali and cyclopentadienylmagnesium compounds in tetrahydrofuran, spectra (W.T. Ford), (32)27
- π -Cyclopentadienylnickelbis(diphenylphosphine)-alkylchloride, reaction with aqueous sodium cyanide (F. Sato, T. Uemura, M. Sato), (39)C25
- Dicyclooctatetraenehafnium and its derivatives (H.-J. Kablitz, R. Kallweit, G. Wilke), (44)C49
- 2,3-Diphenylquinoxaline and its cyclodehydrogenation to dibenzo[*a,c*]phenazine (J.G. Smith, E.M. Levi), (36)215
- Dithiophosphinate complexes, chemical behaviour towards metals of low-valent oxidation state (E. Lindner, K.-M. Matejcek), (29)283

- Ethylsodium, preparation and crystal structure (E. Weiss, G. Sauermann), (21)1
- [3]-Ferrocenophan-2-one tosylhydrazone, synthesis and thermal decomposition of its sodium salt (A. Sonoda, I. Moritani), (26)133
- Hexaalkyldisilanes, action of ketones and alcohols on, in the presence of catalysts (P. Gerval, R. Calas, E. Frainnet, J. Dunoguès), (31)329
- Hexacarbonylvanadates(-I), photolysis of solutions of (D. Rehder), (37)303
- Homoallylic molybdenum complexes, formation and σ - π rearrangement of (J.Y. Méroux, C. Charrier, J. Benaïm, J.L. Roustan, D. Commereuc), (39)321
- Interaction of organometallic reagents with certain aliphatic diazo compounds (E.M. Kaiser, C.D. Warner), (31)C17
- cis,trans*-Isomerism in *O*-silylated monocarbonyl compounds (G.S. Burlachenko, T.A. Manukina, Yu.I. Baukov), (33)C59
- Lithium- and tetraalkylammonium tetrabutylaluminates, preparation and characterization (T.D. Westmoreland, Jr., N. Ahmad, M.C. Day), (25)329
- Methylchlorogermanes and -stannanes, rates of reactions with sodium (D.S. Boak, N.J. Friswell, B.G. Gowenlock), (27)333
- (Methylsulphinyl)methylsodium and -sodium complexes with Lewis bases (K.R. Martin), (24)7
- Organogermyl- and organosilyl-benzene thiols, novel synthesis of, rearrangements of *p*-LiC₆H₄SMR₃ to *p*-R₃MC₆H₄SLi compounds (A.R. Bassindale, D.R.M. Walton), (25)389
- Organolithium and organosodium reagents, stereochemistry of the reactions with an asymmetric cyclosilane (R.J.P. Corriu, J.P.R. Massé), (34)221
- Organotin chlorides, reactions with sodium azide (H. Matsuda, F. Mori, A. Kashiwa, S. Matsuda, N. Kasai, K. Jitsumori), (34)1
- (2-Phenylethyl tosylate)- and (2-phenylethyl bromide)-chromium tricarbonyl, elimination from π -chromium tricarbonyl complexed arenes in reaction with ethanolic sodium ethoxide (A. Ceccon, G.S. Biserni), (39)313
- Radiochemical assay of some Group I organometal derivatives using tritiated propanol (D.R. Campbell), (26)1
- Reductive metalation of unsaturated compounds, the effect of allylic protons (J.G. Smith, R.T. Wikman), (49)91
- Sodium and potassium; Annual survey 1971 (W.H. Glaze), (48)65
- Sodium and trimethylchlorosilane in reactions with 1,2-diketones (K. Rühlmann, B. Fichte, T. Kiriakidis, C. Michael, G. Michael, E. Gründemann), (34)41
- Sodium bis(trimethylsilyl)amide, action on dichloromethane in the presence of aromatic compounds (B. Martel, E. Aly), (29)61
- , addition of α -mono- and α -dihaloesters to (J. Villiéras, D. Payan, Y. Anguelova, J.-F. Normant), (42)C5
- Sodium cyclopentadienyldicarbonylferrate, non-occurrence of ring-opening in the reaction with 1,2-dibromobenzocyclobutene (R.B. King, A. Efraty, W.C. Zipperer), (38)121
- Sodium pentaphenylchromate adducts, crystal and molecular structure, determined by X-ray spectroscopy (E. Müller, J. Krause, K. Schmiedeknecht), (44)127
- Sodium-potassium-biphenyl adduct, hydrolysis of (S.A. De Licastro, M.A. Ruveda), (39)225
- Sodium tetracarbonylcobaltate(-I) and trimethylcyclopropenyl tetrafluoroborate, nature of the reaction product (R.B. King, A. Efraty), (24)241
- Sodium tetraethylaluminum, ion-solvent effects on the PMR spectrum of; long-range aluminium-proton coupling (T.D. Westmoreland, Jr., N.S. Bhacca, J.D. Wander, M.C. Day), (38)1
- Stable hydride complexes of magnesium alkyls and aryls, preparation (E.C. Ashby, R.C. Arnott), (21)P29
- Tertiary phosphine and related substitution products of Group VI metal carbonyls, improved preparation (J. Chatt, C.J. Leigh, N. Thankarajan), (29)105
- Tetrachlorosilicon and bis(trimethylsilyl)-sodium amide, reaction resulting in 1,3,5,7-tetrakis(trimethylsilyl)-2,2,6,6-tetramethyl-2,4,6-trisila-1,3,5-triazaspiro[3.3]heptane (U. Wannagat, J. Herzig, H. Bürger), (23)373
- Tetraethylaluminum anions, vibrational spectra (C.A. Wilkie), (32)161
- Titanium hydride complexes, cyclopentadienyl ligands as a hydrogen source in the formation of (M.E. Vol'pin, A.A. Belyi, V.B. Shur, Yu.I. Lyakhovetsky, R.V. Kudryavtsev, N.N. Bubnov), (27)C5
- Trialkylgermyl alkali metal compounds, in hexamethylphosphoric triamide, preparation and structure (E.J. Bulten, J.G. Noltes), (29)397

—, reactions in hexamethylphosphoric triamide with inorganic and organic compounds (E.J. Bulten, J.G. Noltes), (29)409

Tri-1-naphthylborane, reactions with sodium and water (H.J. Shire, L.D. Hughes, P. Gesting), (24)53

Triphenylgermysodium and dimethylsodium, unexpected reaction in DMSO (D.J. Sandman, R. West), (30)C61

Tris(triphenylphosphine)dinitrogen cobalt hydride and sodium naphthalene, a hydrogenation catalyst formed from (S. Tyrik), (50)C46

Vicinal bis(dimethylarsino) compounds, synthesis (R.D. Feltham, H.G. Metzger), (33)347

Strontium

Calcium, strontium and barium; Annual survey 1971 (D. Seyferth), (41)9

Organo compounds of calcium, strontium and barium (M.A. Coles, F.A. Hart), (32)279

Tetraethylzinc complexes of calcium, strontium and barium (F. Kaufmann, A. Geraudelle, B. Kaempf, F. Schuë, A. Deluzarche, M. Maillard), (24)13

Sulphur

Aliphatic dithiol dianion bridged dinuclear organonickel compounds (F. Sato, T. Yoshida, M. Sato), (37)381

Alkoxy-, alkylthio- and (organylseleno)dialkylarsines (L.S. Sagan, R.A. Zingaro, K.J. Irgolic), (39)301

Alkylaluminium, -gallium and -indium compounds, sulphur dioxide insertion reactions (J. Weidlein), (24)63

Alkylcobaloximes, photochemical insertion of sulphur into the Co—C bond of (C. Giannotti, C. Fontaine, B. Septe, D. Doue), (39)C74

Alkylsilanes, cleavage by strong acids, formation of methanesulphonyl fluoride (C.M. Harbordt, D.H. O'Brien), (24)327

π -Allylic and σ -allylic complexes of palladium(II), ligand substituent effects on relative stabilities of (J. Powell, W.-L. Chan), (35)203

Aluminium and gallium alkyl halogen and pseudohalogen complexes (F. Weller, I.L. Wilson, K. Dehnicke), (30)C1

Aromatic tin and lead compounds with SO₂, cleavage of the metal—carbon bonds

(E. Lindner, U. Kunze), (23)C53

Arylstannanes, reactions with liquid SO₂

(U. Kunze, E. Lindner, J. Koola), (40)327

Arylsulphonyl isocyanates, addition reactions with organosilylamines and pyrolysis of the adducts (K. Itoh, N. Kato, Y. Ishi), (22)49

Benzazole pentacarbonyl complexes of chromium(0), molybdenum(0) and tungsten(0), linkage isomerisation of (J.C. Weis, W. Beck), (44)325

2-Benzthiazolyltrimethylsilane, new rearrangement reactions with (P. Jutzi, H.J. Hoffmann), (40)C61

(Benzyl chlorides)—chromium tricarbonyl and sodium thiocyanate exchange reactions in acetone, steric and electronic effects of (A. Cecon, S. Sartori), (50)161

(Benzyl thiocyanate)chromium tricarbonyl, isomerisation to isothiocyanate (A. Cecon), (29)C19

Binuclear disulphide-bridged derivative of cobalt carbonyl Co₂(CO)₈(C₆F₅SSC₆F₅) (G. Bor, G. Natile), (26)C33

Bis(μ -alkyl- and -phenylsulphidotricarbonyliron), stereochemistry of bis-substituted derivatives of (J.A. De Beer, R.J. Haines, R. Greatrex, N.N. Greenwood), (27)C33

Bis[μ -(*t*-butylsulphido)tricarbonyliron], reaction with tertiary and ditertiary phosphines and phosphites (J.A. de Beer, R.J. Haines), (37)173

Bis(diethylaluminium) sulphide and diethylaluminium thiolate or amide, reactions with ester (T. Hirabayashi, H. Imaeda, K. Itoh, Y. Ishii), (42)33

Bismuth—carbon bonds, formation by sulphur dioxide elimination (G.B. Deacon, G.D. Fallon, P.W. Felder), (26)C10

Bis(μ -phenylsulphidotricarbonyliron), tertiary phosphine, phosphite and stibine and ditertiary phosphine and arsine derivatives of (J.A. de Beer, R.J. Haines), (36)297

Bis[silylamino]boryl]amines, agents for syntheses of borazines and heterocyclic compounds (H. Nöth, M.J. Sprague), (23)323

Bis(tributyltin) derivatives, in the thiocarbonylation and iminocarbonylation reactions of 2-mercaptoethanol (S. Sakai, H. Niimi, Y. Ishii), (25)C23

2,5-Bis(trimethylsilyl)thiophene, interaction with *n*-butyllithium (F.H. Pinkerton, S.F. Thames), (29)C4

Bis(triphenyltin)oxide, reactions with thiourea and 1,3-disubstituted thioureas (R.A. Cardona, E.J. Kupchik, H.E. Hanke), (24)371

- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- (Bromomethyl)tin compounds in reactions with sodium thiolates (R.D. Brasington, R.C. Poller), (40)115
- Cacodyl derivatives of manganese carbonyls (J. Grobe, F. Kober), (29)295
- Carbon-tin bonds, thiocyanogen cleavage of (M.L. Bullpitt, W. Kitching), (34)321
- Carbonyl dithiophosphinato manganese and rhenium complexes, reactivity (E. Lindner, K.-M. Matejcek), (34)195
- CF₃S derivatives of manganese carbonyls, preparation (J.F. Grobe, F. Kober), (24)191
- Chalcogen containing silyl- and germyl-mercury compounds (E.N. Gladyshev, N.S. Vyazankin, V.S. Andreevichev, A.A. Klimov, G.A. Razuvaev), (28)C42
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- Chemical bond in (CH₃)_nSn(SCH₃)_{4-n} (n=0-3), NMR spectra (E.V. Van den Berghe, G.P. Van der Kelen), (26)207
- trans*-Chlorobis(triphenylphosphine)(thiocarbonyl)iridium(I), intermediates in a synthesis of (M. Kubota, C.R. Carey), (24)491
- Chlorocarbonylbis(triphenylphosphine)iridium(I), thermochemistry of adducts of oxygen and sulphur dioxide with (S.J. Ashcroft, C.T. Mortimer), (24)783
- (Chlorodimethylphosphine)- and (chlorodiphenylphosphine)-pentacarbonylmolybdenum, reactions with selected alcohols, ethanethiol, hydrogen sulphide, ammonia and several amines (C.S. Kraihanzel, C.M. Bartish), (43)343
- (Chloromethyl)thallium(III) compounds (T. Abe, R. Okawara), (43)117
- Cobalt carbonyl clusters (SCo₄(CO)₉[P(CH₃)₂]₂ and S₂Co₃(CO)₇P(CH₃)₂), mass spectrometry of (G. Natile, S. Pignataro, G. Innorta, G. Bor), (40)215
- Cycloheptathiophene ions and chromium tricarbonyl derivatives, theoretical and experimental studies (J. Arriau, J. Deschamps, T. Marey, J. Tirouflet), (46)323
- π -Cyclopentadienylnickel dithiolate complexes, preparation of (F. Sato, M. Sato), (50)C49
- π -Cyclopentadienyls of nickel(II), *S*-sulphinato- and thiolato-nickel compounds (M. Sato, F. Sato, N. Takemoto, K. Iida), (34)205
- 2,2-Dialkyl-1-oxa-3-aza-2-stannacyclopentanes and 2,2-dialkyl-1,3-diaza-2-stannacyclopentanes, reactions with carbon disulphide and phenyl isothiocyanate (S. Sakai, Y. Fujimura, Y. Ishii), (50)113
- Diboryl(poly)sulphanes, study on, and redox reaction between dialkylhaloboranes and sulphur compounds (W. Siebert, E. Gast, M. Schmidt), (23)329
- Dibutyltin(IV), *o*-aminophenol, *o*-phenylenediamine and *o*-aminothiophenol derivatives of (R.C. Mehrotra, B.P. Bachlas), (40)129
- μ -Dichlorobis[tetracarbonylrhenium(I)] with ligands having Group VI donor atoms, bridge splitting reactions (F. Waerone, S. Sergi, R. Pietropaolo), (24)453
- cis*-Dicyanoethylene-1,2-dithiolate ion, reactions with mono- and trisubstituted Group IVB organometallic compounds (E.S. Bretschneider, C.W. Allen), (38)43
- Dicyclooctadienylnickel(0), reactions with Me₂AlSPh, Et₂AlPPh₂ and (Me₂AlSCH₂)₂ (T. Hirabayashi, Y. Ishii), (39)C85
- Dicyclopentadienyldimethylzirconium and related cyclopentadienyl compounds, insertion reactions with SO₂ and NO (P.C. Wailes, H. Weigold, A.P. Bell), (34)155
- Di- π -cyclopentadienyltitanium di- μ -organothio copper(I) halides and chelating disulphide copper(I) halides (P.S. Braterman, V.A. Wilson), (31)131
- Di- π -cyclopentadienyltitanium pentachalcogenides [(C₅H₅)₂TiS_{5-x}Se_x], structural properties of π -(*h*⁵-C₅H₅)₂TiS₅ (E.F. Epstein, I. Bernal, H. Knöpf), (26)229
- Diethylaluminium dimethylamide, ethanethiolate and ethanolate, reactions with lactones or acid anhydrides (T. Hirabayashi, K. Itoh, S. Sakai, Y. Ishii), (25)33
- Diethylindium thiobenzoate, preparation and its reactions on hydrolysis and pyrolysis (H. Tada, R. Okawara), (28)21
- Dimetallic compounds derived from tetrachlorothiophene, preparation and reactions of (M.R. Smith, Jr., H. Gilman), (42)1
- Dimethylstannylbis(methanesulphinato), preparation by insertion of SO₂ in tetramethyltin and trimethylstannylmethanesulphinato (E. Lindner, D. Frembs), (34)C12
- Dimethyltin diisothiocyanate, crystal structure (R.A. Forder, G.M. Sheldrick), (22)611
- Dinuclear derivatives of iron containing bridging carbonyls and phosphido or sulphido groups (R.J. Haines, C.R. Nolte, R. Greatrex, N.N. Greenwood), (26)C45

- , synthesis and reactivity of (R.J. Haines, C.R. Nolte), (36)163
- μ, μ' -Diorganothiodimetallates, isomerism in and structure of $[\text{Fe}(\text{CO})_3\text{SCF}_3]_2\text{C}_4\text{F}_6$ (J.L. Davidson, W. Harrison, D.W.A. Sharp, G.A. Sim), (46)C47
- Diphenyltin chloride, 1/1 and 1/2 sulphoxide complexes, Mössbauer and IR spectra (R.S. Randall, R.W.J. Wedd, J.R. Sams), (30)C19
- Dithiocarboxylate complexes of manganese and rhenium, structure and bonding in (E. Lindner, R. Grimmer), (25)493
- (Dithioformato)bis(triphenylphosphine)dicarbonylrhenium, crystal and molecular structure (V.G. Albano, P.L. Bellon, G. Ciani), (31)75
- Dithiophosphinate complexes, chemical behaviour towards metals of low-valent oxidation state (E. Lindner, K.-M. Matejcek), (29)283
- Grignard reagents, reactions with organic peroxides and disulphides (A.W.P. Jarvie, D. Skelton), (30)145
- trans*-Hyrido(arenethiolato)bis(triphenylphosphine)platinum(II), transmission of electronic effects in (A.E. Keskinen, C.V. Senoff), (37)201
- (2-Hydroxyalkyl)silanes, rearrangement with thionyl chloride and phosphorous tribromide (A.J. Bourne, A.W.P. Jarvie), (24)335
- Indium compounds in reactions with trimethylstibine sulphide (T. Maeda, G. Yoshida, R. Okawara), (44)237
- Iridium(I) and rhodium(I) complexes containing π ligands, temperature-dependent sulphur dioxide addition (A. Palazzi, M. Graziani, L. Busetto, G. Carturan, U. Belluco), (25)249
- Iron carbonyls, bridged sulphido derivatives of (J.A. De Beer, R.J. Haines), (24)757
- , in reactions with ylides (H. Alper, R.A. Partis), (44)371
- Iron(II)-thioglycolic acid complex, crystallography of (S. Jeannin, Y. Jeannin, G. Lavigne), (40)187
- (Isothiocyanato)dicarbonyl-1,10-phenanthroline-(2-methylallyl)molybdenum $(\text{NCS}(\text{CO})_2(\text{C}_{12}\text{-H}_8\text{N}_2)(\text{C}_4\text{H}_7)\text{Mo})$, crystal structure (A.J. Graham, R.H. Fenn), (25)173
- Lithium alkyl amides (R_2NLi) in the cleavage of metal oxides and carboxy metal compounds (T. Cuvigny, H. Normant), (38)217
- Mercury-carbon bonds, formation by sulphur trioxide elimination (P.G. Cookson, G.B. Deacon), (27)C9
- Metal carbonyl carbene groups as electron withdrawing substituents in ferrocene, furan, thiophen and pyrrole (J.A. Connor, E.M. Jones, J.P. Lloyd), (24)C20
- Metal carbonyls and cyclopentadienyl metal carbonyls containing metal-metal bonds, sulphur dioxide reactions of (D.S. Field, M.J. Newlands), (27)221
- Metallocene dithiolene chelates, structure and synthesis of di- π -cyclopentadienyldithiophenylmolybdenum(IV) (A. Kutoglu, H. Köpf), (25)455
- Methylmercury(II) thiocyanate, complexation by ionic thiocyanate, laser Raman, IR and NMR spectra of (J. Relf, R.P. Cooney, H.F. Henneike), (39)75
- (Methylsulphinyl)methylolithium and -sodium complexes with Lewis bases (K.R. Martin), (24)7
- (Methylsulphonyl)trimethylgermane, preparation and properties of (E. Lindner, K. Schardt), (50)C33
- Monoalkyltin orthosulphites (C.H. Stapfer, R.H. Herber), (35)111
- Mono- and bidentate dithiophosphinato complexes of rhenium, preparation of (E. Lindner, H. Berke), (39)145
- Organogermyl- and organosilyl-benzene triols, novel synthesis of, rearrangement of $p\text{-LiC}_6\text{H}_4\text{SMR}_3$ to $p\text{-R}_3\text{MC}_6\text{H}_4\text{SLi}$ compounds (A.R. Bassindale, D.R.M. Walton), (25)389
- Organoindium compounds, reactions with sulphur dioxide (A.T.T. Hsieh), (27)293
- Organolead(IV) thiocyanate compounds (N. Bertazzi, G. Alonzo, A. Silvestri, G. Consiglio), (37)281
- Organolithium and Grignard reagents, reactions with the cyclopentadienyliron tricarbonyl cation and its derivatives (M.Y. Darenbourg), (38)133
- Organomercury, -tin and -lead derivatives, of 2,6-dimethyl-4-fluorothiophenol and 2,6-dibromo-4-fluorothiophenol, ^{19}F NMR study of steric hindrance and intramolecular coordination in (D.N. Kravtsov, B.A. Kvasov, L.S. Golovchenko, E.M. Rokhlina, E.I. Fedin), (39)107
- , -, of fluorophenols and fluorothiophenols, ^{19}F NMR study of electronic effects in (A.N. Nesmeyanov, D.N. Kravtsov, B.A. Kvasov, E.M. Rokhlina, V.M. Pachevskaya, L.S. Golovchenko, E.I. Fedin), (38)307

- Organometallic Lewis bases; IR and Raman spectra, investigations of the B–S bonds (H. Vahrenkamp), (28)181
 –, thiodimethylboranes (H. Vahrenkamp), (28)167
- Organosilicated sultines, insertion reactions of sulphuric anhydride in the silicon–carbon bond (J. Dubac, P. Mazerolles, M. Joly, W. Kitching, C.W. Fong, W.H. Atwell), (25)C20
- Organosilicon sultones and sultines; insertion reactions of sulphurous anhydride to Si–C bonds (J. Dubac, P. Mazerolles, M. Joly, W. Kitching, C.W. Fong, W.H. Atwell), (34)17
- Organosilicon sultones, competitive sulphonation reactions with other Si–X bonds (X = C, N, O, Cl), of the Si–C bonds in cyclosilabutanes (J. Dubac, P. Mazerolles, M. Joly), (22)C7
- Organosulphur derivatives of cobalt and iron carbonyls, differences in ligand transfer, stability and fragmentation on electron impact of (G. Natile, G. Bor), (35)185
- Organotin oxides, action of thionyl chloride on (R.C. Paul, K.K. Soni, S.P. Narula), (40)355
- Organotin sulphides, cleavage by aromatic sulphenyl compounds and divalent sulphur chlorides (J.L. Wardell, P.L. Clarke), (26)345
 –, spectroscopic properties (P.G. Harrison, S.R. Stobart), (47)89
- Oxidation of phenyl-substituted silole radical anions and dianions, chemiluminescence in (E.G. Janzen, W.B. Harrison, C.M. Dubose, Jr.), (40)281
- Palladium(II) chloride in reactions with allylic sulphides, formation of C–Pd σ complexes from (Y. Takahashi, A. Tokuda, S. Sakai, Y. Ishii), (35)415
- Phenyl isocyanate and phenyl isothiocyanate, addition of optically active aminosilanes to (K.D. Kaufmann, H. Bormann, K. Rühlmann, G. Engelhardt, H. Kriegsmann), (23)385
- Phenylisothiocyanate insertion into π -C₅H₅NiPBu₃SC₂H₅ (F. Sato, M. Sato), (46)C63
- Platinum–carbon σ -bonds, insertion of sulphur dioxide into (F. Faraone, L. Silvestro, S. Sergi, R. Pietropaolo), (46)379
- Polynuclear iron carbonyl dithiolene complexes (C.J. Jones, J.A. McCleverty, D.G. Orchard), (26)C19
- trans*-PtHX(PR₃)₂, reactivity with carbon disulphide (A. Palazzi, L. Busetto, M. Graziani), (30)273
- Ru₃(CO)₁₂ in reaction with chalcogen compounds (E. Sappa, O. Gambino, G. Cetini), (35)375
- Silyl- and germyl–sulphur compounds, some reactions with the S^{II}–N bond (D.A. Armitage, M.J. Clark), (24)629
- α -Silylalkynes, R'C \equiv CSiR₃, sulphonation and synthesis of α -acetylenesulphonic acids (P. Bourgeois, R. Calas), (22)89
- Silylated sulphoximines, trans-silylation experiments (W. Wolfsberger, H. Schmidbaur), (28)317
- Silylphosphines and silylarsines, reactions with covalent halides (J.E. Byrne, C.R. Russ), (38)319
- Stannyl and related radical adducts to cyclopentadiene, examination of structure and conformation by ESR (T. Kawamura, J.K. Kochi), (47)79
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505
- Substituted *N*-methylbenzenesulphonamides and their *N*-phenylmercury derivatives, PMR study of exchange reactions in (L.A. Fedorov, A.S. Peregudov, D.N. Kravtsov), (40)251
- Substituted silacyclobutanes, sulphonating reactions (J. Dubac, P. Mazerolles, M. Lesbre, M. Joly), (25)367
- Sulphinato complex intermediates in the Peters reaction (J.R. Brush, P.G. Cookson, G.B. Deacon), (34)C1
- S*-Sulphinato platinum(II) complexes, formation by insertion of SO₂ on Pt–C σ -bonds (F. Faraone, L. Silvestro, S. Sergi, R. Pietropaolo), (34)C55
- Sulphinato complexes of tin, ψ -tetra, penta- and hexa-coordinated (E. Lindner, U. Kunze, G. Vitzthum, G. Ritter, A. Haag), (24)131
- Sulphur diimine and carbodiimine compounds of rhodium and platinum (J. Kuyper, K. Vrieze, A. Oskam), (46)C25
- Sulphur dioxide insertion, into carbon–lead bonds (C.W. Fong, W. Kitching), (21)365
 –, into carbon–tin bonds; rearrangements accompanying insertion (C.W. Fong, W. Kitching), (22)107
 –, –, scope of the reaction and nature of the products (C.W. Fong, W. Kitching), (22)95
 –, into palladium–oxygen bonds (M. Graziani, R. Ros, G. Carturan), (27)C19

- Sulphur substituted tetraorganotin compounds, preparation and reactions (D.J. Peterson), (26)215
- Symmetrically disubstituted ferrocenes, synthesis of potential bidentate ligands (J.J. Bishop, A. Davison, M.L. Katcher, D.W. Lichtenberg, R.E. Merrill, J.C. Smart), (27)241
- Tetraalkylstannanes, reactions with fluid SO_2 (U. Kunze, E. Lindner, J. Koola), (38)51
- Tetracarbonyl(diethyldithiophosphinate)manganese and -rhenium, preparation and properties (E. Lindner, K.-M. Matejcek), (24)C57
- Tetrafluoroaryl derivatives of phosphorus and sulphur, synthesis (P.G. Eller, D.W. Meek), (22)631
- Tetraorganotin compounds, behaviour against fluid sulphur dioxide (E. Lindner, U. Kunze, G. Ritter, A. Haag), (24)119
- Thioboranes $(\text{RS})_n\text{BX}_{3-n}$, synthesis and properties (W. Siebert, F.R. Rittig, M. Schmidt), (22)511
- Thiolatonicel compounds, carbon disulphide insertion reactions with (F. Sato, K. Iida, M. Sato), (39)197
- Thiophosphinato-manganese complexes, study of (E. Lindner, H.-M. Ebinger), (47)133
- Trialkylindiums, SO_2 insertions reactions (H. Olapinski, J. Weidlein), (35)C53
- Tri-*n*-butylphosphine- π -cyclopentadienylnickel mercaptides, synthesis and properties of (M. Sato, T. Yoshida), (39)389
- Triethylsilanethiol and related compounds, reactions with triethylaluminium, -gallium and -indium (N.S. Vyazankin, M.N. Bochkarev, A.I. Charov), (27)175
- Trimethylaluminium pseudohalide complexes, preparation, ^1H NMR and Raman spectra (F. Weller, K. Dehnicke), (36)23
- Trimethylindium in the reaction with toluene-3,4-dithiol (A.F. Berniaz, D.G. Tuck), (46)243
- Trimethylmetal derivatives of difunctional organic reagents, preparation and thermal reactions of (M. Wada, S.-I. Sato, M. Aritomi, M. Harakawa, R. Okawara), (39)99
- 2-(Trimethylsilyl)- and 2-(trimethylstannyl)-1-methylpyrrole and -thiophene, cleavage with carbonyl reagents (J.R. Pratt, F.H. Pinkerton, S.F. Thames), (38)29
- Trimethyltin derivatives of 4-substituted phenyl sulphides, preparation and characterization (T.A. George), (31)233
- Triorganoantimony thioglycolates and glycolates, preparation and properties (Y. Matsumura, M. Shindo, R. Okawara), (27)357
- Triorganosilyl and -germyl sulfinic acid esters (E. Lindner, K. Schardt), (44)111
- Triphenylgermysodium and dimyslsodium, unexpected reaction in DMSO (D.J. Sandman, R. West), (30)C61
- Tris(organometal phosphine)tricarbonylchromium and -molybdenum complexes (H. Schumann, W.-W. Du Mont), (49)C25
- Tri- and tetrasulphinato complexes of tin (E. Lindner, U. Kunze, J. Koola), (31)59

Tantalum

- Cycloheptatriene, reaction with tantalum pentachloride (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (21)389
- Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113
- Neopentyl and related alkyls of chromium(IV) and other transition metals (W. Mowat, G. Wilkinson), (38)C35
- Seven coordinate derivatives of niobium, tantalum and vanadium, preparation (A. Davison, J.E. Ellis), (23)C1
- Substituted carbonyl anions of vanadium, niobium and tantalum, preparation (A. Davison, J.E. Ellis), (31)239

Technetium

- μ -Dichlorobis[tetracarbonylrhenium(II)] with ligands having Group VI donor atoms, bridge splitting reactions (F. Faraone, S. Sergi, R. Pietropaolo), (24)453
- Manganese, technetium and rhenium; Annual survey 1971 (A. Wojcicki), (45)335
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505

Tellurium

- Addition product of propylene and technetium tetrachloride, X-ray analysis (D. Kobelt, E.F. Paulus), (27)C63
- Aryltellurium trihalides, spectroscopic study of the hydrolysis products of (P. Thavornyutikarn, W.R. McWhinnie), (50)135

- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- Diarylditellurides, low frequency vibrational spectra (W.R. McWhinnie, P. Thavornnyutikarn), (35)149
- Dimethyltellurium diiodide, decomposition in polar solvents (K.P. Shrestha, J.S. Thayer), (27)79
- Diorganyl diselenides and ditellurides, reaction with organic mercury compounds, convenient method for the synthesis of unsymmetrical organic selenides and tellurides (Y. Okamoto, T. Yano), (29)99
- Iron and ruthenium carbonyls, tellurium and selenium derivatives (E.D. Schermer, W.H. Baddley), (30)67
- $Ru_3(CO)_{12}$ in reaction with chalcogen compounds (E. Sappa, O. Gambino, G. Cetini), (35)375
- Substituted Group VIIA metal carbonyls, calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, R.M. De Caluwe, G.P. Van der Kelen), (23)505
- Tellurium and selenium derivatives of π -cyclopentadienyliron dicarbonyl (E.D. Schermer, W.H. Baddley), (27)83
- Tellurophene, synthesis of (T.J. Barton, R.W. Roth), (39)C66
- Transition metal tellurophene complexes (K. Öfele, E. Dotzauer), (42)C87
- ### Terbium
- Lanthanide complexes with cyclooctatetraene dianion (F. Mares, K.O. Hodgson, A. Streitwieser, Jr.), (24)C68
- ### Thallium
- Alkyl(cyano)thallium derivatives (K. Tanaka, H. Kurosawa, R. Okawara), (30)1
- Arylthallium halides, syntheses and spectroscopic studies (A. McKillop, J.D. Hunt, E.C. Taylor), (24)77
- π -Benzeneruthenium(II) complexes, reactions with alkylating reagents (R.A. Zelonka, M.C. Baird), (44)383
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- $(C_6H_5)_2TiMn(CO)_5$ and $CITl[Mn(CO)_5]_2$, preparation of (H.-J. Haupt, F. Neumann), (50)63
- Covalent dialkylthallium-nitrogen compounds, synthesis of (B. Walther, K. Thiede), (32)C7
- Cyclopentadienylmolybdenum compounds, observations on stereochemistry (J.L. Calderon, F.A. Cotton), (30)377
- π -Cyclopentadienyls of palladium(II) and platinum(II) (R.J. Cross, R. Wardle), (23)C4
- Dialkylacetylenes, acetoxythallation of (R.K. Sharma, N.H. Fellers), (49)C69
- Dialkylthallium(III) compounds, redistribution reaction (M. Tanaka, H. Kurosawa, R. Okawara), (21)41
- Dialkylthallium halides, alkylation with Grignard reagents in diethyl ether solution (D.A. Heyman), (35)C57
- Diarylthallium(II) selenocyanates (T.N. Srivastava, K.K. Bajpai), (31)1
- Diethyl(triphenylgermylperoxy)thallium and diethyl(triphenylsilylperoxy)thallium, synthesis and reactivity of (G.A. Razuvaev, V.A. Dodonov, T.I. Starostina, T.A. Ivanova), (37)233
- Dimethylthallium- π -cyclopentadienyl molybdenum tricarbonyl (B. Walther, C. Rockstroh), (44)C4
- Indium(III) and thallium(III) complexes of the tetracarbonylcobaltate anion (W.R. Robinson, D.P. Schussler), (30)C5
- Methyl(allyl)thallium(III) derivatives, preparation and reactions (T. Abe, H. Kurosawa, R. Okawara), (25)353
- Methyl(cyclopentadienyl)thallium derivatives, preparation and properties (T. Abe, R. Okawara), (35)27
- Monomethyl- and monoethylthallium compounds, preparation by means of some methyl- and ethyltin derivatives (T. Fukumoto, H. Kurosawa, R. Okawara), (22)627
- Monophenylthallium(III), coordination with tri- and tetradentate ligands (L. Pellerito, R. Cefaldì, G. Ruisi), (44)243
- Organometallic 8-membered cyclic compounds of aluminium, gallium, indium and thallium (Review) (J. Weidlein), (49)257
- Organothallium compounds, exchange of phenyl groups between Ph_2Tl^+ and Ph_2Hg (G.A. Hammond, D.R. Pollard), (36)249
- Phenylthallium(III) compounds, preparation and properties (A.G. Lee), (22)537
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149

- Substituted thallium(I) cyclopentadienyls, ^1H NMR investigations (H.P. Fritz, F.H. Köhler), (30)177
- Thallium(I) and dimethylthallium(III) diphenylphosphine (B. Walther), (38)237
- Thallium; Annual survey 1971 (J.P. Oliver), (45)229
- Thallos tetracarbonylcobaltate, a convenient and versatile source of the tetracarbonylcobaltate anion (S.E. Pedersen, W.R. Robinson, D.P. Schussler), (43)C44
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- Triorganothallium compounds, reactions with *N*-bromodicarbonylimides and dicarbonylimides (B. Walther, C. Rockstroh), (42)41
- Tris(pentacarbonylmanganese)thallium(III), preparation and some reactions of (A.T.T. Hsieh, M.J. Mays), (22)29
- , preparation from thallium(I) salts and pentacarbonylmanganese sodium (H.-J. Haupt, F. Neumann), (33)C56
- , synthesis of (A.T.T. Hsieh, M.J. Mays), (38)243
- Thorium**
- Organometallic boron complexes, possible ^1H - ^{11}B nuclear spin decouplings by ^{11}B quadrupole relaxation (R. v. Ammon, B. Kanellakopoulos, G. Schmid, R.D. Fischer), (25)C1
- Thulium**
- Cyclopentadienyl complexes of uranium and some lanthanides, vapour pressure measurements by the effusion method (H.O. Haug), (30)53
- Tin**
- Action of *N*-bromosuccinimide on organotin derivatives (J.C. Maire, R. Prosperini, J. van Rietschoten), (21)P41
- Acyclic ketoorganotins, skeletal rearrangement on electron impact (H.G. Kuivila, K.-H. Tsai, D.G.I. Kingston), (23)129
- Acylation at the tin atom of Sn-H-, Sn-C-, Sn-Sn- and Sn-O-groups with lead tetraacetate (U. Christen, W.P. Neumann), (39)C58
- Acylation of acidic nitrogen compounds via their *N*-stannyl derivatives (S. Freireich, D. Gertner, A. Zilkha), (35)303
- Alkenyltin compounds, addition of thiols to (G. Ayrey, R.D. Brasington, R.C. Poller), (35)105
- [2-(Alkoxy carbonyl)ethyl] tin derivatives, preparation and structure (S. Matsuda, M. Nomura), (25)101
- Alkoxytriorganotins and compounds with Si-H bonds, stereochemistry of exchange reactions (M. Pereyre, J. Pijselman), (25)C27
- Alkylation of lead and tin, effect of halide ions in (R. Galli, B.M. Giannaccari, L. Cassar), (25)429
- Alkylvinylsilane and alkylvinyltin complexes of copper(I) chloride, preparation (J.W. Fitch, D.P. Flores, J.E. George), (29)263
- Allenyl and propargyl iodides, preparation by cleavage of iodoallenyl- and iodopropargyltin compounds (M.S. Simo, A. Jean, M. Lequan), (35)C23
- Allyl complexes of platinum and palladium, and diene complexes of rhodium, interaction of tin(II) chloride with (J.N. Crosby, R.D.W. Kemmitt), (26)277
- π -Allylic complexes [$(\pi\text{-C}_4\text{H}_7\text{-}$ and $\pi\text{-C}_3\text{H}_5\text{)Pd-}$ (PPh₂R)SnCl₂], NMR spectra of (M. Sakakibara, Y. Takahashi, S. Sakai, Y. Ishii), (27)139
- Allylic derivatives of Group IVB elements, high resolution NMR studies (R.G. Jones, P. Partington, W.J. Rennie, R.M.G. Roberts), (35)291
- Allylic organotin compounds, reactivity and new cases of allylic transposition (C. Servens, M. Pereyre), (26)C4
- Allylic tin compounds, cleavage by iodine (R.M.G. Roberts), (24)675
- Allyltin carboxylates, preparation and properties of (V. Peruzzo, G. Plazzogna, G. Tagliavini), (40)121
- Aminostannanes, Bu₃SnNR₂, reactions with aldehydes and ketones (J.-C. Pommier, A. Roubineau), (50)101
- Aromatic tin and lead compounds with SO₂, cleavage of the metal-carbon bonds (E. Lindner, U. Kunze), (23)C53
- Arylstannanes, reactions with liquid SO₂ (U. Kunze, E. Lindner, J. Koola), (40)327
- Aryltrimethylstannanes, in aqueous ethanol, effect of solvent composition on the rate of acid cleavage (C. Eaborn, A.R. Thompson, D.R.M. Walton), (29)257

- , interaction with cyanogen chloride and bromide; a route to aryl cyanides (E.H. Bartlett, C. Eaborn, D.R.M. Walton), (46)267
- Asymmetric heptamethyldimetalazanes ($\text{Me}_3\text{M}-\text{NMe}-\text{M}'\text{Me}_3$) addition reactions with heterocumulenes (K. Itoh, T. Katsura, I. Matsuda, Y. Ishii), (34)63
- Base-catalyzed cleavage of benzyl-tin and aryl-tin bonds, question of the intermediacy of carbanions (A. Alexander, C. Eaborn, T.G. Traylor), (21)P65
- π -Benzeneruthenium(II) complexes, reactions with alkylating reagents (R.A. Zelonka, M.C. Baird), (44)383
- Benzyltin derivatives, ^1H and ^{119}Sn NMR spectra of (L. Verdonck, G.P. Van der Kelen), (40)139
- Bicyclic organotin compounds, synthesis and spectroscopic studies (C.H.W. Jones, R.G. Jones, P. Partington, R.M.G. Roberts), (32)201
- Bimolecular homolytic alkoxydealkylation of organotin compounds (A.G. Davies, B.P. Roberts, J.C. Scaiano), (39)C55
- Bis(acetylacetonate)ethylenediimine adducts of organotin(IV) halides (R. Barbieri, R. Cefalù, S.C. Chandra, R.H. Herber), (32)97
- , solution chemistry of (R. Cefalù, L. Pellerito, R. Barbieri), (32)107
- Bis- and tetrakis-complexes of trimethyl- and dimethyltin(IV) cations: $\text{Me}_3\text{SnL}_2\text{BPh}_4$ and $\text{Me}_2\text{SnL}_4(\text{BPh}_4)_2$ (W. Kitching, V.G. Kumar Das, C.J. Moore), (22)399
- [1,2-Bis(ethoxycarbonyl)ethyl]tin trichloride, synthesis (I. Omae, K. Yamaguchi, S. Matsuda), (24)663
- [2,3-Bis(ethoxycarbonyl)propyl]tri-n-butyltin, bromination and hydrolysis of its monobromination product (I. Omae, S. Onishi, S. Matsuda), (22)623
- Bis[(silylamino)boryl]amines, agents for syntheses of borazines and heterocyclic compounds (H. Nöth, M.J. Sprague), (23)323
- Bis-stannyl-benzylpinacols, photochemical preparation of, as well as thermal dissociation of benzylpinacol derivatives in free aryl $_2\text{COR}$ radicals (H. Hillgärtner, B. Schroeder, W.P. Neumann), (42)C83
- Bis(trialkyl)stannylamines, synthesis and IR and Raman spectra (H.J. Götze), (47)C25
- Bis(tributyltin) derivatives, in the thiocarbonylation and iminocarbonylation reactions of 2-mercaptoethanol (S. Sakai, H. Niimi, Y. Ishii), (25)C23
- Bis(trimethylgermyl)- and bis(trimethylstannyl)-cyclopentadienes, non-degenerate metalotropic rearrangement in (Yu.A. Ustynyuk, A.V. Kisin, A.A. Zenkin), (37)101
- Bis(trimethylsilyl)-, -germyl)-, -stannyl)-, bis(methyldichlorosilyl)- and (trimethylsilyl)-propynylmercury, PMR investigation of self exchange of (T.F. Schaaf, J.P. Oliver), (32)307
- Bis(trimethylsilyl)mercury, conversion with organotin compounds with Sn-O or Sn-N groups (T.M. Mitchell, W.P. Neumann), (22)C25
- Bis(trimethylstannyl)methylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, U. Arbenz), (22)411
- Bis(triphenylstannyl)carbodiimide, *N*-(triphenylstannyl)-*N'*-tritylcarbodiimide and (triphenylstannyl)cyanamide (R.A. Cardona, E.J. Kupchik), (34)129
- Bis(triphenyltin) oxide, in reaction with mercuric halides and related reactions (D. Datta, B. Majee, A.K. Ghosh), (29)251
- , reactions with thiourea and 1,3-disubstituted thioureas (R.A. Cardona, E.J. Kupchik, H.E. Hanke), (24)371
- Bis[tris(trimethylsilylmethyl)stannyl]mercury; a stable stannylmercury compound (O.A. Kruglaya, G.S. Kalinina, B.I. Petrov, N.S. Vyazankin), (46)51
- (*p*→*d*) π Bonding in phenyltrichloro-tin, -germane and -silane (G.M. Whitesides, J.G. Selgestad, S.P. Thomas, D.W. Andrews, B.A. Morrison, E.J. Panek, J. San Filippo, Jr.), (22)365
- Boranes and carboranes, reactions with silanes, organosilanes and related compounds (W.A. Ledoux, R.N. Grimes), (28)37
- Branched-chain triphenyltin carboxylates, Mössbauer study of tetra- and penta-coordination in (B.F.E. Ford, J.R. Sams), (21)345
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- (Bromomethyl)tin compounds in reactions with sodium thiolates (R.D. Brasington, R.C. Poller), (40)115
- Butyltin(IV), dialkyltin(IV) and simple and mixed hexahalostannate complexes, preparation and Mössbauer spectra (A.G. Davies, L. Smith, P.J. Smith), (23)135
- Carbon-tin bonds, thiocyanogen cleavage of (M.L. Bullpitt, W. Kitching), (34)321

- C-Carbonyl derivatives of the methylidynetricobalt nonacarbonyl cluster (D. Seyferth, G.H. Williams), (38)C11
- Chemical bond in $(\text{CH}_3)_n\text{Sn}(\text{SCH}_3)_{4-n}$ ($n = 0-3$), NMR spectra (E.V. Van den Berghe, G.P. Van der Kelen), (26)207
- Chlorotris(tetracarbonylcobalt)tin, crystal structure (B.P. Bir'yukov, E.A. Kukhtenkova, Yu.T. Struchkov, K.N. Anisimov, N.E. Kolobova, V.I. Khandozhko), (27)337
- $(\text{C}_6\text{H}_5)_3\text{SnFe}(\text{CO})_2\text{NOL}$ and related complexes, dipole moments and molecular conformations of (S. Sorriso, G. Distefano, A. Foffani), (47)139
- Cinnamyl and benzyl derivatives of Group IVB elements, reactions in strongly basic media (W.J. Rennie, R.M.G. Roberts), (37)77
- trans*-Cinnamyltriethyl- and *trans*-cinnamyltriphenyl-tin, reactions with tribromoborane; preferential transfer of the cinnamyl group from tin to boron (Y. Tanigawa, I. Moritani, S. Nishida), (28)73
- p*- ClC_6H_4 - MMe_3 compounds ($\text{M} = \text{C}, \text{Si}, \text{Ge}, \text{Sn}$), ^{35}Cl nuclear quadrupole resonance study of (E.A. Lucken, S. Ardjomand, Y. Limouzin, J.C. Maire), (37)247
- Cleavage of molybdenum-tin and tungsten-tin bonds and synthesis of novel organomercury derivatives (R.M.G. Roberts), (40)359
- Comparative study of the Si-Fe, Ge-Fe and Sn-Fe bonds and some further reactions of the Sn-Mn bond (R.E.J. Bichler, M.R. Booth, H.C. Clark), (24)145
- Complexes of diorganotin(IV) with bis(salicyclic aldehyde)ethylenediimine, Mössbauer and IR spectra (R. Barbieri, R.H. Herber), (42)65
- Compounds containing Group IV-Group II metal-metal bonds, synthesis and properties of (F.J.A. des Tombe, G.J.M. van der Kerk, H.M.J.C. Creemers, N.A.D. Carey, J.G. Noltes), (44)247
- Compounds with a chiral tin atom α to an asymmetric carbon atom; diastereoisomerism of (A. Jean, M. Lequan), (36)C9
- Conjugated butadienyllead and -tin compounds (E.C. Juenge, T.E. Snider, Y.-C. Lee), (22)403
- (2-Cyanoethyl)- and [2-(methoxycarbonyl)ethyl]-metals, photochemistry and mass spectra (G. Ahlgren, B. Åkermark, M. Nilsson), (30)303
- σ -Cyclopentadienyl compounds of silicon, germanium and tin, ^{13}C NMR spectra of (Yu.K. Grishin, N.M. Sergeyev, Yu.A. Ustynyuk), (22)361
- , of silicon, germanium, tin and lead (Review) (E.W. Abel, M.O. Dunster, A. Waters), (49)287
- Cyclopentadienyltin(II) halides, novel type of divalent organotin compounds (K.D. Bos, E.J. Bulten, J.G. Noltes), (39)C52
- Cyclopentadienyl(trimethyl)stannane, in the oxidative cleavage of the metal-metal bond of bi- or poly-nuclear carbonyl complexes (E.W. Abel, S.A. Keppie, M.F. Lappert, S. Moorhouse), (22)C31
- Cyclopentadienyltrimethyltin, criterion for distinguishing π - and σ -structures based on analysis of ^{13}C -H satellites in the PMR spectra (Yu.K. Grishin, N.M. Sergeyev, Yu.A. Ustynyuk), (34)105
- Del Re calculations of organotin compounds; variations in Sn-Cl, Sn-C and Sn-H stretching frequencies and Sn-Cl bond distance (R. Gupta, B. Majee), (36)71
- 2,2-Dialkyl-1-oxa-3-aza-2-stannacyclopentanes and 2,2-dialkyl-1,3-diaza-2-stannacyclopentanes, reactions with carbon disulphide and phenyl isothiocyanate (S. Sakai, Y. Fujimura, Y. Ishii), (50)113
- Di- and trialkyltin(IV) alkoxides, ^{119}Sn NMR and Mössbauer spectra of (P.J. Smith, R.F.M. White, L. Smith), (40)341
- Dialkyltin derivatives, peroxides derived from (R.L. Dannley, W.A. Aue, A.K. Shubber), (38)281
- Dialkyltin diisopropoxides, reactions with 2-(dimethylamino)- and 2-(diethylamino)-ethanol (R.C. Mehrotra, B.P. Bachlas), (22)121
- , reactions with 1-nitroso-2-naphthol (R.C. Mehrotra, B.P. Bachlas), (22)129
- Diaryl tin dihalides, coordination compounds with dimethylformamide (T.N. Srivastava, B. Misra), (32)331
- Dibromomethyl and bromochloromethyl derivatives of silicon and germanium, preparation by the (trihalomethyl)mercurial route and their reduction to monohalomethyl compounds (D. Seyferth, S.P. Hopper), (23)99
- Di-*t*-butylmercury, mercuration and demercuration by (U. Blaukat, W.P. Neumann), (49)323
- Dibutyltin(IV), *o*-aminophenol, *o*-phenylenediamine and *o*-aminothiophenol derivatives of (R.C. Mehrotra, B.P. Bachlas), (40)129

- 3-Dichloromethyl-1-metallacycloalkanes, thermolysis of (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29)371
- cis*-Dicyanoethylene-1,2-dithiolate ion, reactions with mono- and trisubstituted Group IVB organometallic compounds (E.S. Bretschneider, C.W. Allen), (38)43
- Dicyclopentadienyltin(II), reaction with phenylmagnesium bromide, ^{119}mSn Mössbauer investigation (P.G. Harrison, J.J. Zuckerman, J.G. Noltes), (31)C23
- 1,3-Difunctional tetraalkyldistannoxanes, investigations of the structure by Mössbauer spectroscopy and ^{119}Sn heteronuclear double magnetic resonance (A.G. Davies, L. Smith, P.J. Smith, W. McFarlane), (29)245
- 10,11-Dihydro-5*H*-dibenzo[*b,f*]metallepins of Group IV, synthesis and characterization of (J.Y. Corey, M. Dueber, M. Malaidza), (36)49
- 5,10-Dihydrophenazastannines, electron-impact induced fragmentation of (I. Lengyel, M.J. Aaronson), (42)95
- N,N*-Dimethylaminomethyl lithium preparation (D.J. Peterson), (21)P63
- Dimethylchlorotin carboxylates, hydrolysis of (C.S. Wang, J.M. Shreeve), (46)271
- , preparation and spectral studies of (C.S. Wang, J.M. Shreeve), (38)287
- , tetramethyl-1,3-bis(carboxy)distannoxanes and tetramethyl-1-(carboxy)-3-hydroxydistannoxanes, electron impact fragmentation of (C.S. Wang, J.M. Shreeve), (49)417
- Dimethylstannylbis(methanesulphinate), preparation by insertion of SO_2 in tetramethyltin and trimethylstannylmethanesulphinate (E. Lindner, D. Frembs), (34)C12
- Dimethyltin complexes derived from ONO tridentate Schiff bases, remarkable configurational changes in strong donor solvents (K. Kawakami, T. Tanaka), (49)409
- Dimethyltin diisothiocyanate, crystal structure (R.A. Forder, G.M. Sheldrick), (22)611
- Dinuclear tetracarbonylmanganese—organometal phosphine complexes (H. Schumann, H.-J. Kroth), (32)C47
- Diorganotin diisothiocyanate complexes with tridentate ligands, Mössbauer studies of (J.C. May, C. Curran), (39)289
- Diorganotin oxide/carboxylic ester reactions (C.H. Stapfer, R.D. Dworkin, L.B. Weisfeld), (24)355
- Diorganotin(IV)—Schiff base complexes (P.J. Smith, D. Dodd), (32)195
- Diphenyl-*N*-methylamine, organometallic derivatives of (B.R. LaLiberte, S.A. Leone), (37)209
- Diphenyltin chloride, 1/1 and 1/2 sulphoxide complexes, Mössbauer and IR spectra (R.S. Randall, R.W.J. Wedd, J.R. Sams), (30)C19
- Dipole moments of organotin compounds and variation in the Sn—Cl and Sn—C bond polarity (R. Gupta, B. Majee), (33)169
- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219
- Five-coordinated tin(IV) β -diketonate complexes, evidence for the formation of (D.W. Thompson, J.F. Lefelhocz), (47)103
- Fluoro-Group IV metal—organotransition metal compounds, synthesis; novel tetrafluoroborate fluorination (T.J. Marks, A.M. Seyam), (31)C62
- Formation of organotin compounds with Sn—Mg bonds (J.-C. Lahournère, J. Valade), (22)C3
- Functional alkylidynetricobalt nonacarbonyl complexes from dicobalt octacarbonyl, preparation of (D. Seyferth, J.E. Hallgren, P.L.K. Hung), (50)265
- Glycolates of mono-*n*-butyltin(IV) (D.P. Gaur, G. Srivastava, R.C. Mehrotra), (47)95
- Group IV element substituted acetylenes, Diels—Alder reaction of α -pyrone with (D. Seyferth, D.L. White), (34)119
- Group IV organometalloidal compounds, radical-anionic coupling of (J.J. Eisch, G. Gupta), (50)C23
- Group IVB alkyls, non-equivalent methylene protons in the 220 MHz spectra (C.J. Attridge, I. Struthers), (25)C17
- Group IVB compounds of indene and indane, σ — π conjugation in (P.E. Rakita, M.K. Hoffman, M.N. Andrews, M.M. Bursey), (49)213
- , reactions with acyl fluorides (J.D. Citron), (30)21
- Group IVB cyclopentadienyls, metallotropic rearrangements (A.V. Kisin, V.A. Korenevsky, N.M. Sergeev, Yu.A. Ustynyuk), (34)93

- 4- and 5-Haloalkoxytributyltin compounds, synthesis and properties, application in the preparation of tetrahydrofurans and tetrahydropyrans (B. Delmond, J.-C. Pommier, J. Valade), (50)121
- 3-Haloalkoxytributyltin compounds, synthesis and properties of (B. Delmond, J.-C. Pommier, J. Valade), (47)337
- (Halo-2-alkoxy)tributyltins, syntheses and properties; preparation of epoxides (B. Delmond, J.-C. Pommier, J. Valade), (35)91
- Halodemetalation of cyclopropyltrialkyltins, kinetic and stereochemical study, and solvent effect (M. Gielen, P. Baekelmans, J. Nasielski), (34)329
- Halomethylzinc halides in the preparation of monohalomethyl derivatives of germanium, tin, lead and mercury (D. Seyferth, S.B. Andrews), (30)151
- Heterogeneous binuclear dithiocarbamate complexes (W.K. Glass, T. Shiels), (35)C64
- Heteronuclear metal-metal bonded compounds; Fe-Ge, Ni-Ge and Ni-Sn bonds (R.C. Edmondson, E. Eisner, M.J. Newlands, L.K. Thompson), (35)119
- Hexaalkyldigermoxanes, monoalkoxytrialkylgermanes, dialkoxydialkylgermanes, germaxacycloalkanes, tentative correlation with their silicon and tin analogues (A. Marchand, M.-T. Forel, M. Lebedeff, J. Valade), (26)69
- Hexaalkyl-ditins and -digermanes, addition reactions to unsaturated systems (E.J. Bulten, H.A. Budding, J.G. Noltes), (22)C5
- Hexamethyl derivatives of Group IV-M elements, $(CH_3)_3MM'(CH_3)_3$, PMR spectra (C.F. Shaw III, A.L. Allred), (28)53
- Hexamethylditin, utilization in the synthesis of organotin-transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- , and hexaphenyldilead in reaction with *t*-butylperoxy radicals, kinetic ESR study of (J.A. Howard, E. Furimsky), (46)C45
- , photochemical behaviour (L. Wilputte-Steinert, J. Nasielski), (24)113
- Hydridoiodium complexes, reactions of tetracyanoethylene (M.S. Fraser, G.F. Everitt, W.H. Baddley), (35)403
- Hyperconjugation, an alternative to the concept of the $p_\pi-d_\pi$ bond in Group IV chemistry (C.G. Pitt), (23)C35
- α -Iodoalkyl derivatives of tin and mercury and bis[(trimethylsilyl)iodomethyl]mercury, improved synthesis by the organozinc route (D. Seyferth, S.B. Andrews, R.L. Lambert, Jr.), (37)69
- Iron-tin compounds, preparation and physical properties (D.S. Field, M.J. Newlands), (27)213
- cis,trans*-Isomerism in *O*-silylated monocarbonyl compounds (G.S. Burlachenko, T.A. Manukina, Yu.I. Baukov), (33)C59
- Kinetics and substitution effects of the exchange reactions between alkoxytriorganotin and compounds with Si-H bonds (J. Pijlselman, M. Pereyre), (32)C72
- Lithium alkyl amides (R_2NLi) in the cleavage of metal oxides and carboxy metal compounds (T. Cuvigny, H. Normant), (38)217
- Low symmetry 4-coordinate organotin compounds, ^{119}Sn Mössbauer quadrupole splittings of; application of the point charge model (G.M. Bancroft, K.D. Butler, A.T. Rake), (34)137
- Magnetic non-equivalence of methyl groups in organotin compounds (D.R. Morris, B.W. Rockett), (40)C21
- (Main Group)-metallomethyl substituent effects by ^{19}F resonance: effect of aryl ring size (W. Kitching, A.J. Smith, W. Adcock, S.Q.A. Rizvi), (42)373
- Me_3SnCl /solvent interaction studied through heteronuclear double magnetic $^1H-^{119}Sn$ resonance (V.N. Torocheshnikov, A.P. Tupčiauskas, N.M. Sergeev, Yu.A. Ustynyuk), (35)C25
- Metal-metal bond cleavage, exchange reactions (H.C. Clark, B.K. Hunter), (31)227
- Methanesulphonyltrimethylstannane, preparation and properties (G. Vitzthum, U. Kunze, E. Lindner), (21)P38
- Methyl(allyl)thallium(III) derivatives, preparation and reactions (T. Abe, H. Kurosawa, R. Okawara), (25)353
- Methylchlorogermanes and -stannanes, rates of reactions with sodium (D.S. Boak, N.J. Friswell, B.G. Gowenlock), (27)333
- Methyl(cyclopentadienyl)thallium derivatives, preparation and properties (T. Abe, R. Okawara), (35)27
- μ -Methylene transition metal binuclear compounds: complexes with $Me_3SiCH_2^-$ and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Methylethyl-*n*-propyltin iodide, reinvestigation of the resolution of (G. Redl), (22)139
- Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113
- Mixed tetraalkyltins and trimethyltin halides, mass spectra of (M. Gielen, G. Mayence), (46)281

- Monoalkyltin orthosulphites (C.H. Stapfer, R.H. Herber), (35)111
- Monomethyl- and monoethylthallium compounds, preparation by means of some methyl- and ethyltin derivatives (T. Fukumoto, H. Kurosawa, R. Okawara), (22)627
- Mono-organotin(IV) compounds, structure and reactions of (A.G. Davies, L. Smith, P.J. Smith), (39)279
- Mössbauer spectra of organotin compounds at room temperature (R.C. Poller, J.N.R. Ruddle, B. Taylor, D.L.B. Toley), (24)341
- Neighbouring group participation in organotin chemistry (R.M.G. Roberts), (32)323
- Organoaluminium β -diketonates (W.R. Kroll, I. Kuntz, E. Birnbaum), (26)313
- Organomercury, -tin and -lead derivatives, of 2,6-dimethyl-4-fluorothiophenol and 2,6-dibromo-4-fluorothiophenol, ^{19}F NMR study of steric hindrance and intramolecular coordination in (D.N. Kravtsov, B.A. Kvasov, L.S. Golovchenko, E.M. Rokhlina, E.I. Fedin), (39)107
- , —, of fluorophenols and fluorothiophenols, ^{19}F NMR study of electronic effects in (A.N. Nesmeyanov, D.N. Kravtsov, B.A. Kvasov, E.M. Rokhlina, V.M. Pachevskaya, L.S. Golovchenko, E.I. Fedin), (38)307
- Organometallic bis(*p*-hydroxyphenyl) derivatives of Group IV elements and related compounds (W. Davidsohn, B.R. LaLiberte, C.M. Goddard, M.C. Henry), (36)283
- Organometallic complexes of indene, sigma-tropism in (J. Dalton, C.A. McAuliffe), (39)251
- Organometallic dimethylamides, reactions with protic compounds (A.D. Jenkins, M.F. Lappert, R.C. Srivastava), (23)165
- Organometalstibines as ligands in transition metal carbonyl complexes (H. Schumann, H.J. Breunig), (27)C28
- Organosilicon and organotin hydrides, reaction with zinc carbenoids, generated from diethylzinc and geminal diiodoalkanes (J. Nishimura, J. Furukawa, N. Kawabata), (29)237
- Organosilicon-, organogermanium-, and organotin-substituted pyridine *N*-oxides, N—O stretching frequencies (M.A. Weiner), (23)C20
- Organostannylazoles, IR and Mössbauer spectra of (R. Gassend, J.C. Maire, Y. Richard), (42)C29
- Organostannylnitrosodicyanomethanide (H. Köhler, U. Lange, B. Eichler), (35)C17
- Organotin alcohols, deoxymetallations and 1,3 eliminations (D.D. Davis, R.L. Chambers, H.T. Johnson), (25)C13
- , synthesis by reaction of 1-alkoxy-3-halotriorganotins with magnesium (B. Delmond, J.-C. Pommier), (26)C7
- Organotin amine derivatives, IR and Raman spectra; determination of the valence force field of $\text{C}_3\text{SnN}(\text{CH}_3)_2$ (A. Marchand, C. Lemerle, M.-T. Forel), (42)353
- Organotin and -lead halides, ylid complexes of (J. Buckle, P.G. Harrison), (49)C17
- Organotin carbonyl derivatives, tautomerism (I.F. Lutsenko, Yu.I. Baukov, I.Yu. Belavin), (24)359
- Organotin carboxylates, exchange reactions (A.D. Cohen, C.R. Dillard), (25)421
- , ^{119}Sn chemical shifts in (W. McFarlane, R.J. Wood), (40)C17
- Organotin chemistry, diastereotopic nonequivalence in (M. Gielen, M.R. Barthels, M. de Clercq, C. Dehouck, G. Mayence), (34)315
- Organotin chlorides, reactions with sodium azide (H. Matsuda, F. Mori, A. Kashiwa, S. Matsuda, N. Kasai, K. Jitsumori), (34)341
- Organotin compounds, application of Mössbauer spectroscopy to the study of intermolecular association in (R.H. Platt), (24)C23
- , bond polarisability index and reactivity of (R. Gupta, B. Majee), (49)197
- , calculating heats of atomisation by the Del Re approximation (R. Gupta, B. Majee), (29)419
- , Del Re calculations and chemical reactivity (R. Gupta, B. Majee), (40)107
- , Mössbauer spectra of (R. Gupta, B. Majee), (49)203
- , NMR spectra and Del Re calculations (R. Gupta, B. Majee), (40)97
- , oxidation of alcohols to carbonyl derivatives of (J.-C. Pommier, M. Ratier, D. Chevolleau), (31)C59
- Organotin derivatives of substituted hydroxylamines (P.G. Harrison), (38)C5
- Organotin hydride addition to benzaldehydes, Hammett correlation for (G.L. Grady, J.R. Saucier, W.J. Foley, III, D.J. O'Hern, W.J. Weidmann), (35)307
- Organotin oxides, action of thionyl chloride on (R.C. Paul, K.K. Soni, S.P. Narula), (40)355
- Organotin sulphides, cleavage by aromatic sulphenyl compounds and divalent sulphur chlorides (J.L. Wardell, P.L. Clarke), (26)345

- , spectroscopic properties (P.G. Harrison, S.R. Stobart), (47)89
- Organotin—transition metal carbonyl complexes, synthesis from tris(trimethylstannyl)amine and hexamethyldistannoxane (E.W. Abel, M.O. Dunster), (49)435
- Oxidation of phenyl-substituted silole radical anions and dianions, chemiluminescence in (E.G. Janzen, W.B. Harrison, C.M. Dubose, Jr.), (40)281
- Palladium(II) and platinum(II) carbene complexes containing metal—tin bonds (F. Bonati, G. Minghetti, T. Boschi, B. Crociani), (25)255
- Palladium(II)—isocyanide complexes, reactions with phenyl derivatives of heavy metals (B. Crociani, M. Nicolini, T. Boschi), (33) C81
- Para*-substituted benzyltin compounds, far IR and Raman spectra (L. Verdonck, G.P. Van der Kelen), (40)135
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentacoordinated tin compounds, Mössbauer spectroscopy (M. Delmas, J.C. Maire, Y. Richard, G. Plazzogna, V. Peruzzo, G. Tagliavini), (30) C101
- Phenoxastannins, substituent effects in the electron-impact induced fragmentation (I. Lengyel, M.J. Aaronson, J.P. Dillon), (25)403
- Phenyl(bromodichloromethyl)mercury-derived dichlorocarbene, insertion into C—H bonds; further studies of the β -metal activated C—H insertion reaction (D. Seyferth, Y.M. Cheng, D.D. Traficante), (46)9
- , insertion into C—H bonds of tetraalkylgermanes (D. Seyferth, H.-M. Shih, P. Mazerolles, M. Lesbre, M. Joanny), (29) 371
- cis*- and *trans*-(2-Phenylcyclopropyl)trimethyltin, reaction with bromine or *N*-bromosuccinimide (K. Sisido, K. Ban, T. Isida, S. Kozima), (29)C7
- Phenylmercuric hydroxide and oxide (A.J. Bloodworth), (23)27
- Phenylmethylchlorogermanes and *p*-substituted phenyltrichlorogermanes, dipole moments of (V. Vaisarová, J. Hetflejš, V. Chvalovský), (22)395
- Phenylsilver, synthesis and properties of (C.D.M. Beverwijk, G.J.M. van der Kerk), (43)C11
- Ph₂Ge[Fe(CO)₂(η -C₅H₅)₂] and analogous compounds; photochemical decarbonylation (A.J. Cleland, S.A. Fieldhouse, B.H. Free-land, R.J. O'Brien), (32)C15
- Phosphinous acid silyl, germanyl and stannyl esters of the type (R₂P—O—)_{*n*}ER'_{4-*n*} (K. Issleib, B. Walther), (22)375
- Platinum(II)—metal bonded complexes (M. Akhtar, H.C. Clark), (22)233
- (Polyfluoroaryl)trimethyltin compounds, reaction with aromatic halides (P.L. Coe, G.M. Pearl), (31)55
- Polymetallated cyclopentadienes, synthesis (I.M. Pribytkova, A.V. Kisin, Yu.N. Luzikov, N.P. Makoveyeva, V.N. Torocheshnikov, Yu.A. Ustynyuk), (30)C57
- Polynuclear phenylphosphines, phenylarsines, (phenylphosphino)arsines and (phenylarsino)phosphines (H. Schumann, A. Roth, O. Stelzer), (24)183
- Poly(organtotin phosphonates) (S. Freireich, D. Gertner, A. Zilkha), (25)111
- Propargylic and allenic Group IVB compounds with two neighbouring asymmetric centers, evidence for diastereoisomerism (A. Jean, M. Lequan), (50)75
- Pyridine adduct of *n*-butyldichloro(2,4-pentanedionato)tin(IV), synthesis and characterization of (D.W. Thompson, J.F. Lefelhocz), (47)103
- Reaction of optically active (1-methyl-2,2-diphenylcyclopropyl)trimethyltin with bromine or iodine (K. Sisido, T. Miyani, T. Isida, S. Kozima), (23)117
- Reaction of sulphur dioxide with compounds containing Si—Fe, Ge—Fe and Sn—Fe bonds (R.E.J. Bichler, H.C. Clark), (23)427
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149
- Reactions of Si—Mn, Ge—Mn and Sn—Mn bonds with unsaturated fluorocarbons (H.C. Clark, T.L. Hauw), (42)429
- Reactivity of organotin compounds with tin—magnesium bonds; epoxides and oxetanes (J.-C. Lahournère, J. Valade), (33)C4
- , ethylenic ketones (J.-C. Lahournère, J. Valade), (33)C7
- R₃M—Hg—M'R₃ compounds, properties and exchange of trialkylmetal groups (T.N. Mitchell), (38)17

- R_3SnCl species in alcoholic solvents, use of the R_6Sn_2/R_3Sn^+ electrodes in determining the dissociation constants of (L. Doretti, P. Zanella, G. Tagliavini), (22)23
- Ruthenium(II) isocyanide complexes containing tin or mercury (B.E. Prater), (33)215
- Seven coordinate derivatives of niobium, tantalum and vanadium, preparation (A. Davison, J.E. Ellis), (23)C1
- 2-Silanorcaranes, synthesis of (E. Rosenberg, J.J. Zuckerman), (33)321
- Silicon-, germanium- and tin-substituted acetylenes and their dicobalt hexacarbonyl complexes (D. Seyferth, D.L. White), (32)317
- Silyl-, disilyl- and silylmethyl-substituted π -cyclopentadienyl metal carbonyls via organotin intermediates (E.W. Abel, S. Moorhouse), (29)227
- Stannic chloride in reaction with t-butoxyl radicals (A.G. Davies, B.P. Roberts, J.C. Scaiano), (42)C27
- Stannyl and related radical adducts to cyclopentadiene, examination of structure and conformation by ESR (T. Kawamura, J.K. Kochi), (47)79
- Stereochemistry of the addition of allyltin compounds to aldehydes (C. Servens, M. Pereyre), (35)C20
- Sterically-hindered organotin compounds, physico-chemical properties (M. Gielen, M. De Clercq), (47)351
- Structural organotin chemistry (*Review*) (B.Y.K. Ho, J.J. Zuckerman), (49)1
- Substituted aryltrimethyltins, $J(Sn-^{13}C)$ coupling constants in (C.D. Schaeffer, Jr., J.J. Zuckerman), (47)C1
- 2-Substituted ferrocenyltin compounds, and ferrocenes related to poly(vinyl chloride) stabilizers (D.R. Morris, B.W. Rockett), (35)179
- Substituted indenyl derivatives of silicon and tin, fluxional behaviour (A. Davison, P.E. Rakita), (23)407
- 2-Substituted pyridines, UV spectra, σ - π conjugation involving Group IV elements (W.K. Musker, R.L. Scholl), (27)37
- Sulphinato complexes of tin, ψ -tetra-, penta- and hexa-coordinated (E. Lindner, U. Kunze, G. Vitzthum, G. Ritter, A. Haag), (24)131
- Sulphinylaminotin compounds (D.A. Armitage, A.W. Sinden), (44)C43
- Sulphur dioxide insertion into carbon-tin bonds: scope of the reaction and nature of the products (C.W. Fong, W. Kitching), (22)95
- Sulphur-substituted tetraorganotin compounds, preparation and reactions (D.J. Peterson), (26)215
- Synthesis of 7- and 14-membered tin-containing heterocycles (A.J. Leusink, H.A. Budding, J.G. Noltes), (24)375
- Tertiary phosphine derivatives of carbonyl- π -cyclopentadienyliron- μ -dicarbonyl- π -cyclopentadienylnickel, preparation of (K. Yasufuku, H. Yamazaki), (38)367
- Tetraalkylstannanes, behaviour towards fluid SO_2 in the presence of 2,2'-bipyridine (E. Lindner, D.W.R. Frembs), (49)425
- , reactions with fluid SO_2 (U. Kunze, E. Lindner, J. Koola), (38)51
- Tetraallylsilane, -germane and -tin, properties (M. Fiswick, M.G.H. Wallbridge), (25)69
- Tetracarbonyl[1,2-bis(diphenylphosphino)ethane]vanadium(0), preparation of derivatives of (A. Davison, J.E. Ellis), (36)131
- Tetramethylene (α -trimethylsilyl- or α -trimethylstanny)phenacyl sulphonium salts and ylides (K. Itoh, S. Kato, Y. Ishii), (34)293
- Tetramethylmetal and bis(trimethylmetal) compounds, mass spectrometry and thermochemistry (M.F. Lappert, J.B. Pedley, J. Simpson, T.R. Spalding), (29)195
- Tetramethylmetal compounds, photoelectron spectra of and the lack of participation of M *d*-orbitals (R. Boschi, M.F. Lappert, J.B. Pedley, W. Schmidt, B.T. Wilkins), (50)69
- Tetraorganolead and hexaorganodilead compounds, reaction with ammonium hexachloroplumbate (B.C. Pant, W.E. Davidsohn), (39)295
- Tetraorganolead and tetraorganotin, acidolysis, influence of the organic ligand on the reactivity (V. Bade, F. Huber), (24)387
- Tetraorganotin compounds, behaviour against fluid sulphur dioxide (E. Lindner, U. Kunze, G. Ritter, A. Haag), (24)119
- Tetraorganotins, PMR spectra (M. Gielen, M. De Clercq, B. de Poorter), (34)305
- 1,1,2,2-Tetraphenyl-1,2-diacyloxyditiin compounds, configuration in solution (G. Plazzogna, V. Peruzzo, G. Tagliavini), (24)667
- Tetraphenylsilicon, -germanium, -tin and -lead, piezoelectric organometallic crystals: growth and properties (H.W. Newkirk), (44)263
- Thallos tetracarbonylcobaltate, a convenient and versatile source of the tetracarbonylcobaltate anion (S.E. Pedersen, W.R. Robinson, D.P. Schussler), (43)C44

- Tin(II) halides in reaction with $(\pi\text{-Ring})\text{Fe}(\text{CO})_2$ complexes (P. Hackett, A.R. Manning), (34)C15
- Trialkylaryltin and trialkylvinyltin compounds, tin-aryl and tin-vinyl bond cleavage in (R. Gupta, B. Majee), (49)191
- Trialkylstannyl radical adduct to butadiene, ESR study (T. Kawamura, J.K. Kochi), (30)C8
- N*-Trialkyl-5-substituted tetrazoles, preparation (K. Sisido, K. Nabika, T. Isida, S. Kozima), (33)337
- Trialkyltin acetates, ^{119}mSn Mössbauer and NMR study (N.W.G. Debye, D.E. Fenton, S.E. Ulrich, J.J. Zuckerman), (28)339
- Trialkyltin acetylides, reactions with low oxidation state transition metal complexes, addition, cleavage and alkynylation (B. Cetinkaya, M.F. Lappert, J. McMeeking, D. Palmer), (34)C37
- N*-Trialkyltin derivatives of 4-mono- or 4,5-disubstituted 1,2,3-triazoles, 3-phenyl-1,2,4-triazole, 3-phenylpyrazole and 4-phenylimidazole (S. Kozima, T. Itano, N. Mihara, K. Sisido, T. Isida), (44)117
- Trialkyltin halides, correlation of quadrupole splitting and isomeric shift by Mössbauer spectroscopy (J. Devooght, M. Gielen, S. Lejeune), (21)333
- Tri- and tetrasulphinato complexes of tin (E. Lindner, U. Kunze, J. Koola), (31)59
- 2-(Tributylstannoxy)-1,3,2-dioxaborolanes and related compounds, synthesis of (S.K. Mehrotra, G. Srivastava, R.C. Mehrotra), (47)39
- Tributyltin 2,3-dibromopropionate, rotational isomerism (J.C. Maire, R. Pinzelli), (22)619
- Tri-*n*-butyltin fluoride, formation from tetrafluorohydroquinone (P. Dunn, D. Oldfield), (23)459
- Tributyltin hydrate radical, addition to α -ethyl-enyl and α -cyclopropanyl ketones, evidence for a polar effect (J.-Y. Godet, M. Pereyre), (40)C23
- Tributyltin phenoxide and dimethylphenyltin methoxide, basicity of (J. Pijselman, M. Pereyre), (44)309
- Trifluoroacetyltrimethylstannane, preparation and properties (E. Lindner, U. Kunze), (21)P19
- Trimethylmetal derivatives of difunctional organic reagents, preparation and thermal reactions of (M. Wada, S.-I. Sato, M. Aritomi, M. Harakawa, R. Okawara), (39)99
- Trimethyl(methylthio)-stannane and -germane, vibrational spectra (D.F. Van de Vondel, E.V. Van den Berghe, G.P. Van der Kelen), (23)105
- Trimethylsilyl substituted bromomethyl lithium and -magnesium reagents (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- Trimethylsilyl substituted chloromethyl lithium reagents: $\text{Me}_3\text{SiCCl}_2\text{Li}$ and $(\text{Me}_3\text{Si})_2\text{CClLi}$ (D. Seyferth, E.M. Hanson, F.M. Armbrecht, Jr.), (23)361
- Trimethylsilyl-1,2-dihydrobenzocyclobutenes, base cleavage and its significance for the acidities of the 1-, 3-, and 4-positions of 1,2-dihydrobenzocyclobutene (C. Eaborn, A.A. Najam, D.R.M. Walton), (46)225
- 2-(Trimethylsilyl)- and 2-(trimethylstannyl)-1-methylpyrrole and -thiophene, cleavage with carbonyl reagents (J.R. Pratt, F.H. Pinkerton, S.F. Thames), (38)29
- Trimethylstannyl-2,4-cycloheptadiene, a fluxional molecule (M.D. Curtis, R. Fink), (38)299
- Trimethylstannyl dibromomethylmagnesium chloride (D. Seyferth, R.L. Lambert, Jr., E.M. Hanson), (24)647
- (Trimethylstannyl)di-*t*-butylphosphine, synthesis, properties and complex-chemical behaviour (H. Schumann, L. Rösch, O. Stelzer), (21)351
- Trimethylstannyl diphenylphosphine pentacarbonylmetals, reactions with boron halides yielding methylhalostannyl compounds (H. Nöth, S.N. Sze), (43)249
- Trimethylstannylindene, temperature-dependent ^{13}C NMR spectra of (N.M. Sergeyev, Yu.K. Grishin, Yu.N. Luzikov, Yu.A. Ustyn-yuk), (38)C1
- (Trimethylstannyl)phosphine synthesis; observation of phosphorus-tin nuclear spin-spin coupling (A.D. Norman), (28)81
- Trimethyltin carboxylates, Raman and IR spectra (R.E. Hester), (23)123
- Trimethyltin derivatives, of manganese and iron, exchange reactions of (R.M.G. Roberts), (47)359
- , of 4-substituted phenyl sulphides, preparation and characterization (T.A. George), (31)233
- Trimethyltin group, estimate of the steric bulk of (D.D. Davis, A.J. Surmatis, G.L. Robertson), (46)C9
- Trimethyltin halides, halogen exchange in (G. Redl, M. Winokur), (26)C36

- Trimethyltin isothiocyanate, crystal structure of (R.A. Forder, G.M. Sheldrick), (21)115
- Trimethyltindihalomethylithium reagents (D. Seyferth, F.M. Armbrrecht, Jr., R.L. Lambert, Jr., W. Tronich), (44)299
- (Trimethyltin)pentacarbonylmanganese, cleavage reactions (M.R. Booth, D.J. Cardin, N.A.D. Carey, H.C. Clark, B.R. Sreenathan), (21)171
- Triorganotin hydrides and triorganostannyll-alkali compounds, cleavage reactions with phenyl azides (H. Schumann, S. Ronecker), (23)451
- Triorganotin hydrides in reactions with α -acetylenic esters and nitriles in the presence of methanol (J.-P. Quintard, M. Pereyre), (42)75
- Triphenylphosphine, reaction with organometal haloacetates (T. Okada, R. Okawara), (42)117
- Triphenylsilicon, -germanium and -tin azides, reactions with their corresponding hydrides (T.-T. Tsai, W.L. Lehn, C.J. Marshall, Jr.), (22)387
- (Triphenylstannyl)carbodiimides and -cyanamide, reactions with organic halides and isothiocyanates (R.A. Cardona, E.J. Kupchik), (43)163
- Triphenyltin compounds, Mössbauer spectra of (R.C. Poller, J.N.R. Ruddick), (39)121
- Triphenyltin haloacetates, Mössbauer and IR spectra and a test of the point-charge model (B.F.E. Ford, J.R. Sams), (31)47
- Triphenyltin oxinate, spectrophotometric investigations on the solvolysis in methanol (D. Datta, B. Majee, A.K. Ghosh), (30)43
- (Triphenyltin)-zinc compounds, 1,2-intermetallic migration of organic groups (F.J.A. des Tombe, G.J.M. van der Kerk, J.G. Noltes), (43)323
- Tris(dipivaloylmethanato)europium(III), influence on PMR spectra, and evidence for intramolecular complexation in functionally substituted organotin compounds (M. Gielen, N. Goffin, J. Topart), (32)C38
- Tris(organometalphosphine)tricarbonylchromium and -molybdenum complexes (H. Schumann, W.-W. Du Mont), (49)C25
- Tris(trimethylstannyl)phosphine-transition metal carbonyl complexes, cleavage of the Sn-P bond in (H. Schumann, E. von Deuster), (40)C27
- Trivinyltin carboxylates, preparation and properties (V. Peruzzo, G. Plazzogna, G. Tagliavini), (24)347
- Unsymmetrical hexaalkylditins, base-catalyzed disproportionation (E.J. Bulten, H.A. Budding, J.G. Noltes), (22)C5
- 2-Vinyl-4,4,6-trimethyl-1,3,2-dioxaborinane, hydrostannation of (R.H. Fish), (42)345

Titanium

- Allyltitanium dialkylamides (H.J. Neese, H. Bürger), (32)213
- Aryldicyclopentadienyltitanium(III) compounds, synthesis and properties of (J.H. Teuben, H.J. de Liefde Meijer), (46)313
- Cycloheptatriene, novel behaviour (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (23)173
- Cycloheptatrienylcycloheptadienyltitanium (H.O. van Oven, H.J. de Liefde Meijer), (31)71
- Cyclooctatetraene complexes of titanium, zirconium and hafnium (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (25)447
- Cyclooctatetraene-transition metal compounds, preparation using magnesium metal and synthesis of cyclooctatetraenemagnesium (H. Lehmkuhl, S. Kintopf, K. Mehler), (46)C1
- Cyclopentadienylcycloheptatrienyltitanium (H.O. van Oven, H.J. de Liefde Meijer), (23)159
- Cyclopentadienylcyclooctatetraenetitanium, structure (P.A. Kroon, R.B. Helmholdt), (25)451
- Dicyclopentadienylniobium group, complexes with (F.W. Siegert, H.J. de Liefde Meijer), (23)177
- Di- π -cyclopentadienyl- σ -organotitanium(IV) chlorides, synthesis and characteristics (J.A. Waters, G.A. Mortimer), (22)417
- Di- π -cyclopentadienyl- σ -organotitanium chlorides, thermolysis (J.A. Waters, V.V. Vickroy, G.A. Mortimer), (33)41
- Dicyclopentadienyltitanium and -zirconium alkyl and aryl compounds, sulphur dioxide insertion reactions of (P.C. Wallis, H. Weigold, A.P. Bell), (33)181
- Dicyclopentadienyltitanium complexes, directive effect of a methyl substituent in the exchange reaction of ring hydrogen with molecular deuterium (H.A. Martin, M. van Gorkom, R.O. de Jongh), (36)93
- Di- π -cyclopentadienyltitanium di- μ -organothio copper(I) halides and chelating disulphide copper(I) halides (P.S. Braterman, V.A. Wilson), (31)131

- Di- π -cyclopentadienyltitanium pentachalcogenides [(C₅H₅)₂TiS₂₋₅Se_x], structural properties of π -(*h*²-C₅H₅)₂TiS₅ (E.F. Epstein, I. Bernal, H. Köpf), (26)229
- Dicyclopentadienyltitanium, reactions with aluminium alkyls (P.C. Wailes, H. Weigold), (24)713
- Dimeric dicyclopentadienyltitanium(III) halides (R.S.P. Coutts, P.C. Wailes, R.L. Martin), (47)375
- Dimethyltitanium 2-methyl-2,4-pentanediolate, preparation and properties (H. Sugahara, Y. Shuto), (24)709
- EPR detection of the complex (C₅H₅)₂TiH₂AlH₂ (G. Henrici-Olivé, S. Olivé), (23)155
- Lithiumacetylpentacarbonyl chromate in reaction with dicyclopentadienyltitanium dichloride (E.O. Fischer, S. Fontana), (40)159
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- 1-Methylallyl(cyclooctatetraene)titanium (H.K. Hofstee, H.O. van Oven, H.J. de Liefde Meijer), (42)405
- μ -Methylene transition metal binuclear compounds: complexes with Me₃SiCH₂⁻ and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Mixed sandwich chelate transition metal complexes, synthesis and stability (G.A. Razuvaev, G.A. Domrachev, O.N. Suvorova, L.G. Abakumova), (32)113
- Monocyclopentadienyltitanium(III) dihalides, reactions with organic carbonyl groups (R.S.P. Coutts, P.C. Wailes, R.L. Martin), (50)145
- Neopentyl and related alkyls of chromium(IV) and other transition metals (W. Mowat, G. Wilkinson), (38)C35
- (Organogermanium)titanium dialkylamides (H. Bürger, H.J. Neese), (32)223
- Phenylboron halides, spectroscopic study (F.C. Nahm, E.F. Rothergy, K. Niedenzu), (35)9
- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Reaction mechanism and properties of the compounds formed in the system: FeCl₃ + Mg + THF + N₂ (B. Jeżowska-Trzebiatowska, P. Sobota), (46)339
- Tetrabenzyltitanium, preparation and properties (W. Brüser, K.-H. Thiele, P. Zdunneck, F. Brune), (32)335
- Tetramethyltitanium and trimethylaluminium, NMR evidence of methyl group exchange between (A.S. Khachaturov, L.S. Bresler, I.Ya. Poddubnyi), (42)C18
- Tetramethyltitanium, reaction with triphenylboron and tribenzylboron (P. Zdunneck, K.-H. Thiele), (22)659
- Titanium and zirconium benzyl derivatives, synthesis and properties (U. Zucchini, E. Albizzati, U. Giannini), (26)357
- Titanium complexes, hyperfine coupling constants and linewidths from poorly resolved spectra (G. Henrici-Olivé, S. Olivé), (21)377
- Titanium(IV) halides in reaction with alkynes (D. Lemarchand, N.M'Baye, J. Braun), (39)C69
- Titanium hydride complexes, cyclopentadienyl ligands as a hydrogen source in formation of (M.E. Vol'pin, A.A. Belyi, V.B. Shur, Yu.I. Lyakhovetsky, R.V. Kudryavtsev, N.N. Bubnov), (27)C5
- (1,1'-Trimethylenedicyclopentadienyl)titanium dichloride, crystal and molecular structure (B.R. Davis, I. Bernal), (30)75
- 1,1'-Trimethylenetitanocene, -zirconocene and -hafnocene dichlorides, preparation and properties of (M. Hillman, A.J. Weiss), (42)123
- Tris(dialkylamino)titanium alkyls, thermolysis (H. Bürger, H.-J. Neese), (21)381
- Vinyltitaniumdialkyl amides (H. Bürger, H.-J. Neese), (36)101
- Transition metals (general)**
(see also under the separate metals)
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Metal carbonyl compounds, simple molecular orbital model for IR intensities (W.P. Anderson, T.L. Brown), (32)343
- Organic reactions of selected π -complexes; Annual survey 1971 (M.I. Bruce), (41)277
- Organometallic structures, transition metals; Annual survey 1971 (M.I. Bruce), (48)303
- Synthesis of heterocyclic compounds via transition metal intermediates (C.W. Bird), (47)281
- Trialkyltin acetylides, reactions with low oxidation state transition metal complexes, addition, cleavage and alkynylation (B. Cetinkaya, M.F. Lappert, J. McMeeking, D. Palmer), (34)C37

Tungsten

- Allylidene(triphenylphosphorane)tetracarbonyl-molybdenum and -tungsten, a non-classical allylic system (A. Greco), (43)351
- Anionic metal carbonyl carboxylates (W.J. Schlientz, Y. Lavender, N. Welcman, R.B. King, J.K. Ruff), (33)357
- Arenetricarbonyl-Group VIA metals, reactions with halide and pseudohalide ions (J.F. White, M.F. Farona), (37)119
- Benzazole-carbonyl complexes of chromium(0), molybdenum(0) and tungsten(0) (W. Beck, J.C. Weis, J. Wieczorek), (30)89
- Benzazole pentacarbonyl complexes of chromium(0), molybdenum(0) and tungsten(0), linkage isomerisation of (J.C. Weis, W. Beck), (44)325
- Benzoyl derivatives of molybdenum and tungsten cyclopentadienyl tricarbonyls, synthesis of (A.N. Nesmeyanov, L.G. Makarova, N.A. Ustynyuk, L.V. Bogatyreva), (49)105
- σ, π -Binuclear complexes of transition metals coordinated to the monoolefin (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich, P.V. Petrovskii), (31)257
- Binuclear complexes of transition metals with a common unsaturated ligand (*Review*) (A.N. Nesmeyanov, M.I. Rybinskaya, L.V. Rybin, V.S. Kaganovich), (47)1
- Bis(diorganostibino)methane-substituted metal carbonyl complexes, preparation and properties (T. Fukumoto, Y. Matsumura, R. Okawara), (37)113
- Bis(organometal phosphine)tetracarbonyl-chromium, -molybdenum, and -tungsten complexes (H. Schumann, J. Kuhlmeiy), (42)C57
- Bromo(tribromogermyl)-2,2'-bipyridinetri-carbonyltungsten, crystal structure (E.M. Cradwick, D. Hall), (25)91
- Cationic nitrosyls of nickel, cobalt and Group VI metals (B.F.G. Johnson, S. Bhaduri, N.G. Connelly), (40)C36
- Chelating diphosphine and diarsine palladium and platinum di- μ -organothiotetracarbonyls of Group VI (P.S. Braterman, V.A. Wilson, K.K. Joshi), (31)123
- Chromium, molybdenum and tungsten; Annual survey 1971 (D.J. Darensbourg), (45)257
- π -C₅H₅W(CO)₃⁻, variable site of Lewis basicity in complexes with (C₆H₅)₃In and (C₆H₅)₃Al (J.M. Burlitch, R.B. Peterson), (24)C65
- Cleavage of molybdenum-tin and tungsten-tin bonds and synthesis of novel organomercury derivatives (R.M.G. Roberts), (40)359
- Complexes containing transition metal-indium bonds, synthesis of (A.T.T. Hsieh, M.J. Mays), (37)9
- Complexes of B₃H₁₀CHP⁻ and B₃H₁₀CHAs⁻ with Group VI metal carbonyls (H.T. Silverstein, D.C. Beez, L.J. Todd), (21)139
- Cycloheptatriene-Group VIB-tricarbonyls, reactions with 2,2'-bipyridine and 1,10-phenanthroline in polar and non-polar solvents (H. Behrens, E. Lindner, G. Lehnert), (22)439
- Cycloheptatriene, novel behaviour (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (23)173
- π -Cyclopentadienyl carbonyls of molybdenum and tungsten, ¹⁹F NMR study of electronic effects in σ -phenyl derivatives (A.N. Nesmeyanov, L.G. Makarova, N.A. Ustynyuk, B.A. Kvasov, L.V. Bogatyreva), (34)185
- Cyclopentadienyl complexes of chromium, molybdenum and tungsten (*Review*) (K.W. Barnett, D.W. Slocum), (44)1
- π -Cyclopentadienyltungsten hydride, NMR in a nematic phase, evidence for pseudo-rotation and pseudo-symmetry (M.C. McIvor), (27)C59
- Di- π -cyclopentadienylalkoxydichlorotungsten compounds (S.P. Anand, R.K. Multani, B.D. Jain), (22)153
- Di- π -cyclopentadienylmolybdenum(VI) and -tungsten(VI), bis(borohydride) derivatives of (S.P. Anand, R.K. Multani, B.D. Jain), (26)115
- oxide compounds, coordination complexes with bidentate ligands (S.P. Anand, R.K. Multani, B.D. Jain), (28)265
- Di- π -cyclopentadienylmolybdenum and -tungsten, preparation and reactions of divalent derivatives of (F.W.S. Benfield, B.R. Francis, M.L.H. Green), (44)C13
- Dimethylthallium- π -cyclopentadienyl molybdenum tricarbonyl (B. Walther, C. Rockstroh), (44)C4
- Diphenylethylphosphine oxide adduct of tetrakis(μ_3 -hydroxotricarbonylhydrido-tungsten), crystal and molecular structure (V.G. Albano, G. Ciani, M. Manassero, M. Sansoni), (34)353
- Disilanyl derivatives of molybdenum, tungsten and iron (W. Malisch), (39)C28

- cis*-Disubstituted Group IV metal carbonyls and (organo) Group IV metal iron carbonyl complexes with local C_{2v} symmetry, calculation of CO stretching force constants (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, Z. Eeckhaut), (25)213
- , calculation of force constants in the CO stretching region (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (25)219
- Group VI metal carbonyls, reactions with some terdentate nitrogen donor ligands and oxidation of the products with iodine (J.G. Dunn, D.A. Edwards), (36)153
- Group VI metal hexacarbonyls, specific synthesis of monosubstituted derivatives of (J.A. Connor, E.M. Jones, G.K. McEwen), (43)357
- Group VIA metal tricarbonyl complexes of triphenylphosphonium cyclopentadienylide, reactions of various nucleophiles with (D. Cashman, F.J. Lalor), (24)C29
- Group VIA triphenylphosphonium (tricarbonyl-metal)cyclopentadienylides, reactions with trifluoroacetic acid and boron trifluoride (J.C. Kotz, D.G. Pedrotty), (22)425
- Heterogeneous binuclear dithiocarbamate complexes (W.K. Glass, T. Shiels), (35)C64
- Hexamethylditin, utilization in the synthesis of organotin—transition metal complexes (E.W. Abel, S. Moorhouse), (24)687
- Hexamethylphosphoric triamide, ligand in hexacarbonyl-substituted metal derivatives (O. Rogues, R. Poilblanc), (24)C47
- Iron—molybdenum and iron—tungsten anionic carbonyl clusters (A.T.T. Hsieh, M.J. Mays), (39)157
- Lewis basicity of transition metals (J.C. Kotz, D.G. Pedrotty), (22)425
- Lithium pentakis(pentafluorophenyl) tungsten (E. Kinsella, V.B. Smith, A.G. Massey), (34)181
- Low-valent chromium, tungsten and manganese complexes, electrochemical oxidation of (J.A. McCleverty, D.G. Orchard, J.A. Connor, E.M. Jones, J.P. Lloyd, P.D. Rose), (30)C75
- Metal carbonyl complexes of phenylphosphine and diphenylphosphine (P.M. Treichel, W.K. Dean, W.M. Douglas), (42)145
- Metal carbonyl photolysis and its reversal; probable spurious nature of "trigonal bipyramidal $Mo(CO)_5$ " (M.J. Boylan, P.S. Braterman, A. Fullarton), (31)C29
- Metal—metal bond cleavage, exchange reactions (H.C. Clark, B.K. Hunter), (31)227
- Methyltriphenylphosphonium [oxy(methylene-triphenylphosphorane)carbene]pentacarbonylchromium(0), an ylide—carbene complex (D.K. Mitchell, W.C. Kaska), (49)C73
- μ -Methylene transition metal binuclear compounds: complexes with $Me_3SiCH_2^-$ and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Monosubstituted metal pentacarbonyl complexes, CO stretching force constants and mesomeric and inductive effects (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen), (28)391
- Nitrosyl complexes, unusual rearrangements observed in decomposition induced by electron impact (J. Müller), (23)C38
- Organometal arsines as ligands in transition-metal carbonyl complexes (H. Schumann, G. Pfeifer, H. Röser), (44)C10
- Organometal stibines as ligands in transition metalcarbonyl complexes (H. Schumann, H.J. Breunig), (27)C28
- Organometallic compounds with Al—W bonds (R.R. Schrieke, J.D. Smith), (31)C46
- Pentacarbonyl complexes of transition metals, evaluation of CO stretching force constants based on the Cotton and Kraihanzel force field (F.T. Delbeke, E.G. Claeys, G.P. Van der Kelen, R.M. De Caluwe), (23)497
- Pentacarbonyl tungsten, UV/visible absorption spectrum and photochromism (W.A. Graham, A.J. Rest, J.J. Turner), (24)C54
- Phenylacetylenylethoxycarbene as a ligand to the chromium(0) and tungsten(0) pentacarbonyl structure (E.O. Fischer, F.R. Kreissl), (35)C47
- Phosphine substituted carbonyl- π -cyclopentadienyl complexes of molybdenum and tungsten, steric influence of bulky groups in phosphines, exchange phenomenon between 2 isomers (P. Kalck, R. Pince, R. Poilblanc, J. Roussel), (24)445
- Phosphorus methylene and allylidene ylides, reactions with metal carbonyls (A. Greco), (43)351
- Phosphorus trihalide pentacarbonyltungsten complexes, ^{183}W — ^{31}P spin—spin coupling interactions in (E.O. Fischer, L. Knauss, R.L. Keiter, J.G. Verkade), (37)C7
- Phosphorus ylides as ligands in zero-valent metal complexes (K.A. Ostojka Starzewski, H. tom Dieck, K.D. Franz, F. Hohmann), (42)C35

- Rare earth shift reagents as chemical and structural probes for organometallic compounds (T.J. Marks, J.S. Kristoff, A. Alich, D.F. Shriver), (33)C35
- Substituted carbonyl metallates(0) of chromium, molybdenum and tungsten, preparation and properties (H. Behrens, E. Lindner, G. Lehnert), (22)665
- Substituted carbonyl nitrosyl halides of molybdenum and tungsten, synthesis of (W.R. Robinson, M.E. Swanson), (35)315
- Substituted phospho- and arsenicboranes, σ -bonded complexes and their π -allyl derivatives (D.C. Beer, L.J. Todd), (36)77
- Synthesis of halo metal carbonyls by the reductive carbonylation of halides and oxyhalides of molybdenum and tungsten (L. Bencze), (37)C37
- Tertiary phosphine and related substitution products of Group VI metal carbonyls improved preparation (J. Chatt, G.J. Leigh, N. Thankarajan), (29)105
- Transition metal complexes of hexaphenylcarbodiphosphorane (W.C. Kaska, D.K. Mitchell, R.F. Reichelderfer), (47)391
- Transition metal complexes of triphenylphosphonium cyclopentadienylide and related ligands (D. Cashman, F.J. Lalor), (32)351
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- Triferrocenylphosphine derivatives of metal carbonyls, preparation and properties of (C.U. Pittman, Jr., G.O. Evans), (43)361
- Tri-(μ -hydroxo)hexacarbonylditungstate(0) trianion, structure in the salt $K_3[W_2(OH)_3(CO)_6] \cdot 2H_2O$ (V.G. Albano, G. Ciani, M. Manassero), (25)C55
- (Trimethylsilyl)cyclopentadiene, reactions with metal carbonyls (E.W. Abel, S. Moorhouse), (28)211
- Trimethylstannyldiphenylphosphine pentacarbonylmetals, reactions with boron halides yielding methylhalostannyl compounds (H. Nöth, S.N. Sze), (43)249
- 2,4,6-Triphenylphosphorine-metal(0) carbonyls of chromium, molybdenum and tungsten (J. Deberitz, H. Nöth), (49)453
- Tris(dimethylamino)phosphine, mass spectra of metal carbonyl complexes of (F.E. Saalfeld, J.J. DeCorpo, M.V. McDowell), (44)333
- Tris(*p*-fluorophenyl)phosphine, substitution reactions in carbonyl complexes of the transition metals (F.T. Delbeke, G.P. van der Kelen), (21)155
- [Tris(methylthio)borane]chromium(0) tricarbonyl (H. Nöth, U. Schuchard), (24)435
- Tris(trimethylstannyl)phosphine-transition metal carbonyl complexes, cleavage of the Sn-P bond in (H. Schumann, E. von Deuster), (40)C27
- Tungsten carbonyl derivatives as homogeneous catalysts, disproportionation of olefins with (L. Bencze, L. Markó), (28)271

Uranium

- Cyclopentadienyl complexes of uranium and some lanthanides, vapour pressure measurements by the effusion method (H.O. Haug), (30)53
- Cyclopentadienyluranium(IV) trichloridodimethoxyethane, preparation and properties of (L. Doretta, P. Zanella, G. Faraglia, S. Faleschini), (43)339
- Dicyclopentadienyluranium(IV) chloride (P. Zanella, S. Faleschini, L. Doretta, G. Faraglia), (26)353
- Organometallic boron complexes, possible 1H - ^{11}B nuclear spin decouplings by ^{11}B quadrupole relaxation (R. v. Ammon, B. Kanellakopulos, G. Schmid, R.D. Fischer), (25)C1
- Organometallic uranium(IV) fluorides, magnetic and spectroscopic properties, indications for direct U-U exchanges (R.D. Fischer, R. v. Ammon, B. Kanellakopulos), (25)123
- Tetrakis(pentacarbonylmanganese)uranium (R.L. Bennett, M.I. Bruce, F.G.A. Stone), (26)355
- Tricyclopentadienyluranium(III) and its adducts with tetrahydrofuran, cyclohexylisonitrile and *l*-nicotine (B. Kanellakopulos, E.O. Fischer, E. Dornberger, F. Baumgärtner), (24)507

Vanadium

- Alkyl-transition metal compounds, fragmentation and isomerization studies (R.P.A. Sneeden, H.H. Zeiss), (22)713
- ^{13}C NMR shifts of paramagnetic metallocenes (P.K. Burkert, H.P. Fritz, F.H. Köhler, H. Rupp), (24)C59
- Cyclopentadienylcycloheptatrienyltitanium (H.O. van Oven, H.J. de Liefde Meijer), (23)159

- π -Cyclopentadienylvanadium bis(trifluoroacetate) dimer, synthesis, molecular structure and magnetic properties (G.M. Larin, V.T. Kalinikov, G.G. Aleksandrov, Yu.T. Struchkov, A.A. Pasniskii, N.E. Kolobova), (27)53
- Dicycloheptatrienevanadium(0) (J. Müller, B. Mertschen), (34)C41
- Dicyclopentadienylniobium group, complexes with (F.W. Siegert, H.J. de Liefde Meijer), (23)177
- Hexacarbonylvanadate(-) ion, photolysis of (P.S. Braterman, A. Fullarton), (31)C27
- Hexacarbonylvanadates(-I), photolysis of solutions of (D. Rehder), (37)303
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Mixed metal seven-coordinate complexes (A. Davison, J.E. Ellis), (36)113
- Nitrosonium ion, NO⁺, and its versatility in transition metal organometallic synthesis (N.G. Connelly, J.D. Davies), (38)385
- Nitrosyl complexes, unusual rearrangements observed in decomposition induced by electron impact (J. Müller), (23)C38
- Phenylvanadium oxide dichloride, nature of the decomposition (W.T. Reichle, W.L. Carrick), (24)419
- Ring-substituted cycloheptatrienyl vanadium complexes (J. Müller, B. Mertschen), (34)165
- Seven coordinate derivatives of niobium, tantalum and vanadium, preparation (A. Davison, J.E. Ellis), (23)C1
- Substituted carbonyl anions of vanadium, niobium and tantalum, preparation (A. Davison, J.E. Ellis), (31)239
- Tetrabenzylvanadium, synthesis and ESR spectra (S.D. Ibekwe, J. Myatt), (31)C65
- Tetracarbonyl[1,2-bis(diphenylphosphino)ethane]vanadium(0), preparation of derivatives of (A. Davison, J.E. Ellis), (36)131
- Tetrakis(pentafluorophenyl)vanadium (G.A. Razuvaev, V.N. Lityaeva, A.N. Lineva, N.N. Spiridonova), (46)C13
- Tricarbonylmesitylenevanadium(0), preparation of derivatives of (A. Davison, D.L. Reger), (23)491
- Vanadium hexacarbonyl, reactions with olefin-phosphine ligands (L.V. Interrante, G.V. Nelson), (25)153
- Vanadyl-tertiary stibine complex, EPR investigation of (G. Henrici-Olivé, S. Olivé), (46)101

Ytterbium

- Lanthanide tricyclopentadienyl complexes, mass spectra and bond energies (J.L. Thomas, R.G. Hayes), (23)487

Yttrium

- Phenyls and alkyls of the Group IIIA metals (F.A. Hart, A.G. Massey, M.S. Saran), (21)147

Zinc

- Alkyl exchange reactions in the synthesis of optically active trialkylaluminium compounds (L. Lardicci, G.P. Giacomelli, L. de Bernardi), (39)245
- Bromobis(pentafluorophenyl)thallium(III), reactions with main group elements (G.B. Deacon, J.C. Parrott), (22)287
- α -Bromonitrile zinc derivatives, addition to α -ethylenic ketones and aldehydes and to alkylidene malonates (N. Goasdoué, M. Gaudemar), (28)C9
- [Co^{III}(C₅H₅)₂]₂[Co^{II}Cl₄] and [Co^{III}(C₅H₅)₂]₂[ZnCl₄], crystallographic data (J.R. Günter, G. Mattmann, H. Werner), (25)475
- Compounds containing Group IV-Group II metal-metal bonds, synthesis and properties of (F.J.A. des Tombe, G.J.M. van der Kerk, H.M.J.C. Creemers, N.A.D. Carey, J.G. Noltes), (44)247
- Dialkylzinc, reaction with diphenylamine, effect of complex formation (S. Inoue, T. Tamada), (25)1
- Dicyclopentadienylniobium(II), reaction with phenylmagnesium bromide, ^{119m}Sn Mössbauer investigations (P.G. Harrison, J.J. Zuckerman, J.G. Noltes), (31)C23
- Di-4-pentenylzinc, intramolecular metal-double bond interaction observed in (J. St. Denis, J.P. Oliver, J.B. Smart), (44)C32
- Direct synthesis of β -hydroxy acids by Reformatsky reaction (M. Bellassoued, R. Couffignal, M. Gaudemar), (36)C33
- α -Ethylenic zinc compounds, addition to ethylenic, acetylenic and allenic amines (B. Mauzé, C. Nivert, L. Miginiac), (44)69
- Germanium, lead, zinc, cadmium and mercury substituted diazoalkanes (J. Lorberth), (27)303

- Grignard reagents, radical formation during reactions with quinones (C. Blomberg, H.H. Grootveld, T.H. Gerner, F. Bickelhaupt), (24)549
- α -Halobenzylzinc halides (L.Y. Goh, S.H. Goh), (23)5
- gem*-Halogenated organometallics and *gem*-halogenated enolates, formation and properties of malonic halogenated enolates (J. Villiéras), (34)209
- Halomethylzinc halides in the preparation of monohalomethyl derivatives of germanium, tin, lead and mercury (D. Seyferth, S.B. Andrews), (30)151
- Interaction between ethylzinc methoxide and (ethylzinc)diphenylamine and β -propiolactone (J.G. Noltes, F. Verbeek, H.G.J. Overmars, J. Boersma), (24)257
- α -Iodoalkyl derivatives of tin and mercury and bis[(trimethylsilyl)iodomethyl]mercury, improved synthesis by the organozinc route (D. Seyferth, S.B. Andrews, R.L. Lambert, Jr.), (37)69
- Methyl-transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- Methyl lithium, trimethylborane and dimethylzinc, theoretical study of the bonding in (M.P. Guest, I.H. Hillier, V.R. Saunders), (44)59
- Organosilicon and organotin hydrides, reaction with zinc carbenoids, generated from diethylzinc and geminal diiodoalkanes (J. Nishimura, J. Furukawa, N. Kawabata), (29)237
- Organozinc catalyzed polymerization, of aldehydes; preparation and characterization of some catalyst-monomer complexes (J. Boersma, J.G. Noltes), (21)P32
- , of lactones (J.G. Noltes, F. Verbeek, H.G.J. Overmars, J. Boersma), (24)257
- Organozinc compounds derived from α -bromonitriles, preparation, structure and reactivity towards aldehydes, ketones and diethylmalonate alkylidenes (N. Goasdoué, M. Gaudemar), (39)17
- , reactivity towards acidic anhydrides (N. Goasdoué, M. Gaudemar), (39)29
- Organozinc coordination compounds, reactions with carbon dioxide in relation to the action of carbonic anhydrase (S. Inoue, Y. Yokoo), (39)11
- , reactivity towards acidic hydrocarbons (S. Inoue, K. Furukawa), (37)25
- , reactivity, with secondary amines (S. Inoue, Y. Imanaka), (35)1
- Phenylzinc- β -diketonate trinuclear complexes (J. Boersma, F. Verbeek, J.G. Noltes), (33)C53
- gem*-Polymetallic compounds (B. Martel, M. Varache), (40)C53
- Reactions between mercury and some arylmetal compounds (R.A.G. Marshall, D.R. Pollard), (27)149
- Tetraethylzinc complexes of calcium, strontium and barium (F. Kaufmann, A. Geraudelle, B. Kaempf, F. Schué, A. Deluzarche, A. Maillard), (24)13
- Tetrameric transition metal carbonyl zinc alkoxides (J.M. Burlitch, S.E. Hayes), (42)C13
- (Triphenyltin)-zinc compounds, 1,2-intermetallic migration of organic groups (F.J.A. des Tombe, G.J.M. van der Kerk, J.G. Noltes), (43)323
- Zinc; Annual survey 1971 (J.G. Noltes), (48)77
- Zinc-vinyl derivatives, ^1H NMR spectra of (H.D. Visser, J.P. Oliver), (40)7
- $\text{ZnCo}_2(\text{CO})_8$, condensation to $\text{Zn}_2\text{Co}_4(\text{CO})_{15}$ (J.M. Burlitch, S.E. Hayes), (29)C1

Zirconium

- Alkenylzirconium derivatives from reactions of acetylenes with hydrido complexes of zirconium (P.C. Wailes, H. Weigold, A.P. Bell), (27)373
- Cycloheptatriene, novel behaviour (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (23)173
- Cyclooctatetraene complexes of titanium, zirconium and hafnium (K.M. Sharma, S.K. Anand, R.K. Multani, B.D. Jain), (25)447
- Cyclooctatetraene-transition metal compounds, preparation using magnesium metal and synthesis of cyclooctatetraenemagnesium (H. Lehmkuhl, S. Kintopf, K. Mehler), (46)C1
- Dicyclooctatetraene(tetrahydrofuran)zirconium, structure of (D.J. Brauer, C. Krüger), (42)129
- Dicyclopentadienyldimethylzirconium and related cyclopentadienyl compounds, insertion reactions with SO_2 and NO (P.C. Wailes, H. Weigold, A.P. Bell), (34)155
- Dicyclopentadienyltitanium and -zirconium alkyl and aryl compounds, sulphur dioxide insertion reactions of (P.C. Wailes, H. Weigold, A.P. Bell), (33)181

- Dicyclopentadienylzirconium dichloride, electron diffraction study in the vapor phase of the molecular structure (I.A. Ronova, N.V. Alekseev, N.I. Gapotchenko, Yu.T. Struchkov), (25)149
- Dicyclopentadienylzirconium dihydride, reactions with carboxylic acids (P.C. Wailes, H. Weigold), (24)413
- , reaction with trimethylaluminium and formation of a hydride containing both Zr—H—Zr and Zr—H—Al moieties (P.C. Wailes, H. Weigold, A.P. Bell), (43)C29
- Fluorenyl compounds of mercury (E. Samuel, M.D. Rausch), (37)29
- Hydrido complexes of zirconium, preparation (P.C. Wailes, H. Weigold), (24)405
- , reactions with olefins (P.C. Wailes, H. Weigold, A.P. Bell), (43)C32
- Low oxidation state cyclopentadienyl complexes of zirconium (P.C. Wailes, H. Weigold), (28)91
- Methyl—transition metal systems and diphenylacetylene (J.R.C. Light, H.H. Zeiss), (21)517
- μ -Methylene transition metal binuclear compounds: complexes with Me_2SiCH_2 and related ligands (M.R. Collier, M.F. Lappert, M.M. Truelock), (25)C36
- Neopentyl and related alkyls of chromium(IV) and other transition metals (W. Mowat, G. Wilkinson), (38)C35
- Organometallic boron complexes, possible ^1H — ^{11}B nuclear spin decouplings by ^{11}B quadrupole relaxation (R. v. Ammon, B. Kanellakopoulos, G. Schmid, R.D. Fischer), (25)C1
- Organometallic dimethylamides, reactions with protic compounds (A.D. Jenkins, M.F. Lappert, R.C. Srivastava), (23)165
- Phenylzirconium derivatives (G.A. Razuvaev, V.N. Latyaeva, L.I. Vishinskaya, A.M. Rabinovitch), (49)441
- Strained organosilicon heterocycles, role of the transition metal in homogeneous catalytic polymerization of (C.S. Cundy, C. Eaborn, M.F. Lappert), (44)291
- Tetrabenzylhafnium and tetrabenzylzirconium, NMR studies of Lewis base adducts of (J.J. Felten, W.P. Anderson), (36)87
- Tetrabenzylzirconium, characterization of (K.-H. Thiele, E. Köhler, B. Adler), (50)153
- Titanium and zirconium benzyl derivatives, synthesis and properties (U. Zucchini, E. Albizzati, U. Giannini), (26)357
- Transition metal organometallic compounds, chemical ionization mass spectra of (D.F. Hunt, J.W. Russell, R.L. Torian), (43)175
- 1,1'-Trimethylenetitanocene, -zirconocene and -hafnocene dichlorides, preparation and properties of (M. Hillman, A.J. Weiss), (42)123

Book Reviews

- Acetylenes and allenes; by T.F. Rutledge (A.W. Johnson), (27)C39
- Advances in linear free energy relationships; ed. by N.B. Chapman and J. Shorter (C. Eaborn), (49)C66
- Advances in organometallic chemistry, Vol. 10; ed. by F.G.A. Stone and R. West (T.J. Marks), (42)C112
- Annual Reports in Organic Synthesis—1970; ed. by J. McMurry and R.B. Miller (D. Seyferth), (35)C66
- Boranes in organic chemistry; by H.C. Brown (D.S. Matteson), (50)C57
- Boron compounds. Main lectures pres. at the International Meeting on Boron compounds, Castle Liblice, Prague, 21–25 June 1971; ed. by B. Štíbr (M.F. Lappert), (46)C31
- Carbene chemistry; by W. Kirmse (2nd ed.) (D. Seyferth), (37)C27
- Carboranes; by R.N. Grimes (M.F. Lappert), (30)96
- Characterization of organometallic compounds, Part I; ed. by M. Tsutsui (C. Eaborn), (21)264
- Characterization of organometallic compounds, Part II; ed. by M. Tsutsui (C. Eaborn), (31)C11
- Chemistry of acetylenes; ed. by H.G. Viehe (C. Eaborn), (26)438
- Comprehensive chemical kinetics; ed. by C.H. Bamford and C.F.H. Tipper. Vol. 4, Decomposition of inorganic and organometallic compounds; Vol. 7, Reactions of metallic salts and complexes and organometallic compounds; Vol. 13, Reactions of aromatic compounds (C. Eaborn), (49)C64
- Computer analyses of thermochemical data (CATCH tables), (i) Halogen compounds, (ii) Nitrogen compounds, (iii) Phosphorus compounds, (iv) Silicon compounds; ed. by J.B. Pedley (I.M.T. Davidson), (47)C23
- Electron deficient compounds; by K. Wade (J.D. Smith), (39)C88
- Electron spin resonance of metal complexes; ed. by Teh Fu Yen (A. Hudson), (22)C14
- Electronic Transitions in Organometalloids; by B.G. Ramsey (C. Eaborn), (23)C59

- Epitaxy data of inorganic and organic crystals; by M. Gebhardt and A. Neuhaus (C. Eaborn), (46)C71
- Gmelins Handbuch der Anorganischen Chemie. Bd. 2, Vanadium-organische Verbindungen. Bd. 3, Chrom-organische Verbindungen; Ed. by A. Slawisch, M. Becke-Goehring and K.-C. Buschbeck (D. Seyferth), (34)C59
- Hydrides of the elements of Main Groups I-IV; by E. Wiberg and E. Amberger (C. Eaborn), (35)C52
- Index of vibrational spectra of inorganic and organometallic compounds. Vol. 1; by N.N. Greenwood, E.J.F. Ross and B.P. Straughan (J. Chatt), (47)C24
- Inorganic chemistry of vitamin B₁₂; by J.M. Pratt (A.W. Johnson), (49)C95
- Introduction to metal π -complex chemistry; by M. Tsutsui, M. Levy, A. Nakamura, M. Ichikawa and K. Mori (A. Pidcock), (29)C55
- Literature data for IR, Raman, NMR spectroscopy of Si, Ge, Sn and Pb organic compounds; by K. Licht and P. Reich (C. Eaborn), (36)C48
- Low-frequency vibrations of inorganic and coordination compounds; by J.R. Ferraro (G.J. Leigh), (39)C91
- Mercury in the environment; ed. by L. Friberg and J. Vostal (D. Seyferth), (42)C111
- Metal π -complexes, Vol. II. Complexes with mono-olefinic ligands. Part I. General survey; by M. Herberhold (J. Chatt), (42)C110
- Methoden der organischen Chemie (Houben-Weyl). Band XIII/4. Metallorganische Verbindungen Al, Ga, In, Tl (J.D. Smith), (25)C87
- Methoden der organischen Chemie (Houben-Weyl), Band XXI/1. Metallorganische Verbindungen Li, Na, K, Rb, Cs, Cu, Ag, Au; ed. by E. Müller, O. Bayer, H. Meerwein and K. Ziegler (C. Eaborn), (32)C59
- Organic photochemistry, Vol. 2; ed. by O.L. Chapman (C. Eaborn), (23)C15
- Organic selenium and tellurium chemistry; ed. by Y. Okamoto and W.H.H. Günther (C. Eaborn), (46)C31
- Organometallic compounds. Methods of synthesis, Physical constants and Chemical reaction; ed. by M. Dub. Formula index; by M. Dub and R.W. Weiss (C. Eaborn), (30)C96
- Organometallic compounds. Methods of synthesis, Physical constants and Chemical reactions; Vol. 3, Compounds of arsenic, antimony and bismuth. First supplement covering the literature from 1965 to 1968 (C. Eaborn), (49)C65
- Organometallic reactions, Vol. 2; ed. by E.I. Becker and M. Tsutsui (J. Chatt), (33)C19
- Organometallic reactions, Vol. 3; ed. by E.I. Becker and M. Tsutsui (D. Seyferth), (42)C70
- Organometallic reactions, Vol. 4; ed. by E.I. Becker and M. Tsutsui (R.B. King), (46)C72
- Organosilicon derivatives of phosphorus and sulphur; by S.N. Borisov, M.G. Voronkov and E.Ya. Lukevits (G.E. Legrow), (46)C73
- Organosilicon heteropolymers and hetero-compounds; by S.N. Borisov, M.G. Voronkov and E.Ya. Lukevits (C. Eaborn), (26)440
- Organotin compounds, Vol. I; ed. by A.K. Sawyer (C. Eaborn), (38)C23
- Plenary and section lectures pres. at the Vth International Conference on Organometallic Chemistry held at Moscow, USSR, 16-21 August 1971; ed. by Z.N. Parnes (D. Seyferth), (44)C67
- Practical inorganic chemistry; by G. Marr and B.W. Rockett (C. Eaborn), (46)C71
- Progress in boron chemistry; ed. by R.J. Brotherton and H. Steinberg (M.F. Lappert), (24)527
- Progress in inorganic chemistry, Vol. 16; ed. by S.J. Lippard (P.M. Treichel, Jr.), (50)C58
- Redistribution reactions; by J.C. Lockhart (C. Eaborn), (30)C96
- Special lectures pres. at the XXIIIrd International Congress of Pure and Applied Chemistry in Boston, Mass., U.S.A., July 26-30, 1971, Vol. 6 (R.B. King), (44)C66
- Spectroscopic methods in organometallic chemistry; ed. by W.O. George (R.A. Jackson), (37)C27
- Structure and mechanism in organic chemistry; by C.K. Ingold (C. Eaborn), (22)743
- Sulphur in organic and inorganic chemistry, Vol. 1; ed. by A. Senning (C. Eaborn), (33)C20
- Sulfur in organic and inorganic chemistry, Vol. 2; ed. by A. Senning (C. Eaborn), (46)C31
- Survey of Organic Syntheses; by C.A. Buehler and D.E. Pearson (C. Eaborn), (33)C19
- The characterization of chemical purity. Organic compounds; ed. by L.A.K. Staveley (T.D. Coyle), (39)C89

- The chemistry of germanium; by F. Glockling (A.G. Davies), (21)263
- The chemistry of inorganic ring systems; part 1 and 2; by I. Haiduc (M.F. Lappert), (28)C27
- The chemistry of organotin compounds; by R.C. Poller (C. Eaborn), (29)C23
- The chemistry of thallium; by A.G. Lee (R. Okawara), (37)C56
- The environmental mercury problem; by F.M. D'Itri (D. Seyferth), (49)C96
- The organic chemistry of palladium; Vol. I, Metal complexes; by P.M. Maitlis (J. Chatt), (36)C32
- The organic chemistry of palladium, Vol. II, Catalytic reactions; by P.M. Maitlis (A. Davison), (38)C48
- The organic chemistry of tin; by W.P. Neumann (C. Eaborn), (32)C59
- The organic compounds of germanium; by M. Lesbre, P. Mazerolles and J. Satgé (A.G. Davies), (32)C23
- The organic compounds of lead; by H. Shapiro and F.W. Frey (J.R. Hanson), (21)262
- Thermochemistry of Organic and Organometallic compounds; by J.D. Cox and G. Pilcher (J.B. Pedley), (23)C14
- Topics in phosphorus chemistry, Vol. 7; ed. by E.J. Griffith and M. Grayson (D. Seyferth), (47)C22
- Transition metal chemistry; a series of advances, Vol. 5; ed. by R.L. Carlin (J. Chatt), (21)263
- Transition metal chemistry; a series of advances, Vol. 6; ed. by R.L. Carlin (J. Chatt), (26)438
- Transition metal chemistry; a series of advances, Vol. 7; ed. by R.L. Carlin (R. Mason), (49)C66
- Transition metal hydrides; The hydrogen series, Vol. 1; ed. by E.L. Muetterties (J. Chatt), (43)C47
- Transition metal organometallic chemistry—An introduction; by R.B. King (G.J. Leigh), (24)C72
- Transition metals in homogeneous catalysis; ed. by G.N. Schrauzer (R.F. Heck), (38)C22