

## Bibliographie

- 1 J.P. Collman, *Acc. Chem. Res.*, 8 (1975) 342.
- 2 Y. Watanabe, M. Yamashita, T.A. Mitsudo, M. Igami et Y. Takegami, *Bull. Chem. Soc. Japan*, 48 (1975) 2490.
- 3 J.Y. Merour, J.L. Roustan, C. Charrier, J. Collin et J. Benaim, *J. Organometal. Chem.*, 51 (1973) C24.
- 4 R.G. Komoto, Ph.D. Dissertation, Stanford University, 1974.
- 5 J. Collin, résultat non-publié.
- 6 M.P. Cooke et R.M. Pariman, *J. Amer. Chem. Soc.*, 97 (1975) 6863.
- 7 J.A.S. Howell, B.F.G. Johnson, P.L. Josty et J. Lewis, *J. Organometal. Chem.*, 39 (1972) 329.
- 8 A.M. Brodie, B.F.G. Johnson, P.L. Josty et J. Lewis, *J. Chem. Soc. Dalton*, (1972) 2031.
- 9 Y. Shvo et E. Hazum, *Chem. Commun.*, (1974) 336.

## Erratum

---

*J. Organometal. Chem.*, Vol. 120, No. 1 (October 26th, 1976)

Page 94, the last line should read:

$$K = (k_1 k_2 / k_{-1} k_{-2}) = k_1 / k_{-2}$$

(11)