

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 279 (1985)

SUBJECT INDEX

Arsenic

Sulphur diimide rearrangement with trinuclear osmium clusters; synthesis, crystal structure and stereochemistry of $(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu_3\text{-As}^t\text{Bu})$ [$\mu(\text{N,As})\text{-NSNAs}^t\text{Bu}_2$] (G. Süß-Fink, K. Guldner, M. Herberhold, A. Gieren, T. Hübner), 447

Boron

closo-Bis(triphenylphosphine)hydrido-rhodacarboranes, reactions at the rhodium vertex of; alkenyl acetate cleavage and subsequent reactions (R.E. King, III, D.C. Bussy, M.F. Hawthorne), 103

One-bond $^{15}\text{N}\text{-}^{13}\text{C}$, $^{15}\text{N}\text{-M}$, $^{29}\text{Si}\text{-X}$ ($\text{M} = ^{11}\text{B}$, ^{29}Si , ^{119}Sn , $\text{X} = ^1\text{H}$, ^{13}C) nuclear spin-spin coupling constants with the structure of metallatranes in solutions, correlation of (E. Kupče, E. Liepiņš, A. Lapsiņa, I. Urtāne, G. Zelčāns, E. Lukevics), 343

Trimethylsilyl-substituted air-stable trivinylboranes and carboranes, formation and characterisation of (N.S. Hosmane, N.N. Sirmokadam, M.N. Mollenhauer), 359

Chromium

Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Katakis, J. Konstantatos, E. Vrachnou-Astra), 131

2,2-Bipyridyltetracarbonyl-chromium, -molybdenum and -tungsten, electrode-catalysed substitution initiated by reduction of (D. Mihalová, A.A. Vlíček), 317

(Naphthalene)(tricarbonyl)chromium, selective catalytic hydrogenation of 1,4-dienes to *cis*-monoenes (J.R. Tucker, D.P. Riley), 49

Cobalt

3,3-Diphenyl-1-propanol, cobalt-catalysed hydroformylation and its reversibility of (C. Kim, Y. Matsui, M. Orchin), 159

$\text{HCo}(\text{CO})_4/\text{CO}$, CIDNP evidence for radical intermediates in hydroformylation and reduction of styrene by (T.M. Bockman, J.F. Garst, R.B. King, L. Markó, F. Ungváry), 165

Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), 203

Organocobaloxime with an acetoxy-substituted tertiary carbon to cobalt bond derived from enolpyruvic acid (Z. Szeverényi, L.I. Simándi), 259

Organocobalt(IV) and organorhodium(IV) chemistry, current state of (M.E. Vol'pin, I.Ya. Levitin, A.L. Sigan, A.T. Nikitaev), 263

Pentamethylcyclopentadienylchloropyridinecobalt, [$\eta^5\text{-C}_5\text{Me}_5\text{Co}(\mu\text{-Cl})_2$], preparation and molecular structure of (E. Raabe, U. Koelle), C29

Copper

$[\text{CuPPh}_3\text{C}\equiv\text{CPh}]_4$, electron-deficient molecule with μ_3 -bridging phenylacetylide ligands, synthesis and X-ray structure of (L. Naldini, F. Demartin, M. Manassero, M. Sansoni, G. Rassu, M.A. Zoroddu), C42

Thallium(I) carboxylates, formation of thallium complexes with carbon dioxide during mass spectrometry of (Yu.S. Nekrasov, T.V. Lysyak, Yu.Ya. Kharitonov, I.S. Kolomnikov), 337

Germanium

One-bond $^{15}\text{N}\text{-}^{13}\text{C}$, $^{15}\text{N}\text{-M}$, $^{29}\text{Si}\text{-X}$ ($\text{M} = ^{11}\text{B}$, ^{29}Si , ^{119}Sn , $\text{X} = ^1\text{H}$, ^{13}C) nuclear spin-spin coupling constants with the structure of metallatranes in solution, correlation of (E. Kupče, E. Liepiņš, A. Lapsiņa, I. Urtāne, G. Zelčāns, E. Lukevics), 343

Hafnium

Alkenyl- and alkynyl-permethylzirconocene and -permethylhafnocene, synthesis and reactivity of; rearrangement of alkenyl derivatives via $\beta\text{-H}$ elimina-

tion from and sp^2 -hybridized carbon (C. McDade, J.E. Bercaw), 281

Iridium

Mixed-metal carbonyl cluster anion, $[\text{RuIr}_3(\text{CO})_9(\mu\text{-CO})_3]^-$, isolation of and crystal structure of its bis(tri-phenylphosphine)iminium salt of (A. Fumagalli, F. Demartin, A. Sironi), C33

Phosphineiridium neutral and cationic complexes, observations on olefin oxidation by (J.M. Brown, R.A. John, A.R. Lucy), 245

Rhodium and iridium complexes in aromatic metallation reactions unusual reactivity of iodobenzene (M. Gomez, P.I.W. Yarrow, D.J. Robinson, P.M. Maitlis), 115

Iron

Ferrocenylphosphinerhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_3(\text{P}(\text{CMe}_3)_2\text{-1,3})(\eta^5\text{-C}_5\text{H}_3(\text{CHMeNMe}_2)\text{P}(\text{CMe}_3)_2\text{-1,2}))(\text{T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter})$, 5

Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), 203

Lithium

Alkali metal cyclopentadienides, vibrational spectra of (I.A. Garbuzova, O.G. Garkusha, B.V. Lokshin, G.K. Borisov, T.S. Morozova), 327

Magnesium

Dimethylbis(diethylphenylphosphine)-palladium(II), *trans-cis* isomerisation catalysed by methylmagnesium compounds of (F. Ozawa, K. Kurihara, T. Yamamoto, A. Yamamoto), 233

Manganese

μ_2 -Carbomethoxyvinylidene chelating ligand containing heterometallic complexes, preparation of; X-ray crystal structure of $\text{Cp}(\text{OC})_2\text{MnW}(\text{CO})_4(\mu\text{-C}=\text{CHCOOMe})$ and $[\text{Cp}(\text{CO})_2$ -

$\text{Mn}(\mu_2\text{-C}=\text{CHCOOMe})_2\text{Mo}(\text{CO})_2$ (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, A.S. Batsanov, Yu.T. Struchkov), 419

Mercury

Palladium-catalysed oxidative carbonylation of arylmercury compounds (A. Chiesa, R. Ugo), 215

Metalloenes

Alkenyl- and alkynyl-permethylzirconocene and -permethylhafnocene, synthesis and reactivity of; rearrangement of alkenyl derivatives via β -H elimination from an sp^2 -hybridized carbon (C. McDade, J.E. Bercaw), 281

Dicyclopentadienyldichloroniobium, one-electron oxidation of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron), C15

Ferrocenylphosphinerhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_3(\text{P}(\text{CMe}_3)_2\text{-1,3})(\eta^5\text{-C}_5\text{H}_3(\text{CHMeNMe}_2)\text{P}(\text{CMe}_3)_2\text{-1,2}))(\text{T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter})$, 5

Primary silane polymerisation to linear polysilanes catalysed by titanocene derivatives (C. Aitken, J.F. Harrod, E. Samuel), C11

Molybdenum

2,2-Bipyridyltetracarbonyl-chromium, -molybdenum and -tungsten, electrode-catalyzed substitution initiated by reduction of (D. Miholová, A.A. Vlček), 317

μ_2 -Carbomethoxyvinylidene chelating ligand containing heterometallic complexes, preparation of; X-ray crystal structure of $\text{Cp}(\text{OC})_2\text{MnW}(\text{CO})_4(\mu\text{-C}=\text{CHCOOMe})$ and $[\text{Cp}(\text{CO})_2\text{-Mn}(\mu_2\text{-C}=\text{CHCOOMe})]_2\text{Mo}(\text{CO})_2$ (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, A.S. Batsanov, Yu.T. Struchkov), 419

Neodymium

Lanthanoid-catalysed Tishchenko condensation of aldehydes to esters (K. Yokoo, N. Mine, H. Taniguchi, Y. Fujiwara), C19

Nickel

Ligand-modified zerovalent-nickel systems, stoichiometric reaction of 1,3-dienes with (R. Benn, B. Büssemeier, S. Holle, P.W. Jolly, R. Mynotti, I. Tkatchenko, G. Wilke), 63

Niobium

Dicyclopentadienyldichloroniobium, one-electron oxidation of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron), C15

Osmium

Osmium(II) hydrazine and hydrazone cationic complexes derived from the polymer $[\text{OsCl}_2(\text{COD})]_x$; crystal structure of $[\text{Os}(\text{COD})(\text{CNBu}^t)_2 \cdot (\text{NH}_2\text{N}=\text{CMe}_2)_2][\text{BPh}_4]_2 \cdot (\text{acetone})_2$ (H.E. Oosthuizen, E. Singleton, J.S. Field, G.C. Van Niekerk), 433

Sulphur diimide rearrangement with trinuclear osmium clusters; synthesis, crystal structure and stereochemistry of $(\mu\text{-H})\text{Os}_3(\text{CO})_8(\mu_3\text{-As}^t\text{Bu})[\mu(\text{N,As})\text{-NSNAs}^t\text{Bu}_2]$ (G. Süß-Fink, K. Guldner, M. Herberhold, A. Gieren, T. Hübner), 447

Palladium

1-Bromo-3-[3-(2-methylenecyclohex-5-en-1-yl)bicyclo[2.2.1]hept-2-yl]-4-bicyclo[2.2.1]hept-2-ylbenzene, aspects of aromatic substitution catalysed by palladium complexes and structure of (G. Bocelli, M. Catellani, G.P. Chiusoli), 225

Dimethylbis(diethylphenylphosphine)palladium(II), *trans-cis* isomerisation catalysed by methylmagnesium compounds of (F. Ozawa, K. Kurihara, T. Yamamoto, A. Yamamoto), 233

Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), 203

Palladium-catalysed oxidative carbonylation of arylmercury compounds (A. Chiesa, R. Ugo), 215

Phosphorus

μ -Alkylidene-nonacarbonylditungsten, reaction with diphosphinoalkyne of (J. Levisalles, F. Rose-Munch, H. Rudler, J.C. Daran, Y. Jeannin), 413

Bidentate P,N ligand-modified rhodium(I) complexes, impact of nitrogen ligands on isomerisation capability of (M.C. Bonnet, B. Sitou, I. Tkatchenko), C1

2,4-Bis(diphenylphosphino)pentane enantiomers, preparation and application in asymmetric hydrogenation of (J. Bakos, I. Tóth, B. Heil, L. Markó), 23

closo-Bis(triphenylphosphine)hydrido-rhodacarboranes, reactions at the rhodium vertex of; alkenyl acetate cleavage and subsequent reactions (R.E. King, III, D.C. Bussy, M.F. Hawthorne), 103

$[\text{CuPPh}_3\text{C}\equiv\text{CPh}]_4$, electron-deficient molecule with μ_3 -bridging phenylacetylide ligands, synthesis and X-ray structure of (L. Naldini, F. Demartin, M. Manassero, M. Sansoni, G. Rassu, M.A. Zoroddu), C42

Dihydrogen binding by bis(ditertiaryphosphine)rhodium(I) tetrafluoroborate complexes, kinetic and mechanistic aspects of; activity of the dihydrides for catalytic hydrogenation of prochiral olefinic acids (B.R. James, D. Mahajan), 31

Dimethylbis(diethylphenylphosphine)palladium(II), *trans-cis* isomerisation catalysed by methylmagnesium compounds of (F. Ozawa, K. Kurihara, T. Yamamoto, A. Yamamoto), 233

Ferrocenylphosphinerhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{P}(\text{CMe}_3)_2\text{-1,3})(\eta^5\text{-C}_5\text{H}_5(\text{CHMeNMe}_2)\text{P}(\text{CMe}_3)_2\text{-1,2})$ (T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter), 5

Ligand-modified zerovalent-nickel systems, stoichiometric reaction of 1,3-dienes with (R. Benn, B. Büssemeier, S. Holle, P.W. Jolly, R. Mynotti, I. Tkatchenko, G. Wilke), 63

Mixed-metal carbonyl cluster anion, $[\text{RuIr}(\text{CO})_9(\mu\text{-CO})_3]^-$, isolation of and crystal structure of its bis(triphenylphosphine)iminium salt (A. Fumagalli, F. Demartin, A. Sironi), C33

Mono-, di- and tri-organotin(IV) dialkyl-dithiophosphates, ^{119}Sn , ^{31}P , ^{13}C and ^1H NMR and Mössbauer studies of (H.C. Clark, V.K. Jain, R.C. Mehrotra, B.P. Singh, G. Srivastava, T. Birchall), 385

Phosphineiridium neutral and cationic complexes, observations on olefin oxidation by (J.M. Brown, R.A. John, A.R. Lucy), 245

Rhodium anionic complexes, aspects of and ligand effects in (A.S.C. Chan, H.-S. Shieh, J.R. Hill), 171

Rhodium- and platinum-catalysed asymmetric hydroformylation with (2*S*,3*S*)-2,3-bis(diphenylphosphino)butane as the chiral ligand (G. Consiglio, F. Morandini, M. Scalone, P. Pino), 193

Rhodium(I)-peralkyldiphosphine complexes, mechanistic aspects of catalytic hydrogenation of ketones by (K. Tani, E. Tanigawa, Y. Tatsuno, S. Otsuka), 87

Platinum

Hyridoplatinum(II) carbene derivatives from hydridofluoromethyl complexes (R.A. Michelin, G. Facchin, R. Ros), C25

Mercapto-bridged dinuclear platinum(II) complexes, preparation and characterisation of; catalytic activity of $[(\text{PEt}_3)_2\text{PtCl}(\mu\text{-SEt})]_2/\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$ system in hydrogenation and hydroformylation of styrene (H.C. Clark, V.K. Jain, G.S. Rao), 181

Rhodium- and platinum-catalysed asymmetric hydroformylation with (2*S*,3*S*)-2,3-bis(diphenylphosphino)butane as the chiral ligand (G. Consiglio, F. Morandini, M. Scalone, P. Pino), 193

Potassium

Alkali metal cyclopentadienides, vibrational spectra of (I.A. Garbuzova, O.G. Garkusha, B.V. Lokshin, G.K. Borisov, T.S. Morozova), 327

Praseodymium

Lanthanoid-catalysed Tishchenko condensation of aldehydes to esters (K. Yokoo, N. Mine, H. Taniguchi, Y. Fujiwara), C19

Rhodium

Bidentate P,N ligand-modified rhodium(I) complexes, impact of nitrogen ligands on isomerisation capability of (M.C. Bonnet, B. Stitou, I. Tkatchenko), C1

2,4-Bis(diphenylphosphino)pentane enantiomers, preparation and application in asymmetric hydrogenation of (J. Bakos, I. Tóth, B. Heil, L. Markó), 23

closo-Bis(triphenylphosphine)hydrido-rhodacarboranes, reactions at the rhodium vertex of; alkenyl acetate cleavage and subsequent reactions (R.E. King, III, D.C. Bussy, M.F. Hawthorne), 103

Dihydrogen binding by bis(ditertiaryphosphine)rhodium(I) tetrafluoroborate complexes, kinetic and mechanistic aspects of; activity of the dihydrides for catalytic hydrogenation of prochiral olefinic acids (B.R. James, D. Mahajan), 31

Ferrocenylphosphinerhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{P}(\text{CMe}_3)_2\text{-1,3})(\eta^1\text{-C}_5\text{H}_5(\text{CHMeNMe}_2)\text{-P}(\text{CMe}_3)_2\text{-1,2})$ (T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter), 5

Hexadecacarbonylhexarhodium and bis(chlorodicarbonyl)rhodium adsorbed on alumina, Na-Y zeolite and H-Y zeolite, water gas shift reaction catalysed by (J.M. Basset, A. Theolier, D. Commereuc, Y. Chauvin), 147

Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), 203

Octacarbonyldirrhodium and dodecacarbonyltetrahorrhodium, quantitative study of the equilibrium under carbon monoxide pressure between (F. Oldani, G. Bor), 459

Organocobalt(IV) and organorhodium(IV) chemistry, current state of (M.E. Vol'pin, I.Ya. Levitin, A.L. Sigán, A.T. Nikitaev), 263

Rhodium and iridium complexes in aromatic metallation reactions; unusual reactivity of iodobenzene (M. Gomez, P.I.W. Yarrow, D.J. Robinson, P.M. Maitlis), 115

Rhodium anionic complexes, aspects of and ligand effects in (A.S.C. Chan, H.-S. Shieh, J.R. Hill), 171

Rhodium(I) catalysed co-oligomerisation of carbon monoxide with ethylene; direct evidence for a single mode of stepwise chain growth (A. Sen, J.S. Brumbaugh), C5

Rhodium hydroformylation and carbonylation catalysis (J.F. Roth), 1

Rhodium- and platinum-catalysed asymmetric hydroformylation with (2*S*,3*S*)-2,3-bis(diphenylphosphino)butane as the chiral ligand (G. Consiglio, F. Morandini, M. M. Scalone, P. Pino), 193

Rhodium(I)-peralkyldiphosphine complexes, mechanistic aspects of catalytic hydrogenation of ketones by (K. Tani, E. Tanigawa, Y. Tatsumo, S. Otsuka), 87

Ruthenium

Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Katakis, J. Konstatatos, E. Vrachnou-Astra), 131

Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), 203

Mixed-metal carbonyl cluster anion, $[\text{RuIr}_3(\text{CO})_6(\mu\text{-CO})_3]^-$, isolation of and crystal structure of its bis(triphenylphosphine)iminium salt (A. Fumagalli, F. Demartin, A. Sironi), C33

Tetra- and penta-ruthenium complexes from linking of ethylidene and vinylidene ligands (D.L. Davies, J.A.K. Howard, S.A.R. Knox, K. Marsden, K.A. Mead, M.J. Morris, M.C. Rendle), C37

Samarium

Lanthanoid-catalysed Tishchenko condensation of aldehydes to esters (K. Yokoo, N. Mine, H. Taniguchi, Y. Fujiwara), C19

Silicon

One-bond ^{15}N - ^{13}C , ^{15}N - M , ^{29}Si - X ($\text{M} = ^{11}\text{B}$, ^{29}Si , ^{119}Sn , $\text{X} = ^1\text{H}$, ^{13}C) nuclear spin-spin coupling constants with the structure of metallatranes in solution, correlation of (E. Kupče, E. Liepiņš,

A. Lapsiņa, I. Urtāne, G. Zelčāns, E. Lukevics), 343

Primary silane polymerisation to linear polysilanes catalysed by titanocene derivatives (C. Aitken, J.F. Harrod, E. Samuel), C11

Trimethylsilyl-substituted air-stable trivinylboranes and carboranes, formation and characterisation of (N.S. Hosmane, N.N. Sirmokadam, M.N. Mollenhauer), 359

Silver

Pentacarbonylfulminatotungsten, $\text{NEt}_4[\text{W}(\text{CNO})(\text{CO})_5]$, preparation and isomerisation at the metal atom of (F. Beck, W.P. Fehlhammer, W. Beck), C22

Sodium

Alkali metal cyclopentadienides, vibrational spectra of (I.A. Garbuzova, O.G. Garkusha, B.V. Lokshin, G.K. Borisov, T.S. Morozova), 327

Sulphur

Mercapto-bridged dinuclear platinum(II) complexes, preparation and characterisation of; catalytic activity of $[(\text{PEt}_3)\text{PtCl}(\mu\text{-SEt})_2]/\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$ system in hydrogenation and hydroformylation of styrene (H.C. Clark, C.K. Jain, G.S. Rao), 181

Mono- and di-cyclopentadienylzirconium(IV) derivatives with heterocyclic thiones, synthesis and spectroscopic studies of (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), 395

Mono-, di- and tri-organotin(IV) dialkyl-dithiophosphates, ^{119}Sn , ^{31}P , ^{13}C and ^1H NMR and Mössbauer studies of (H.C. Clark, V.K. Jain, R.C. Mehrotra, B.P. Singh, G. Srivastava, T. Birchall), 385

Tin

Diorganotin(IV) derivatives of *N*-phthaloyl amino acids, formation and characterisation of (G.K. Sandhu, R. Gupta, S.S. Sandhu, R.V. Parish, K. Brown), 373

- Mercurio-bridged dinuclear platinum(II) complexes, preparation and characterization of; catalytic activity of [(PEt₃)PtCl(μ-SEt)]₂/SnCl₂ · 2H₂O system in hydrogenation and hydroformylation of styrene (H.C. Clark, C.K. Jain, G.S. Rao), 181**
- Mono-, di and tri-organotin(IV) dialkyl-dithiophosphates, ¹¹⁹Sn, ³¹P, ¹³C and ¹H NMR and Mössbauer studies of (H.C. Clark, V.K. Jain, R.C. Mehrotra, B.P. Singh, G. Srivastava, T. Birchall), 385**
- One-bond ¹⁵N-¹³C, ¹⁵N-M, ²⁹Si-X (M = ¹¹B, ²⁹Si, ¹¹⁹Sn, X = ¹H, ¹³C) nuclear spin-spin coupling constants with the structure of metallatranes in solution, correlation of (E. Kupče, E. Liepiņš, A. Lapsiņa, I. Urtāne, G. Zelčāns, E. Lukevics), 343**

Titanium

- Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Katakis, J. Konstantatos, E. Vrachnou-Astra), 131**
- Primary silane polymerisation to linear polysilanes catalysed by titanocene derivatives (C. Aitken, J.F. Harrod, E. Samuel), C11**
- Thallium(I) carboxylates, formation of thallium complexes with carbon dioxide during mass spectrometry of (Yu.S. Nekrasov, T.V. Lysyak, Yu.Ya. Kharitonov, I.D. Kolomnikov), 337**

Tungsten

- μ-Alkylidenenonacarbonylditungsten, reaction with diphosphinoalkyne of (J. Levisalles, F. Rose-Munch, H. Rudler, J.C. Daran, Y. Jeannin), 413**
- 2,2-Bipyridyltetracarbonyl-chromium, -molybdenum and -tungsten, electrode-catalysed substitution initiated by reduction of (D. Miholová, A.A. Vlček), 317**

- μ₂-Carbomethoxyvinylidene chelating ligand containing heterometallic complexes, preparation of; X-ray crystal structure of Cp(OC)₂MnW(CO)₄-(μ-C=CHCOOMe) and [Cp(CO)₂-Mn(μ₂-C=CHCOOMe)]₂Mo(CO)₂ (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, A.S. Batsanov, Yu.T. Struchkov), 419**
- (η⁵-C₅H₅)W[C(Ph)C(CMe₃)C(Ph)]Cl₂, molecule possessing a localized, non-planar tungstenacyclobutadiene ring, crystal structure of (M.R. Churchill, J.W. Ziller), 403**
- Pentacarbonylfulminatotungsten, NEt₄[W(CNO)(CO)₅], preparation and isomerisation at the metal atom of (F. Beck, W.-P. Fehlhammer, W. Beck), C22**

Vanadium

- Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Katakis, J. Konstantatos, E. Vrachnou-Astra), 131**

Zirconium

- Alkenyl- and alkynyl-permethylzirconocene and -permethylhafnocene, synthesis and reactivity of; rearrangement of alkenyl derivatives via β-H elimination from an sp²-hybridized carbon (C. McDade, J.E. Bercaw), 281**
- Mono- and di-cyclopentadienylzirconium(IV) derivatives with heterocyclic thiones, synthesis and spectroscopic studies of (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), 395**

Book reviews

- Electron spin resonance, Vol. 8. Specialist periodical report (R.A. Jackson), C45**