

JOURNAL OF ORGANOMETALLIC CHEMISTRY, Vol. 289 (1985)

SUBJECT INDEX

Antimony

Stibinidene complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber, G. Huttner, O. Scheidsteger, L. Zsolnai), 357

Arsenic

Palladium and platinum asymmetric metalacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), 201

Boron

Carboranylmercury salts, electrochemical symmetrization (A. Ya. Usiatinsky, V. A. Shreider, T. M. Shcherbina, V. I. Bregadze, N. N. Godovikov, I. L. Knunians), 17

Hydroboration of unsaturated amines, role of a PIV—N bond on complexation of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Spéziiale, A. Lattes), 309

Chromium

Dicarbonyl (η^4 -diene)-1,2-bis(dimethylphosphino)ethanechromium(0), synthesis and dynamic behaviour of (C. G. Kreiter, M. Kotzian), 295

1,3,2-Dithiaphospholane as ligands in tetracarbonyl- and pentacarbonylchromium complexes (J. Grobe, D. Le Van, J. Szameitat), 341

Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F. J. Garcia Alonso, H. Otto, K. Peters, H. G. von Schnering), C5

Silyl vinyl ketenes, [2 + 2] cycloaddition to (K. H. Dötz, J. Mühlemeier, B. Trenkle), 257

Stibinidene complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber, G. Huttner, O. Scheidsteger, L. Zsolnai), 357

Tolylmethylidyne(dicarbonyl) (cyclopentadienyl)tungsten, C—C bond formation in reactions with organo-chromium and -zinc compounds of (J. C. Jeffery, A. L. Ratermann, F. G. A. Stone), 367

Cobalt

Bis(μ -dimethylphosphido)dicobalt nucleophilic complex, synthesis and reactions of; crystal and molecular structure of $[(C_5H_5Co(\mu-PMe_2))_2]$ and $[(C_5H_5Co)_2(\mu-H)(\mu-PMe_2)_2]BPh_4$ (H. Werner, W. Hofmann, R. Zolk, L. F. Dahl, J. Kocal, A. Kühn), 173

Carbenoid- and ylide-cobalt(III) complexes, synthesis by ligand substitution of cyclopentadienylcobalt(I) compounds of (L. Hofmann, H. Werner), 141

Cobalt and rhodium half-sandwich complexes, UV photoelectronic spectra of (C. Cauletti, C. Furlani, C. Puliti, H. Werner), 417

Cyclopentane and tetrahydrofuran derivatives of hex-5-enyl- and hex-3-oxo-5-enyl-cobaloximes, intramolecular homolytic displacement as a route to (C. Bongars, P. Bougeard, A. Bury, C. J. Cooksey, M. D. Johnson, S. Mitchell, P. A. Owens, F. Rajah), 163

(Methylcyclopentadienyl)dicarbonylcobalt, oxidative addition reactions to and preparation of mono- μ -hydrido complexes from (S. Delgado, J. Macazaga, C. Moreno, J. R. Masaguer), 397

Silyl- and stannyl-tricobalt cluster compounds, cyclic voltammetry of (A. M. Bonny, T. J. Crane, N. A. P. Kane-Maguire), 157

Toluenesulphonyl radicals, formation of alkanyl- and cycloalkanyl-4-tolylsulphones from organocobaloximes with (M. R. Ashcroft, P. Bougeard, A. Bury, C. J. Cooksey, M. D. Johnson), 403

Copper

Trialkylmagnesium mixed cuprates, regio-specific and regioselective addition reactions with α,β -enones and -enals of (J. Drouin, G. Rousseau), 223

Germanium

- Heterobimetallic (Pd/Pt—Ge/Sn) trinuclear clusters containing a planar $M_3(CO)_3-(\mu_2-M)_3$ core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of $[M\{\mu_2-Sn(NR_2)_2\}(CO)_3]$ ($M = Pd, Pt$; $R = SiMe_3$) (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), C1
- η^5 -Pentamethylcyclopentadienyl-Group IV complexes, electronic structure from He(I) and He(II) photoelectron spectroscopy of (G. Bruno, E. Ciliberto, I.L. Fragalà, P. Jutzi), 263

Iron

- Bipyridineisocyanidoiron borate complexes in acetonitrile, photochemistry of (L.L. Costanzo, S. Giuffrida, G. De Guidi, V. Cucinotta, G. Condorelli), 81
- Cyclopentadienyl-acyl- and -carboxyalkyl-metal complexes, base-promoted rearrangements of (S. Abbott, G.J. Baird, S.G. Davies, I.M. Dordor-Hedgecock, T.R. Maberly, J.C. Walker, P. Warner), C13
- Ferroceneophanes containing aromatic or heteroaromatic rings in the bridging chain, syntheses of (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), 91
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnering), C5

Lead

- Triphenyllead benzenethiolate, Ph_3PbSPh , triphenyllead *O,O'*-diethyldithiophosphate, $Ph_3PbS_2P(OEt)_2$, and diphenyllead bis(*O,O'*-dibenzoyldithiophosphate), $Ph_2Pb[S_2P(OCH_2Ph)_2]_2$, crystal and molecular structures of (M.G. Begley, C. Gaffney, P.G. Harrison, A. Steel), 281

Lithium

- Palladium and platinum asymmetric metal-lacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), 201

- Trialkylmagnesium mixed cuprates, regio-specific and regioselective addition reactions with α,β -enones and -enals of (J. Drouin, G. Rousseau), 223

Magnesium

- Diorganosilacyclopent-3-ene derivatives from diorganodichlorosilanes and butadienemagnesium, evidence for crotyl-Grignard intermediates (W.J. Richter), 45
- Trialkylmagnesium mixed cuprates, regio-specific and regioselective addition reactions with α,β -enones and -enals of (J. Drouin, G. Rousseau), 223

Manganese

- (η^5 - $CH_3C_5H_4$)(CO)(PR_3)Mn(H)SiHPh₂ complexes, reductive elimination of diphenylsilanes from (G. Kraft, C. Kalbas, U. Schubert), 247
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnering), C5

Mercury

- Bis $\{\alpha,\beta$ -bis[(trifluoromethanesulphonyloxy]styryl}mercury, synthesis and crystal structure of (G. Maas, R. Brückmann, W. Lorenz), 9
- Carboranylmercury salts, electrochemical symmetrization (A. Ya. Usiatinsky, V.A. Shreider, T.M. Shcherbina, V.I. Bregadze, N.N. Godovikov, I.L. Knunians), 17

Metalloenes

- Cobalt and rhodium half-sandwich complexes, UV photoelectronic spectra of (C. Caletti, C. Furlani, C. Puliti, H. Werner), 417
- Decamethylruthenocenium cations, reactions of (U. Kölle, J. Grub), 133
- Ferroceneophanes containing aromatic or heteroaromatic rings in the bridging chain, syntheses of (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), 91
- Groups IVA and VA dimeric metallocene derivatives, synthesis and structures of (E.G. Perevalova, I.F. Urazowski, D.A. Lemenovskii, Yu.L. Slovokhotov, Yu.T. Struchkov), 319

Molybdenum

- 1,2-Benzodithiolatomolybdenum complexes, alkylation of; synthesis of nitrosylmolybdenum complexes with organosulphur ligands (D. Sellmann, L. Zapf, J. Keller, M. Moll), 71
- Carbonylmolybdenum complexes with polydentate thioether-thiol ligands, substitution and redox reactions of (D. Sellmann, L. Zapf), 57

Nickel

- η^5 -Cyclopentadienyl- η^2 -propenealkylnickel complexes, thermal decomposition of (S. Pasynkiewicz, H. Lehmkuhl), 189

Niobium

- Groups IVA and VA dimeric metallocene derivatives, syntheses and structures of (E.G. Perevalova, I.F. Urazowski, D.A. Lemenovskii, Yu.L. Slovokhotov, Yu.T. Struchkov), 319

Palladium

- π -Allylpalladium(II) complexes, variable pressure and temperature ^1H NMR studies on (R.L. Batstone-Cunningham, H.W. Dodgen, J.P. Hunt, D.M. Roundhill), 431
- Heterobimetallic (Pd/Pt—Ge/Sn) trinuclear clusters containing a planar $\text{M}_3(\text{CO})_3$ - $(\mu_2\text{-M})_3$ core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of $[(\text{M}\{\mu_2\text{-Sn}(\text{NR}_2)_2\}(\text{CO})_3)]$ (M = Pd, Pt; R = SiMe₃) (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), C1
- Palladium and platinum asymmetric metal-lacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), 201
- Palladium and platinum complexes of α -ketoesters; crystal structure of *trans*- $[\text{Pt}\{\text{P}(\text{C}_6\text{H}_{11})_3\}_2(\text{H})\{\text{OC}=\text{CHCMe}-(\text{COOEt})\text{OCO}\}]$ (A. Grassi, P. Longo, A. Musco, W. Porzio, A. Scrivanti), 439
- Palladium hydride complexes in aqueous trifluoroacetic acid solutions, formation and reactivity of (V.N. Zudin, V.D. Chinakov, V.M. Nekipelov, V.A. Likhonobov, Yu.I. Yermakov), 425

Phosphorus

- trans*-Bis[1,2-bis(diphenylphosphino)-chloro(t-butylisocyanide)rhenium(I) tetrahydrofuran solvate, molecular structure of (M.A.A.F. De C.T. Carondo, A.M.T.S. Domingos, G.A. Jeffrey), 377
- Bis(μ -dimethylphosphido)dicobalt nucleophilic complex, synthesis and reactions of; crystal and molecular structure of $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)_2]$ and $[(\text{C}_5\text{H}_5\text{Co})_2(\mu\text{-H})(\mu\text{-PMe}_2)_2]\text{BPh}_4$ (H. Werner, W. Hofmann, R. Zolk, L.F. Dahl, J. Kocal, A. Kühn), 173
- Carbenoide- and ylido-cobalt(III) complexes, synthesis by ligand substitution of cyclopentadienylcobalt(I) compounds of (L. Hoffmann, H. Werner), 141
- Carbonylmolybdenum complexes with polydentate thioether-thiol ligands, substitution and redox reactions of (D. Sellmann, L. Zapf), 57
- $(\eta^5\text{-CH}_3\text{C}_5\text{H}_4)(\text{CO})(\text{PR}_3)\text{Mn}(\text{H})\text{SiHPh}_2$ complexes, reductive elimination of diphenylsilanes from (G. Kraft, C. Kalbas, U. Schubert), 247
- Dicarbonyl(η^4 diene)-1,2-bis(dimethylphosphino)ethanechromium(0), synthesis and dynamic behaviour of (C.G. Kreiter, M. Kotzian), 295
- 1,3,2-Dithiaphospholane as ligands in tetracarbonyl- and pentacarbonylchromium complexes (J. Grobe, D. Le Van, J. Szameitat), 341
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnering), C5
- Hydroboration of unsaturated amines, role of a $\text{P}^{\text{IV}}\text{-N}$ bond on complexation of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Spéziale, A. Lattes), 309
- Indenyl-ruthenium(II) complexes, crystal structure of $[\text{Ru}(\text{CO})(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]\text{-ClO}_4 \cdot \frac{1}{2}\text{CH}_2\text{Cl}_2$ (L.A. Oro, M.A. Ciriano, M. Campo, C. Foces-Foces, F.H. Cano), 117
- Palladium and platinum asymmetric metal-lacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), 201
- Palladium and platinum complexes of α -ketoester; crystal structure of *trans*- $[\text{Pt}\{\text{P}(\text{C}_6\text{H}_{11})_3\}_2(\text{H})\{\text{OC}=\text{CHCMe}-(\text{COOEt})\text{OCO}\}]$ (A. Grassi, P. Longo, A. Musco, W. Porzio, A. Scrivanti), 439

- Platinum dicarboxylate cyclic and acyclic complexes, decarboxylation of (O.J. Scherer, K. Hussong, G. Wolmershäuser), 215
- Stibinidene, complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber, G. Huttner, O. Scheidsteiger, L. Zsolnai), 357
- Triphenyllead benzenethiolate, Ph_3PbSPh , triphenyllead *O,O'*-diethyldithiophosphate, $\text{Ph}_3\text{PbS}_2\text{P}(\text{OEt})_2$, and diphenyllead bis(*O,O'*-dibenzylthiophosphate), $\text{Ph}_2\text{Pb}[\text{S}_2\text{P}(\text{OCH}_2\text{Ph})_2]_2$, crystal and molecular structures of (M.G. Begley, C. Gaffney, P.G. Harrison, A. Steel), 281

Platinum

- Heterobimetallic (Pd/Pt—Ge/Sn) trinuclear clusters containing a planar $\text{M}_3(\text{CO})_3$ - $(\mu_2\text{-M})_3$ core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of $[(\text{M}\{\mu_2\text{-Sn}(\text{NR}_2)_2\}(\text{CO})_3)]$ ($\text{M} = \text{Pd}, \text{Pt}; \text{R} = \text{SiMe}_3$) (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), C1
- Palladium and platinum asymmetric metallacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), 201
- Palladium and platinum complexes of α -ketoesters; crystal structure of *trans*- $[\text{Pt}\{\text{P}(\text{C}_6\text{H}_{11})_3\}_2(\text{H})\{\text{OC}=\text{CHCMe}(\text{COOEt})\text{OCO}\}]$ (A. Grassi, P. Longo, A. Musco, W. Porzio, A. Scrivanti), 439
- Platinum dicarboxylate cyclic and acyclic complexes, decarboxylation of (O.J. Scherer, K. Hussong, G. Wolmershäuser), 215

Rhenium

- trans*-Bis[1,2-bis(diphenylphosphino)ethane]chloro(*t*-butylisocyanide)rhenium(I) tetrahydrofuran solvate, molecular structure of (M.A.A.F. De C.T. Carrondo, A.M.T.S. Domingos, G.A. Jeffrey), 377
- Cyclopentadienyl-acyl- and -carboxyalkyl-metal complexes, base-promoted rearrangements of (S. Abbott, G.J. Baird, S.G. Davies, I.M. Dordor-Hedgecock, T.R. Maberly, J.C. Walker, P. Warner), C13

Rhodium

- Carbenoid- and ylide-cobalt(III) complexes, synthesis by ligand substitution of cyclopentadienylcobalt(I) compounds of (L. Hofmann, H. Werner), 141
- Cobalt and rhodium half-sandwich complexes, UV photoelectronic spectra of (C. Cauletti, C. Furlani, C. Puliti, H. Werner), 417
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnering), C5
- Ruthenium and rhodium complexes as catalysts in reactions of methanol as hydrogen donor (T.A. Smith, P.M. Maitlis), 385

Ruthenium

- Cyclopentadienyl-acyl- and -carboxyalkyl-metal complexes, base-promoted rearrangements of (S. Abbott, G.J. Baird, S.G. Davies, I.M. Dordor-Hedgecock, T.R. Maberly, J.C. Walker, P. Warner), C13
- Decamethylruthenocenium cations, reactions of (U. Kölle, J. Grub), 133
- Indenyl-ruthenium(II) complexes, crystal structure of $[\text{Ru}(\text{CO})(\text{PPh}_3)_2(\eta^5\text{-C}_9\text{H}_7)] \text{ClO}_4 \cdot \frac{1}{2} \text{CH}_2\text{Cl}_2$ (L.A. Oro, M.A. Ciriano, M. Campo, C. Foces-Foces, F.H. Cano), 117
- Ruthenium and rhodium complexes as catalysts in reactions of methanol as hydrogen donor (T.A. Smith, P.M. Maitlis), 385
- Ruthenium catalysts, stepwise hydrogenation and carbonylation reactions of ethyl orthoformate, CO and H_2 catalysed by (G. Braca, A.M. Raspolli Galletti, G. Sbrana, R. Lazzaroni), 107
- Ruthenium/iodine catalysts, activity for carbonylation of esters to give carboxylic esters of (M. Lütgendorf, E.O. Elvevoll, M. Röper), 97
- Selenium
- Selenobenzaldehyde-bridged dinuclear complexes, $[(\text{CO})_2\text{W}]_2(\mu_2, \eta^2\text{-Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R})$ from $(\text{CO})_2\text{W}[\text{Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R}]$ (H. Fischer, S. Zeuner, H.G. Alt), C21

Silicon

- ($\eta^5\text{-C}_5\text{H}_5$)₂(CO)(PR₃)Mn(H)SiHPh₂ complexes, reductive elimination of diphenylsilanes from (G. Kraft, C. Kalbas, U. Schubert), 247
- 1,4-Disilabenzene and its valence isomers, relative stabilities of (J. Chandrasekhar, P.v.R. Schleyer), 51
- Organo-1,3,2-dioxasilacycloheptanes and their cyclic dimers, preparation and properties of (R.H. Cragg, R.D. Lane), 23
- Silicon-containing cyclic polysulphides, pyrolysis of (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, V.G. Zaikin, A.I. Mikaya), 231
- Silyl- and stannyl-tricobalt cluster compounds, cyclic voltammetry of (A.M. Bonny, T.J. Crane, N.A.P. Kane-Maguire), 157
- Silyl vinyl ketenes, [2 + 2] cycloaddition to (K.H. Dötz, J. Mühlemeier, B. Trenkle), 257
- Titanium-catalysed Diels-Alder cycloaddition of conjugated dienes containing trimethylsilyl groups (K. Mach, H. Antropiusová, L. Petrusová, F. Tureček, V. Hanuš, P. Sedmera, J. Schraml), 331
- Trimethylsilyl-substituted enamines and imines, comparison of the reactivity of isomers of; enantioselective synthesis of methyl 2-oxo-3-cyclohexyl propionate (M. Fourtignon, B. De Jeso, J.-C. Pommier), 239

Sulphur

- 1,2-Benzodithiolatomolybdenum complexes, alkylation of; synthesis of nitrosylmolybdenum complexes with organosulphur ligands (D. Sellmann, L. Zapf, J. Keller, M. Moll), 71
- Bis { α,β -bis[trifluoromethanesulphonyloxy]styryl}mercury, synthesis and crystal structure of (G. Maas, R. Brückmann, W. Lorenz), 9
- Carbonylmolybdenum complexes with polydentate thioether-thiol ligands, substitution and redox reactions of (D. Sellmann, L. Zapf), 57
- Diorganosilacyclopent-3-ene derivatives from diorganodichlorosilanes and butadienemagnesium, evidence for crotyl-Grignard intermediates (W.J. Richter), 45

- 1,3,2-Dithiaphospholane as ligands in tetracarbonyl- and pentacarbonyl-chromium complexes (J. Grobe, D. Le Van, J. Szameitat), 341
- Ferrocenophanes containing aromatic or heteroaromatic rings in the bridging chain, syntheses of (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), 91
- (Methylcyclopentadienyl)dicarbonyl-cobalt, oxidative addition reactions to and preparation of mono- μ -hydrido complexes from (S. Delgado, J. Macazaga, C. Moreno, J.R. Masaguer), 397
- Silicon-containing cyclic polysulphides, pyrolysis of (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, V.G. Zaikin, A.I. Mikaya), 231
- Toluenesulphonyl radicals, formation of alkanyl- and cycloalkanyl-4-tolylsulphones from organocobaloximes with (M.R. Ashcroft, P. Bougeard, A. Bury, C.J. Cooksey, M.D. Johnson), 403
- Triphenyllead benzenethiolate, Ph₃PbSPh, triphenyllead *O,O'*-diethyldithiophosphate, Ph₃PbS₂P(OEt)₂, and diphenyllead bis(*O,O'*-dibenzoyldithiophosphate), Ph₂Pb[S₂P(OCH₂Ph)₂]₂, crystal and molecular structures of (M.G. Begley, C. Gaffney, P.G. Harrison, A. Steel), 281

Tin

- Dicyclohexyltin dichloride, structure of (K.C. Molloy, K. Quill, I.W. Nowell), 271
- Heterobimetallic (Pd/Pt-Ge/Sn) trinuclear clusters containing a planar M₃(CO)₃-(μ_2 -M)₃ core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of [(M{ μ_2 -Sn(NR₂)₂}(CO))₃] (M = Pd, Pt; R = SiMe₃) (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), C1
- Palladium and platinum asymmetric metal-lacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), 201
- η^5 -Pentamethylcyclopentadienyl-Group IV complexes, electronic structure from He(I) and He(II) photoelectron spectroscopy of (G. Bruno, E. Ciliberto, I.L. Gragalà, P. Jutzi), 263
- Silyl- and stannyl-tricobalt cluster compounds, cyclic voltammetry of (A.M. Bonny, T.J. Crane, N.A.P. Kane-Maguire), 157

Titanium

Groups IVA and VA dimeric metallocene derivatives, synthesis and structures of (E.G. Perevalova, I.F. Urazowski, D.A. Lemenovskii, Yu.L. Slovokhotov, Yu.T. Struchkov), 319

Titanium-catalysed Diels-Alder cycloaddition of conjugated dienes containing trimethylsilyl groups (K. Mach, H. Antropiusová, L. Petrusová, F. Tureček, V. Hanuš, P. Sedmera, J. Schraml), 331

Tungsten

Selenobenzaldehyde-bridged dinuclear complexes, $[(\text{CO})_5\text{W}]_2(\mu_2, \eta^2\text{-Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R})$ from $(\text{CO})_5\text{W}[\text{Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R}]$ (H. Fischer, S. Zeuner, H.G. Alt), C21

Stibinidene complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber,

G. Huttner, O. Scheidsteiger, L. Zsolnai), 357

Tolylmethylidyne(dicarbonyl)(cyclopentadienyl)tungsten, C—C bond formation in reactions with organo-chromium and -zinc compounds of (J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), 367

Zinc

Diorganozinc compounds, exchange reactions of (H. Nehl, W.R. Scheidt), 1
Tolylmethylidyne(dicarbonyl)(cyclopentadienyl)tungsten, C—C bond formation in reactions with organo-chromium and -zinc compounds of (J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), 367

Book review

Orbital interactions in chemistry; by T.A. Albright, J.K. Burdett and M.H. Whangbo (D.M.P. Mingos), C18