

- | | | |
|-------------------------|-----------------------|--------------------|
| Szöllősy, A., 159 | Vrieze, K., C17 | Williams, J.M., 63 |
| Tamborski, C., 139, 149 | Wang, L.-Z., 39 | Wojnowski, W., 7 |
| Van Koten, G., C17 | Wesolek, D.M., C45 | Zanazzi, P.F., C47 |
| Van Vliet, M.R.P., C17 | West, R., 295 | Zelchan, G., 15 |
| Vliet, M.R.P. van, C17 | White, A.H., 249, 261 | Zhou, Y.-Z., 31 |
| | Wilburn, S.M., 71 | Zsombok, G., 289 |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 251 (1983)

SUBJECT INDEX

Aluminium

- Fluorosilyl-butylaminodichloroalane, synthesis and pyrolysis of; crystal structures of $[(\text{Me}_3\text{SiNMe}_2)_2\text{SiNCMe}_2]_2$ and $(\text{Me}_3\text{CNHAlCl}_2)_2$ (W. Clegg, M. Haase, U. Klingebiel, J. Neeman, C. Sheldrick), 281
- 2,4,6-Tri-*t*-butylnitrosobenzene, paramagnetic species formed in the reaction of organoaluminium compounds with (Z. Florjanczyk, J. Sitkowska), 1

Antimony

- Phenyl-substituted antimony(III) and antimony(V) chlorides and bromides, preparation of (M. Nunn, D.B. Sowerby, D.M. Wesolek), C45

Chromium

- Chromium tetracarbonyl complexes of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexaazatetraphenylene, ^{13}C NMR spectra of (N. Defay, D. Maetens, R. Nasielski-Hinkens), 317

Cobalt

- Atom-transfer redox reactions of nitrite anion with transition metal carbonyl cations (F.J. Lalor, L.H. Brookes), 327
- Carboxylic methyl esters, homologation via reductive carbonylation catalysed by a cobalt-ruthenium mixed catalyst (H. Kheradmand, A. Kiennemann, G. Jenner), 339
- $[\text{CNCH}_2\text{Co}(\text{COOCH}_3)(\text{CO})_3]^-$, formation and reactivity of (F. Francalanci, A. Gardano, L. Abis, M. Foà), C5
- Cobalt unsaturated trinuclear clusters,

- metal-bonded hydrogen atom in; crystal structure of $\text{HCo}_3(\text{CO})_6(\text{PPh}_3)_3$ (P. Bradamante, P. Pino, A. Stefani, G. Faschinetti, P.F. Zanazzi), C47
- Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi\text{-C}_6\text{H}_5)(\text{CO})_2\text{FeC}(\text{CH}_3)\text{OMo}(\text{CO})_3(\pi\text{-C}_6\text{H}_5)]^+ \text{SbF}_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227
- Organometallic cluster paramagnetic anions, reaction with molecular oxygen of (A. Darchen, C. Mahé, H. Patin), C9

Copper

- Organocyanocuprates, formation and reactions with organic halides of (L. Hamon, J. Levisalles), 133

Germanium

- Regiospecific synthesis of aromatic compounds via organometallic intermediates; 1,3,5-(trimethylmetal(IV)benzene compounds (G.J. Chen, C. Tamborski), 149
- Sil- and germ-atranones, synthesis and ^1H , ^{13}C , ^{15}N , and ^{29}Si NMR spectra of (E. Kupče, E. Liepinš, A. Lapsina, G. Zelchan, E. Lukevics), 15

Iridium

- Diolefin cationic iridium(I) complexes with sulphur ligands (C. Claver, J.C. Rodriguez, A. Ruiz), 369
- $\text{IrH}[o\text{-C}_6\text{H}_4\text{OP}(\text{OPh})_2]_2[\text{P}(\text{OPh})_3]$ and $\text{Ir}(\text{CH}_2\text{SiMe}_3)(\text{CO})[\text{P}(\text{OMe})_3]_3$, reac-

- tion products of the system $\text{Ir}(\text{CH}_3\text{-EMe}_3)(\text{CO})(\text{PPh}_3)_2/\text{P}(\text{OR})_3$ (E = C, Si; R = Ph, Me), (L. Dahlenburg, F. Mirzaei), 125
- $\text{IrX}(\text{PPh}_3)_2/\text{LiR}$ (X = Br, Cl; R = alkyl, aryl) system (L. Dahlenburg), 347
- Organoiridium(I) compounds $\text{Ir}(\text{R})[\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PPh}_2)_2]$ (R = alkyl, aryl) (E. Arpac, L. Dahlenburg), 361
- Phosphite-induced CO insertion and C—H addition reactions of *ortho*-alkyl-substituted aryliridium compounds, intermediates in (L. Dahlenburg, F. Mirzaei), 113
- Phosphite-induced CO insertion and C—H addition reactions of *ortho*-alkyl-substituted aryliridium compounds; synthesis and structure of $\text{IrH}[\text{C}(\text{O})\text{C}_6\text{H}_5\text{-Et-6-CHR-2}][\text{P}(\text{OMe})_3]_3$ (R = CH_3 , H) (L. Dahlenburg, F. Mirzaei), 103
- Phosphonite and phosphinite-induced CO insertion and C—H addition reactions of *ortho*-methyl-substituted aryliridium compounds; reversible CH_2 -metalation in $\text{IrH}[\text{C}(\text{O})\text{C}_6\text{H}_4\text{Me-4,6-CH}_2\text{-2}](\text{Ph}_2\text{POMe})_2$ (L. Dahlenburg), 215

Iron

- Atom-transfer redox reactions of nitrite anion with transition metal carbonyl cations (F.J. Lalor, L.H. Brookes), 327
- Azaferrocene, metallation of (N.I. Pyshnograeva, V.N. Setkina, D.N. Kursanov), C41
- Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{CH}_3)\text{OMo}(\text{CO})_3\text{-}(\pi\text{-C}_5\text{H}_5)]^+\text{SbF}_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227
- Dicarbonyl(η^5 -cyclopentadienyl)(trimethylsilyl)iron, iron—silicon bond cleavage using tetrabutylammonium fluoride in (D.F. Marten, S.M. Wilburn), 71
- Iron and ruthenium carbonyl complexes, CO insertion in metal—carbon bonds of (M. Pańkowski, M. Bigorgne), 333
- Organometallic cluster paramagnetic anions, reaction with molecular oxygen of (A. Darchen, C. Mahé, H. Patin), C9

Lithium

- Azaferrocene, metallation of (N.I. Pyshnograeva, V.N. Setkina, D.N. Kursanov), C41
- Regiospecific synthesis of aromatic compounds via organometallic intermediates; *p*-substituted benzenes (L.S. Chen, G.J. Chen, C. Tamborski), 139

Manganese

- Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{CH}_3)\text{OMo}(\text{CO})_3\text{-}(\pi\text{-C}_5\text{H}_5)]^+\text{SbF}_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227
- Heterobimetallic compounds, protonation of metal—metal bonds linked by a heterodifunctional ligand in (C.P. Casey, R.M. Bullock), 245

Metalloenes

- Azaferrocene, metallation of (N.I. Pyshnograeva, V.N. Kursanov, D.N. Kursanov), C41
- Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{CH}_3)\text{OMo}(\text{CO})_3\text{-}(\pi\text{-C}_5\text{H}_5)]^+\text{SbF}_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227
- Rhodicinium substituted salts, synthesis and properties of (J.E. Sheats, W.C. Spink, R.A. Nabinger, D. Nicol, G. Hlatky), 93

Molybdenum

- Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{CH}_3)\text{OMo}(\text{CO})_3\text{-}(\pi\text{-C}_5\text{H}_5)]^+\text{SbF}_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227
- Heterobimetallic compounds, protonation of metal—metal bonds linked by a heterodifunctional ligand in (C.P. Casey, R.M. Bullock), 245

Hydrogen transfer reaction of allylic alcohols catalysed by a molybdenum complex (Y. Lin, X. Lu), 321

Nickel

Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{CH}_3)\text{OMo}(\text{CO})_3(\pi\text{-C}_5\text{H}_5)]^+\text{SbF}_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227

Nickel-catalysed linear oligomerisation of 1-butene influence of olefinic and diketone ligands in (W. Keim, A. Behr, G. Kraus), 377

Nickel(0) induced C—C coupling of CO_2 with ethylene or mono- and di-substituted alkenes (H. Hoberg, D. Schaefer), C51

Niobium

Dicyclopentadienyl niobium chiral complexes, oxidation and reduction of the niobium atom with thionyl chloride (R. Broussier, J.D. Olivier, B. Gautheron), 307

Osmium

$[\text{M}_3(\mu_3\text{-C}_6\text{H}_4)(\mu\text{-PPh}_2)_2(\text{CO})_7]$ (M = Ru, Os), crystal structure of (M.I. Bruce, J.M. Guss, R. Mason, B.W. Skelton, A.H. White), 261

Palladium

Hydroxy-enylpalladium(II) derivatives, preparation and reaction of (E. Rotondo, F.C. Priolo, A. Donato, R. Pietropaolo), 273

Palladium complexes of silica-supported poly- γ -cyanopropylsiloxane and poly- γ -aminopropylsiloxane, hydrogenation of aldehydes and ketones by (Y.-Z. Zhou, Y.-Y. Jiang), 31

2-Pyridyl-palladium(II) and -platinum(II) complexes, protonation and methylation reactions of (B. Crociani, F. Di Bianca, A. Giovenco, A. Surwani), 893

Phosphorus

Cobalt unsaturated trinuclear clusters, metal-bonded hydrogen atom in; crystal structure of $\text{HCo}_3(\text{CO})_6(\text{PPh}_3)_3$ (P. Bradamante, P. Pino, A. Stefani, G. Fachinetti, P.F. Zanazzi), C47

(1,5-Cyclooctadiene)-(S)-N-(diphenylphosphino)-2-diphenylphosphinoxy-methylpyrrolidinerhodium(I) perchlorate, asymmetric hydrogenation catalysed by aminophosphine-phosphinite-rhodium complexes and crystal structure of (E. Cesarotti, A. Chiesa, G. Ciani, A. Sironi), 79

$\text{IrH}[\text{o-C}_6\text{H}_4\text{OP}(\text{OPh})_2]_2[\text{P}(\text{OPh})_3]$ and $\text{Ir}(\text{CH}_2\text{SiMe}_3)(\text{CO})[\text{P}(\text{OMe})_3]_3$, reaction products of the system $\text{Ir}(\text{CH}_2\text{-EMe}_3)(\text{CO})(\text{PPh}_3)_2/\text{P}(\text{OR})_3$ (E = C, Si; R = Ph, Me), (L. Dahlenburg, F. Mirzaei), 125

$\text{IrX}(\text{PPh}_3)_3/\text{LiR}$ (X = Br, Cl; R = alkyl, aryl) system (L. Dahlenburg), 347

$[\text{M}_3(\mu_3\text{-C}_6\text{H}_4)(\mu\text{-PPh}_2)_2(\text{CO})_7]$ (M = Ru, Os), crystal structure of (M.I. Bruce, J.M. Guss, R. Mason, B.W. Skelton, A.H. White), 261

Organoiridium(I) compounds $\text{Ir}(\text{R})[\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PPh}_2)_2]$ (R = alkyl, aryl) (E. Arpac, L. Dahlenburg), 361

Phosphiteinduced CO insertion and C—H addition reactions of *ortho*-alkyl-substituted aryliridium compounds, intermediates in (L. Dahlenburg, F. Mirzaei), 113

Phosphite-induced CO insertion and C—H addition reactions of *ortho*-alkyl-substituted aryliridium compounds; synthesis and structure of $\text{IrH}[\text{C}(\text{O})\text{C}_6\text{H}_3\text{-Et-6-CHR-2}][\text{P}(\text{OMe})_3]_3$ (R = CH_3 , H) (L. Dahlenburg, F. Mirzaei), 103

Phosponite and phosphinite-induced CO insertion and C—H addition reactions of *ortho*-methyl-substituted aryliridium compounds; reversible CH_3 -metalation in $\text{IrH}[\text{C}(\text{O})\text{C}_6\text{H}_2\text{Me}_2\text{-4,6-CH}_2\text{-2-}](\text{Ph}, \text{POMe})$, (L. Dahlenburg), 215

Platinum

Platinum condensed polyhedral cluster compounds, bonding in (D.M.P. Mingos, D.G. Evans), C13

2-Pyridyl-palladium(II) and -platinum(II) complexes, protonation and methylation reactions of (B. Crociani, F. Di Bianca, A. Giovenco, A. Scrivanti), 393

Silica-supported poly- γ -mercaptopropyl-siloxaneplatinum complex, active and stable hydrosilylation catalyst (L.-Z. Wang, Y.-Y. Jiang), 39

Praseodymium

Tricyclopentadienylpraseodymium(III), X-ray structure analysis of (W. Hinrichs, D. Melzer, M. Rehwoldt, W. Jahn, R.D. Fischer), 299

Rhenium

Cyclopentadienyltricarbonylmolybdenum cation, reactions with methylcarbonyl complexes, cobaltocene, nickelocene and cyclopentadienyldicarbonylcobalt of; structure of acetylene-bridged $[(\pi-C_5H_5)(CO)_2FeC(CH_3)OMo(CO)_3-(\pi-C_5H_5)]^+ SbF_6^-$ (K. Sünkel, U. Nagel, W. Beck), 227

Heterobimetallic compounds, protonation of metal-metal bonds linked by a heterodifunctional ligand in (C.P. Casey, R.M. Bullock), 245

Rhodium

(1,5-Cyclooctadiene)-(S)-N-(diphenylphosphino)-2-diphenylphosphinoxy-methylpyrrolidinerhodium(I) perchlorate, asymmetric hydrogenation catalysed by aminophosphine-phosphinite-rhodium complexes and crystal structure of (E. Cesarotti, A. Chiesa, G. Ciani, A. Sironi), 79

Rhodicinium substituted salts, synthesis and properties of (J.E. Sheats, W.C. Spink, R.A. Nabinger, D. Nicol, G. Hlatky), 93

Ruthenium

Carboxylic methyl esters, homologation via reductive carbonylation catalysed by a cobalt-ruthenium mixed catalyst (H. Kheradmand, A. Kiennemann, G. Jenner), 339

Dodecacarbonyltriruthenium, reaction with dimethyl acetylenedicarboxylate of; crystal and molecular structures of

$Ru_2(CO)_6[C_4(CO_2Me)_4]$ (M.I. Bruce, J.G. Matison, B.W. Skelton, A.H. White), 249

Iron and ruthenium carbonyl complexes, CO insertion in metal-carbon bonds of (M. Pańkowski, M. Bigorgne), 333
 $[M_2(\mu_3-C_6H_4)(\mu-PPh_2)_2(CO)_2]$ (M = Ru, Os), crystal structure of (M.I. Bruce, J.M. Guss, R. Mason, B.W. Skelton, A.H. White), 261

Silicon

Decaphenyl-1-oxacyclohexasilane- $0.5C_6H_6$, crystal structure of (L. Párkányi, E. Hengge, H. Stüger), 167

Dicarbonyl(η^5 -cyclopentadienyl)(trimethylsilyl)iron, iron-silicon bond cleavage using tetrabutylammonium fluoride in (D.F. Marten, S.M. Wilburn), 71

1,3-Dioxa-6-aza-2-silacyclooctanes, synthesis and structural study of (P. Hegyes, S. Földeák, P. Hencsei, G. Zsombok, J. Nagy), 289

Fluorosilyl-butylaminodichloroalane, synthesis and pyrolysis of; crystal structures of $[(Me_3SiNMe)_2SiNCMe_3]_2$ and $(Me_3CNHAlCl)_2$ (W. Clegg, M. Haase, U. Klingebiel, J. Neemann, G. Sheldrick), 281

$IrH[O-C_6H_4OP(OPh)_2]_2[P(OPh)_3]$ and $Ir(CH_2SiMe_3)(CO)[P(OMe)_3]_2$, reaction products of the system $Ir(CH_2-EMe_3)(CO)(PPh_3)_2/P(OR)_3$ (E = C, Si; R = Ph, Me), (L. Dahlenburg, F. Mirzaei), 123

$IrX(PPh_3)_3/LiR$ (X = Br, Cl; R = alkyl, aryl) system (L. Dahlenburg), 347

Organoiridium(I) compounds $Ir(R)[PhP(CH_2CH_2CH_2PPh_2)_2]$ (R = alkyl, aryl) (E. Arpac, L. Dahlenburg), 361

Palladium complexes of silica-supported poly- γ -cyanopropylsiloxane and poly- γ -aminopropylsiloxane, hydrogenation of aldehydes and ketones by (Y.-Z. Zhou, Y.-Y. Jiang), 31

Pentacoordinate silicon derivatives, ^{29}Si NMR spectroscopy of (B.J. Helmer, R. West, R.J.P. Corriu, M. Poirier, G. Royo, A. De Saxce), 295

Phosphite-induced CO insertion and C-H addition reactions of *ortho*-alkyl-substituted aryliridium compounds, intermediates in (L. Dahlenburg, F. Mirzaei), 113

Polysilanes, σ -bond conjugation in; PES scaled free-electron approach for interpretation of skeletal cleavage reactions (A. Herman, B. Dręzewski, W. Wojnowski), 7

Regiospecific synthesis of aromatic compounds via organometallic intermediates; 1,3,5-(trimethylmetal(IV))benzene compounds (G.J. Chen, C. Tamborski), 149

Sil- and germ-atranones, synthesis and ^1H , ^{13}C , ^{15}N , and ^{29}Si NMR spectra of (E. Kupče, E. Liepinš, A. Lapsina, G. Zelčan, E. Lukevics), 15

Silica-supported poly- γ -mercaptopropylsiloxaneplatinum complex, active and stable hydrosilylation catalyst (L.-Z. Wang, Y.-Y. Jiang), 39

Tetramethyl-*N,N'*-bis-arylcyclodisilazanes, conformational study by ^{13}C NMR and X-ray diffraction methods of (A. Szöllösy, L. Párkányi, L. Bihátsi, P. Hencsei), 159

Silver

Benzocyclooctatetraenesilver(I) perchlorate with arene and olefin ligands coordinated simultaneously to a silver(I) ion, synthesis and crystal structure of (T.C.W. Mak, W.C. Ho, N.Z. Huang), 413

Sulphur

Dicyclopentadienylniobium chiral complexes, oxidation and reduction of the niobium atom with thionyl chloride (R. Broussier, J.D. Olivier, B. Gautheron), 307

Diolefin cationic iridium(I) complexes with sulphur ligands (C. Claver, J.C. Rodriguez, A. Ruiz), 369

$\text{Ph}_3\text{SnSCH}_2\text{CH}_2\text{COOSnPh}_3$ and $\text{Bu}_3\text{SnSCH}_2\text{CH}_2\text{COOSnBu}_3$, variable temperature ^{119}mSn Mössbauer studies of (J.S. Brooks, R.W. Clarkson, J.M. Williams), 63

Silica-supported poly- γ -mercaptopropylsiloxaneplatinum complex, active and stable hydrosilylation catalyst (L.-Z. Wang, Y.-Y. Jiang), 39

3-Thienyltin halides and 2-thienyl and 2-furyl analogues, chemistry and ^{119}Sn Mössbauer spectra of (D.W. Allen, D.J. Derbyshire, J.S. Brooks, P.J. Smith), 45

Technetium

N-Methylphenotellurazine, synthesis of (J. Bergman, L. Engman), 223

Tin

α -Chloro- α -ethoxymethyltributyltin, reactions with aromatic aldehydes and hydrolysis of (J.-P. Quintard, B. Elisondo, D. Mouko-Mpegna), 175

3,6-Di-*t*-butyl-1,2-benzosemiquinone-organotin derivatives, ESR spectra and structures of (A.G. Davies, J.A.-A. Hawari), 53

$\text{Ph}_3\text{SnSCH}_2\text{CH}_2\text{COOSnPh}_3$ and $\text{Bu}_3\text{SnSCH}_2\text{CH}_2\text{COOSnBu}_3$, variable temperature ^{119}mSn Mössbauer studies of (J.S. Brooks, R.W. Clarkson, J.M. Williams), 63

Poly(dialkyltin oxide) and alkane- or alkene-1,2-diols, telomerization of; identification of cyclic derivatives of oligomeric dibutyltin oxide (A.G. Davies, J.A.-A. Hawari, P. Hua-De), 203

Regiospecific synthesis of aromatic compounds via organometallic intermediates; 1,3,5-(trimethylmetal(IV))benzene compounds (G.J. Chen, C. Tamborski), 149

3-Thienyltin halides and 2-thienyl and 2-furyl analogues, chemistry and ^{119}Sn Mössbauer spectra of (D.W. Allen, D.J. Derbyshire, J.S. Brooks, P.J. Smith), 45

Trialkyltin halides and tetraalkyltins, synthesis of (J.W. Burley, R.E. Hutton, M.R.J. Jolley, C.J. Groeneboom), 189

2,2,6-Trimethyl-1,3-dithia-6-aza-2-stannocane, crystal structure of (M. Dräger), 209

Tungsten

Transition metal methylene complexes, fragmentation and rearrangement of diazoalkanes in electron-rich metal-metal double and triple bonds (W.A. Herrmann, G. Ihl), C1

Zinc

1-Aza-4-oxobutadienes (α -iminoketones), reactions with diorganozinc reagents of; selective ethyl transfer in $\text{Et}_2\text{Zn}/t\text{-BuN}=\text{C}(\text{H})-\text{C}(\text{Me})=\text{O}$ and X-ray struc-

ture of $[\text{EtZn}(\text{Et})(\text{t-Bu})\text{NC}(\text{H})=\text{(Me)O}]_2$,
 M.R.P. van Vliet, J.T.B.H. Jastrzebski,
 G. van Koten, K. Vrieze, A.L. Spek),
 C17

Book reviews

Catalysis, science and technology, Vol. 3;
 edited by J.R. Anderson and M.
 Boudart (G.J. Leigh), C37

Comprehensive organometallic chemistry;
 edited by Sir Geoffrey Wilkinson,
 F.G.A. Stone and E.W. Abel (C.
 Eaborn, J.D. Smith, A. Pidcock, J.
 Chatt, M.F. Lappert, J.F. Nixon), C24

Metal interactions with boron clusters;
 edited by R.N. Grimes (D.M.P.
 Mingos), C39

Organometallic chemistry reviews; Annual
 surveys; Silicon — Germanium — Tin —
 Lead; edited by D. Seyferth and R.B.
 King (J. Organomet. Chem. Library,
 13) (M.F. Lappert), C37

Organosilicon compounds, Vol. 7, 8/(1),
 8/(2) and 8/(3); by V. Chvaloský and
 J. Rathouský (C. Eaborn), C38

Spectroscopic properties of inorganic and
 organometallic compounds, Vol. 15;
 reported by G. Davidson and E.A.V.
 Ebsworth (K.R. Seddon), C35