

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 311 (1986)**SUBJECT INDEX****Aluminium**

Tetraethylalumininoxane, isolation in pure state of (L. Siergiejczyk, L. Synoradzki), (311) 253

Arsenic

Arsaalkene $F_3\text{CAs}=\text{CF}_2$, Diels-Alder reactions of (J. Grobe, D. Le Van), (311) 37

Palladium and platinum dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57

Antimony

$[(\text{PhSbI}_2)_4]^-$, a square-planar iodide complex (J. von Seyerl, O. Scheidsteiger, H. Berke, G. Huttner), (311) 85

Boron

2,6-Diisopropylphenyliminothexylborane(III), synthesis and reactions of (M. Armbrecht, A. Meller), (311) 1

Chromium

Benzofulvene-chromium and -iron complexes, preparation of (F. Edelmann, O. Koch, U. Behrens), (311) 111

Bis[amino(ethoxy)carbene] complexes, rearrangements with Lewis acids of; structure of $\{(\text{CO})_4\text{WBr}_3\}[\text{HC}(\text{N-i-Pr}_2)\text{OEt}]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Bis-carbene-chromium complex, $(\text{CO})_4\overline{\text{Cr-C(OEt)CH(Ph)CH(Ph)C(OEt)}}$, thermolysis of (H.T. Huy, P. Lefloch, J.M. Louis, M. Fetizon), (311) 79

Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (311) 103

Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63

$[(\text{PhSbI}_2)_4\text{I}]^-$, a square-planar iodide complex (J. von Seyerl, O. Scheidsteiger, H. Berke, G. Huttner), (311) 85

Cobalt

$[\text{Co}_2\text{W}(\mu-\text{PEt}_2)_3(\text{CO})_5(\eta-\text{C}_5\text{H}_5)]$, $[\text{Co}_2\text{W}(\mu_3-\text{C}(\text{R})\text{C}(\text{Et})\text{C}(\text{Et})\text{C}(\text{O}))(\mu-\text{CO})(\text{CO})_4\text{PPh}_2^-$ $\{\text{C}(\text{Et})=\text{CHEt}\}(\eta-\text{C}_5\text{H}_5)]$, and $[\text{CoW}(\mu-\text{C}(\text{R})\text{C}(\text{Et})\text{C}(\text{Et})\text{C}(\text{OH}))(\text{CO})_4(\eta-\text{C}_5\text{H}_5)]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me}-4$), crystal structures of (P. Dunn, J.C. Jeffery, P. Sherwood), (311) C55

Dicarbonyl(tetramethylpiperidin-1-oxyl)cobalt, planar coordinated cobalt(I) complex, synthesis and X-ray structure analysis of (P. Jaitner, W. Huber, A. Gieren, H. Betz), (311) 379

Erbium

Tricyclopentadienyl-erbium(III) and -thulium (III), X-ray structure of (S.H. Eggers, W. Hinrichs, J. Kopf, W. Jahn, R.D. Fischer), (311) 313

Gold

Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357

Iridium

Iridium-sulphur dioxide square planar complexes coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

Iron

Benzofulvene-chromium and -iron complexes, preparation of (F. Edelmann, O. Koch, U. Behrens), (311) 111.

1,1-Bis(diphenylphosphino)ethene-tricarbonyl-iron and -decacarbonyltrirosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Hardin, K. Pearson, A.K. Smith), (311) 153
(Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lech), (311) 45

Carbonylironrhodium clusters; synthesis and X-ray structure of $[Fe_3Rh_3(CO)_{17}]^{3-}$ trianion (A. Ceriotti, R. Della Pergola, G. Longoni, B.T. Heaton, F. Demartin, M. Manassero), (311) C31

$[\mu\text{-}2,3,8,9\text{-Dibenzo-}1,4,7,10\text{-tetra}(\text{thiadecanyl}]\text{bis}(\text{tricarbonylmolybdenum})$ disolvate, formation of (D. Sellmann, G. Binker, R. Boese), (311) C11

Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

Lithium

2,4'-Dilithiophenylethyne, generation and selective trapping of (M. Furber, R.J.K. Taylor, S.C. Burford), (311) C35

Manganese

$Mn(CO)_3L_2$ ($L_2 = R_2PC_2H_4PR_2$; $R = Et, Ph$), generation, characterisation and use in gener-

ation of organic radicals of (D.R. Tyler, A.S. Goldman), (311) 349

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

Mercury

Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Metallocenes

(Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lech), (311) 45

Di- η^5 -cyclopentadienyl(cinnamylato- C^3,O)-titanium/phenylpropionic acid (1/1), synthesis and molecular structure of; synthesis of dicyclopentadienylbis(phenylpropiolato)titanium (E. Samuel, J.L. Atwood, W.E. Hunter), (311) 325

Dithiophosphate and dithiophosphinate di-cyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morán, I. Cuadrado), (311) 333

Molybdenum

Acetylcarbonyl- η^4 -cyclopentadiene- η^5 -cyclopentadienylmolybdenum, reactions with conjugated dienes of (C.G. Kreiter, J. Kögler, W.S. Sheldrick, K. Nist), (311) 125

Bis[amino(ethoxy)carbene]complexes, rearrangements with Lewis acids of; structure of $\{CO_4WBr_3\}[HC(N-iPr_2)OEt]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

$[\mu\text{-}2,3,8,9\text{-Dibenzo-}1,4,7,10\text{-tetra}(\text{thiadecanyl}]\text{bis}(\text{tricarbonylmolybdenum})$ disolvate, formation of (D. Sellmann, G. Binker, R. Boese), (311) C11

Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (311) 103

- $[\text{M}(\text{CO})_3]_2\cdot\mu\text{-}[(\eta^5\text{-Cp})_2\text{SiMe}_2]$, reactivity towards tetramethylidiphosphane, formation of a PMP-heteroallyl system ($\text{M} = \text{Mo, W}$) (J. Heck), (311) C5
- cis*- $\text{Mo}(\text{CO})_2(\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2)_2$ ($n = 1, 2, 3$), preparation from *cis*-dicarbonylbis(norbornadiene)molybdenum and crystal structure of $[\text{cis-Mo}(\text{CO})_2(\text{Ph}_2\text{P}(\text{CH}_2)_3\text{PPh}_2)_2]$ (T.J. Chow, C.-Y. Wang, S.-C. Sheu, S.-M. Peng) (311) 339
- Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193
- Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63
- Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Nickel

- Aznickelacyclopentanones, α, ω -diacidic amides of alkenes and phenyl isocyanate, intermolecular CC bond formation in (H. Hoberg, E. Hernandez), (311) 307

Osmium

- 1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltri osmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Harding, K. Pearson, A.K. Smith), (311) 153
- Group IV derivatives of $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}$, structures of $\text{HOs}_3(\mu\text{-H})_2(\text{CO})_{10}(\text{SiHPh}_2)$ and $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}(\text{SnMe}_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257
- Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357
- Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269
- Tri osmium clusters, oxidative addition of 2-formylfuran and related pyrrole and thiophene compounds to (A.J. Arce, Y. De Sanctis, A.J. Deeming), (311) 371

Palladium

- Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233
- Dithio- and trithio-carbonate-bridged palladium (II) and/or platinum(II) complexes; X-ray structure of $[(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Pd}(\mu\text{-S}_2\text{CS})_2\text{Pt}(\text{C}_6\text{F}_5)_2]\cdot\text{CH}_2\text{Cl}_2$ (J. Forniés, M.A. Usón, J.I. Gil, P.G. Jones), (311) 243
- Palladium and platinum dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57
- Palladium-catalysed aryldestannylation of α -styrylstannanes by arenediazonium salts (K. Kikukawa, H. Umekawa, T. Matsuda), (311) C44
- $[(\text{PMe}_3)\text{Pd}(\mu\text{-Se}_2\text{CPMe}_3)]_2$, dinuclear complex with η^1, η^2 -bonded Se_2CPMe_3 bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63
- (*4S,7R*)-7,8,8-Trimethyl-1-phenyl-4,5,6,7-tetrahydro-4,7-methano-1*H*-indazole, structural study of cyclopalladation of (A.A. Watson, D.A. House, P.J. Steel), (311) 387

Phosphorus

- Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233
- Aznickelacyclopentanones, α, ω -diacidic amides of alkenes and phenyl isocyanate, intermolecular CC bond formation in (H. Hoberg, E. Hernandez), (311) 307
- 1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltri osmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Harding, K. Pearson, A.K. Smith), (311) 153
- Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidberg), (311) 27
- (Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lecht), (311) 45
- $[\text{Co}_2\text{W}(\mu\text{-PEt}_2)_3(\text{CO})_5(\eta\text{-C}_5\text{H}_5)]$, $[\text{Co}_2\text{W}(\mu\text{-C(R)C(Et)C(Et)C(O)})\text{(\mu-CO)(CO)}_4(\text{PPh}_2\text{-C(Et)=CHEt})(\eta\text{-C}_5\text{H}_5)]$, and $[\text{CoW}(\mu$

- $C(R)C(Et)C(Et)C(OH))(CO)_4(\eta-C_5H_5)$] ($R = C_6H_4Me-4$), crystal structures of (P. Dunn, J.C. Jeffery, P. Sherwood), (311) C55
- Dithiophosphate and dithiophosphinate di-cyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morán, I. Cuadrado), (311) 333
- Hydridoziirconium-rhodium complex, $Cp_2Zr-(CH_2PPPh_2)_2RhH(PPPh_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60
- Iridium-sulphur dioxide square planar complexes, coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27
- $[M(CO)_3]_2\mu-(\eta^5-Cp)_2SiMe_2$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system ($M = Mo, W$) (J. Heck), (311) C5
- cis*-Mo(CO)₂(Ph₂P(CH₂)_nPPh)₂ ($n = 1, 2, 3$), preparation from *cis*-dicarbonylbis(norbornadiene)molybdenum and crystal structure of [*cis*-Mo(CO)₂(Ph₂P(CH₂)₃PPh₂)₂] (T.J. Chow, C.-Y. Wang, S.-C. Sheu, S.-M. Peng), (311) 339
- Palladium and platinum dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57
- Pentacarbonyl-Group VI metal(0) P-coordinated complexes of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63
- cis*-[(η^1 -4-Pentyldiphenylphosphine)tetracarbonyltungsten(0)], rates of olefin coordination via chelate ring closure through flash photolysis in (P.H. Wermer, C.B. Dobson, G.R. Dobson), (311) C47
- Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269
- $[(PMMe_3)Pd(\mu-Se_2CPMe_3)]_2$, dinuclear complex with η^1, η^2 -bonded Se_2CPMe_3 bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63
- $[Re_3(\mu-H)_4(CO)_{10}]^-$, reactions with anions of; synthesis of $[Re_3(\mu-H)_2(CO)_{10}(PR_3)_2]^-$, crystal structure of $[NH_4][Re_3(\mu-H)_2(CO)_{10}(PPPh_3)_2]$ (T. Beringhelli, G. Ciani, G. D'Alfonso, M. Freni), (311) C51
- $[Re_3(\mu-H)_4(CO)_{10}]^-$, reaction product with Me_3NO of; synthesis and characterisation of $[Re_3(\mu-H)_3(CO)_9(\mu_3-O \dots H \dots NMe_3)]^-$ and crystal and molecular structure of its tetraethylammonium salt (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, H. Molinari), (311) 177
- Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu, Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199
- Platinum**
- Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233
- Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27
- Palladium and platinum dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57

Rhenium

Hydride-rich uranium-rhenium dimer, $[(p-FC_6H_4)_3P]_2ReH_6U(\eta-C_5H_5)_3$, synthesis of (D. Baudry, M. Ephritikhine), (311) 189

Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357

Oxorhenium-half-sandwich complexes, cycloaddition of heterocumulenes to; synthesis of metallacycles (U. Küsthadt, W.A. Herrmann, M.L. Ziegler, T. Zahn, B. Nuber), (311) 163

$[Re_3(\mu-H)_4(CO)_{10}]^-$, reactions with anions of; synthesis of $[Re_3(\mu-H)_2(CO)_{10}(PR_3)_2]^-$, crystal structure of $[NH_4][Re_3(\mu-H)_2(CO)_{10}(PPPh_3)_2]$ (T. Beringhelli, G. Ciani, G. D'Alfonso, M. Freni), (311) C51

$[Re_3(\mu-H)_4(CO)_{10}]^-$, reaction product with Me_3NO of; synthesis and characterisation of $[Re_3(\mu-H)_3(CO)_9(\mu_3-O \dots H \dots NMe_3)]^-$ and crystal and molecular structure of its tetraethylammonium salt (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, H. Molinari), (311) 177

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu, Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

Rhodium

Cyclopentadienylcarbonylethylrhodium, C–H and Si–H activation reactions in low-temperature matrices and in solution of (D.M. Hadleton), (311) C21

(η^3 -Cyclopentadienyl)(ethene)(dinitrogen)rhodium, photochemical generation in liquid xenon of (D.M. Hadleton, R.N. Perutz, S.A. Jackson, R.K. Upmacis, M. Polyakoff), (311) C15

Hydrido-zirconium-rhodium complex, $\text{Cp}_2\text{Zr}(\text{CH}_2\text{PPh}_2)_2\text{RhH}(\text{PPh}_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60

Iridium-sulphur dioxide square planar complexes, coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

Rhodium(I) complexes containing alipathic diamine ligands, preparations of (M.A. Garralda, L. Ibarlueca), (311) 225

Ruthenium

Cyclometallated ruthenium complex, $\text{Ru}\{\text{P}(\text{OC}_6\text{H}_3\text{Me})(\text{OC}_6\text{H}_4\text{Me}-4)\}_2(\text{CO})_2$, crystal and molecular structure of (M.I. Bruce, M.R. Snow, E.R.T. Tiekkink), (311) 217

Cyclopentadienylruthenium mononuclear complex containing aromatic amine ligands, synthesis of (M.O. Albers, D.J. Robinson, E. Singleton), (311) 207

Selenium

$[(\text{PMe}_3)\text{Pd}(\mu\text{-Se}_2\text{CPMe}_3)]_2$, dinuclear complex with η^1, η^2 -bonded Se_2CPMe_3 bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63

Silicon

Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27

(α -Bromo- α -methoxymethyl)silanes, thermolysis of (U. Schubert, C. Steib, K. Weiss), (311) C1

Cyclopentadienylcarbonylethylrhodium, C–H and Si–H activation reactions in low-temperature matrices and in solution of (D.M. Hadddleton), (311) C21

2,6-Diisopropylphenyliminothexylborane(III), synthesis and reactions of (M. Armbrecht, A. Meller), (311) 1

Group IV derivatives of $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}$, structures of $\text{HOs}_3(\mu\text{-H})_2(\text{CO})_{10}$ and $\text{Os}_3(\mu\text{-H})_3(\text{CO})_{10}(\text{SnMe}_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257

$[\text{M}(\text{CO})_3]_2\mu\text{-}[(\eta^5\text{-Cp})_2\text{SiMe}_2]$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system ($\text{M} = \text{Mo, W}$) (J. Heck), (311) C5

Pentacoordinated structures, enhancement of Si–H bond reactivity in (J. Boyer, C. Brelière, R.J.P. Corriu, A. Kpton, M. Poirier, G. Royo), (311) C39

Phosphaalkenyl, disilylphophido and diacylphosphido complexes of dicarbonylpenta-methylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269

Si–O–C–C–N group containing compounds, through-bond interaction in (M.G. Voronkov, E.I. Brodskaya, V.V. Belyaeva, D.D. Toryashinova, A.F. Ermikov, V.P. Baryshok), (311) 9

Six-membered cyclosilazoxanes containing two silazane bonds, kinetics of acid-catalysed solvolysis of (Z. Lasocki, M. Witekowa), (311) 17

Sulphur

[μ -2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanylbis-(tricarbonylmolybdenum) disolvate, formation of (G. Binker, R. Boese, D. Sellmann), (311) C11

Iridium-sulphur dioxide square planar complexes coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Thulium

Tricyclopentadienyl-erbium(III) and -thulium(III), X-ray structure of (S.H. Eggers, W. Hinrichs, J. Kopf, W. Jahn, R.D. Fischer), (311) 313

Tin

Arsaalkene $\text{F}_3\text{CAs}=\text{CF}_2$, Diels–Alder reactions of (J. Grobe, D. Le Van), (311) 37

Diorganotin(IV) complexes of N-protected dipeptides (G.K. Sandhu, R. Gupta, S.S. Sandhu, L.S. Moore, R.V. Parish), (311) 281

Group IV derivatives of $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}$, structures of $\text{HOs}_3(\mu\text{-H})_2(\text{CO})_{10}$ and $\text{Os}_3(\mu\text{-H})_3(\text{CO})_{10}(\text{SnMe}_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257

Palladium-catalysed aryldestannylation of α -styrylstannanes by arenediazonium salts (K. Kikukawa, H. Umekawa, T. Matsuda), (311) C44

Quinoline-*N*-oxide adduct of tri-*p*-tolyltin(IV) bromide, X-ray structure of (V.G. Kumar Das, Y.C. Keong, N.S. Weng, C. Wei, T.C.W. Mak), (311) 289

Titanium

Di- η^5 -cyclopentadienyl(cinnamylato-*C*³,*O*)-titanium/phenylpropionic acid (1/1), synthesis and molecular structure of; synthesis of dicyclopentadienylbis(phenylpropiolato)titanium (E. Samuel, J.L. Atwood, W.E. Hunter), (311) 325

Tungsten

Bis[amino(ethoxy)carbene] complexes, rearrangements with Lewis acids of; structure of $\{(\text{CO})_4\text{WBr}_3\}[\text{HC}(\text{N}-\text{i-Pr}_2)\text{OEt}]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercikutty), (311) 103

$[\text{M}(\text{CO})_3]_2\mu-[(\eta^5\text{-Cp})_2\text{SiMe}_2]$, reactivity towards tetramethylidiphosphane, formation of a PMP-heteroallyl system ($\text{M} = \text{Mo, W}$) (J. Heck), (311) C5

Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63

cis-[(η^1 -4-Pentenyldiphenylphosphine)tetracarbonyltungsten(0)], rates of olefin coordination via chelate ring closure through flash photolysis in (P.H. Wermer, C.B. Dobson, G.R. Dobson), (311) C47

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic as-

sociation on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

Uranium

Hydride-rich uranium-rhenium dimer, $[(p\text{-FC}_6\text{H}_4)_3\text{P}]_2\text{ReH}_6\text{U}(\eta\text{-C}_5\text{H}_5)_3$, synthesis of (D. Baudry, M. Ephritikhine), (311) 189

Vanadium

Dithiophosphate and dithiophosphinate di-cyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morám, I. Cuadrado), (311) 333

Zirconium

(Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lecht), (311) 45

Di- μ -hydroxobis(triaqua- π -cyclopentadienylzirconium(IV)) cation, preparation and structures of two salts of (W. Lasser, U. Thewalt), (311) 69

Hydrido zirconium-rhodium complex, $\text{Cp}_2\text{Zr}-(\text{CH}_2\text{PPh}_2)_2\text{RhH}(\text{PPh}_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60

Book review

Gmelin handbook of inorganic chemistry; 8th edit., Mo - molybdenum, Suppl. Vol. A2a: Element, Physical properties, Part I (K.R. Seddon), (311) C69

Schwingungsfrequenzen II: Nebengruppenelemente; by J. Weidlein, U. Müller and K. Dehnicke (K.R. Seddon, M. Geissler), (311) C68