

- Parlier, A., (312) C11  
 Pathirana, H.M.K.K., (312) 323  
 Patin, H., (312) 263  
 Pellinghelli, M.A., (312) 249  
 Peng, S.-M., (312) 113  
 Peringer, P., (312) C61  
 Peters, K., (312) 305  
 Pétilion, F.Y., (312) 81  
 Petit, F., (312) 375  
 Pointeau, P., (312) 263  
 Porzel, A., (312) 27  
 Puff, H., (312) 313  
 Purcell, T.G., (312) 167
- Rattay, W., (312) 139  
 Ravenscroft, M.D., (312) 33, 45  
 Rheingold, A.L., (312) 241  
 Roberts, R.M.G., (312) 33, 45  
 Ronzini, L., (312) 343  
 Royo, P., (312) C44  
 Rudler, H., (312) C11  
 Rühlmann, K., (312) 27
- Sacco, A., (312) 242  
 Saeki, K., (312) 357  
 Samples, M.S., (312) 149  
 Savignac, P., (312) 283  
 Scheim, U., (312) 27  
 Schnering, H.G. von, (312) 305  
 Schröder, M., (312) C41  
 Schuh, W., (312) 313  
 Shapley, J.R., (312) 121  
 Sickinger, A., (312) C37  
 Soum, A., (312) C11  
 Spencer, C.M., (312) C64  
 Suades, J., (312) 335
- Talarmin, J., (312) 81  
 Tamura, M., (312) C75  
 Tanaka, H., (312) C71  
 Tanaka, M., (312) 357  
 Teulade, M.-P., (312) 283  
 Torto, I., (312) 183  
 Tsao, C.-H., (312) 53
- Uchiyama, W.S., (312) 121
- Vasapollo, G., (312) 249  
 Volden, H.V., (312) C49  
 Von Schnering, H.G., (312) 305
- Wada, K., (312) C71  
 Watanabe, E., (312) C71  
 Wegner, P., (312) C37  
 Weisemann, C., (312) 133  
 Weiss, G.A., (312) 365  
 Whitt, D.R., (312) C15  
 Wilczewski, T., (312) 349  
 Wojnowski, W., (312) 305  
 Wormsbächer, D., (312) C53
- Yamasaki, T., (312) 357  
 Yoder, C.H., (312) 149
- Zimmer, R., (312) 313  
 Zsolnai, L., (312) 177, C57

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 312 (1986)

### SUBJECT INDEX

#### Aluminium

Trimethyl- and triethyl-aluminium, reactions with 2,4,6-tri-*t*-butylnitrosobenzene, reactions of (Z. Florjańczyk, N. Langwald), (312) 297

#### Antimony

Tetracarbonyl(phosphinothioformamide) complexes,  $(\text{CO})_4\text{M}(\text{PS})$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}$ ), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

#### Arsenic

Tetracarbonyl(phosphinothioformamide) complexes,  $(\text{CO})_4\text{M}(\text{PS})$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}$ ), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

#### Boron

$(\eta^5\text{-Borol})\text{rhodium}$  complexes and nucleophilic degradation of  $\mu\text{-}(\eta^5\text{-1-phenylborol})\text{bis}[(\eta^5\text{-1-phenylborol})\text{rhodium}]$  (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13  
 Dithiaboretanes and trithiaboranes, kinetically and thermodynamically controlled formation of (H. Nöth, W. Rattay), (312) 139

#### Calcium

Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

#### Chromium

(9-*exo*-Benzyl- $\eta^6$ -fluorene)tricarbonylchromium, stereoselective electrochemical synthesis and

cathodic behaviour of (B. Gautheron, C. De-grand, M. Bikrani), (312) 207

Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297

Cyclopentadienyl-molybdenum- and -tungstenundecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of  $C_5H_5MoIr_3(CO)_{11}$  (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

Hexacarbonyl- $\mu$ - $\eta^{6:6}$ -1,1'-bi(2,4,6-cycloheptatriene-1-yl)dichromium(0), [4 + 6]-cycloaddition of conjugated dienes to (C.G. Kreiter, E. Michels, J. Kaub), (312) 221

Hexacarbonyl- $\mu$ - $\eta^{6:6}$ -heptafulvenedichromium(0), [4 + 6]-cycloaddition of 1,3-butadienes to (C.G. Kreiter, E. Michels), (312) 59

Tetracarbonyl(phosphinothioformamide) complexes,  $(CO)_4M(PS)$  ( $M = Cr, Mo, W$ ), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

## Cobalt

( $\eta^5$ -Borol)rhodium complexes and nucleophilic degradation of  $\mu$ -( $\eta^3$ -1-phenylborol)bis[ $\eta^3$ -1-phenylborol]rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lütke), (312) 13

Cyclopentadienyl-molybdenum- and -tungstenundecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of  $C_5H_5MoIr_3(CO)_{11}$  (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

Dicarbonyl(*syn*- $\eta^3$ -2,4-pentadienyl)triphenylphosphinecobalt, synthesis, characterisation and crystal structure of (G.-H. Lee, S.-M. Peng, M.-Y. Liao, R.-S. Liu), (312) 113

(1,4-Dioxanylmethyl)diphenylphosphine, selective hydrocarbonylation of methanol with (E. Lindner, A. Sickinger, P. Wegner), (312) C37

Tetracobalt octahedral clusters with  $\mu_4$ -PR and  $\mu_4$ -S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365

## Germanium

$\alpha, \omega$ -Dichlorinated polygermanes,  $Cl(Ph_2Ge)_nCl$  ( $n = 2, 3, 4$ ), synthesis by germylene insertion of (K. Häberle, M. Dräger), (312) 155

Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, prepara-

tion and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

## Gold

$[Nb(\eta^5-C_5H_4R)_2\{AuP(C_6H_5)_3\}_2]^+$  ( $R = H, Si(CH_3)_3$ ) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44

## Hafnium

Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

## Iridium

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197

Cyclopentadienyl-molybdenum- and -tungstenundecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of  $C_5H_5MoIr_3(CO)_{11}$  (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

O-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

Phosphineiridium(I) complexes, reactions with  $S_4N_4$  of; synthesis and crystal structure of  $[(dppen)_2Ir(S_2N_2)](BPh_4) \cdot 0.5CH_3COCH_3$  and  $\{(dppen)_2Ir(S_2N_2)[W(CO)_5]\}(BPh_4 \cdot 0.5CH_2Cl_2)$  (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383

## Iron

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

Biferrocenium tetrabromoferrate,  $[(C_5H_5)Fe(C_5H_4)-(C_5H_4)Fe(C_5H_5)]FeBr_4$ , X-ray structural characterisation of a mixed-valence compound (S.J. Geib, A.L. Rheingold, T.-Y. Dong, D.N. Hendrickson), (312) 241

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclo-

- pentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- Decacarbonyltriiron *nido* clusters, rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (312) C57
- $\eta^5$ -Dienyltricarbonyliron cations, iodide addition to a carbon monoxide ligand in (G.R. John, L.A.P. Kane-Maguire, R. Kanitz), (312) C21
- Hydrogenation of polyaromatics on ligand exchange with ferrocenes (V. Guerschais, D. Astruc), (312) 97
- Undecarbonyltriiron cluster, reactions with monosubstituted alkynes of the triiron unit in (J. Suades, R. Mathieu), (312) 335

## Lead

- Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

## Lithium

- $\alpha$ -Lithio- $\alpha$ -substituted alkanephosphonates (RO)<sub>2</sub>P(O)CHR'Li (R' = H, alkyl, Cl), synthesis, relative basicity and self-condensation of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (312) 283
- Metallated acetylenes and allenes, reactions with carbon disulphide of (R.L.P. de Jong, L. Brandsma), (312) 277
- Nickelirenes and nickeloles as catalytic carriers in oligomerisation of alkynes (J.J. Eisch, J.E. Galle, A.A. Aradi, M.P. Bolesławski), (312) 399

## Magnesium

- Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

## Manganese

- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- $\mu$ -Di-*t*-butylthioetenebis(dicarbonylcyclopentadienylmanganese), synthesis and structure of (D. Wormsbächer, F. Edelman, U. Behrens), (312) C53

## Mercury

- Bis(diphenylphosphine)methane, deprotonated, as monodentate ligand; preparation and <sup>31</sup>P/<sup>199</sup>Hg NMR characterisation of Hg[CH-(PPh<sub>2</sub>)<sub>2</sub>]<sub>2</sub> (M. Lusser, P. Peringer), (312) C61
- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323
- Mercuridestannylation of phenylstannatranes and related derivatives, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 33

## Metalloenes

- Biferrocenium tetrabromoferrate, [(C<sub>5</sub>H<sub>5</sub>)Fe(C<sub>5</sub>H<sub>4</sub>)-(C<sub>5</sub>H<sub>4</sub>)Fe(C<sub>5</sub>H<sub>5</sub>)]FeBr<sub>4</sub>, X-ray structural characterisation of a mixed-valence compound (S.J. Geib, A.L. Rheingold, T.-Y. Dong, D.N. Hendrickson), (312) 241
- Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49
- Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183
- Dicyclopentadienyltitanium(IV) pyridine-2,6-dicarboxylate complexes, synthesis and characterisation as pentacoordinate titanocene derivatives of (R. Leik, L. Zsolnai, G. Huttner, E. Neuse, H.H. Brintzinger), (312) 177
- Hydrogenation of polyaromatics on ligand exchange with ferrocenes (V. Guerschais, D. Astruc), (312) 97

## Molybdenum

- Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of C<sub>5</sub>H<sub>5</sub>MoIr<sub>3</sub>(CO)<sub>11</sub> (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foote, W.S. Uchiyama), (312) 121
- Hexacarbonyl- $\mu$ - $\eta^{6:6}$ -heptafulvenedichromium(0), [4 + 6]-cycloaddition of 1,3-butadienes to (C.G. Kreiter, E. Michels), (312) 59
- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41

Tetracarbonyl(phosphinothioformamide) complexes,  $(\text{CO})_4\text{M}(\text{PS})$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}$ ), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Thiolato-bridged carbonylcyclopentadienylmolybdenum dimeric complexes,  $^1\text{H}$  NMR and electrochemical studies of isomerisation of; synthesis and X-ray crystal structure of  $\{(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{CO})_2(\mu\text{-S-t-Bu})_2(\text{BF}_4)_2\}$  (J. Courtot-Coupez, M. Guéguen, J.E. Guerschais, F.Y. Pétilon, J. Talarmin, R. Mercier), (312) 81

Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

## Nickel

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

Nickelirenes and nickeloles as catalytic carriers in oligomerisation of alkynes (J.J. Eisch, J.E. Galle, A.A. Aradi, M.P. Bolesławski), (312) 399

## Niobium

$[\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{R})_2\{\text{AuP}(\text{C}_6\text{H}_5)_3\}_2]^+$  ( $\text{R} = \text{H}, \text{Si}(\text{CH}_3)_3$ ) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44

## Osmium

Carbonylchloro( $\eta$ -cyclopentadienyl)(triphenylphosphine)ruthenium(II), synthesis, reactivity and crystal structure of (T. Wilczewski, Z. Dauter), (312) 349

$(\mu\text{-H})_3\text{Ru}_3(\mu_3\text{-CR})(\text{CO})_9$ , protonation of; evidence for formation of an agostic metal-hydrogen bond (D.K. Bower, J.B. Keister), (312) C33

*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl

Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323

1,5-Cyclooctadienedihalogenometal ( $\text{M} = \text{Pd}, \text{Pt}$ ,  $\text{X} = \text{Cl}, \text{Br}$ ) complexes, attack by cyclohexylamine on the diene ligands in (D.J. Evans, L.A.P. Kane-Maguire), (312) C24

$[\text{Pd}(\text{OAc})_2(\text{PPh}_3)_2]$ -trialkylammonium formate reagent, reaction of aryl iodides with hindered  $\alpha, \beta, \gamma, \delta$ -dienones in the presence of (A. Arcadi, F. Marinelli, S. Cacchi), (312) C27

## Phosphorus

Asymmetric hydrogenation of dehydroamino acids catalysed by aminophosphinerhodium complexes (A. Karim, A. Mortreux, F. Petit), (312) 375

Bis(diphenylphosphine)methane, deprotonated, as monodentate ligand; preparation and  $^{31}\text{P}/^{199}\text{Hg}$  NMR characterisation of  $\text{Hg}[\text{CH}(\text{PPh}_2)_2]_2$  (M. Lusser, P. Peringer), (312) C61

$(\eta^5\text{-Borol})$ rhodium complexes and nucleophilic degradation of  $\mu\text{-}(\eta^5\text{-1-phenylborol})\text{bis}[\eta^5\text{-1-phenylborol}]\text{rhodium}$  (G.E. Herberich, U. Büschges, B. Hessner, H. Lütke), (312) 13

Chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium, preparation from  $[\text{RuHCl}(\text{PPh}_3)_3]$  and penta-1,4-diene of, C-C bond formation by dehydrogenation (B.E. Mann, P.W. Manning, C.M. Spencer), (312) C64

Decacarbonyltriiron *nido* clusters, rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (312) C57

Dicarbonyl(*syn*- $\eta^3\text{-2,4-pentadienyl}$ )triphenylphosphinecobalt, synthesis, characterisation and crystal structure of (G.-H. Lee, S.-M. Peng, M.-Y. Liao, R.-S. Liu), (312) 113

(1,4-Dioxanylmethyl)diphenylphosphine, selective hydrocarbonylation of methanol with (E. Lindner, A. Sickinger, P. Wegner), (312) C37

Ethylene glycol direct synthesis from CO and  $\text{H}_2$ , catalyst for (M. Tamura, M. Ishino, T. Deguchi, S. Nakamura), (312) C75

$\alpha$ -Lithio- $\alpha$ -substituted alkanephosphonates  $(\text{RO})_2\text{P}(\text{O})\text{CHR}'\text{Li}$  ( $\text{R}' = \text{H}, \text{alkyl}, \text{Cl}$ ), synthesis, relative basicity and self-condensation of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (312) 283

Monomeric phosphinomethanide complexes of

- divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1
- [Nb( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>R)<sub>2</sub>{AuP(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>}<sub>2</sub>]<sup>+</sup> (R = H, Si(CH<sub>3</sub>)<sub>3</sub>) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44
- [Pd(OAc)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]-trialkylammonium formate reagent, reaction of aryl iodides with hindered  $\alpha$ , $\beta$ , $\gamma$ , $\delta$ -dienones in the presence of (A. Arcadi, F. Martinelli, S. Cacchi), (312) C27
- O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- Phosphineiridium(I) complexes, reactions with S<sub>4</sub>N<sub>4</sub> of; synthesis and crystal structure of [(dppen)<sub>2</sub>Ir(S<sub>2</sub>N<sub>2</sub>)](BPh<sub>4</sub>) · 0.5CH<sub>3</sub>COCH<sub>3</sub> and {(dppen)<sub>2</sub>Ir(S<sub>2</sub>N<sub>2</sub>)}[W(CO)<sub>5</sub>](BPh<sub>4</sub> · 0.5CH<sub>2</sub>Cl<sub>2</sub>) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383
- Phosphorus-carbon bonds, cleavage with sodium/naphthalene of; facile preparation of unsymmetrical diphosphines (T.-S. Chou, C.-H. Tsao, S.C. Hung), (312) 53
- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41
- Rhodium complex-catalysed hydrogenation of CO to ethylene glycol, specific rate enhancement by alkylphosphines in (H. Tanaka, Y.E. Watanabe, K. Wada, T. Onoda), (312) C71
- RuCl<sub>2</sub>[P(CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>3</sub>], C-H bond cleavage upon reduction in cyclopentene and THF of (M. Antberg, L. Dahlenburg), (312) C67
- Tetracarbonyl(phosphinothioformamide) complexes, (CO)<sub>4</sub>M(PS) (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Tetracobalt octahedral clusters with  $\mu_4$ -PR and  $\mu_4$ -S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365
- Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6
- Triorganotin phosphorodiamidates, preparation and characterisation of (K.C. Molloy, T.G. Purcell), (312) 167

## Platinum

- {2,3,5,6- $\eta^4$ -Bicyclo[2.2.1]hepta-2,5-diene)-(E)-bis(2-ethoxynaphth-1-yl)platinum(II), synthesis of (C. Weisemann, H.A. Brune), (312) 133
- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene

and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323

- 1,5-Cyclooctadienedihalogenometal (M = Pd, Pt, X = Cl, Br) complexes, attack by cyclohexylamine on the diene ligands in (D.J. Evans, L.A.P. Kane-Maguire), (312) C24
- Iminopyridine complexation by Zeise's salt, formation of estradiol-*cis*-dichloroplatinum; X-ray structure determination of *cis*-PtCl<sub>2</sub>[C<sub>5</sub>H<sub>4</sub>NCH<sub>2</sub>N=C(CH<sub>3</sub>)C<sub>6</sub>H<sub>4</sub>OH] · H<sub>2</sub>O (P. Pointeau, H. Patin, A. Mousser, J.-Y. Le Marouille), (312) 263

## Rhenium

- Bis- $\mu$ -oxo rhenium(VI) dimer Re<sub>2</sub>O<sub>2</sub>( $\mu$ -O)<sub>2</sub>(CH<sub>2</sub>CMe<sub>2</sub>Ph)<sub>4</sub>, synthesis and structure of (J.M. Huggins, D.R. Whitt, L. Lebioda), (312) C15
- O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

## Rhodium

- Asymmetric hydrogenation of dehydroamino acids catalysed by aminophosphinerhodium complexes (A. Karim, A. Mortreux, F. Petit), (312) 375
- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- ( $\eta^5$ -Borol)rhodium complexes and nucleophilic degradation of  $\mu$ -( $\eta^5$ -1-phenylborol)bis[ $\eta^5$ -1-phenylborol]rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lütke), (312) 13
- 2,6-Diallylpyridine (DAP) complexes of rhodium(I), synthesis and structures of; crystal structures of [Rh(COD)(DAP)][RhCl<sub>2</sub>-(CO-D)] and [Rh(COD)(DAP)][CuCl<sub>2</sub>] (G. Vasapollo, A. Sacco, C.F. Nobile, M.A. Pellinighelli, M. Lanfranchi), (312) 249
- Ethylene glycol direct synthesis from CO and H<sub>2</sub>, catalyst for (M. Tamura, M. Ishino, T. Deguchi, S. Nakamura), (312) C75
- O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- Rhodium complex-catalysed hydrogenation of CO to ethylene glycol, specific rate enhancement by alkylphosphines in (H. Tanaka, Y. Hara, E. Watanabe, K. Wada, T. Onoda), (312) C71

## Ruthenium

- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- Carbonylchloro( $\eta$ -cyclopentadienyl)(triphenylphosphine)ruthenium(II), synthesis, reactivity and crystal structure of (T. Wilczewski, Z. Dauter), (312) 349
- Chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium, preparation from [RuHCl(PPh<sub>3</sub>)<sub>3</sub>] and penta-1,4-diene of, C–C bond formation by dehydrogenation (B.E. Mann, P.W. Manning, C.M. Spencer), (312) C64
- ( $\mu$ -H)<sub>3</sub>Ru<sub>3</sub>( $\mu_3$ -CR)(CO)<sub>9</sub>, protonation of; evidence for formation of an agostic metal–hydrogen bond (D.K. Bower, J.B. Keister), (312) C33
- Hydrogenation of carbon monoxide in the presence of homogeneous ruthenium catalysts; effect of onium halides as promoters (Y. Kiso, M. Tanaka, H. Nakamura, T. Yamasaki, K. Saeki), (312) 357
- O-Perthenate-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- RuCl<sub>2</sub>[P(CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>3</sub>], C–H bond cleavage upon reduction in cyclopentene and THF of (M. Antberg, L. Dahlenburg), (312) C67

## Silicon

- Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297
- $\pi$ - $\sigma$  Constant for substituents attached to silicon, determination of (M.S. Samples, C.H. Yoder), (312) 149
- [Nb( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>R)<sub>2</sub>{AuP(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>}<sub>2</sub>]<sup>+</sup> (R = H, Si(CH<sub>3</sub>)<sub>3</sub>) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44
- Siloxy groups at silicon atom, inductive substituent constants  $\sigma^*$  and  $\sigma_1$  determined by <sup>29</sup>Si NMR spectroscopy for (U. Scheim, H. Grosse-Ruyken, K. Rühlmann, A. Porzel), (312) 27
- Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

## Sulphur

- Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297
- $\mu$ -Di-t-butylthioketenebis(dicarbonylcyclopentadienyl-manganese), synthesis and structure of (D. Wormsbächer, F. Edelmann, U. Behrens), (312) C53
- Dithioboranes and trithiaboranes, kinetically and thermodynamically controlled formation of (H. Nöth, W. Rattay), (312) 139
- Phosphineiridium(I) complexes, reactions with S<sub>4</sub>N<sub>4</sub> of; synthesis and crystal structure of [(dppen)<sub>2</sub>Ir(S<sub>2</sub>N<sub>2</sub>)]BPh<sub>4</sub> · 0.5CH<sub>3</sub>COCH<sub>3</sub> and {(dppen)<sub>2</sub>Ir(S<sub>2</sub>N<sub>2</sub>)]W(CO)<sub>5</sub>}(BPh<sub>4</sub> · 0.5CH<sub>2</sub>Cl<sub>2</sub>) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383
- Tetracarbonyl(phosphinothioformamide) complexes, (CO)<sub>4</sub>M(PS) (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Tetracobalt octahedral clusters with  $\mu_4$ -PR and  $\mu_4$ -S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365
- Thiolato-bridged carbonylcyclopentadienylmolybdenum dimeric complexes, <sup>1</sup>H NMR and electrochemical studies of isomerisation of; synthesis and X-ray crystal structure of {( $\eta^2$ -C<sub>5</sub>H<sub>5</sub>)Mo(CO)<sub>2</sub>( $\mu$ -S-t-Bu)}<sub>2</sub>(BF<sub>4</sub>)<sub>2</sub> (J. Courtot-Coupez, M. Guéguen, J.E. Guerschais, F.Y. Pétilion, J. Talarmin, R. Mercier), (312) 81

## Tellurium

- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323

## Thallium

- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197

## Tin

- (2,3,5,6- $\eta^4$ -Bicyclo[2.2.1]hepta-2,5-diene)-(E)-bis(2-ethoxynaphth-1-yl)platinum(II), synthesis of (C. Weisemann, H.A. Brune), (312) 133

- Cyclotetrastannanes, crystal structure of (H. Puff, C. Bach, W. Schuh, R. Zimmer), (312) 313
- Iododestannylation of stannatranes, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 45
- Mercuridestannylation of phenylstannatranes and related derivatives, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 33
- Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1
- Triorganotin phosphorodiamidates, preparation and characterisation of (K.C. Molloy, T.G. Purcell), (312) 167

## Titanium

- Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183
- Dicyclopentadienyttitanium(IV) pyridine-2,6-dicarboxylate complexes, synthesis and characterisation as pentacoordinate titanocene derivatives of (R. Leik, L. Zsolnai, G. Huttner, E. Neuse, H.H. Brintzinger), (312) 177

## Tungsten

- Carbene-alkene-tungsten bidentate complex, internal NMR probe for coordination of Lewis acids in (A. Parlier, H. Rudler, M. Fontanille, A. Soum), (312) C11
- Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of  $C_5H_5MoIr_3(CO)_{11}$  (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
- Phosphineiridium(I) complexes, reactions with  $S_4N_4$  of; synthesis and crystal structure of  $[(dppen)_2Ir(S_2N_2)]BPh_4 \cdot 0.5CH_3COCH_3$

and  $\{(dppen)_2Ir(S_2N_2)[W(CO)_5](BPh_4 \cdot 0.5CH_2Cl_2)\}$  (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383

- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41
- Tetracarbonyl(phosphinothioformamide) complexes,  $(CO)_4M(PS)$  ( $M = Cr, Mo, W$ ), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

## Ytterbium

- Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

## Zinc

- Bis- $\mu$ -oxo rhenium(VI) dimer  $Re_2O_2(\mu-O)_2(CH_2CMe_2Ph)_4$ , synthesis and structure of (J.M. Huggins, D.R. Whitt, L. Lebioda), (312) C15
- Diethylzinc, reaction products with trihydric phenols of (P. Górecki, W. Kuran), (312) 1

## Zirconium

- Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

## Book review

- Organotitanium reagents in organic synthesis; by M.T. Reetz (P.A. Chaloner), (312) C47