

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 314 (1986)

SUBJECT INDEX

Aluminium

Tri-spirocyclic organoaluminiumphosphane-nickel(0) complexes, preparation of (H.H. Karsch, A. Appelt), (314) C5

Boron

Mono- and bi-cyclic boraxazolidones, reactions with nucleophiles of (B. Garrigues, M. Mulliez), (314) 19

Chromium

Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ ($M = Cr, W$), preparation and characterisation of (O. Orama), (314) 273

Organometallic iron-selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295

Tetracarbonyl(carbenephosphine) and tetracarbonyl(imidatephosphine) complexes of chromium(0) (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen, S. Lotz), (314) 281

Cobalt

$[Co(N, N'-ethylenebis(salicydeneaminato))-(CO)_2]^-$, ab-initio study of η^1-C coordination mode for CO_2 in (S. Sasaki, A. Dedieu), (314) C63

Cyclometallated photodecarboxylation of cobalt(III) complexes with 1-diethylenetriaminemono-3-propionate (A.L. Poznjak, V.I. Pawlowski, L.M. Schkolnikowa, N.M. Djaltova, A.B. Iljuchin), (314) C59

Iridium

trans-Bis(diphenylphosphine)cyclopropane, ligand selective for binuclear complexation

with ca. 4.5 Å intermetallic separation (J.M. Brown, A.R. Lucy), (314) 241

Iron

μ -Alkylideneiron complex, CO insertion reactions of (D. Navarre, H. Rudler, J.C. Daran), (314) C34

Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Gosselin, P.H. Dixneuf), (314) C76

Carbonyl-iron dinuclear complexes with σ -metal-carbon bonds, synthesis, structure and properties of (H. Patin, B. Misterkiewicz, J.-Y. Le Marouille, A. Mousser), (314) 173

$[(C_5H_5)_4FeNi](BF_4)_2$, charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

4-Cyanobuta-1,3-dienylidene bridging group, formation from reaction of $[(C_5H_5)Fe(CO)]_2(\mu-CO)(\mu-C=CH_2)$ with $HC\equiv CCN$ of (M. Etienne, J.E. Guerschais), (314) C81

trans-Dichlorotetrakis(xylyl isocyanide)iron(II) and chloropentakis(xylyl isocyanide)iron(II) tetrachloroferrate(III) (M.G.B. Drew, G.H. Dodd, J.M. Williamson, G.R. Willey), (314) 163

Diethylaminodichlorophosphine in reaction with sodium tetracarbonylferrate(-II), diethylamino migrations in (R.B. King, F.-J. Wu, E.M. Holt), (314) C27

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25

μ -Methylenebis(tetracarbonyliron) complex, $\mu-CH_2Fe_2(CO)_8$, synthesis from pentacarbonyliron and dibromomethane of (G. Tanguy, J.-C. Clement, H. Des Abbayes), (314) C43

Organometallic iron-selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295

μ_3 - η^2 -Phosphaalkyne complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[M_3H(CO)_9(Bu^tCP)]^-$ ($M = Fe, Ru$), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307

Thiolatoamine-iron(II) and -molybdenum(II) with $[M(SNNS)]$ units and CO, PMe_3 , NO and N_2H_4 as coligands ($SNNS = (SC_6H_4N(R)C_2H_4N(R)C_6H_4S)^{2-}$; $R = H, CH_3$) (D. Sellmann, U. Reineke), (314) 91

Lithium

Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

Methylithium addition $Rh(COMe)(CO)$ (triphos), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51

Magnesium

Alkylation of an arene π -complex, reversal of regiocontrol in (R.P. Alexander, G.R. Stephenson), (314) C73

(Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7

Manganese

Alkylation of an arene π -complex, reversal of regiocontrol in (R.P. Alexander, G.R. Stephenson), (314) C73

Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ ($M = Cr, W$), preparation and characterisation of (O. Orama), (314) 273

Mercury

Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1

Di- η^5 -cyclopentadienyl-titanium and -zirconium anthracene, preparation and characterisation of (J. Scholz, K.-H. Thiele), (314) 13

β -Diketone derivatives of mercury, structures of (W. Depmeier, K. Dietrich, K. König, H. Musso, W. Weiss), (314) C1

Metalloenes

$[(C_5H_5)_4FeNi](BF_4)_2$ charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

Dynamic stereochemistry of $TiBr + SPh^- \rightarrow TiSPh$ conversion with isocyanato complexes of titanocene (J. Besançon, J. Tirouflet, B. Trimaillé, Y. Dusausoy), (314) C12

Metallocene-chalcogen compounds, synthesis of $[(\eta-C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squeue (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21

Potassium selective metallocene cryptand molecules (P.D. Beer, C.G. Crane, A.D. Keefe, A.R. Whyman), (314) C9

Molybdenum

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25

$PdMo(\mu-Ph_2Ppy)_2(\mu-CO)(CO)_2 \cdot 0.5CH_2Cl_2$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357

Thiolatoamine-iron(II) and -molybdenum(II) with $[M(SNNS)]$ units and CO, PMe_3 , NO and N_2H_4 as coligands ($SNNS = (SC_6H_4N(R)C_2H_4N(R)C_6H_4S)^{2-}$; $R = H, CH_3$) (D. Sellmann, U. Reineke), (314) 91

Nickel

$[(C_5H_5)_4FeNi](BF_4)_2$ charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

Niobium

Di-(η -cyclopentadienyl)[1,3,4- η^3 -(1,2,3,4-tetramethyl-1,3-butadienyl)]niobium, synthesis, and crystal and molecular structures of (G.E. Herberich, B. Hessner, H. Mayer), (314) 123

Osmium

$Ru(C\equiv CPh)(dppe)(\eta-C_5H_5)$ and $[Ru(L)(PPh_3)_2(\eta-C_5H_5)]X$ ($L = C(OMe)Et$, $X = PF_6^-$; $L = C=MePh$, $X = I$), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink), (314) 213

Ruthenium and osmium cluster carbonyls containing olefinic tertiary phosphine PPh_2 - $(\text{C}_6\text{H}_4\text{CH}=\text{CH}_2)_2$ (sp); X-ray structure of $\text{Os}_3\text{H}(\mu\text{-H})(\text{CO})_{10}$ (sp) (M.I. Bruce, M.L. Williams), (314) 323

Palladium

$\text{PdMo}(\mu\text{-Ph}_2\text{Ppy})_2(\mu\text{-CO})(\text{CO})_2 \cdot 0.5\text{CH}_2\text{Cl}_2$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357

Phosphorus

Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Gosselin, P.H. Dixneuf), (314) C76

Bis(diphenylphosphino)acetylene complexes of $\text{C}_5\text{H}_5(\text{CO})_2\text{Mn}$ and $(\text{CO})_5\text{M}$ ($\text{M} = \text{Cr}, \text{W}$) preparation and characterisation of (O. Orama), (314) 273

Dicarbonylcyclopentadienylalkylidynetungsten complex, $[\text{W}(\equiv\text{CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, reactions with PPh_2 of; synthesis and X-ray structures of $[\text{W}(\text{CHRPPH}_2)(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ and $[\text{W}(\text{CHRCOOPPh}_2)(\text{PPh}_2)(\text{CO})(\eta\text{-C}_5\text{H}_5)]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$) (G.A. Carriedo, V. Riera, M.L. Rodriguez, J.C. Jeffery), (314) 139

Diethylaminodichlorophosphine in reaction with sodium tetracarbonylferrate(-II), diethylamino migrations in (R.B. King, F.-J. Wu, E.M. Holt), (314) C27

trans-Difulminatobis(triphenylphosphane)platinum(II), $(\text{Ph}_3\text{P})_2\text{Pt}(\text{CNO})_2$, preparation and structure of (W. Weigand, U. Nagel, W. Beck), (314) C55

Methylolithium addition $\text{Rh}(\text{COMe})(\text{CO})(\text{triphos})$, formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51

$\text{PdMo}(\mu\text{-Ph}_2\text{Ppy})_2(\mu\text{-CO})(\text{CO})_2 \cdot 0.5\text{CH}_2\text{Cl}_2$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357

$\mu_3\text{-}\eta^2$ -Phosphaalkyne complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[\text{M}_3\text{H}(\text{CO})_9(\text{Bu}^1\text{CP})]^-$ ($\text{M} = \text{Fe}, \text{Ru}$), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307

$\text{Ru}(\text{C}\equiv\text{CPh})(\text{dppe})(\eta\text{-C}_5\text{H}_5)$ and $[\text{Ru}(\text{L})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{X}$ ($\text{L} = \text{C}(\text{OMe})\text{Et}$, $\text{X} = \text{PF}_6^-$; $\text{L} = \text{C}=\text{CMePh}$, $\text{X} = \text{I}$), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tickink), (314) 213

Tetracarbonyl(carbenephosphine) and tetracarbonyl(imidatephosphine) complexes of chromium(0) (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen, S. Lotz), (314) 281

Thiolatoamine-iron(II) and -molybdenum(II) complexes with $[\text{M}(\text{SNNS})]$ units and CO, PMe_3 , NO and N_2H_4 as coligands ($\text{SNNS} = (\text{SC}_6\text{H}_4\text{N}(\text{R})\text{C}_2\text{H}_4\text{N}(\text{R})\text{C}_6\text{H}_4\text{S})^{2-}$; $\text{R} = \text{H}, \text{CH}_3$) (D. Sellmann, U. Reineke), (314) 91

Tri-spirocyclic organoaluminiumphosphanickel(0) complexes, preparation of (H.H. Karsch, A. Appelt), (314) C5

Platinum

trans-Difulminatobis(triphenylphosphane)platinum(II), $(\text{Ph}_3\text{P})_2\text{Pt}(\text{CNO})_2$ preparation and structure of (W. Weigand, U. Nagel, W. Beck), (314) C55

Pt-Sn complexes as catalysts for olefin hydroformylation, NMR, IR and reactivity studies on (A. Scrivanti, A. Berton, L. Toniolo, C. Botteghi), (314) 369

Potassium

Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Gosselin, P.H. Dixneuf), (314) C76

Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1

Potassium selective metallocene cryptand molecules (P.D. Beer, C.G. Crane, A.D. Keefe, A.R. Whyman), (314) C9

Rhenium

Halogenorhenium(V) mono- and di-nuclear complexes, syntheses and structures of (W.A. Herrmann, U. Küsthardt, M. Flöel, J. Kulpe, E. Herdtweck, E. Voss), (314) 151

Rhodium

Alkene C-H bonds on dirhodium centres, sunlight assisted making and breaking of; crystal and molecular structures of $(\eta\text{-C}_5\text{H}_5)_2\text{Rh}_2(\text{CH}=\text{CHCN})\{\text{C}(\text{CF}_3)=\text{CF}_3\}\text{H} \cdot \text{H}_2\text{O}$ and $(\eta\text{-C}_5\text{H}_5)_2\text{Rh}_2(\text{CH}=\text{CF}_2)\{\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{H}\}$ (R.S. Dickson, G.D. Fallon, S.M. Jenkins, B.W. Skelton, A.H. White), (314) 333

trans-Bis(diohenylphosphine)cyclopropane,

- ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.K. Brown, A.R. Lucy), (314) 241
- Methylithium addition Rh(COMe)(CO)(triphos), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51
- Rhodium-catalysed C–C coupling of 1,3-dienes with 3-alkenoic acids (G. Salerno, F. Gigliotti, G.P. Chiusoli), (314) 231
- Rhodium-catalysed hydrosilylation of 1-aza- and 1,4-diaza-1,3-dienes, formation of silylated enamines by (M. Brockmann, H. tom Dieck), (314) 75
- Ruthenium-rhodium homogeneous catalysts for methanol homologation, synergistic effect of (J. Pursiainen, K. Karjalainen, T.A. Pakkanen), (314) 227

Ruthenium

- 2,2'-Bipyridine-dodecacarbonyltriruthenium complex, catalysis of the water gas shift reaction by (T. Venäläinen, T.A. Pakkanen, T.T. Pakkanen, E. Iiskola) (314) C49
- Carboxylate ruthenium bridged complexes; crystal structures of [Ru(PhCOO)(CO)₂(PhCOOH)]₂, [Ru(4-FC₆H₄COO)₂(CO)₅(H₂O)]₂ · 0.5C₆H₆ and [Ru₂(s-BuCO₂(CO)₄(s-BuCO₂H)]₂ (M. Rotem, I. Goldberg, U. Shmueli, Y. Shvo), (314) 185
- Dodecacarbonyltriruthenium, reactions with heterocycles of; X-ray crystal structures of Ru₃(μ-CO)₂(CO)₈(bipy) and Ru₃(μ-H){μ-N₂C₃H(CF₃)₂-3,5}(CO)₁₀ (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink, R.C. Wallis), (314) 311
- μ₃-η²-Phosphaalkyne complexes of trinuclear iron and ruthenium hydridononacarbonyl anions [M₃H(CO)₉(Bu¹CP)]⁻ (M = Fe, Ru), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307
- Ru(C≡CPh)(dppe)(η-C₅H₅) and [Ru(L)(PPh₃)₂(η-C₅H₅)]X (L = C(OMe)Et, X = PF₆; L = C=CMePh, X = I), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink), (314) 213
- Ruthenium-rhodium homogeneous catalysts for methanol homologation, synergistic effect of (J. Pursiainen, K. Karjalainen, T.A. Pakkanen), (314) 227
- Trihalogeno(pentamethylcyclopentadienyl)ruthenium(IV), preparation and reactions of (N. Oshima, H. Suzuki, Y. Moro-Oka, H. Nagashima, K. Itoh), (314) C46

Selenium

- Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamińska-Trela, Z. Biedrzycka, R. Mac-hinek, B. Knieriem, W. Lüttke), (314) 53
- Organometallic iron–selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295

Silicon

- Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamińska-Trela, Z. Biedrzycka, R. Mac-hinek, B. Knieriem, W. Lüttke), (314) 53
- 1-Chloro-1,3,5-trimethyl-3,5-bis(trimethylsiloxy)-cyclotrisiloxanes, acetolysis of stereoisomers of (U. Scheim, K. Rühlmann, H. Grosse-Ruyken, A. Porzel), (314) 39
- Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1
- Dimethylsilylenes containing C=C or C≡C bonds, reactions of (H. Appler, W.P. Neumann), (314) 261
- N-Halogensilyl-phosphinimine, chlorine–fluorine exchange in (U. Kliebisch, U. Klingebiel), (314) 33
- Hexa-*t*-butylcyclotrisilane, formation of six-membered rings by photolysis in the presence of nitriles of (M. Weidenbruch, A. Schäfer, M. Peters, H.G. von Schnering), (314) 25
- Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61
- Rhodium-catalysed hydrosilylation of 1-aza- and 1,4-diaza-1,3-dienes, formation of silylated enamines by (M. Brockmann, H. tom Dieck), (314) 75
- 7-Silanorbomadiene, reactions with halogens and thermolysis in the presence or organometallic or organic halides of (H. Appler, W.P. Neumann), (314) 247
- α-Trimethylsilyl ketones, regiodefined synthesis of α-bromo, α-phenylthio, and α-phenyl-seleno ketones from (I. Matsuda, S. Sato), (314) 47

Silver

- trans*-Bis(diphenylphosphine)cyclopropane, ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.K. Brown, A.R. Lucy), (314) 241

Sulphur

- Carbonyl-iron dinuclear complexes with σ -metal-carbon bonds, synthesis, structure and properties of (H. Patin, B. Misterkiewicz, J.-Y. Le Marouille, A. Mossier), (314) 173
- Chalcogen-substituted acetylenes, C-C and C-chalcogen spin-spin coupling constants in (K. Kamińska-Trela, Z. Biedrzycka, R. Mac-hinek, B. Knieriem, W. Lüttke), (314) 53
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25
- Thiolatoamine-iron(II) and -molybdenum(II) with [M(SNNS)] units and CO, PMe₃, NO and N₂H₄ as coligands (SNNS = (SC₆H₄-(R)C₂H₄N(R)C₆H₄S)²⁻; R = H, CH₃) (D. Sellmann, U. Reineke), (314) 91
- α -Trimethylsilyl ketones, regiodefined synthesis of α -bromo, α -phenylthio, and α -phenyl-seleno ketones from (I. Matsuda, S. Sato), (314) 47

Tantalum

- Phenoxotantalum(V) complexes, preparation and structure of (M. Gómez, P. Royo, J.M. Selas), (314) 131

Tellurium

- Chalcogen-substituted acetylenes, C-C and C-chalcogen spin-spin coupling constants in (K. Kamińska-Trela, Z. Biedrzycka, R. Mac-hinek, B. Knieriem, W. Lüttke), (314) 53
- Metallocene-chalcogen compounds, synthesis of $[(\eta-C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squeuelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21

Tin

- Chalcogen-substituted acetylenes, C-C and C-chalcogen spin-spin coupling constants in (K. Kamińska-Trela, Z. Biedrzycka, R. Mac-hinek, B. Knieriem, W. Lüttke), (314) 53
- (*O*-Isopropylidithiocarbonate)triphenyltin(IV), X-ray structure of; example of *S*- and *O*-xanthate coordination (E.R.T. Tiekink, G. Winter), (314) 85
- Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61
- Pt-Sn complexes as catalysts for olefin hydrofor-

mylation, NMR, IR and reactivity studies on (A. Scrivanti, A. Berton, L. Toniolo, C. Bot-teghi), (314) 369

- 7-Silanorbornadiene, reactions with halogens and thermolysis in the presence of organometallic or organic halides of (H. Appler, W.P. Neu-mann), (314) 247

Titanium

- Bis(phenylethynyl)dicyclopentadienyltitanium-(III) anion electrogeneration of (L. Koch, A. Fakhr, Y. Mugnier, L. Roullier, C. Moise, E. Laviron), (314) C17
- (Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7
- Cyclopentadienyltitanium dinuclear complexes with oxygen bridges; structure of $[(C_5H_5)_2-Ti]_2(\mu-O)$ (B. Honold, U. Thewalt, M. Herberhold, H.G. Alt, L.B. Kool, M.D. Rausch), (314) 105
- Dicyclopentadienyltitanium(IV) dichloride and allyldicyclopentadienyltitanium(III), electron impact and negative ion chemical ionization mass spectra of derivatives of (G. Fu, Y. Qian, Y. Xu, S. Chen), (314) 113
- Dynamic stereochemistry of TiBr + SPh⁻ \rightarrow TiSPh conversion with isocyanato complexes of titanocene (J. Besançon, J. Tirouflet, B. Trimaille, Y. Dusausoy), (314) C12

Tungsten

- Bis(diphenylphosphino)acetylene complexes of C₅H₅(CO)₂Mn and (CO)₅M (M = Cr, W), preparation and characterisation of (O. Orama), (314) 273
- Dicarbonylcyclopentadienylalkylidynetungsten complex, $[W(=CR)(CO)_2(\eta-C_5H_5)]$, reactions with PPh₂ of; synthesis and X-ray structures of $[W(CHRPPh_2)(CO)_2(\eta-C_5H_5)]$ and $[W(CHRCOOPPh_2)(PPh_2)(CO)(\eta-C_5H_5)]$ (R = C₆H₄Me-4) (G.A. Carriedo, V. Riera, M.L. Rodriguez, J.C. Jeffery), (314) 139
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25
- Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61
- Tungsten hydride complex, insertion reactions of (P. Kundel, H. Berke), (314) C31

Zirconium

- (Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7
- Metallocene-chalcogen compounds, synthesis of $[(\eta\text{-C}_5\text{H}_4\text{R})_2\text{ZrTe}]_2$ complexes with a planar square metallacyclic squeuelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21

Book review

- The industrial uses of tin chemicals; by S.J. Blunden, D.A. Cusack and R. Hill (C. Eaborn), (314) C68