
JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 303 (1986)

SUBJECT INDEX**Antimony**

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), 197

Arsenic

Bis-metallates, $\text{Na}_2 \{ \text{Me}_2\text{Si}[(\text{C}_5\text{H}_4)(\text{CO})_3\text{-M}]_2 \}$ (M = Mo, W), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), C33

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.) 197

Bismuth

$[(\text{C}_2\text{H}_5)_4\text{N}^+]_3[\text{BiFe}_4(\text{CO})_6]^{3-}$, X-ray structural characterisation of (M.R. Churchill, J.C. Fettingier, K.H. Whitmire, C.B. Lagrone), 99

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.) 197

Boron

1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), 73

Polycyclic borazines, preparation of (R.H. Cragg, M. Nazery), 329

Chromium

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111

Cobalt

Acyltetracarbonylcobalt compounds, preparation from ketenes and hydrido-tetracarbonylcobalt of (F. Ungváry), 251

$[\text{C}_5\text{H}_5\text{Co}(\mu\text{-P}(\text{CH}_3)_2)]_2$, addition reactions with elemental halogen and dihalomethanes of; crystal and molecular structure of *trans*- $\{[\text{C}_5\text{H}_5(\text{Br})\text{Co}]_2(\mu\text{-P}(\text{CH}_3)_2)(\mu\text{-CH}_2\text{P}(\text{CH}_3)_2)\}$ (R. Zolk, H. Werner), 233

$\text{C}_5\text{H}_5\text{MoCo}_2(\text{CO})_6\text{CCO}^+$: synthesis and characterisation of a mixed metal acylium cation (M. Mlekuz, M.F. D'Agostino, J.W. Kolis, M.J. McGlinchey), 361

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111

Heterobimetallic (Ru-Co) complexes with chelating and bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty) C47

Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M' bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), C38

o-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), 301

Copper

o-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), 301

Gallium

Methylsulphonato(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), crystal structure of (A. Boukhris, C. Lecomte, A. Coutsolelos, R. Guillard), 151

Germanium

- Tetramethylgermane, hexamethyldi-germane and related organogermanes, molecular and electronic structures derived from (C. Glidewell), 337
- 1,1,2,2-Tetraphenyl-4,4-di-*t*-butyl-1,2,4-trigerma-3,5-dioxacyclopentane, preparation of (H. Puff, H. Heisig, W. Schuh, W. Schwab), 343
- Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), 167

Gold

- Gold ylide dinuclear complexes, vibrational study by Raman spectroscopy of (R.J.H. Clark, J.H. Tocher), 437
- Tolyldiphenyl- and dimethylphenyl-phosphinemethylgold, CH₃/Cl exchange reactions with chlorosilanes of (U. Schubert, J. Meyer), C5

Iridium

- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M' bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), C38
- Mono- and di-olefin derivatives of carbonyl tetrairidium clusters, synthesis and stereochemistry of (R. Ros, A. Scrivanti, R. Roulet), 273

Iron

- [(C₂H₅)₄N⁺]₃[BiFe₄(CO)₁₆³⁻], X-ray structural characterisation of (M.R. Churchill, J.C. Fettingler, K.H. Whitmire, C.B. Lagrone), 99
- Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), 397
- Halogenbenzenecyclopentadienyliron electroneutral derivatives, preparation and properties of (N.A. Vol'kenau, P.V. Petrovskii, L.S. Shilovtseva, D.N. Kravtsov), 121
- Heterodinuclear complexes with CH₂C₅H₄(CO)₂(MePh₂Si)Mn fragments, reactivity of (U. Schubert, E. Kunz), C1

- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M' bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), C38
- Trialkyl- and triaryl-stannylerrocenes, structure and reactivity of (R.M.G. Roberts, J. Silver, J. Azizian), 387
- Tricarbonyl- η^5 -cylcohexadienylmiron tetrafluoroborate, reaction with fluoride ion of (P.M. Miller, D.A. Widdowson), 411
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), C29

Lithium

- Chlorofluorovinylsilanes and derivatives thereof, synthesis of (S. Martin, R. Sauvêtre, J.-F. Normant), 317
- Dimethyltris(trimethylsilyl)methylsilylsilanatolithium tetrahydrofuranate, preparation and crystal structure of (P.B. Hitchcock, N.H. Buttrus, A.C. Sullivan), 321
- Li₂[(C₅(CH₃)₄)₂CH₂] and ring-bridged rhodium dinuclear complexes with (C₅(CH₃)₄)₂CH₂²⁻ as bridging ligand (H.J. Scholz, H. Werner), C8
- Li(RhI₂(CO)₂], iodide and acetate salt promotion of carbonylation of methanol to acetic acid catalysed by (M.A. Murphy, B.L. Smith, G.P. Torrence, A. Aquiló), 257
- o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), 301
- Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), 309

Manganese

- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111
- Heterodinuclear complexes with CH₂C₅H₄(CO)₂(MePh₂Si)Mn fragments, reactivity of (U. Schubert, E. Kunz), C1

Mercury

- Heterodinuclear complexes with $\text{CH}_3\text{C}_6\text{H}_4(\text{CO})_2(\text{MePh}_2\text{Si})\text{Mn}$ fragments, reactivity of (U. Schubert, E. Kunz), C1
 1,2-Phenylenemercury dioxanthate, crystal structure of (E.R.T. Tiekink), C53

Metalloenes

- Dibenzoato(di- π -cyclopentadienyl)-titanium(IV), preparation in aqueous solution and structure of (K. Döppert, H.-P. Klein, U. Thewalt), 205
 Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), 397
 Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with $M=M'$ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), C38
 Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), 167
 Trialkyl- and triaryl-stannylderocenes, structure and reactivity of (R.M.G. Roberts, J. Silver, J. Azizian), 387

Molybdenum

- Bis-metallates, $\text{Na}_2\{\text{Me}_2\text{Si}[(\text{C}_6\text{H}_4)(\text{CO})_3\text{-M}]_2\}$ ($M = \text{Mo}, \text{W}$), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), C33
 $\text{C}_5\text{H}_5\text{MoCo}_2(\text{CO})_4\text{CCO}^+$: synthesis and characterisation of a mixed metal acylium cation (M. Mlekuz, M.F. D'Agostino, J.W. Kolis, M.J. McGlinchey), 361
 Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111
 Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), C29

Nickel

- Di-halo- and di-pseudohalo-bipyridine nickel(0) complexes, organic group coupling by electrochemical reduction catalysed by (Y. Rollin, M. Troupel, D.G. Tuck, J. Perichon), 131
 Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111
o-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), 301

Niobium

- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111
 Niobium organometallic compounds, analysis and classification of crystallographic data (*Review*) (C.E. Holloway, M. Melnik), 1

Osmium

- Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner),

Palladium

- Palladium(II) and rhodium(I) cationic complexes, reaction with *t*-butylperoxy anion and formation of *t*-butylperoxo-palladium(II) and -rhodium(II) complexes (N. Oshima, Y. Hamatani, H. Fukui, H. Suzuki, Y. Moro-Oka), C21
 Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.F. Normant), 309
 Palladium(II) complexes with C^2 -bonded heteroaromatic ligands *trans*- $[\text{PdCl}(\text{R}_\text{N})(\text{PPh}_3)_2]$ ($\text{R}_\text{N} = 2\text{-pyridyl}, 2\text{-pyrazyl}, 2\text{-pyrimidyl}$), preparation and reactions of (R. Bertani, A. Berton, F. Di Bianca, B. Crociani), 283

Phosphorus

- Bis-metallates, $\text{Na}_2\{\text{Me}_2\text{Si}[(\text{C}_2\text{H}_4)(\text{CO})_3\text{-M}]_2\}$ ($\text{M} = \text{Mo}, \text{W}$), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), C33
- $[\text{C}_2\text{H}_2\text{Co}(\mu\text{-P}(\text{CH}_3)_2)]_2$, addition reactions with elemental halogen and dihalomethanes of; crystal and molecular structure of *trans*- $\{[\text{C}_2\text{H}_2(\text{Br})\text{Co}]_2(\mu\text{-P}(\text{CH}_3)_2)(\mu\text{-CH}_2\text{P}(\text{CH}_3)_2)\}$ (R. Zolk, H. Werner), 233
- Heterobimetallic (Ru—Co) complexes with chelating and bridging $\text{Ph}_2\text{PCH}_2\text{-PPh}_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), C47
- Heterodinuclear complexes with $\text{CH}_3\text{C}_3\text{H}_4(\text{CO})_2(\text{MePh}_2\text{Si})\text{Mn}$ fragments, reactivity of (U. Schubert, E. Kunz), C1
- Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner), 221
- $\text{Li}_2[(\text{C}_2(\text{CH}_3)_4)_2\text{CH}_2]$ and ring-bridged rhodium dinuclear complexes with $(\text{C}_2(\text{CH}_3)_4)_2\text{CH}_2^{2-}$ as bridging ligand (H.J. Scholz, H. Werner), C8
- Organotin(IV) chloride complexes of bis- β -ketophosphonium ylides, synthesis and characterisation of (R. Sanehi, R.K. Bansal, R.C. Mehrotra), 351
- Palladium(II) complexes with C^2 -bonded heteroaromatic ligands *trans*- $[\text{PdCl}(\text{R}_\text{N})(\text{PPh}_3)_2]$ ($\text{R}_\text{N} = 2$ -pyridyl, 2-pyrazyl, 2-pyrimidyl), preparation and reactions of (R. Bertani, A. Berton, F. Di Bianca, B. Crociani), 283
- cis*-Phenyl[4-(trimethylsilyl)phenyl]bis-(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), 429
- Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), 197
- Tolyldiphenyl- and dimethylphenylphosphinemethylgold, CH_3/Cl exchange reactions with chlorosilanes of (U. Schubert, J. Meyer) C5
- Tricarbonyl- η^4 -dienetriethylphosphite-tungsten complexes, synthesis and dynamic behaviour of (S. Özkar, C.G. Kreiter), 367
- Tricarbonyltungsten coordination complexes with CS_2 functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), C25
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), C29
- 2,2,6-Trimethyl-6-selenono-1,3-dioxo-2-sila-6-phosphacyclooctane crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudryakov, M.G. Voronkov), 83

Platinum

- Dimethylnorbornadieneplatinum, displacement of NBD by N-donors, dimethylsulphoxide and cyanide in; reactions of *cis*- $\text{Pt}(\text{CH}_3)_2\text{L}_2$ with iodomethane (T.G. Appleton, J.R. Hall, M.A. Williams), 139
- cis*-Phenyl[4-(trimethylsilyl)phenyl]bis-(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), 429

Rhodium

- Carbonylruthenium mixed with halides as catalysts for ethylene glycol formation from synthesis gas (Y. Kiso, K. Saeki), C17
- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with $\text{M}=\text{M}'$ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), C38
- $\text{Li}[(\text{C}_2(\text{CH}_3)_4)_2\text{CH}_2]$ and ring-bridged rhodium dinuclear complexes with $(\text{C}_2(\text{CH}_3)_4)_2\text{CH}_2^{2-}$ as bridging ligand (H.J. Scholz, H. Werner), C8
- $\text{Li}(\text{RhI}_2(\text{CO})_2)$, iodide and acetate salt promotion of carbonylation of methanol to acetic acid catalysed by (M.A. Murphy, B.L. Smith, G.P. Torrence, A. Aguiló), 257
- Palladium(II) and rhodium(I) cationic complexes, reaction with *t*-butylperoxy anion and formation of *t*-butylperoxo-palladium(II) and -rhodium(II) complexes (N. Oshima, Y. Hamatani, H. Fukui, H. Suzuki, Y. Moro-Oka), C21

Ruthenium

Heterobimetallic (Ru—Co) complexes with chelating and bridging $\text{Ph}_2\text{PCH}_2\text{-PPh}_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), C47

Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner), 321

$\text{Ru}(\text{C}_2\text{R})(\text{L})_2(\eta\text{-C}_5\text{H}_5)$ ($\text{R} = \text{CH}_3, \text{Ph}$; $\text{L}_2 = (\text{CO}, \text{PPh}_3), (\text{PPh}_3)_2, (\text{dppe})$), addition reactions of substituted styrenes with; X-ray crystal structure of $\text{Ru}\{\text{C}[\text{C}(\text{CN})_2]\text{CPh}=\text{CH}(\text{C}_6\text{H}_4\text{NO}_2\text{-4})\}(\text{dppe})(\eta\text{-C}_5\text{H}_5)\cdot 0.5\text{CH}_2\text{Cl}_2$ (M.I. Bruce, P.A. Humphrey, M.R. Snow, E.R.T. Tiekink), 417

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), C29

Selenium

2,2,6-Trimethyl-6-selenono-1,3-dioxo-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), 83

Silicon

Bis-metallates, $\text{Na}_2\{\text{Me}_2\text{Si}[(\text{C}_6\text{H}_4)(\text{CO})_2\text{-M}]_2\}$ ($\text{M} = \text{Mo}, \text{W}$), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), C33

Chlorofluorovinylsilanes and derivatives thereof, synthesis of (S. Martin, R. Sauvêtre, J.-F. Normant), 317

1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), 73

Dimethyltris(trimethylsilyl)methylsilylsilanatolithium tetrahydrofuranate, preparation and crystal structure of (P.B. Hitchcock, N.H. Buttrus, A.C. Sullivan), 321

Heterodinuclear complexes with $\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2(\text{MePh}_2\text{Si})\text{Mn}$ fragments, reactivity of (U. Schubert, E. Kunz), C1

cis-Phenyl[4-(trimethylsilyl)phenyl]-bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), 429

Tetramethylgermane, hexamethyldi-germane and related organogermenes, molecular and electronic structures derived from (C. Glidewell), 337

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), 167

Tolyldiphenyl- and dimethylphenylphosphinemethylgold, CH_3/Cl exchange reaction with chlorosilanes of (U. Schubert, J. Meyer), C5

Trifluoromethanesulphonato-molybdenum, -tungsten, and -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), C29

2,2,6-Trimethyl-6-selenono-1,3-dioxo-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), 83

Sulphur

Di- and tri-organotin derivatives of piperazine bis(dithiocarbamic) acid, synthesis and characterisation of (K.C. Molloy, T.G. Purcell), 179

Dimethylnorbornadieneplatinum, displacement of NBD by N-donors, dimethylsulphoxide and cyanide in; reactions of *cis*- $\text{Pt}(\text{CH}_3)_2\text{L}_2$ with iodomethane (T.G. Appleton, J.R. Hall, M.A. Williams), 139

Methylsulphonato(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), crystal structure of (A. Boukhris, C. Lecomte, A. Coutsolelos, R. Guillard), 151

Tricarbonyltungsten coordination complexes with CS_2 functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), C25

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), C29

Tantalum

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111

Tantalum organometallic compounds, analysis and classification of crystallographic data (*Review*) (C.E. Holloway, M. Melnik), 39

Tin

Di- and tri-organotin derivatives of piperazine bis(dithiocarbamic) acid, synthesis and characterisation of (K.C. Molloy, T.G. Purcell), 179

1,2-Dihydro-1,2,5-disilaborepines, synthesis of organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), 73

Dimethylaminoethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyll derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), 397

Lithiated 1,3-dithianes, reactions with trialkyltin and triphenyltin chlorides of (J. Klaveness, F. Rise, K. Undheim), 189

Organotin(IV) chloride complexes of bis- β -ketophosphonium ylides, synthesis and characterisation of (R. Sanehi, R.K. Bansal, R.C. Mehrotra), 351

Tetramethyl-1,2-bis(phenylthio)distannane, photochemical reaction with ketones of (H. Fobbe, W.P. Neumann), 87

Titanium

Bis-indenyl-titanacyclopentane and bis-indenyl-(η^2 -ethylene)titanium, preparation of (H. Lehmkuhl, R. Schwickardi), C43

Dibenzoato(di- π -cyclopentadienyl)-titanium(IV), preparation in aqueous solution and structure of (K. Döppert, H.-P. Klein, U. Thewalt), 205

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), 167

Tungsten

Bis-metallates, $\text{Na}_2\{\text{Me}_2\text{Si}[(\text{C}_5\text{H}_4)(\text{CO})_5\text{-M}]_2\}$ (M = Mo, W), preparation and rearrangement to neutral complexes

with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), C33

(CO)₅W=C[N(CH₃)₂]₂C₆H₄-*p*-CH₃, regioselective anion generation and alkylation of (C.P. Casey, N.L. Hornung, N.W. Vollendorf), 375

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111

[HCN(C₆H₅)CH₂CH₂N(C₆H₅)]⁺[Br₂CO]₃-WCN(cyclo-C₆H₁₁)₂]⁻, preparation by rearrangement of a neutral carbyne complex with an electron-rich olefin and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), C13

Tricarbonyl- η^4 -dienetriethylphosphite-tungsten complexes, synthesis and dynamic behaviour of (S. Özkar, C.G. Kreiter), 367

Tricarbonyltungsten coordination complexes with CS₂ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), C25

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), C29

Vanadium

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), 111

Zinc

Di-halo- and di-pseudohalo-bipyridine nickel(0) complexes, organic group coupling by electrochemical reduction catalysed by (Y. Rollin, M. Troupel, D.G. Tuck, J. Perichon), 131

Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.F. Normant), 309

Zirconium

Dichlorobis(η^5 -*t*-butylcyclopentadienyl)-zirconium(IV), crystal structure and reactivity of (R.A. Howie, G.P. McQuillan, D.W. Thompson, G.A. Lock), 213

Book Review

Organic photochemistry, Vol. 7; edited by A. Padwa (R.A. Jackson), C56