

JOURNAL OF ORGANOMETALLIC CHEMISTRY**CUMULATIVE SUBJECT INDEX: VOL. 301(1986)-325(1987)****Actinides**

Lanthanides and actinides; annual survey 1981
(R.D. Ernst), (318) 29

Aluminium

Alkylaluminium ester complexes, stoichiometry
of (G. Fochi), (307) 145

Alkyltris(tertiary phosphine)cobalt compounds,
cleavage of phosphine-metal bonds and re-
arrangements in (R. Mohtachemi, G. Kan-
nert, H. Schumann, S. Chocron, M. Mich-
man), (310) 107

Alumino-metallocarbeno carbone complexes ($M = Fe, Mn$), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149

1-Aza-4-oxo-3-substituted-1,3-butadienes (α -
amino esters and amides), coordination to
aluminium chloride, zinc chloride and di-
methylzinc of; selective reduction in $ZnEt_2$ /
 $R^1N=CHC(NEt_2)=O$ system; crystal struc-
ture of $[EtZn(t\text{-}Bu)NCH_2C(NEt_2)=O]_2$
(M.R.P. van Vliet, G. van Koten, J.F. Mod-
der, J.A.M. van Beek, W.J. Klaver, K.
Goubitz, C.H. Stam), (319) 285

2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbado-
caborane, a versatile carbollyl transfer re-
agent (P. Jutzi, P. Galow), (319) 139

Hydroalumination of olefins by $LiAlH_4/UCl_4$
system (J.-F. Le Marechal, M. Ephritikhine,
G. Folcher), (309) C1

Methylaluminium complexes with anisole, reac-
tion mechanisms of (K.B. Starowieyski, Z.
Rzepkowska), (322) 309

Methylcopper and methyl(tricyclohexylphos-
phine) copper, reactions with trialkyl-
aluminium of (S. Pasynkiewicz, J. Poplaw-
ska), (302) 269

Organometallic derivatives from $RC\equivC-$
 CH_2Br , reactions with acetals of and forma-
tion of α -allenic ethers from (F. Barbot, Ph.
Miginiac), (304) 83

Organometallic geminal compounds, Al-C
bond reactivity in (S. Pasynkiewicz, T.
Dlużniewski, G. Sonnek), (321) 1

Silyl ether complexation with triethylaluminium,
 ^{29}Si NMR study of (P. Sormunen, E. Iiskola,
E. Vähäsranta, T.T. Pakkanen, T.A. Pakkanen),
(319) 327

Tetraethyldialuminoxane, isolation in pure state
of (L. Siergiejczyk, L. Synoradzki), (311) 253

Titanium and aluminium bimetallic hydride
complexes; octonuclear $\{[(\eta^5C_5Me_5)(\eta^5-C_5-$
 $Me_4CH_2)Ti(\mu_2-H)_2Al]_2\mu_3-O\}_2 \cdot 2C_6H_6$,
crystal and molecular structure of (E.B.
Lobkovskii, A.I. Sizov, B.M. Bulychev, I.V.
Sokolova, G.L. Soloveichik), (319) 69

Tribenzylaluminium diethyl etherate, X-ray
structure of (A.F.M.M. Rahman, K.F. Sid-
diqui, J.P. Oliver), (319) 161

Tricyclopentadienyluranium tetrahydroalumi-
nate, synthesis and characterisation of (F.
Ossola, N. Brianese, M. Porchia, G. Rossetto,
P. Zanella), (310) C1

Triethylaluminium etherate, ultrasonic irradia-
tion in one-pot synthesis and conversion into
other organometallic compounds of (Y.-T.
Lin), (317) 277

Trimeric aluminium phosphamide $[(CH_3)_2AlP-$
 $(CH_3)_2]_3$, molecular structure determined by
gas electron diffraction (A. Haaland, J.
Hougen, H.V. Volden, G. Hanika, H.H.
Karsch), (322) C24

Trimethylaluminium synthesis from methyl
iodide via methylaluminium sesquiodide, ul-
trasonic irradiation in (P.-H. Yang, K.-F.
Liou, Y.-T. Lin), (307) 273

Trimethyl- and triethyl-aluminium, reactions
with 2,4,6-tri-t-butylnitrosobenzene, reactions
of (Z. Florjańczyk, N. Langwald), (312) 297

Tri-spirocyclic organometallic phosphane-
nickel(0) complexes, preparation of (H.H.
Karsch, A. Appelt), (314) C5

Antimony

- Allylbis-ligand-nickel(II) hexafluorophosphate complexes, oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balabolov, K. Kurtev), (304) C4
- Antimony; Annual survey covering the year 1985 (L.D. Freedman, G.O. Doak), (324) 1
- Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203
- Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo-Mo bond cleavage by ferricinium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193
- Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
- Diphenylantimony(III) diphenylphosphonate and diphenylmonothiophosphinate, synthesis, spectra and crystal structure of (M.J. Begley, D.B. Sowerby, D.M. Wesolek, C. Silvestru, I. Haiduc), (316) 281
- p*-Nitrophenyl- and *p*-tolyl-oxadithia- and -trithia-stibocanes, synthesis and correlation between transannular distances and vibrational data of (H.M. Hoffmann, M. Dräger), (320) 273
- Organoferricinium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Phenylantimony bis(monothioacetate), preparation, structure and stability of (M. Häll, D.B. Sowerby, C.P. Falshaw), (315) 321
- Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[C_5H_5Fe(CO)_2(R_3EX)]^+$ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181
- $[(PhSbI_2)_4]^-$, a square-planar iodide complex (J. von Seyerl, O. Scheidsteiger, H. Berke, G. Huttner), (311) 85
- 8-Quinolatotriorganoantimony(V) complexes, chelation in solution studied by multinuclear NMR and electronic spectroscopy of (V.K. Jain, J. Mason, R.C. Mehrotra), (309) 45
- Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phos-

phines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

Tris(2,4,6-trimethylphenyl)antimony dihydroxide, synthesis and reactions with sulphonic acids RSO_3H ($R = C_6H_5, CF_3$) of; crystal structure of $[2,4,6-(CH_3)_3C_6H_2]_3SbO \cdot HO_3SC_6H_5$ (F. Huber, T. Westhoff, H. Preut), (323) 173

Arsenic

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kantert, H. Schumann, S. Chocron, M. Michman), (310) 107

Allylic arsenites, reactions with low valent transition metal complexes of (X. Lu, L. Lu), (307) 285

Arsaalkene $F_3CAs=CF_2$, Diels-Alder reactions of (J. Grobe, D. Le Van), (311) 37

Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203

Bis(dimethylarsino)sulphide (dmas) complexes of trimethylplatinum halides; synthesis and characterisation of *fac*- $[PtXMe_3](dmas)_2$ and $[(PtMe_3)_2(dmas)]$; crystal and molecular structure of $[(PtBrMe_3)_2(dmas)]$ (E.W. Abel, M.A. Beckett, P.A. Bates, M.B. Hursthouse), (325) 261

Bis{[bis(trimethylsilylmethyl)arsino]diphenylgalane}, synthesis and crystal structure of (R.L. Wellis, A.P. Purdy, A.T. McPhail, C.G. Pitt), (308) 281

Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]\}_2$ (M = Mo, W), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo-Mo bond cleavage by ferricinium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Carbonylcyclopentadienylmolybdenum clusters containing $(As_2)_2$ or $(P_2)_2$ groups (O.J.

- Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77
- Carbonyliron RP-bridged clusters, reversible alkyne addition to (K. Knoll, G. Huttner, L. Zsolnai), (307) 237
- ($\eta^5\text{-C}_5\text{H}_5$) $(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ Ru=CH₂⁺ AsF₆⁻, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310) C39
- Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands Ph₂As-(CH₂)_nPPh₂ ($n = 1, 2$), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27
- Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145
- Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
- Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of S{NP-t-Bu₂Mn(CO)₂-Cp}₂ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 27
- Diphosphine and diarsine oxides, coordination behaviour in organotin(IV) adducts of (S. Dondi, M. Nardelli, C. Pelizzi, G. Predieri), (308) 195
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- Ketene-phosphino and arsino complexes, formation of tungsten-containing pentacyclic compounds by addition of trimethylphosphine to (F.R. Kreissl, M. Wolfgruber, U. Thewalt), (317) 175
- Lithium-arsenic homoleptic compound, [Li{ μ -As(CH(SiMe₃)₂)₂}]₃, synthesis, structure and reactions of (P.B. Hitchcock, M.F. LapPERT, S.J. Smith), (320) C27
- Neutral diphenylarsano-transition metal complex *trans*-Ph₂As(CO)₂(2,2'-bipy)WCNEt₂ (2,2'-bipy = 2,2'-bipyridyl), (A.C. Filippou, E.O. Fischer, K. Öfele, H.G. Alt), (308) 11
- ortho*-Nitrophenyltriphenylarsinegold(I), crystal and molecular structure of (J. Vicente, A. Arcas, M. Mora, X. Solans, M. Font-Altaba), (309) 369
- Organoferricinium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Palladium and platinum dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57
- [Ph₄As]₂[Re₇C(CO)₂₁Au(PPh₃)], crystal structure of; comparison of H⁺ and Au(PPh₃)⁺ coordination to [Re₇C(CO)₂₁]³⁻ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55
- Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C₅H₅Fe(CO)₂(R₃EX)]⁺ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181
- Tetracarbonyl(phosphinothioformamide) complexes, (CO)₄M(PS) (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197
- Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289
- Trifluoroacetylmethylenetriphenylarsorane, synthesis, reactivity and crystal structure of (Y. Shen, Z. Fan, W. Qiu), (320) 21
- Tris(arsino)gallane dimer containing nonplanar (Ga-As)₂ ring, synthesis and characterisation of; crystal structure of {[(Me₃SiCH₂)₂-As]₃Ga}₂ (R.L. Wells, A.P. Purdy, K.T. Higa, A.T. McPhail, C.G. Pitt), (325) C7
- ## Barium
- Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, (Me₅C₅)₂MLn (M = Mg, Ca, Sr, Ba), and Me₅C₅BeCl, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31
- ## Beryllium
- Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, (Me₅C₅)₂MLn (M = Mg, Ca, Sr, Ba), and Me₅C₅BeCl, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

Bismuth

- Bismuth; Annual survey covering the year 1985 (G.O. Doak, L.D. Freedman), (324) 39
- Bismuth(III) as bridging ligand in organoiron complexes (J.M. Wallis, G. Müller, H. Schmidbaur), (325) 159
- Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo-Mo bond cleavage by ferricinium cations in the presence of Group V ligands under photochemical radiation; formation of $[C_5H_5Mo(CO)_2L_2]BF_4^-$ complexes (H. Schumann), (323) 193
- $[(C_2H_5)_4N^+]_3[BiFe_4(CO)_{16}]^{3-}$, X-ray structural characterisation of (M.R. Churchill, J.C. Fettinger, K.H. Whitmire, C.B. Lagrone), (303) 99
- cis-Cyclohexane-1,2-diol and meso-butane-2,3-diol, enantioselective phenylation in the presence of catalysts of (H. Brunner, U. Obermann, P. Wimmer), (316) C1
- Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197
- Tetramethyldipnictogens, exchange reactions with dimethyl dichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

Boron

- Alkoxy- and alkylthio-piperidinophenylboranes, comparison of $p_{\pi}-p_{\pi}$ bonding in (R.H. Cragg, T.J. Miller, D.O'N. Smith), (302) 19
- Arylhalogenoboranes, preparation of (W. Haubold, J. Herdtle, W. Gollinger, W. Einholz), (315) 1
- Bis(alkynyl)boranes, borol synthesis by organoboration of (A. Sebald, B. Wrackmeyer), (307) 157
- Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium complexes, formation in reactions of $RuRhH_2Cl(C_8H_{12})(Ph_2PCH_2PPh_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51
- Bis- and tris-(pyrazolyl)borate complexes of methyltin chlorides, preparation of; X-ray structure of five-coordinate [bis(pyrazolyl)borate]chlorodimethyltin(IV) (S.K. Lee, B.K. Nicholson), (309) 257
- Bis(trimethylstannylethynyl)dimethyl-silane and

- germane, organoboration of (B. Wrackmeyer), (310) 151
- μ -(Boranedithiolato)bis(tricarbonyliron) compounds, $XBS_2[Fe(CO)_3]_2$, preparation, structure and reactions of (H. Nöth, W. Rattay), (308) 131
- Borirane, stability of; ab initio electronic structure calculations of the C_2H_3B potential energy surface (C.A. Taylor, M.C. Zerner, B. Ramsey), (317) 1
- (η^5 -Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- (η^5 -Borole)rhodium complexes and nucleophilic degradation of μ -(η^5 -1-phenylborole)bis(η^5 -1-phenylborole)rhodium (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13
- (η^5 -Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311
- Boron: boranes in organic synthesis; annual survey 1984 (G.W. Kabalka), (318) 1
- Boron tetracoordinated mono- and bi-cyclic derivatives and α -aminodiacidic boron derivatives (B. Garrigues, M. Mulliez, A. Raharinirina), (302) 153
- Carbon-tungsten triple bonds, hydroboration of; crystal structures of $[W_2\{\mu\text{-MeCB(H)Et}\}-(CO)_4(\eta\text{-C}_5H_5)_2]$ and $[W\{\eta^3\text{-CH}(BC_8H_{14})\text{-C}_6H_4\text{Me-4}\}(CO)_2(\eta\text{-C}_5H_5)_2]$ and related complexes (D. Barratt, S.J. Davies, G.P. Elliott, J.A.K. Howard, D.B. Lewis, F.G.A. Stone), (325) 185
- Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153
- $(C_5H_5)(OC)_2(R_3P)MoFBF_3$ ($R = Me, Et$), dynamic behaviour of the coordinated tetrafluoroborate ligand in (M. Appel, W. Beck), (319) C1
- arachno- $[(\eta^6\text{-C}_6Me_6)\text{RuB}_8H_{14}]$, nine-vertex structural analogue of $n\text{-B}_9H_{15}$ rather than of iso- B_9H_{15} (M. Brown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett), (315) C1
- Copper(I) alkylborohydrides from alkenes using $CuCl/NaBH_4$ reagent system (S.A. Rao, M. Periasamy), (309) C39
- Diazaboracyclop propane, synthesis and crystal structure analysis of (R. Boese, U. Klingebiel), (306) 295
- 1,3-Diborabenzene complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16

- Diborane, simple method for generation from NaBH_4 and I_2 of (C. Narayana, M. Periasamy), (323) 145
- Diborylamines, influence of steric effects on conformation and parameters of (D. Männig, H. Nöth, H. Prigge, A.-E. Rotsch, S. Gopinathan, J.W. Wilson), (310) 1
- Dicarboranyl magnesium bis(dioxane) adduct, $\text{Mg}(2\text{-Me-1,2-C}_2\text{B}_{10}\text{H}_{10})_2 \cdot 2\text{C}_4\text{H}_8\text{O}_2$, preparation and crystal structure of (W. Clegg, D.A. Brown, S.J. Bryan, K. Wade), (325) 39
- Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69
- 1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), (303) 73
- 2,6-Diisopropylphenyliminothexylborane(III), synthesis and reactions of (M. Armbrecht, A. Meller), (311) 1
- 2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139
- Dithiaboretanes and trithiaboranes, kinetically and thermodynamically controlled formation of (H. Nöth, W. Rattay), (312) 139
- Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67
- $6\text{-H}_3\text{N-6-CB}_9\text{H}_{11}$, isolation and reactions of (T. Jelinek, B. Štibr, J. Plešek, S. Heržánek), (307) C13
- Hydroboration of *N*-alkylallylphosphoramide, regio- and stereo-selectivity of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Spéziale, A. Lattes), (306) 283
- 1-Methyl-1,2,4-diazaphosphole, selective 5-metallation of (S. Kerschl, B. Wrackmeyer, A. Willhalm, A. Schmidpeter), (319) 49
- Mono- and bi-cyclic boraxazolidones, reactions with nucleophiles of (B. Garrigues, M. Muliez), (314) 19
- Organoboration of *cis*-diethylplatinum(II) complexes with $\text{R}_2\text{P}(\text{CH}_2)_2\text{PR}$ ligands; platinum-cyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), (304) 271
- Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of $[6\text{-}(\eta^6\text{-C}_6\text{Me}_6)\text{nido-6-MB}_9\text{H}_{11}]$ ($\text{M} = \text{Ru, Os}$) and the rearrangement cluster $[5\text{-}(\eta^6\text{-C}_6\text{Me}_6)\text{nido-5-RuB}_9\text{H}_{11-7-(PM}_2\text{Ph)}]$ (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233
- Organylboronic bicyclic esters derived from imino diacetic acids (T. Mancilla, R. Contreras, B. Wrackmeyer), (307) 1
- Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetone)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), (301) C17
- 1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzeno ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143
- Phenylboronic bicyclic esters containing configurationally stable chiral nitrogen and boron, asymmetric synthesis of (T. Mancilla, R. Contreras), (321) 191
- Phosphamanganacyclopropanes, formation by reduction of secondary phosphanemanganese complexes with $\text{K}[\text{HB}(\text{s-C}_4\text{H}_9)_3]$ of (E. Lindner, D. Goth), (319) 149
- Polycyclic borazines, preparation of (R.H. Cragg, M. Nazery), (303) 329
- Stannacyclopentadienes, preparation via organoboration of diethynylidimethylstannane with *B*-alkyl-9-borabicyclo[3.3.1]nonanes (C. Bihlmayer, S.T. Abu-Orabi, B. Wrackmeyer), (322) 25
- N*-Substituted-2-carboxamidophenylboronic acid anhydrides, preparation of (J. Altman, H. Böhnke, A. Steigel, G. Wulff), (309) 241
- Tricyclopentadienyl(cyclooctane-1,5-diy)uranium dihydroborate, synthesis and crystal structure of (P. Zanella, F. Ossola, M. Porchia, G. Rossetto, A. Chiesi Villa, C. Guastini), (323) 295
- Tricyclopentadienyluranium(IV) cationic complexes with isonitrile ligands of the type $[\text{Cp}_3\text{U}(\text{CNR})\text{L}]^+$ (H. Aslan, R.D. Fischer), (315) C64
- Triethylaluminium etherate, ultrasonic irradiation in one-pot synthesis and conversion into other organometallic compounds of (Y.-T. Lin), (317) 277
- Tris(trimethylsilyl)methanol, preparation of (P.D. Lickiss), (308) 261

Cadmium

- Dicyclopentadienylpyridinecadmium complex, structure of (B. Fischer, G.P.M. van Mier, J. Boersma, W.J.J. Smeets, A.L. Spek), (322) C37
- $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{Hg}$, $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{Cd}$ and $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_{\text{HgBr}}$, preparation and

reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Butrus, C. Eaborn, P.B. Hitchcock, J.D. Smith), (320) 137

Calcium

Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(Me_5C_5)_2MLn$ ($M = Mg, Ca, Sr, Ba$), and Me_5C_5BeCl , organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

Cerium

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Chromium

Alkenylphosphanes RPX_2 and R_2PX ($X = NEt_2, Cl$), function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291

ortho-Alkyloxy- and *ortho*-dialkylamino-ethylbenzene-tricarbonylchromium, diastereoselectivity of (J. Brocard, J. Lebib), (310) C63

Anisotropic optical polarisabilities of $LCr(CO)_5$ ($L = PMe_3, NMe_3, NH_3$); π -backbonding in (M.J. Aroney, M.K. Cooper, R.K. Pierens, S.J. Pratten), (309) 293

Arenetricarbonylchromium(0) complexes, acidity in THF of (R.R. Fraser, T.S. Mansour), (310) C60

Arenetricarbonylchromium, regiospecificity of the benzylic functional group of (J. Brocard, J. Lebib), (320) 295

Arenetricarbonylchromium complexes, influence of substituents on regiospecificity and stereospecificity of (J. Brocard, L. Pelinski, J. Lebib), (309) 299

Azulenechromium dinuclear complexes, synthesis and structure of (F. Edelman, S. Töfke, U. Behrens), (308) 27

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by $L_3M(CO)_3$ complexes ($M = Cr, Mo, W$) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), (301) 161

Benzofulvene-chromium and -iron complexes, preparation of (F. Edelmann, O. Koch, U. Behrens), (311) 111

(9-*exo*-Benzyl- η^6 -fluorene)tricarbonylchromium, stereoselective electrochemical synthesis and cathodic behaviour of (B. Gautheron, C. Degrand, M. Bikrani), (312) 207

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331

Bis[amino(ethoxy)carbene] complexes, rearrangements with Lewis acids of; structure of $\{(CO)_4WBr_3\}[HC(N-i-Pr_2)OEt]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Bis-arene-chromium complexes, synthesis with a varied substituent in one of the ligands (V.V. Litvak, P.P. Kun, I.I. Oleynik, O.V. Volkov, V.D. Shteingarts), (310) 189

Bis-carbene-chromium complex, $(CO)_4CrC(OEt)CH(Ph)CH(Ph)C(OEt)$, thermolysis of (H.T. Huy, P. Lefloch, J.M. Louis, M. Fetizon), (311) 79

Bis(cyclobuta- η^6 -benzene)chromium $^{0,+1}$ and bis-[1,2 : 4,5]-dicyclobuta- η^6 -benzene)chromium $^{0,+1}$, synthesis and magnetic resonance properties of (C. Elschenbroich, J. Koch, J. Schneider, B. Spangenberg, P. Schiess), (317) 41

Bis(di-*t*-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S(NP-t-Bu_2)_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S(NP-t-Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübnner, J. Wu), (321) 51

Bis(diphenylphosphino)acetylene complexes of $C_6H_5(CO)_2Mn$ and $(CO)_5M$ ($M = Cr, W$), preparation and characterisation of (O. Orama), (314) 273

Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnerring), (312) 297

(η^5 -Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

- Carbonylcyclopentadienylmolybdenum clusters containing $(\text{As}_2)_2$ or $(\text{P}_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77
- Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407
- Carbyne complexes, $\text{trans-X}(\text{CO})_4\text{M}\equiv\text{CR}$, influence of the central metal, the trans-X ligand and the carbyne substituent on M-CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187
- [$\eta^5\text{-}(\text{C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3$] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5\text{-C}_5\text{H}_4\text{CHO}$)- $\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87
- $[(\text{C}_5\text{H}_4\text{XC}_6\text{H}_5)\text{Cr}(\text{CO})_3]^-$ and $(\text{C}_6\text{H}_5\text{XC}_5\text{H}_4)\text{-Mn}(\text{CO})_3$ ($\text{X} = \text{-, CO, CH}_2, \text{C}_2\text{H}_2$), electronic structures of (N.J. Fitzpatrick, N.J. Gogan, P.K. Sayal), (301) C31
- Cyclopentadienyldicarbonylnitrosylchromium, carbocation stabilisation of (K. England, P.C. Reeves), (319) 355
- Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of $\text{C}_5\text{H}_5\text{MoIr}_3(\text{CO})_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
- Dicyclopentadienyl[$\eta^2\text{-}(\text{C}, \text{N})$ -ketene imine]-vanadium complexes, synthesis and structure of (T. Sielisch, U. Behrens), (310) 179
- (α -Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), (302) 211
- Disphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- 1,3-Dipolar germylene ligands, interaction with chromium and tungsten complexes of (A. Castel, P. Rivière, J. Satgé, M. Ahbala, J. Jaud), (307) 205
- Diterpenoid chromium carbene complex, synthesis and cyclopentaannulation of (R.C. Cambie, P.S. Rutledge, M. Tercel, P.D. Woodgate), (315) 171
- Formylchromium neutral complexes, isolation of (P. Leoni, A. Landi, M. Pasquali), (321) 365
- Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147
- Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333
- Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51
- Hexacarbonyl- μ - $\eta^{6:6}$ -1,1'-bi(2,4,6-cycloheptatriene-1-yl)dichromium(0), [4 + 6]-cycloaddition of conjugated dienes to (C.G. Kreiter, E. Michels, J. Kaub), (312) 221
- Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercikutty), (311) 103
- Hexacarbonyl- μ - $\eta^{6:6}$ -heptafulvenedichromium(0), [4 + 6]-cycloaddition of 1,3-butadienes to (C.G. Kreiter, E. Michels), (312) 59
- $[\text{Hg}\{(\mu\text{-PEt}_2)\text{Cr}(\text{CO})_5\}_3]^-$, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320) 47
- Homodinuclear and *cis*-mononuclear complexes of $\text{Ph}_2\text{PNSNPPh}_2$, preparation and ^{31}P DNMR studies of; crystal structure of *cis*- $\text{Cr}(\text{CO})_4(\text{Ph}_2\text{PNSNPPh}_2) \cdot 0.5\text{C}_6\text{H}_6$ (T. Chivers, C. Lensink, J.F. Richardson), (325) 169
- Metallacyclic alkenyl ketone complexes, $\text{Cp}'(\text{CO})_2\text{Cr}[\text{R}^1\text{C}=\text{CR}^2\text{C}(\text{CO})\text{Me}]$ ($\text{Cp}' = \eta^5\text{-C}_5\text{Me}_5$; $\text{R}^1, \text{R}^2 = \text{H, Me, Ph, CH}_2\text{OH, (CH}_2)_2\text{Me, (CH}_2)_5\text{Me}$), preparation, characterisation and reactivity of (H.G. Alt, H.I. Hayen), (315) 337
- N*-Methyl-3-arylpyrrole-tricarbonylchromium complexes, IR, ^1H NMR and SCCC-MO studies of (N.J. Gogan, I.S. Jayasinghe, P.K. Sayal), (317) 55
- Methyl- and t-butyl-substituted (η^6 -benzene)tricarbonylchromium(0) complexes, dielectric, electro-optic, IR and ^1H NMR spectra of and solvent effects on (M.J. Aroney, M.K. Cooper, R.K. Pierens, S.J. Pratten, S.W. Filipczuk), (307) 191
- Monoalkylamino(silyl)carbene complexes, $(\text{CO})_3\text{MC}(\text{NHR}')\text{SiR}_3$ ($\text{M} = \text{W, Mo, Cr}$; $\text{SiR}_3 = \text{SiPh}_3, \text{SiMePh}_2$; $\text{R}' = \text{Me, Et, n-Bu, C}_6\text{H}_{11, \text{Ph}}$), HSiR_3 elimination from (W. Hepp, U. Schubert), (321) 317

- Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organometallic iron-selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295
- $\mu_3\text{-P}$ and $\mu_3\text{-As}$ bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307
- Pentacarbonyl[1,3-difluorophenyl(methoxy)-carbene]chromium and 2,6-dimethyl(phenyl)carbene analogue, cycloaddition with alkynes of (K.H. Dötz, W. Sturm), (310) C22
- Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifude, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63
- Pentacarbonylmercaptophosphane- and tetracarbonyl-bis(mercaptoporphosphate)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327
- Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völzke, K. Jurkschat, A. Tschach), (308) 325
- Pentacarbonyl-[methoxy- and -acetoxyl-(phenyl)-carbene]-chromium and -tungsten complexes, reactions with tetramethylcyanoguanidine of (H. Fischer, F. Seitz, G. Müller), (320) 185
- Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29
- Phosphinidene complexes, reasons for extremely paramagnetic shifts in ^{31}P NMR spectra of (G. Huttner), (308) C11
- $[(\text{PhSbI}_2)_4\text{I}]^-$, a square-planar iodide complex (J. von Seyerl, O. Scheidsteger, H. Berke, G. Huttner), (311) 85
- Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7
- Siloxaphenanthrene coordination with tricarbonylchromium; crystal and molecular structure of [1-4a(10a)- η -10,10-dimethyl-10-sila-9-oxa-9,10-dihydrophenanthrene]chromium and tricarbonyl[5-8a(4b)- η -10,10-dimethyl-10-sila-9-oxa-9,10-dihydrophenanthrene]-
- chromium (N.I. Kirillova, A.I. Gusev, V.A. Sharapov, O.B. Afanasova, Yu.E. Zubarev, N.V. Alekseev, E.A. Chernychev, Yu.T. Struchkov), (306) 55
- Six- and seven-membered tetracarbonylcarbene and imidate thioether chelates, synthesis by CO or NR insertion into metal-carbene bonds and crystal structures of (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen), (319) 361
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Tetracarbonyl(carbenephosphine) and tetracarbonyl(imidatephosphine) complexes of # chromium(0) (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen, S. Lotz), (314) 281
- Tetracarbonyl(phosphinothioformamide) complexes, $(\text{CO})_4\text{M}(\text{PS})$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$), reversible substitution with triorganophosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Thioketene-cobalt complexes, $[\text{Co}(\text{R}_2\text{C}=\text{S})\text{-}(\text{PMc}_3)(\text{C}_5\text{H}_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369
- Tricarbonylchromium complexes with aromatic hydrocarbons, reactions with benzaldehydes and furfural in THF and in the presence of t-BuOK of (M.-C. Senechal-Tocquer, D. Senechal, J.-Y. Le Bihan, D. Gentric, B. Caro), (321) 353
- Tricarbonylchromium-substituted dienes, synthesis and conformations of (T.E. Bitterwolf, R. Herzog, P.D. Rockswold), (320) 197
- Tricarbonyl- η -cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.H. Yassin), (301) 313
- Tricarbonyl(fulvene)chromium complexes, reactions with HgCl_2 and SnCl_4 of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

Cobalt

- Acyltetracarbonylcobalt compounds, preparation from ketenes and hydridotetracarbonylcobalt of (F. Ungváry), (303) 251
- Agostic interactions as an alternative to octahedral ethylene-hydride complexes, $\beta\text{-CH}$ bond activation (P.N.V. Pavankumar, B. Ashok, R.D. Jemmis), (315) 361
- Alkyltris(tertiary phosphine)cobalt compounds,

- cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kantern, H. Schumann, S. Chocron, M. Michman), (310) 107
- Alkynehexacarbonyldicobalt complexes, isomerisation by perpendicular-to-parallel twist of the alkyne of (H. Pepermans, C. Hoogzand, P. Geerlings), (306) 395
- Amidocarbonylation catalysis of substituted allylic alcohols (S.-S. Yuan, A.M. Ajami), (302) 255
- 2-(Arylazo)aryltricarbonylcobalt, insertion reactions of (T. Janecki, P.L. Pauson, A. Pietrzkowski), (325) 247
- 2-Aryl-2-hydroxyethylcobaloximes, synthesis, characterisation and decomposition of (K.L. Brown, A. Fulep-Pozsmik, Z. Szeverenyl, O. Perkins), (302) 101
- Bis(dimethylphosphine)cyclopentadienylcobalt, $[C_5H_5Co(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- Bis(diphenylphosphino)methane-substituted products from $(\mu_3\text{-CCH}_3)Co_3(CO)_9$ (S. Aime, M. Botta, R. Gobetto, D. Osella), (320) 229
- $[\eta^4\text{-}2,5\text{-Bis(trimethylsilyl)cyclopentadienone}(\eta^5\text{-cyclopentadienyl})\text{cobalt}]$, structure of (J.H. Bieri, A.S. Dreiding, T.C.C. Gartenmann, E.R.F. Gesing, R.W. Kunz, R. Prewo), (306) 241
- $(\eta^5\text{-Borole})\text{cobalt}$ complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- $(\eta^5\text{-Borole})\text{rhodium}$ complexes and nucleophilic degradation of $\mu\text{-}(\eta^5\text{-1-phenylborole})\text{bis}[\eta^5\text{-1-phenylborole}]\text{rhodium}$ (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13
- Carbonylcobalt reaction of oxetanes with a hydrosilane and carbon monoxide (T. Murai, K. Furuta, S. Kato, S. Murai, N. Sonoda), (302) 249
- Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153
- Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111
- $(CH_3C(CH_2\text{PPh}_2)_3)CoL$ complexes ($L = O_2CO, S_2CO, O_2SO$), synthesis through metal-assisted CO_2 , CS_2 , SO_2 oxidation of; crystal structure of $(CH_3C(CH_2\text{PPh}_2)_3)Co(O_2SO)$ (F. Cecconi, C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (323) C5
- $[C_5H_5Co(\mu\text{-PMe}_2)]_2$, addition reactions with elemental halogen and dihalomethanes of; crystal and molecular structure of *trans*- $\{[C_5H_5(\text{Br})Co]_2(\mu\text{-P}(\text{CH}_3)_2)(\mu\text{-CH}_2\text{-CP}(\text{H}_3)_2)\}$ (R. Zolk, H. Werner), (303) 233
- $[(C_5H_5Co)_2(\mu\text{-PMe}_2)_2(\mu\text{-H})^+$ cation, opening of the hydrido bridges by Lewis bases in (H. Werner, R. Zolk, W. Hofmann), (302) 65
- $C_5H_5MoCo_2(CO)_8CCO^+$: synthesis and characterisation of a mixed metal acylium cation (M. Mlekuz, M.F. D'Agostino, J.W. Kolis, M.J. McGlinchey), (303) 361
- Cobaloximes, effect of 2-cyano-2-propyl and 2-cyano-2-propyl peroxy radicals on (T. Szymanska-Buzar, J. Paál-Lukács, P. Sándor, I.P. Hajdu, D. Gál), (321) 249
- Cobalt and rhodium complexes as catalysts in hydrocarbonylation of lactones (G. Bitsi, H. Kheradmand, G. Jenner), (310) 115
- Cobalt and ruthenium catalysts for hydrocarbonylation of butanols (P. Andrianary, G. Jenner), (322) 89
- Cobalt atoms as catalysts of the synthesis of pyridines from nitriles and acetylenes (G. Vitulli, S. Bertozi, R. Lazzaroni, P. Salvadori), (307) C35
- Cobalt-catalysed low-pressure double carbonylation of aryl and secondary benzyl halides (F. Francalanci, E. Bencini, A. Gardano, M. Vincenti, M. Foà), (301) C27
- Cobalt(II) complexes with phosphorus–sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165
- Cobalt, rhodium and iridium; Annual Survey 1984 (J.T. Mague), (305) 1
- Cobalt, rhodium and iridium; Annual survey covering the year 1985 (J.T. Mague), (324) 57
- Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörlein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257
- $CoCl_2/\text{Ph}_3P/\text{NaBH}_4$ system, isomerisation of olefins catalysed by (N. Satyanarayana, M. Periasamy), (319) 113
- $[Co_8(CO)_{18}C]^{2-}$, electrochemical behaviour compared with those of $[M_6(CO)_{15}C]^{2-}$ ($M = Co, Rh$) and $[Fe_6(CO)_{16}C]^{2-}$ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. De Montauzon), (309) 355
- $[Co(CO)(dppm)_2ClO_4]$, crystal and molecular structure of (C. Carriero, P. Gomez-Sal, P. Royo, S. Martinez-Carrera, S. Garcia-Blanco), (301) 79
- $Co_3(\mu_3\text{-CPh})(CO)_9$, crystal structures of mixed-metal cluster derivatives of (M. Ahlgren, T.T. Pakkanen, I. Tahvanainen), (323) 91
- $[Co(N,N'\text{-ethylenebis(salicyleneaminato)})]$

- $(CO_2)]^-$, ab-initio study of η^1 -C coordination mode for CO_2 in (S. Sasaki, A. Dedieu), (314) C63
- [$Co_2W(\mu\text{-PEt}_2)_3(CO)_3(\eta\text{-C}_5H_5)$], [$Co_2W\{\mu_3\text{-C(R)C(Et)C(Et)C(O)}\}(\mu\text{-CO})(CO)_4PPh_2$ - $\{C(Et)=CHEt\}(\eta\text{-C}_5H_5)$], and [$CoW\{\mu\text{-C(R)C(Et)C(Et)C(OH)}\}(CO)_4(\eta\text{-C}_5H_5)$] ($R = C_6H_4Me-4$), crystal structures of (P. Dunn, J.C. Jeffery, P. Sherwood), (311) C55
- Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339
- Cyclometallated photodecarboxylation of cobalt(III) complexes with 1-diethylenetriaminemono-3-propionate (A.L. Poznjak, V.I. Pawłowski, L.M. Schkolnikowa, N.M. Djatlowa, A.B. Iljuchin), (314) C59
- Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
- Cyclopentadienyl-molybdenum- and tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
- η^5 -Cyclopentadienyldicarbonylcobalt, flash-vacuum pyrolysis under formation of cobaltocene of (J.-C. Fiaud, R. Chauvin, R. Bloch), (315) C32
- Cyclopentadienyldiodocarbonylcobalt(I) and trimethylphosphite, double demethylation pathway involving (E.V. Schleman, T.B. Brill), (323) 103
- Dicarbonyl(*syn*- η^3 -2,4-pentadienyl)triphenylphosphinecobalt, synthesis, characterisation and crystal structure of (G.-H. Lee, S.-M. Peng, M.-Y. Liao, R.-S. Liu), (312) 113
- Dicarbonyl(tetramethylpiperidin-1-oxy)cobalt, planar coordinated cobalt(I) complex, synthesis and X-ray structure analysis of (P. Jaitner, W. Huber, A. Gieren, H. Betz), (311) 379
- Dicoballdiiron clusters, selectivity in carbonyl reduction of; formyl intermediates in formation of hydrido derivatives (M.G. Richmond, J.K. Kochi), (323) 219
- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant ${}^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305
- Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekaroğlu), (317) 301
- (1,4-Dioxanymethyl)diphenylphosphine, selective hydrocarbonylation of methanol with (E. Lindner, A. Sickinger, P. Wegner), (312) C37
- Dodecacarbonyltetracobalt, identification of reaction products with bis(diphenylphosphino)ethane of (S. Aime, R. Gobetto, G. Jan-non, D. Osello), (309) C51
- Dodecacarbonyl-tetrarhodium, -dicoballdirhodium, -tricobaltrhodium and -tetracobalt clusters, thermal decomposition of (R. Pince, R. Queau, D. Labroue), (306) 251
- Ethylene(hydrido)metal complexes ($M = Ru, Os, Ir, Co$), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227
- Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
- Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Half-open cobaltocene, diene replacement vs. hydride abstraction by triphenylmethyl cation (T.D. Newbound, R.D. Ernst), (316) 213
- Heterobimetallic (Ru-Co) complexes with chelating and bridging $Ph_2PCH_2PPh_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), (303) C47
- Heterodinuclear complex with bridged ethenyl ligand, $FeCo(CO)_7(\mu\text{-CH=CPH}H)$, synthesis and crystal structure of (I. Moldes, J. Ros, R. Yañez, X. Solans, M. Font-Altaba, R. Mathieu), (315) C22
- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with $M=M'$ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38
- $H_3Ru_3Co(CO)_{10}(dppe)$ and $HRuCo_3(CO)_{10}(dppe)$, synthesis and characterisation of (J. Pursiainen, T.A. Pakkanen), (309) 187
- Hydridocobaloxime addition to (*H*)-1-phenylpropene, stereochemistry of forward and reverse reactions in (S. Derenne, A. Laudemer, M.D. Johnson), (322) 229
- Metalla-indole, formation from reaction of a cobalt-containing four-membered ring compound with electrophiles (H. Werner, B. Heiser, M.L. Ziegler, K. Linse), (308) 47
- o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isocyanide ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301
- Methyl- and trimethylsilyl-tris(triphenylphosphine)cobalt, interference by phosphine decomposition in oxidative additions of aryl halides to (M. Michman, S. Chocron, S. Nussbaum, H. Schumann, R. Mohtachemi, G. Kannert), (315) 113

- Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of t-butylphosphphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Myntt, M. Regitz), (323) C35
- [M(P(O)(OMe)₂)(P(OMe)₃)₄] (M = Co, Ir, Rh), synthesis and variable ³¹P NMR spectra of (S.I. Klein, F. Nixon), (302) 87
- Nickel and cobalt electrochemically generated complexes, catalysis of dimerisation of monoolefins by (H. Masotti, J.C. Wallet, G. Peiffer, F. Petit, A. Mortreux, G. Buono), (308) 241
- Octacarbonyldicobalt, pyridine induced disproportionation in THF of: homonuclear ion pairs and dihydrogen activation (G. Fachinetti, G. Fochi, T. Funaioli), (301) 91
- Organoferricinium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organo-iron and -cobalt complexes, ligand exchange reactions between; crystal structure of [(C₅H₅)₂Co₄(CO)₅(F₃CC≡CCF₃)] (R. Rumin, P. Courtot, J.E. Guerchais, F.Y. Pétillon, L. Manojlović-Muir, K.W. Muir), (301) C1
- μ_3 -P and μ_3 -As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137
- Pentamethylcyclopentadienyl complexes: [(\eta⁵-C₅Me₅)Ru(PPh₃)(L)Cl] (L = Co, t-BuNC) and [(\eta⁵-C₅Me₅)Ru(L)₂Cl] (L = t-BuNC, norbornadiene), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221
- 1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143
- Phenylpropylbis(dimethylglyoximato)pyridine-cobalt(III) in aqueous sulphuric acid, kinetics, and mechanism of decomposition of (S. Derenne, A. Gaudemer, M.D. Johnson), (322) 239
- Rhodium and iridium phosphonate complexes from [M(P(OMe)₃)₅]Cl (M = Rh, Ir), formation of; reactions of H₂ with [MP(O)(OMe)₂(P(OMe)₃)₄] complexes (S.I. Klein, J.F. Nixon), (304) 371
- Ruthenium-cobalt homogeneous systems, catalysis of reductive carbonylation of carboxylic esters by; homologation of the alkoxy moiety (G. Jenner, P. Andrianary), (307) 263
- Silica-supported carbonylcobalt cluster, synthesis and catalysis of (Y.-P. Wang, S.-M. Zhang, A.-M. Zhang, N. Wu, Y.-Z. Luo, H.-X. Fu), (307) 65
- Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and titanium(IV) complexes (B.L.
- Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143
- Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7
- Tetracobalt octahedral clusters with μ_4 -PR and μ_4 -S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365
- Tetracyanoethylene complexes of monomethylcyclopentadienylcobalt derivatives, formation and characterisation of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), (310) 249
- Thioketene-cobalt complexes, [Co(R₂C=C=S)-(PMe₃)(C₅H₅)], reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369
- Tridecacarbonylnitridohexacarbonylcobalt, [Co₆-N(CO)₁₃], synthesis and characterisation of (G. Ciani, S. Martinengo), (306) C49
- Trimethylphosphinecobalt(I) complexes, crystal and molecular structure of [Co(CO)₂-(PMe₃)₃]BPh₄ (Y. Pérès, A. Kerkeni, M. Dartiguenave, Y. Dartiguenave, F. Bélanger-Gariépy, A.L. Beauchamp), (323) 397
- Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320) 349

Copper

- 1-Acetoxy-1,2,2-triethoxyethane, reactions with organometallic compounds of (A. Stambouli, R. Amouroux, F. Chastrette, M. Chastrette, G. Mattioda, A. Blanc), (307) 139
- Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands Ph₂As(CH₂)_n-PPh₂ (n = 1, 2), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27
- Copper(I) alkylborohydrides from alkenes using CuCl/NaBH₄ reagent systems (S.A. Rao, M. Periasamy), (309) C39
- Copper(I) as phosphine abstractor from (η -C₅H₅)(CO)(PPh₃)(FeCOCH₃) (S.A. Levitre, C.C. Tso, A.R. Cutler), (308) 253
- Copper(I) complexes with ethylene, structural study of; crystal structures of [Cu(2,2'-bipyridine)(ethylene)]ClO₄ and [Cu(1,10-phenanthroline)(ethylene)]ClO₄ (H. Masuda, N. Yamamoto, T. Taga, K. Machida, S. Kitagawa, M. Munakata), (322) 121
- Copper(I) salts and dialkylcopper magnesium halides as catalysts in α -methylene- and α -

- (hydroxymethyl)-alkanoic ester preparation from substitution of α -(acetoxymethyl) acrylate or addition to ethyl- α -(hydroxymethyl) acrylate (H. Amri, M. Rambaud, J. Villieras), (308) C27
- cis*-Cyclohexane-1,2-diol and *meso*-butane-2,3-diol, enantioselective phenylation in the presence of catalysts of (H. Brunner, U. Obermann, P. Wimmer), (316) C1
- 8-(Dimethylamino)naphthylcopper(I), synthesis, crystal structure and reactivity of (E. Wehman, G. van Koten, M. Knott, H. Spelten, D. Heijdenrijk, A.N.S. Mak, C.H. Stam), (325) 293
- [2-(4,4-Dimethyl-2-oxazoline)-4-methylphenylcopper]-copper bromide complex, crystal structure of (E. Wehman, G. van Koten, J.T.B.H. Jastrzebski), (302) C35
- Lithium 2-(1-dimethylaminoethyl)phenyl cuprates, steric consequence of diastereoselective addition to enones of (S. Andersson, S. Jagner, M. Nilsson, F. Urso), (301) 257
- Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminium of (S. Pasynkiewicz, J. Popławska), (302) 269
- o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isocyanide ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301
- Organocupper(I) mediated synthesis of 1,4-diketones with ethoxyacetylene applied as building block (P. Wijkens, P. Vermeer), (301) 247
- [Pt₂(μ -S)(CO)(PPh₃)₃], reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271
- Ruthenium-rhodium dinuclear complexes mobility of dppm ligand in; formation of trinuclear RuRh₂ and Ru-Rh-Cu derivatives; X-ray structure of heterobimetallic hydrido-bridged complex (B. Delavaux, B. Chaudret, F. Dahan, R. Poilblanc), (317) 69
- Silylcupration of acetylenes (H.-M. Chen, J.P. Oliver), (316) 255
- Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Erbium

- Tricyclopentadienyl-erbium(III) and -thulium(III), X-ray structure of (S.H. Eggers, W. Hinrichs, J. Kopf, W. Jahn, R.D. Fischer), (311) 313

Gallium

- Amphoteric ligands: (Me₃SiCH₂)₂GaPPh₂, (Me₃SiCH₂)₂InPPh₂ and (Me₃CCH₂)₂InPPh₂, synthesis, characterisation and crystal and molecular structure of (O.T. Beachley, Jr., J.P. Kopasz, H. Zhang, W.E. Hunter, J.L. Atwood), (325) 69
- Bis{[bis(trimethylsilylmethyl)arsino]diphenylgallane}, synthesis and crystal structure of (R.L. Willis, A.P. Purdy, A.T. McPhail, C.G. Pitt), (308) 281
- Methylsulphonato(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), crystal structure of (A. Boukhris, C. Lecomte, A. Coutsolelos, R. Guillard), (303) 151
- Tris(arsino)gallane dimer containing nonplanar (Ga-As)₂ ring, synthesis and characterisation of; crystal structure of [(Me₃SiCH₂)₂As]₃Ga]₂ (R.L. Wells, A.P. Purdy, K.T. Higa, A.T. McPhail, C.G. Pitt), (325) C7
- Germanium
- Alkene coordination at divalent germanium in (η^2 -Me₄C₅H)Me₂Si(η^5 -Me₄C₅)Ge⁺ GeCl₃⁻ (F.X. Kohl, R. Dickbreder, P. Jutzi, G. Müller, B. Huber), (309) C43
- Alkoxygermanes, ⁷³Ge, ¹⁷O and ¹³C NMR spectra of (E. Liepiņš, I. Zicmane, E. Lukevics), (306) 327
- Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanternert, H. Schumann, S. Chocron, M. Michman), (310) 107
- Aryltrimethyl-silicon, -germanium and -tin compounds, synthesis and spectroscopic characterisation of (S.M. Moerlein), (319) 29
- Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151
- Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls [Fe(CO)₃(L)(L')]⁺ (L = CN-(Me)(CH₂)₂NMe, L' = PEt₃, or L = M(O-Ar)₂ (M = Ge, Sn, Ar = C₆H₂Bu₂-2,6-Me-4), L' = CO] (P.B. Hitchcock, M.F. LapPERT, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27
- (CH₃)₅C₅(Cl)Ge → W(CO)₅, molecular rearrangement of (P. Jutzi, B. Hampel), (301) 283
- α , ω -Dichlorinated polygermanes, Cl(Ph₂Ge)_nCl (n = 2, 3, 4), synthesis by germylene insertion of (K. Häberle, M. Dräger), (312) 155
- Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de

- Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291
- 13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo[*d,g*]-[1,2,6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[*d,g*][1,2,6]diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven, B.I. Stepanov, M.Yu. Aismont), (301) 273
- 2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbodecaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139
- 5,5-Diphenyloctafluorogermandrene, ($C_6H_5)_2GeC_{12}F_8$, crystal and molecular structure of (D.S. Brown, A.G. Massey, T.K. Mistry), (302) 343
- 1,3-Dipolar germylene ligands, interaction with chromium and tungsten complexes of (A. Castel, P. Rivière, J. Satgé, M. Albalal, J. Jaud), (307) 205
- Dodecaphenyl-n-pentagermane, pergerma analogue of n-pentane (S. Roller, M. Dräger), (316) 57
- Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligands (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327
- Germanium(II) pseudohalides, Ge(CN)₂, Ge(NCO)₂ and Ge(NCS)₂, synthesis and reactivity of (M. Onyszchuk, A. Castel, P. Rivière, J. Satgé), (317) C35
- 5-Germaspiro[4,4]nona-2,7-dienes, preparations of (P. Mazerolles, F. Grégoire), (301) 153
- Germylenes, cycloaddition to 3,5-di-t-butyl orthoquin-one of (P. Rivière, A. Castel, J. Satgé, D. Guyot), (315) 157
- Main Group IV organometallic halides, insertion of indium(I) halides into the M-X bond of (T.A. Annan, D.G. Tuck), (325) 83
- Metallocenes in biochemistry, microbiology and medicine (Review) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281
- Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
- Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1
- Octaphenylpropane analogues, $Ph_3SnSiPh_2SnPh_3$ and $Ph_3SnGePh_2SnPh_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11
- Organogermanium *O,O'*-dimethyl- and -diethyl-dithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271
- Pentacarbonylmanganese-triphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167
- Phenylated trigermanes, preparation of (M. Dräger, D. Simon), (306) 183
- $Ph_3GeSiMe_3$ and $Ph_3GeSiMe_2Fe(CO)_2(\eta^5-C_5H_5)$, synthesis and crystal structures of (L. Párkányi, C. Hernandez, K.H. Pannell), (301) 145
- Polygermanes as by-products of the Grignard reaction of PhMgBr and GeCl₄ (S. Roller, D. Simon, M. Dräger), (301) 27
- Tetramethyldigermane, [2 + 2] cycloaddition to multiple bonds of; synthesis of $\Delta^{1,7}\text{-}2,2,6,6,8\text{-}8,9\text{-octamethyl-4-thia-8,9-digermabicyclo-[5.2.0]nonene}$ (O.M. Nefedov, M.P. Egorov, A.M. Gal'minas, S.P. Kolesnikov, A. Krebs, J. Berndt), (301) C21
- Tetramethylgermane, hexamethyldigermane and related organogermanes, molecular and electronic structures derived from (C. Glidewell), (303) 337
- 2,2,6,6-Tetramethyl-4-metalla-spiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51
- 1,1,2,2-Tetraphenyl-4,4-di-t-butyl-1,2,4-trigerma-3,5-dioxacyclopentane, preparation of (H. Puff, H. Heisig, W. Schuh, W. Schwab), (303) 343
- Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167
- α -Triorganostannylyvinyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylyvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151
- Tris- and tetrakis-(trifluoromethyl)fluorogerманates, structure of an anion with pentacoordinated germanium (D.J. Brauer, J. Wilke, R. Eujen), (316) 261
- Trithiagermatanes substituted with functional groups, synthesis of (N. Kakimoto, K. Sato, M. Matsui, T. Takada, M. Akiba), (316) C17

Gold

- cis*-Alkenyl- or -aryl-dimethyl(triphenylphosphine)gold(III), unusual steric effect on dissociative reductive elimination from (S. Komiya, A. Shibue, S. Ozaki), (319) C31

- [AuR(CNR')], volatile organogold compounds, potential for chemical vapour deposition of gold (R.J. Puddephatt, I. Treurnicht), (319) 129
- Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310) C36
- $\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})\text{AuPPh}_3$ -*(Mn-Au)* and $[\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})_2\text{Pt}(\text{3-picolin})_2]$ -*(Mn-Pt)*, synthesis from $\text{Na}[\text{CH}_2\text{C}_5\text{H}_4(\text{CO})_2\text{MnSiR}_3]$; formation of metal-metal bonds and simultaneous SiR_3/H exchange (E. Kunz, J. Müller, U. Schubert), (320) C11
- $[\eta^5\text{-C}_5\text{H}_4\text{CHO}]\text{Cr}(\text{CO})_3$] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5\text{-C}_5\text{H}_4\text{CHO}$)- $\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87
- $\text{Co}_3(\mu_3\text{-CPh})(\text{CO})_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgren, T.T. Pakkanen, I. Tahvanainen), (323) 91
- Diarylgold(III) mixed complexes, synthesis of; structure of *cis*-[2-(phenylazo)phenyl][2-((dimethylamino)methyl)phenyl]gold(III) tetrachloroaurate (J. Vicente, M.-T. Chicote, M.D. Bermudez, M.J. Sanchez-Santano, P.G. Jones, C. Fittschen, G.M. Sheldrick), (310) 401
- Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amine disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269
- Gold clusters, synthesis and characterisation of $[\text{Au}_8(\text{PPh}_3)_7(\text{CNR})]^{2+}$, $[\text{Au}_9(\text{PPh}_3)_6(\text{CNR})_2]^{3+}$ and $[\text{Au}_{11}(\text{PPh}_3)_7(\text{CNR})_2]^{2+}$ and reactivity towards amines of; crystal structure of $[\text{Au}_{11}(\text{PPh}_3)_7(\text{CN-i-Pr})_2\text{I}](\text{PF}_6)_2$ (W. Bos, R.P.F. Kanters, C.J. van Halen, W.P. Bosman, H. Behm, J.M.M. Smits, P.T. Beurskens, J.J. Bour, L.H. Pignolet), (307) 385
- Gold-197 Mössbauer investigation of gold(I) derivatives of five- and six-membered nitrogen-containing heterocycles (F. Bonati, A. Burini, B.R. Pietroni, S. Calogero, F.E. Wagner), (309) 363
- Gold ylide dinuclear complexes, vibrational study by Raman spectroscopy of (R.J.H. Clark, J.H. Tocher), (303) 437
- Metal atom-free radical reactions, generality of; synthesis of trifluoromethylalkyls of gold(III) and silver (M.A. Guerra, T.R. Bierschenk, R.J. Lagow), (307) C58
- Methyl(trimethylphosphine)gold(I), molecular structure determined by gas diffraction of (A. Haaland, J. Hougen, H.V. Volden, R.J. Puddephatt), (325) 311
- Mono-, di- and tetra-aurated derivatives of barbituric acid; crystal structure of 1,3-bis(triphenylphosphinegold)-5,5-diethylbarbituric acid (F. Bonati, A. Burini, B.R. Pietroni, B. Bovio), (317) 121
- $[\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{R})_2\{\text{AuP}(\text{C}_6\text{H}_5)_3\}_2]^+$ ($\text{R} = \text{H}$, $\text{Si}(\text{CH}_3)_3$) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44
- ortho*-Nitrophenyltriphenylarsinegold(I), crystal and molecular structure of (J. Vicente, A. Arcas, M. Mora, X. Solans, M. Font-Altaba), (309) 369
- Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357
- $[\text{Ph}_4\text{As}]_2[\text{Re}_7\text{C}(\text{CO})_{21}\text{Au}(\text{PPh}_3)]$, crystal structure of; comparison of H^+ and $\text{Au}(\text{PPh}_3)^+$ coordination to $[\text{Re}_7\text{C}(\text{CO})_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55
- Platinum-gold heterometallic clusters, MO calculations on (D.I. Gilmour, D.M.P. Mingos), (302) 127
- $[\text{Pt}_2(\mu\text{-S})(\text{CO})(\text{PPh}_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271
- Tetranuclear gold-silver cluster with phenyl-acetylidy groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), (302) C10
- Tolyldiphenyl- and dimethylphenyl-phosphine-methylgold, CH_3/Cl exchange reactions with chlorosilanes of (U. Schubert, J. Meyer), (303) C5
- Trigonal-bipyramidal platinum-gold cluster compound, $[\text{Pt}_3\text{Au}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PCy}_3)_3\text{P}(\text{p-C}_6\text{H}_4\text{F})_3)_2\llbracket\text{PF}_6\rrbracket$, synthesis and structural characterisation of (D.M.P. Mingos, P. Oster, D.J. Sherman), (320) 257

Hafnium

- Dichalcogenophenylenemetallocenes ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
- Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183
- Di- η^5 -cyclopentadienylhafnacyclopentadiene

compounds, facile, high-yield synthesis of (M.B. Sabade, M.F. Farona), (310) 311
 $(\eta^4\text{-Diene})$ transition metal complexes, indirect scalar spin-spin coupling constant ${}^1J({}^{13}\text{C}, {}^{13}\text{C})$ in (R. Benn, A. Rufińska), (323) 305
Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
Halo(alkoxo)- and monocyclopentadienyl(hal)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329
Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307
Transition metal butadiene complexes, formation via vinylolithium of (R. Beckhaus, K.-H. Thiele), (317) 23
Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetramides of V^{IV}, CH₃Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317
Zirconocene and hafnocene dichlorides, electro-generation of Zr^{III} and Hf^{III} anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Lavoron), (302) C7
Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M-H bond (M. Fahim, G. Tainturier), (301) C45
Zirconium and hafnium organometallic compounds, analysis and classification of crystallographic and structural data (*Review*) (C.E. Holloway, I.M. Walker, M. Melník), (321) 143

Indium

Amphoteric ligands: (Me₃SiCH₂)₂GaPPh₂, (Me₃SiCH₂)₂InPPh₂ and (Me₃CCH₂)₂InPPh₂, synthesis, characterisation and crystal and molecular structure of (O.T. Beachley, Jr., J.P. Kopasz, H. Zhang, W.E. Hunter, J.L. Atwood), (325) 69
Main Group IV organometallic halides, insertion of indium(I) halides into the M-X bond of (T.A. Annan, D.G. Tuck), (325) 83
Me₃InNHCMe₂(CH₂)₃CMe₂, Me₃InN(CH₂-CH₂)₃N and Me₃InNHMe(CH₂)₂NHMeIn-

Me₃, formation and X-ray structures of (D.C. Bradley, H. Dawes, D.M. Frigo, M.B. Hursthouse, B. Hussain), (325) 55

Iridium

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
trans-Bis(diphenylphosphine)cyclopropane, ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.M. Brown, A.R. Lucy), (314) 241
Carbomethoxy-pentacoordinate iridium(I) complex, CH₃OC(O)Ir(CO)₂(PPh₃)₂, synthesis and crystal structure of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (304) 227
Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111
(C₅Me₅)Ir(CO)₂/[Re(CO)₄Br]₂, cleavage of dichloromethane by; structure of [(η⁵-C₅Me₅)-Ir(CO)₂(CH₂Cl)]⁺ [(\μ-Cl)_x(\μ-Br)_{3-x}Re₂(CO)₆]⁻ (x = ~ 1.5) (F.W.B. Einstein, P.G. Glavina, R.K. Pomeroy, P. Rushman, A.C. Willis), (317) 255
Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörllein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257
Cobalt, rhodium and iridium; Annual Survey 1984 (J.T. Mague), (305) 1
Cobalt, rhodium and iridium; Annual survey covering the year 1985 (J.T. Mague), (324) 57
Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of C₅H₅-MoIr₃(CO)₁₁ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
Difulvene-iridium(I) and -rhodium(I) complexes, intramolecular rearrangements in (E.J. Proffitt, R.J. Mawby), (310) 121
Dihydridobis(trialkyltin)(pentamethylcyclopentadienyl)-rhodium(V) and -iridium(V) complexes, synthesis, characterisation and reactions of (J. Ruiz, C.M. Spencer, B.E. Mann, B.F. Taylor, P.M. Maitlis), (325) 253
Di-μ-hydroxo- and dimethoxo-pentamethylcyclopentadienyl derivatives of rhodium and iridium with pyridine type ligands; crystal

- structure of $\{[(C_5Me_5)Rh(Py)\}_2(\mu-OH)_2\} \cdot [ClO_4]_2$ (F.J. Lahoz, D. Carmona, L.A. Oro, M.P. Lamata, M.P. Puebla, C. Foces-Foces, F.H. Cano), (316) 221
- Di-organo-iridium complexes, RR' Ir(CO)- $(PPh_3)_2X$ (R,R' = Me, Ph, CH_2Ph , C(O)- CH_3 ; X = Cl, I), formation of C-C bonds on; crystal structure of *cis,cis,trans*-[Ir(CH_3)₂(CO)₂(PPh_3)₂⁺] $[CF_3SO_3^-]$ (M.R. Churchill, J.C. Fettinger, T.S. Janik, W.M. Rees, J.S. Thompson, S. Tomaszewski, J.D. Atwood), (323) 233
- Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227
- Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M' bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38
- Hydrido-iridium(III) complexes with weakly coordinated anions and N_2 as leaving groups (H. Bauer, W. Beck), (308) 73
- Hydroxycarbonyliridium(III) complexes, modification of the acid-base properties by substitution of CO by a tertiary phosphine ligand in (A.J. Deeming, G.P. Proud), (301) 385
- IrH(diene)L₂ compounds, preparation via methoxy-iridium complexes; catalysts for hydrogen transfer reactions (M.J. Fernandez, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (316) 343
- Iridium pentahydride complex, selective conversion of pinane into β -pinene catalysed by (Y. Lin, D. Ma, X. Lu), (323) 407
- Iridium-sulphur dioxide square planar complexes coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27
- MeIr(CO)(PPh_3)₂[$C_2(CO_2Me)_2$], formation by addition of $C_2(CO_2Me)_2$ to *trans*-MeIn-(CO)(PPh_3)₂, isomerisation and crystal structure of thermodynamic isomer of (W.M. Rees, M.R. Churchill, J.C. Fettinger, J.D. Atwood), (319) 411
- MeIr(CO)(PPh_3)₂($MeCO_2CH=CHCO_2Me$), formation and crystal structure of; comparison of analogous alkene and alkyne complexes (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (301) 99
- trans*-MeOIr(CO)(PPh_3)₂, reactions with alkenes of; crystal and molecular structure of penta-coordinate alkoxyalkene-iridium(I) complex, MeOIr(CO)(PPh_3)₂(TCNE) (T.S. Janik, K.A. Bernard, M.R. Churchill, J.D. Atwood), (323) 247
- Mono- and di-olefin derivatives of carbonyl tetraridium clusters, synthesis and stereochemistry of (R. Ros, A. Scrivanti, R. Roulet), (303) 273
- [M(P(O)OMe)₂P(OMe)₃]₄ (M = Co, Ir, Rh), synthesis and variable ³¹P NMR spectra of (S.I. Klein, F. Nixon), (302) 87
- Orthometallated iridium(III) compounds, synthesis by chemical and electrochemical methods of (P. Lahuerta, J. Latorre, I. Solana), (322) 377
- Perfluorophenoxy-iridium(I) complex, *trans*-(C_6F_5O)Ir(CO)(PPh_3)₂, synthesis, characterisation, crystal structure and carbonylation of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (308) 361
- O-Perphenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- Phosphine ligand effects on homogeneous hydrogenation of carbon monoxide catalysed by iridium carbonyls (T. Takano, T. Deguchi, M. Ishino, S. Nakamura), (309) 209
- Phosphine-iridium chiral complexes as catalysts in asymmetric transfer by hydrogenation of ketones (H.W. Krause, A.K. Bhatnagar), (302) 265
- Phosphine-iridium(I) complexes, reactions with S_4N_4 of; synthesis and crystal structure of [$(dppe)_2Ir(S_2N_2)$](BPh₄) · 0.5CH₃COCH₃ and $\{(dppe)_2Ir(S_2N_2)[W(CO)_5]\}$ (BPh₄ · 0.5CH₂Cl₂) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383
- Rhodium and iridium phosphonate complexes from [M(P(OMe)₃)₅]Cl (M = Rh, Ir), formation of; reactions of H₂ with [MP(O)-(OMe)₂(P(OMe)₃)₄] complexes (S.I. Klein, J.R. Nixon), (304) 371
- Phosphine-rhodium(I) and -iridium(I) complexes, asymmetric transfer hydrogenation of ketones catalysed by (R. Spogliarich, J. Kašpar, M. Graziani, F. Morandini), (306) 407
- Tetrafluorobenzobarrelene-iridium complexes with 1,10-phenanthroline, 2,2'-bipyridine and diketonate ligands; crystal structure of [IrI₂(TFB)(phen)ClO₄ · (CH₃)₂CO (TFB = 5,6,7,8-tetrafluoro-1,4-dihydro-1,4-dihydro-1,4-ethenonaphthalene, phen = 1,10-phenanthroline) (L.A. Oro, D. Carmona, M.A. Esteruelas, C. Foces-Foces, F.H. Cano), (307) 83
- Thionitrosodimethylamine ($Me_2N-N=S$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105
- η -Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation

reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

Iron

- η^2 -Acrylonitrilecyclopentadienyldicarbonyliron(II) tetrafluoroborate, a high-valent transition metal complex, preparation and reactions of (M. Rosenblum, M.M. Turnbull, M.K. Bezugm), (321) 67
- η^2 -Acyliron complexes; crystal structure of $[\text{Fe}(\text{I})(\eta^2\text{-C(O)-i-Pr})(\text{CO})(\text{PEt}_3)_2]$ (R. Birk, H. Berke, G. Huttner, L. Zsolnai), (309) C18
- Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343
- μ -Alkylideneiron complex, CO insertion reactions of (D. Navarre, H. Rudler, J.C. Daran), (314) C34
- σ -Alkyl- (or σ -aryl-)iron(III) porphyrins containing Fe-C bonds, Raman spectroscopic investigation of coordination in (A. Tabard, G. Lagrange, R. Guillard, M. Jouan, N.Q. Dao), (308) 335
- Alumino-metallocaminocarbene complexes ($M = \text{Fe, Mn}$), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149
- Arenecyclopentadienyliron(II), bis-arene-iron(II) and substituted ferrocenes, organometallic conductors obtained by reactions with tetracyanoquinodimethane of (R.M. Lequan, M. Lequan, P. Legeay, J. Padiou), (323) 77
- η^6 -Arene- η^5 -cyclopentadienyliron cations and η^6 -arenedi- η^5 -cyclopentadienyliron dications, synthesis of complexed ketones or sulphones by oxidation of (C.C. Lee, R.L. Chowdhury, A. Piorko, R.G. Sutherland), (310) 391
- Arenecyclopentadienyliron complexes, addition of cyanide ion to (R.G. Sutherland, R.L. Chowdhury, A. Piorko, C.C. Lee), (319) 379
- η^6 -Arene- η^5 -cyclopentadienyliron cations and related systems (Review) (R.G. Sutherland, M. Iqbal, A. Piorko), (302) 307
- Arylnitrenes formed by cleavage of azoarenes, trapping with $\text{Fe}_3(\text{CO})_{12}$ or $\text{Ru}_3(\text{CO})_{12}$; X-ray structure of $\text{Ru}_3(\mu_3\text{-NPh})_2(\mu\text{-dppm})(\text{CO})_7$ (M.I. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekkink), (315) C51
- Benzofulvene-chromium and -iron complexes, preparation of (F. Edelmann, O. Koch, U. Behrens), (311) 111
- 2-Benzylidene[3]ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiak, S. Toma), (316) 163
- Biferrocenium tetrabromoferrate, $[(\text{C}_5\text{H}_5)\text{Fe}(\text{C}_5\text{H}_4)_2(\text{C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)]\text{FeBr}_4$, X-ray structural characterisation of a mixed-valence compound (S.J. Geib, A.L. Rheingold, T.-Y. Dong, D.N. Hendrickson), (312) 241
- Biferrocenyl, high yield synthesis of (A.R. Koray, M. Ertas, Ö. Bekaroğlu), (319) 99
- Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331
- 2,2-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
- Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76
- Bis[bis(trimethylsilyl)methyl]tin, reactions with $M_3(\text{CO})_{12}$ ($M = \text{Fe, Ru, Os}$) or its derivatives of; crystal and molecular structures of $M_3(\mu\text{-SnR}_2)_2(\text{CO})_{10}$ ($R = \text{CH}(\text{SiMe}_3)_2$, $M = \text{Ru, Os}$) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203
- Bis(μ -cyclohexen-2-ylthio)- μ_4 -thiododecacarbonyltetrairon, synthesis and structure of (B.I. Kolobkov, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, G.G. Aleksandrov, M.T. Tashev, H.B. Dustov), (301) 349
- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S(\text{NP-t-Bu}_2[\text{ML}_n])_2$ ($\text{ML}_n = \text{Cr}(\text{CO})_5, \text{Mo}(\text{CO})_5, \text{W}(\text{CO})_5, \text{Fe}(\text{CO})_5$) and chelates $S(\text{NP-t-Bu}_2)_2\text{M}(\text{CO})_4$ ($M = \text{Cr, Mo, W}$); crystal and molecular structure of $S(\text{NP-t-Bu}_2)_2\text{Cr}(\text{CO})_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51
- Bis[μ -2,6-dimethylphenylisocyanide](cyclopentadienyl)(2,6-dimethylphenylisocyanide)iron(I), X-ray structural characterisation and solution dynamics of (M.D. Albers, A.A. Chalmers, G.J. Kruger, D.C. Liles, H.E. Oosthuizen, E. Singleton, N.J. Coville), (306) 385
- Bis(diphenylphosphino)-ethane- and -ethene-cyclopentadienyliron complexes with CO^- , N_2^- , NH_3^- , HN_3^- or N_3^- as ligands (D. Sellmann, W. Weber), (304) 195

- 1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltriosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Hardin, K. Pearson, A.K. Smith), (311) 153
- Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $\text{Os}_3(\text{CO})_9(\mu\text{-dppm})(\eta^1\text{-dppm})$ ($\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403
- Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310) C36
- Bismuth(III) as bridging ligand in organoiron complexes (J.M. Wallis, G. Müller, H. Schmidbaur), (325) 159
- Bis(perfluoroalkyl)tetracarbonyliron, intramolecular *cis-trans* isomerisation of (S.I. Vdovenko, I.I. Guerus, Yu.L. Yagupolskii), (301) 195
- Bis(tricarbonylcyclopentadienylmolybdenum), $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_3]_2$, Mo-Mo bond cleavage by ferricinium cations in the presence of Group V ligands under photochemical radiation; formation of $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{L}_2]\text{BF}_4^-$ complexes (H. Schumann), (323) 193
- Bis(2,3,4-trimethylpentadienyl)iron, solid-state structure of (J.-C. Han, J.P. Hutchinson, R.D. Ernst), (321) 389
- μ -(Boranedithiolato)bis(tricarbonyliron) compounds, $\text{XBS}_2[\text{Fe}(\text{CO})_3]_2$, preparation, structure and reactions of (H. Nöth, W. Rattay), (308) 131
- (η^5 -Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- Bromo(*syn*- η^3 -2,3-pentadienyl)tricarbonyliron, synthesis, characterisation and reactivity of (C.-C. Cheng, R.-S. Liu), (308) 237
- η^4 -1,3-Butadienetris(triethylphosphane)iron(0), synthesis properties and characterisation of (H. Hoberg, K. Jenni), (301) C59
- (Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lecht), (311) 45
- 2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martin, M.-P. Heitz), (315) 59
- t-Butanoyl-substituted η^6 -arene- η^5 -cyclopentadienyliron(II) cations, acid-catalysed ketone rearrangement of (R.M.G. Roberts, A.S. Wells), (317) 233
- t-Butyldicarbonyl- η^5 -cyclopentadienyliron, inser-
- tion reactions of (K.H. Pannell, T. Giasolli, R.N. Kapoor), (316) 315
- Carbanion addition to a metallated acetaldehyde, regiospecific alkene synthesis (D.F. Marten, M.N. Akbari), (322) 99
- Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls, $[\text{Fe}(\text{CO})_3(\text{L})(\text{L}')]$ ($\text{L} = \text{CN}(\text{Me})(\text{CH}_2)_2\text{NMe}$, $\text{L}' = \text{PEt}_3$ or $\text{L} = \text{M}(\text{OAr})_2$ ($\text{M} = \text{Ge}, \text{Sn}$), $\text{Ar} = \text{C}_6\text{H}_2\text{Bu}_2^t$ -2,6-Me-4), $\text{L}' = \text{CO}$) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27
- Carbonylcyclopentadienylethyl(triphenylphosphine)iron, $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{CH}_2\text{CH}_3]$, conformational analysis and X-ray crystal structure of (S.G. Davies, I.M. Dordor-Hedgecock, K.H. Sutton, M. Whitaker), (320) C19
- Carbonylcyclopentadienyliron complexes with potentially bidentate amine ligands, synthesis, Mössbauer and ^1H NMR study of (M.-J. Bermejo, B. Martínez, J. Vinaixa), (304) 207
- Carbonyliron compounds, reactions with ketenimines of (T. Sielisch, U. Behrens), (322) 203
- Carbonyl-iron dinuclear complexes with σ -metal-carbon bonds, synthesis, structure and properties of (H. Patin, B. Misterkiewicz, J.-Y. Le Marouille, A. Mousser), (314) 173
- Carbonyliron RP-bridged clusters, reversible alkyne addition of (K. Knoll, G. Huttner, L. Zsolnai), (307) 237
- Carbonylironrhodium clusters; synthesis and X-ray structure of $[\text{Fe}_3\text{Rh}_3(\text{CO})_{17}]^{3-}$ trianion (A. Ceriotti, R. Della Pergola, G. Longoni, B.T. Heaton, F. Demartin, M. Manassero), (311) C31
- Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153
- Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407
- C-C bond formation between donor atoms of adjacent acyl and alkenyl ligands (C.M. Lukehart, J.B. Myers, Jr., B.J. Sweetman), (316) 319
- ($\eta^5\text{-C}_5\text{H}_4\text{CH}(\text{Ph})\text{Me}\text{Fe}(\text{CO})(\text{L})\text{X}$) chiral complexes, $\text{L} = \text{phosphine, phosphite}$; $\text{X} = \text{acyl, alkyl, halide, hydride}$, preparation, diastereomers and structural characterisation of (J.E. Shade, A. Wojcicki), (319) 391
- $((\mu\text{-CH}_2)(\mu\text{-CO})(\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO}))_2$), ^1H NMR study of reversible *cis-trans* isomerisation of (M.I. Altbach, C.A. Muedas, R.P. Korswagen, M.L. Ziegler), (306) 375

- ($\eta^5\text{-C}_5\text{H}_4\text{COCl}$)(CO)₂FeCH₂Ph, intramolecular acylation of; crystal structure of (CO)₂Fe($\eta^5\text{-C}_5\text{H}_4\text{COCl}_6\text{H}_4\text{CH}_2$) (T.Yu. Orlova, V.N. Setkina, P.V. Petrovsky, A.I. Yanovsky, A.S. Batsanov, Yu.T. Struchkov), (304) 331
- [$(\text{C}_5\text{H}_5)_4\text{FeNi}$](BF₄)₂, charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39
- [$(\text{C}_2\text{H}_5)_4\text{N}^+$]₃[BiFe₄(CO)₁₆³⁻], X-ray structural characterisation of (M.R. Churchill, J.C. Fettinger, K.H. Whitmire, C.B. Lagrone), (303) 99
- μ -Chloro- μ -(diphenylethynyl)hexacarbonyldi-iron(Fe-Fe), synthesis and crystal structure of (J. Ros, J.M. Viñas, R. Mathieu, X. Solans, M. Font-Bardia), (307) C7
- (η^4 -exo- and η^4 -endo-1-chloro-2,5-diphenylsilacyclopentadiene)tricarbonyliron complexes, stereochemical behaviour of (R.J.P. Corriu, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C1
- ($\eta^5\text{-C}_5\text{Me}_5\text{Os(CO)(PMe}_2\text{Ph)Me}$ oxidative reactions; isolation of intermediates during alkyl-metal electrophilic cleavage reactions of (L.J. Sanderson, M.C. Baird), (307) C1
- [Co₈(CO)₁₈C]²⁻, electrochemical behaviour compared with those of [M₆(CO)₁₅C]²⁻ (M = Co, Rh) and [Fe₆(CO)₁₆C]²⁻ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. De Montauzon), (309) 355
- Co₃(μ_3 -CPh)(CO)₉; crystal structures of mixed-metal cluster derivatives of (M. Ahlgren, T.T. Pakkanen, I. Tahvanainen), (323) 91
- Coordinated cyclic polyolefins, reactions of; mechanism of pericyclic [4.4]-sigmahaptotropic rearrangement; crystal structure of tricarbonyl(2,3,4,5- η)bicyclo[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile]iron (Z. Goldschmidt, H.E. Gottlieb, E. Genizi, D. Cohen, I. Goldberg), (301) 337
- Cp^{*}Fe(CO)₂[η^1 -SP(S)(OR)₂] (Cp* = $\eta\text{-C}_5\text{H}_5$ or $\eta\text{-C}_5\text{Me}_5$), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320) 317
- [CpFeP₂L]⁺ cations, (Cp = C₅H₅, C₅Me₅; L = CO vs. CH₃CN; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322) C13
- Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting N.E. Schore), (320) 339
- [η^5 -Cyclopentadienyl- η^6 -areneiron]⁺ cations bearing methylene, methyl or methyne substituents at arene, preparation of (M. Le Rudulier, C. Moinet, E. Raoult), (310) 209
- η^5 -Cyclopentadienyl- η^6 -areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), (302) 389
- Cyclopentadienylcarbonyliron cationic complexes alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145
- Cyclopentadienylcobalt(III) dicitrations, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391
- Cyclopentadienyldicarbonyl- σ -benzyliron derivatives with oxygen-containing functional groups in the cyclopentadienyl ring (T.Yu. Orlova, V.N. Setkina), (304) 337
- Cyclopentadienyliron complexes, coordination of polyfunctional thioether in (N. Kuhn, H. Schumann), (315) 93
- Cyclopentadienyliron complexes, exploratory flash vacuum pyrolysis of (C. Glidewell, J.S. McKechnie), (321) C21
- 4-Cyanobuta-1,3-dienylidene bridging group, formation from reaction of [(C₅H₅)₂Fe(CO)]₂(μ -CO)(μ -C=CH₂) with HC≡CCN of (M. Etienne, J.E. Guerchais), (314) C81
- Decacarbonyltriiron nido clusters, rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (312) C57
- Diazabutadienehexacarbonyldiiron complexes of t-BuN=CHCH=N-i-Pr, ¹H NMR identification of regioisomers of (H.-W. Frühauf, J. Breuer), (301) 183
- (1,4-Diaza-1,3-diene)tricarbonyliron, reactions with alkynes under formation of 1,5-dihydro-pyrol-2-ones of; stereospecific ligand incorporation in formation of the [2.2.2]bicyclic intermediate (H.-W. Frühauf, F. Seils), (302) 59
- [μ -2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanyl bis-(tricarbonylmolybdenum) disolvate, formation of (D. Sellmann, G. Binker, R. Boese), (311) C11
- 1,3-Diborabenzenes complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16
- Dicarbonylcyclopentadienyliron-substituted phosphaalkene with Fe-P bonds, synthesis and structure of (L. Weber, K. Reizig, M. Frebel, R. Boese, M. Polk), (306) 105
- η -o-Dichlorobenzene- η^5 -cyclopentadienyliron hexafluorophosphate, nucleophilic substitution reactions with (C.C. Lee, A.S. Abd-El-Aziz, R.L. Chowdhury, U.S. Gill, A. Piórko, R.G. Sutherland), (315) 79
- trans*-Dichlorotetrakis(xylyl isocyanide)iron(II) and chloropentakis(xylyl isocyanide)iron(II) tetrachloroferrate(III) (M.G.B. Drew, G.H. Dodd, J.M. Williamson, G.R. Willey), (314) 163

- Dicoballdiiron clusters, selectivity in carbonyl reduction of; formyl intermediates in formation of hydrido derivatives (M.G. Richmond, J.K. Kochi), (323) 219
- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Rufińska), (323) 305
- η^5 -Dienyltricarbonyliron cations, iodide addition to a carbon monoxide ligand in (G.R. John, L.A.P. Kane-Maguire, R. Kanitz), (312) C21
- Diethylaminodichlorophosphine in reaction with sodium tetracarbonylferrate(-II), diethylamino migrations in (R.B. King, F.-J. Wu, E.M. Holt), (314) C27
- Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekaroğlu), (317) 301
- 1,5-Dihydropyrrol-2-ones, formation from (1,4-diaza-1,3-diene)tricarbonyliron and alkyne, electronic and steric effects in reactions of (H.-W. Fräufau, F. Seils), (323) 67
- Diiron μ -ketene complex, $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]\text{CH}_2\text{CO}[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]$, conversion into binuclear cationic oxycarbene complexes of and their bimodal reactivities (M. Akita, A. Kondoh, T. Kawahara, Y. Moro-Oka), (323) C43
- Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), (303) 397
- 1-Dimethylaminopropyne, reactivity towards dodecacarbonyltriiron and nonacarbonyldiiron of; synthesis and structures of $\text{Fe}_2(\text{CO})_6(\text{C}_5\text{O}(\text{CH}_3)_2(\text{N}(\text{C}_2\text{H}_5)_2)_2)$, $[\text{Fe}(\text{CO})_8(\text{C}_4(\text{CH}_3)_2(\text{N}(\text{C}_2\text{H}_5)_2)_2)]$, $[\text{Fe}_2(\text{CO})_7(\text{C}_2(\text{CH}_3)(\text{N}(\text{C}_2\text{H}_5)_2)_2)]$ and $[\text{Fe}_3(\text{CO})_8(\text{C}_4(\text{CH}_3)_2(\text{N}(\text{C}_2\text{H}_5)_2)_2)]$ (E. Cabrera, J.-C. Daran, Y. Jeannin, O. Kristiansson), (310) 367
- Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures $[\text{Fe}_2\text{I}(\text{CO})_5\{\mu-(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{O}-\text{Me})_2\}_2]\text{PF}_6^-$ and $[\text{Ru}_2\{\mu-\text{I}\}\text{I}(\text{CO})_3\{\mu-(\text{i-PrO})_2\text{PN}(\text{Et})\text{P}(\text{i-PrO})_2\}_2]$ (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21
- Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of $[\text{Ru}_2\text{Cl}_2(\text{CO})_4\{\mu-(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2\}_2]$ (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310) C42
- Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322) C7
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, C. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetra-thiadecane)iron, $[\text{Fe}(\text{dttd})(\text{THF})_2]$, reactions with tetracarbonylnorbornadienemolybdenum, $[\text{Mo}(\text{CO})_4(\text{nor})]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-dttd}[\text{Mo}(\text{CO})_3]_2]\cdot 2\text{H}_2\text{O}$ and $[\mu\text{-dttd}[\text{Mo}(\text{CO})_4]_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323
- Dithioester pentacarbonyldiiron complexes, structures and properties of (A. Lagadec, B. Misterkiewicz, H. Patin, A. Mousser, J.-Y. Le Marouille), (315) 201
- Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197
- Dodecacarbonyldiironruthenium and tridecacarbonyldihydridodiironruthenium, synthetic route to; crystal structure of $\text{H}_2\text{Fe}_2\text{Ru}_2(\text{CO})_{13}$ (T. Venäläinen, T.A. Pakkanen), (316) 183
- Dodecacarbonyltriiron related clusters, ^{57}Fe Mössbauer spectroscopic study of (M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola, T. Venäläinen), (317) 243
- 1,2-Ethanedithiolato complex $[(\text{CO})_3\text{Fe}_2\text{SC}_2\text{H}_4\text{S(O)}]$, synthesis and structure of; insertion reactions of ethene and carbon monoxide into S-S bonds of nido-clusters $[(\text{CO})_3\text{FeS}]_2$ (J. Messelhäuser, K.U. Guttensohn, I.-P. Lorenz, W. Hiller), (321) 377
- $\text{Fe}(\text{C}(\text{CF}_3)_2(\text{OH}))(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)$, X-ray structure of (M.I. Bruce, D.N. Duffy, M.R. Snow, E.R.T. Tiekkink), (310) C33
- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_{4-n}(\text{CNMe})_n]$ ($n = 0\text{--}4$) complexes, reactions with halogens and mercury(II) salts of (R. Kumar, A.R. Manning, P.T. Murray), (323) 53
- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\text{CNMe})\{\text{CN}(\text{Me})\text{H}\}]^+$, anion control of the reaction products with Ag^+ salts of (B. Callan, A.R. Manning), (306) C61
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})(\mu\text{-SC}_5\text{H}_9\text{NCH}_3)]_2$, synthesis, crystal structure and properties of (W. Gaete, J. Ros, R. Yañez, X. Solans, M. Font-Altaba), (316) 169
- $\text{Fe}(\text{CNCH}_3)_4(\text{CN}_2)$, photolysis in acetonitrile solution of (L.L. Costanzo, S. Giuffrida, G. De Guidi, G. Condorelli), (315) 73

- cis*-[Fe(CO)₂(t-Bu₂C₆H₂S₂)₂]²⁻, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21
- Fe₃(N≡CMe)(CO)₉, formation during reactions of Fe₃(μ₃-CMe)(CO)₁₀X clusters with alkynes (X = NO) or diazoalkanes (X = H); first examples of ethylidene-nitrogen coupling to acetonitrile (D. Nuel, R. Mathieu), (307) C5
- Fe₃(PhCH₂N)(CO)₁₀ and HFe₃(PhCH = N)-(CO)₉, preparation from benzalazine and Fe₃(CO)₁₂; X-ray crystal structure of μ-(o-C₆H₄CH₂NN=CHPh)Fe₂(CO)₆ (N.S. Nametkin, V.D. Tyurin, V.V. Trusov, A.I. Nekhaev, A.S. Batsanov, Yu.T. Struchkov), (302) 243
- Ferrocene; annual survey 1985 (B.W. Rockett, G. Marr), (318) 231
- Ferrocene derivatives, electronic structure studied by He(I) photoelectron spectroscopy and CNDO/2 method of (T. Vondrák), (306) 89
- Ferrolo C-functional complexes, new synthesis of (D. Seyferth, C.M. Archer, J.C. Dewan), (308) C5
- {Fe₄S₄} cluster, formation of {Fe₂S₂}- and {Fe₃S}-carbonyls from; crystal structure of [Fe₃S(CO)₉]²⁻ (F.T. Al-Ani, D.L. Hughes, C.J. Pickett), (307) C31
- [FeW(μ-CC₆H₄Me-4)(CO)₅(η-C₅Me₅)], addition of methylene groups to (E. Delgado, J. Hein, J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (307) C23
- Fluxional cryptands containing metallocene units (P.J. Hammond, P.D. Beer, C. Dudman, I.P. Danks, C.D. Hall, J. Knychala, M.C. Grossel), (306) 367
- (2-Formylbutadiene)tricarbonyliron, preparation, chirality and reactivity of (M. Franck-Neumann, D. Martina, M.-P. Heitz), (301) 61
- Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147
- Fulvenetricarbonylchromium complexes and α-ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333
- Halogenobenzencyclopentadienyliron electro-neutral derivatives, preparation and properties of (N.A. Vol'kenau, P.V. Petrovskii, L.S. Shilovtseva, D.N. Kravtsov), (303) 121
- Hetero-bi- and -trimetallic complexes containing electron-releasing and electron-accepting redox centres (P.D. Beer, C.J. Jones, J.A. Mc Cleverty, R.P. Sidebotham), (325) C19
- (N-Heterocyclic)(η⁴-diene)dicarbonyliron(0) compounds, X-ray structure of (M.-A. De Paoli, J.E. Lechat, A.T. Inumaru), (320) 91
- Heterodinuclear complex with bridged ethenyl ligand, FeCo(CO)₇(μ-CH=CPhH), synthesis and crystal structure of (I. Moldes, J. Ros, R. Yáñez, X. Solans, M. Font-Altaba, R. Mathieu), (315) C22
- Heterodinuclear complexes with CH₃C₅H₄(CO)₂(MePh₂Si)Mn fragments, reactivity of (U. Schubert, E. Kunz), (303) C1
- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M' bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38
- Heteronuclear (W-Fe) and homonuclear (Fe-Fe) μ-alkylidenemetal complexes from mononuclear terminal carbene complexes; crystal structures of CH₃C₂H₂(CO)₈WFeOC₂H₅ and (CO)₆WFeC₃H(CH₃)(OC₂H₅)₂ (C. Alvarez-Toledano, A. Parlier, R. Rose-Munch, H. Rudler, J.C. Daran, C. Knobler, Y. Jeannin), (323) 371
- Hexamethylbenzene, bifunctionalisation via temporary coordination to Fe²⁺ of (D. Mandon, D. Astruc), (307) C27
- Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83
- Hydrogenation of polyaromatics on ligand exchange with ferrocenes (V. Guerchais, D. Astruc), (312) 97
- Indenyliron cationic complexes, [η⁵-C₉H₇Fe(CO)₂L]⁺ (L = phosphine, phosphite, CO), synthesis of (H.H. Hammud, G.M. Moran), (307) 255
- Iron-containing M₆ and M₅ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25
- Iron-rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56
- Iron-tris(dimethylphosphinomethyl)methylsilane complexes, chemistry of; crystal structure of [{Fe((Me₂PC₂H₅)₃SiMe)}₂(μ-H)₂(μ-C=CH₂)] with a vinylidene group derived from ethylene (J.M. Boncella, M.L.H. Green), (325) 217
- Ligand-iron(0) systems, 1,3-diene reactions with CO₂ at; formation of carboxylates and their reactions (H. Hoberg, K. Jenni), (322) 193
- Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

- Methoxymethylidyneironruthenium cluster complex, $\text{Fe}_2\text{Rh}(\mu\text{-H})(\mu_3\text{-COCH}_3)(\text{CO})_7(\eta^5\text{C}_5\text{H}_5)$, molecular structure and fluxional behaviour of (L.J. Farrugia), (310) 67
- μ -Methylenebis(tetracarbonyliron) complex, $\mu\text{-CH}_2\text{Fe}_2(\text{CO})_8$, synthesis from pentacarbonyliron and dibromomethane of (G. Tanguy, J.-C. Clement, H. Des Abbayes), (314) C43
- μ -Methyleneiron complex, double acetylene insertion into; formation of μ -(divinyl)-carbeneiron complex after double hydrogen migration (D. Navarre, A. Parlier, H. Rudler, J.C. Daran), (322) 103
- Migratory CO insertion, rate structure correlations and steric acceleration in the octahedral iron(II) case for (C.R. Jablonski, Y.-P. Wang), (301) C49
- $\text{Mo}_2[(\eta^5\text{C}_5\text{H}_4\text{CO}_2)\text{Fe}(\eta^5\text{C}_5\text{H}_5)]_2(\text{O}_2\text{CCH}_3)_2\text{-}(\text{C}_5\text{H}_5\text{N})_2$ and $[\text{Mo}_2[(\eta^5\text{C}_5\text{H}_4\text{CO}_2)\text{Fe}(\eta^5\text{C}_5\text{H}_5)]_4(\text{ax-CH}_3\text{CN})(\text{ax-DMSO})](\text{DM-SO})_2$, synthesis, X-ray crystallographic and electrochemical studies of (F.A. Cotton, L.R. Falvello, A.H. Reid, Jr., J.H. Tochter), (319) 87
- Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383
- Nonacarbonyldiiron in reactions with $\text{C}_5\text{H}_5\text{Rh}(\text{PhC}\equiv\text{CH})\text{PPri}_3$, competitive formation of heterometallic dinuclear complexes with $\mu\text{-C=CPh}$ and $\mu\text{-}\eta^1,\eta^3\text{-CHCPhCO}$ bridging ligands (H. Otto, F.J. Garcia Alonso, H. Werner), (306) C13
- Nonacarbonyltriiron triple-bridged clusters, $[(\mu_3\text{-RP})\text{Fe}_3(\text{CO})_9]^{2-}$, synthesis and reactions of (K. Knoll, G. Huttner, L. Zsolnai, O. Orama, M. Wasiucionek), (310) 225
- Organoferricinium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357
- Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- Organometallic iron-selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295
- Pentacarbonyliron, reaction with N,N -diethyl-S-ethylcarbamate of; crystal structure of $[(\text{Fe}_2(\text{CO})_6)_3(\mu_4\text{-S})_2(\mu\text{-CNEt}_2)_2]_3(\text{Fe-Fe})$ (H.G. Raubenheimer, G.J. Kruger, A. van A. Lombard), (323) 385
- 2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371
- 1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143
- $\mu_3\text{-}\eta^2\text{-Phosphaalkyne}$ complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[\text{M}_3\text{H}(\text{CO})_9(\text{Bu}^1\text{CP})]^-$ ($\text{M} = \text{Fe}, \text{Ru}$), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307
- Phosphaferroenes, $\eta^5\text{-C}_5\text{Me}_5\text{Fe}\text{-}\eta^5\text{-PC}_4(\text{R}_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323
- Phosphidoiron cluster, $[(\text{Fe}_3(\text{CO})_{10})\text{P}(\text{Fe}(\text{CO})_4)]^-$, synthesis and X-ray analysis of (A. Gourdon, Y. Jeannin), (304) C1
- Phosphine-centred resolution of $(\eta^4\text{-diene})\text{Fe}(\text{CO})_3$ complexes, $(\eta^4\text{-tropone})\text{Fe}(\text{CO})_2\text{L}$ and $(\eta^4\text{-isoprene})\text{Fe}(\text{CO})_2\text{L}$ ($\text{L} = (+)\text{-}(neomenthyl)}\text{PPh}_2)$ formed by (J.A.S. Howell, A.D. Squibb, G. Walton, P. McArdle, D. Cunningham), (319) C45
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{R}_3\text{EX})]^+$ ($\text{E} = \text{P}, \text{As}, \text{Sb}; \text{X} = \text{S}, \text{Se}$) (N. Kuhn, H. Schumann), (304) 181
- Polymethylthiopheneiron complexes, σ vs. π bonding in (V. Guerchais, D. Astruc), (316) 335
- (Pyridine-2-carbaldehyde-iminehexacarbonyl-di-iron and -diruthenium) complexes with $\sigma\text{-N},\mu_2\text{-N}',\eta^2\text{-C=N}'$ bonded $6\text{-R}^1\text{-py-2-C(R}^2\text{)}=\text{NR}$ ligand; X-ray structure of $[\text{Ru}_2(\text{CO})_5\{\text{1,2-bis}(\mu\text{-isopropylamido)-1,2-bis}(2\text{-pyridyl)ethane}\}]$ containing two C-C linked pyridine-2-carbaldehyde-imine ligands (L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen, C.H. Stam), (304) 353

- Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7
- Silver(I) electrophiles, reactions with $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\text{L}\{\text{CN}(\text{Me})\text{H}\})]^+$ and $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2\{\text{CN}(\text{Me})\text{H}\}_2]^{2+}$ salts ($\text{L} = \text{CO}$ or CNMe) of (B. Callan, A.E. Manning), (316) 325
- Stable cationic diene-iron complexes, preparation and characterisation of (M.J. Hynes, M.F.T. Mahon, P. McArdle), (320) C44
- Sulphur monoxide-iron cationic complex, $[\text{CpFe-(dppe)-(SO)}]\text{PF}_6^-$, and sulphur dioxide-iron cationic complex, $[\text{CpFe(dppe)(SO}_2)]\text{PF}_6^-$, preparation of (W.A. Schenk, S. Müssig), (320) C23
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Thiocarbonyliron(0) complex, formation by desulphurization of $\text{Fe}(\eta^2\text{-CS}_2\text{R})^+$ with P-n-Bu_3 ; crystal structure of $\text{Fe}(\text{CS})(\text{CO})_2\text{(PPPh}_3)_2$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, L. Toupet), (317) 291
- Thiolatoamine-iron(II) and -molybdenum(II) with $[\text{M}(\text{SNNS})]$ units and CO, PMMe_3 , NO and N_2H_4 as coligands ($\text{SNNS} = (\text{SC}_6\text{H}_4\text{N}-\text{R})\text{C}_2\text{H}_4\text{N}(\text{R})\text{C}_6\text{H}_4\text{S}^{2-}$; $\text{R} = \text{H, CH}_3$) (D. Sellmann, U. Reineke), (314) 91
- Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluor-aromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199
- Trialkyl- and triaryl-stannylferrocenes, structure and reactivity of (R.M.G. Roberts, J. Silver, J. Azizian), (303) 387
- Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320) 325
- Tricarbonyl(1-aza-1,3-butadiene)iron complexes, $[\text{Fe}(\text{CO})_3(\text{RN}=\text{CHCH=CHPh})]$, mechanism of photochemistry in CH_4 matrices at 10 K and in solution at 293 K of (M.W. Kokkes, P.C.J. Beenjes, D.J. Stufkens, A. Oskam), (306) 77
- Tricarbonyl- η^5 -cyclohexadienyliumiron tetrafluoroborate, reaction with fluoride ion of (P.M. Miller, D.A. Widdowson), (303) 411
- Tricarbonyldieneiron complexes, application of ultrasound to (S.V. Ley, C.M.R. Low, A.D. White), (302) C13
- Tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_7 , 2-MeOC $_6\text{H}_6$, C_7H_9), synthetic and mechanistic studies of addition of 4-chloroaniline to (T.I. Odiaka), (321) 227
- Tricarbonyliron complexes of *para*-quinodimethane and related conjugated hydrocarbons, theoretical studies of (H. Vogler), (306) 99
- Tricarbonyl(η^5 -2-methyl-3-methoxycyclohexadienyl)iron(1 +)PF $_6$ (1 -), application in organic enantiomer synthesis of (I.M. Palotai, G.R. Stephenson, L.A.P. Kane-Maguire), (319) C5
- Tricarbonyl-8-p-tolyl-8-azahetafulveneiron, reaction with tetracyanoethene of (S.K. Chopra, P. McArdle), (316) 177
- Triferrocenylferrrocenoxyoxotungsten, $\text{WO(OFc)}-\text{Fc}_3$ ($\text{Fc} = \text{ferrocenyl}$), molecular structure in the solid state and dynamic behaviour in solution of (M. Herberhold, H. Kniesel, L. Haumaier, U. Thewalt), (301) 355
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29
- Trimetallic complex containing three redox centres, syntheses of; assessment of inductive effect transmission through an iron atom (P.D. Beer, S.M. Charsley, C.J. Jones, J.A. McCleverty), (307) C19
- (η^6 -1-Triphenylstannylbenzene)(η^5 -cyclopentadienyl)iron(II) hexafluorophosphate, preparation, structure and reactivity of (C.S. Frampton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver), (307) 231
- Undecacarbonyltriiron cluster, reactions with monosubstituted alkynes of the triiron unit in (J. Suades, R. Mathieu), (312) 335
- Vinylcarbynetetrairon complex, synthesis of; crystal and molecular structure of $[(\text{C}_2\text{H}_5)_2\text{-}(\text{CO})_2\text{Fe}_2(\mu\text{-CO})_2(\mu\text{-C}_5\text{H}_3)]^+\text{BF}_4^-$ (C.P. Casey, M.S. Konings, K.J. Haller), (301) C55

Lanthanides

- Lanthanides and actinides; annual survey 1981 (R.D. Ernst), (318) 29
- Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1'-(3-oxapentamethylene)dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285
- 1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

Lanthanum

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Lead

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), (301) 15

Lead; Annual Survey covering the year 1983 (J. Wolters, D. de Vos) (313) 413

Main Group IV organometallic halides, insertion of indium(I) halides into the M-X bond of (T.A. Annan, D.G. Tuck), (325) 83

Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

Organolead solid compounds, high-resolution ^{207}Pb NMR of (J.R. Ascenso, R.K. Harris, P. Granger), (301) C23

Phenyltin(IV) and phenyllead(IV) halides hexamethylphosphoramide adducts, fast atom bombardment mass spectrometry of (J.M. Miller, H. Mondal, I. Wharf, M. Onyszchuk), (306) 193

Triorganotin and triorganolead methyloxalates, preparation and structure of (A. Glowacki, F. Huber, H. Preut), (306) 9

α -Triorganostannylvinyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151

Lithium

1-Acetoxy-1,2,2-triethoxyethane, reactions with organometallic compounds of (A. Stambouli, R. Amouroux, F. Chastrette, M. Chastrette, G. Mattioda, A. Blanc), (307) 139

Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liége, N. Collignon), (304) 283

Allyl(pentamethyldiethylenetriamine)lithium, $\text{Li-C}_3\text{H}_5(\text{Me}_2\text{NC}_2\text{H}_4\text{N}(\text{Me})\text{C}_2\text{H}_4\text{NMe}_2)$, preparation and crystal structure of (U. Schümann, E. Weiss, H. Dietrich, W. Mahdi), (322) 299

1-Amido-2-vinylcyclopropanes, preparation from monohalogenated allyllithium compounds

and α -ethylenic tertiary-amides (P. Ongoka, B. Mauze, L. Miginiac), (322) 131

Arenetricarbonylchromium(0) complexes, acidity in THF of (R.R. Fraser, T.S. Mansour), (310) C60

Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

Bis(lithioamino)- and tris(lithioamino)-silane dimers containing electron-deficient Li_4N_4 and Li_6N_6 clusters, syntheses and crystal structures of (D.J. Brauer, H. Bürger, G.R. Liewald), (308) 119

2,6-Bis(lithiumtrimethylsilylmethyl)pyridine · 2TMEDA, monomeric dilithio compound exhibiting electrostatic charge communication (R. Hacker, P.v.R. Schleyer, G. Reber, G. Müller, L. Brandsma), (316) C4

Bis(tetramethylethylenediamine)lithium tetrakis-(t-butylacetate(III)), synthesis, molecular structure and reactive behaviour towards α,β -unsaturated carbonylic compounds of (H. Schumann, W. Genthe, E. Hahn, J. Pickardt, H. Schwarz, K. Eckart), (306) 215

α -Bromoaryl esters and α -chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tschach), (317) 11

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martina, M.-P. Heitz), (315) 59

(*Si*-n-Butylamino)methylsilanes (silazates), preparation, IR and ^1H and ^7Li NMR spectra of mono- and poly-lithiated derivatives of (B.J. Baylett, C.-F. Liaw), (325) 91

n-Butylpotassium, preparation, synthetic use and NMR properties in hexane and THF solutions of (R. Pi, W. Bauer, B. Brix, C. Schade, P.v.R. Schleyer), (306) C1

Carbanion addition to a metallated acetaldehyde, regiospecific alkene synthesis (D.F. Marten, M.N. Akbari), (322) 99

C-C bond formation between donor atoms of adjacent acyl and alkenyl ligands (C.M. Lukehart, J.B. Myers Jr., B.J. Sweetman), (316) 319

Chlorofluorovinylsilanes and derivatives thereof, synthesis of (S. Martin, R. Sauvêtre, J.-F. Normant), (303) 317

Cyclic polynuclear ferrocenes derived from $(\text{C}_6\text{H}_5)_2\text{PCH}_2\text{CH}_2\text{Si}(\text{CH}_3)_2\text{C}_5\text{H}_4\text{Li}$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

cis-Diacetoxylation of alkenes with tellurium(IV)

- oxide and lithium bromide in acetic acid (S. Uemura, K. Ohe, S.-I. Fukuzawa, S.R. Patil, N. Sugita), (316) 67
- 1,3-Diborabenzeno complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16
- μ -[(Di- η^5 -cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), (302) 363
- Diene(polyfluorophenyl)platinum(II) complexes, preparations and ligand displacement reactions of (G.B. Deacon, K.T. Nelson-Reed), (322) 257
- 2,4'-Dilithiophenylethyne, generation and selective trapping of (M. Furber, R.J.K. Taylor, S.C. Burford), (311) C35
- Dilithium benzene- α -diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
- Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), (301) 15
- Dimethyltris(trimethylsilyl)methylsilylsilanato-lithium tetrahydrofuranate, preparation and crystal structure of (P.B. Hitchcock, N.H. Buttrus, A.C. Sullivan), (303) 321
- Fluoropyridinyl-containing chlorosilanes, synthesis and hydrolysis of (M. Zeldin, J.-M. Xu), (320) 267
- Hydroalumination of olefins by LiAlH₄/UCl₄ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1
- Li₂[{(C₅(CH₃)₄)₂CH₂] and ring-bridged rhodium dinuclear complexes with (C₅(CH₃)₄)₂-CH₂²⁻ as bridging ligand (H.J. Scholz, H. Werner), (303) C8
- Li₄(μ_2 -PR₂)₂(μ_3 -PR₂)(THF)₂ and Li(PR₂)-pentamethyldiethylenetriamine, isolation and NMR spectra of; X-ray structures of the former and [Li(μ -PR₂)(THF)₂]₂ (R = SiMe₃) (E. Hey, P.B. Hitchcock, M.F. LapPERT, A.K. Rai), (325) 1
- Li[RhI₂(CO)₂], iodide and acetate salt promotion of carbonylation of methanol to acetic acid catalysed by (M.A. Murphy, B.L. Smith, G.P. Torrence, A. Aquiló), (303) 257
- α -Lithio- α -substituted alkanephosphonates (RO)₂P(O)CHR'Li (R' = H, alkyl, Cl), synthesis, relative basicity and self-condensation of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (312) 283
- Lithium-arsenic homoleptic compound, [Li(μ -As(CH(SiMe₃)₂)₂]₃, synthesis, structure and reactions of (P.B. Hitchcock, M.F. LapPERT, S.J. Smith), (320) C27
- Lithium 2-(dimethylaminoethyl)phenyl cu-
- prates, steric consequence of diastereoselective addition to enones of (S. Andersson, S. Jagner, M. Nilsson, F. Urso), (301) 257
- Lithium nitride reduction of chlorocyclopenta-dienyltitanium complexes, reaction products of (M. Kilner, G. Parkin), (302) 181
- Lithium salts of imino- and amino-silanes, crystal structures of (R. Boese, U. Klingebiel), (315) C17
- Metallated acetylenes and allenes, reactions with carbon disulphide of (R.L.P. de Jong, L. Brandsma), (312) 277
- Methylolithium addition Rh(COMe)(CO)(triphos), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51
- α -Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isocyanide ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301
- Nickelirenes and nickeloles as catalytic carriers in oligomerisation of alkynes (J.J. Eisch, J.E. Galle, A.A. Aradi, M.P. Boleslawski), (312) 399
- Organonickel hydrides with ionic contacts to sodium and lithium, structural and bonding characteristics of (R. Goddard, C. Krüger, K.R. Pörschke, G. Wilke), (308) 85
- Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), (303) 309
- P-C bond cleavage in diphosphines by lithium; crystal structure of [Li₄(PhPCH₂CH₂PPh)₂-(OC₄H₈)₃] (P. Brooks, D.C. Craig, M.J. Gallagher, A.D. Rae, A. Sarroff), (323) C1
- Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29
- {PhCH₂NLiCH₂CH₂NMe₂}, { α -LiC₆H₄CH₂-NLiCH₂CH₂NMe₂}, isolation and solution structures of; evidence for Li... α -HC interactions (D. Barr, R. Snaith, D.S. Wright, R.E. Mulvey, K. Jeffrey, D. Reed), (325) C1
- Phenylated trigermanes, preparation of (M. Dräger, D. Simon), (306) 183
- α -Silylated and α , α -disilylated phosphonates, (RO)₂P(O)CR¹R²SiR³R⁴R⁵ and (RO)₂P(O)-CR¹[Si(CH₃)₃]₂, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135
- Silyltin(II) bulky derivative, formation and structure of (A.M. Arif, A.H. Cowley, T.M. Elkins), (325) C11
- N-Substituted-2-carboxamidophenylboronic acid

- anhydrides, preparation of (J. Altman, H. Böhnke, A. Steigel, G. Wulff), (309) 241
- α -Sulphonylvinylolithium compounds, stereochemical stability of (H. Kleijn, P. Vermeer), (302) 1
- Tetraalkyl esters of methylene bis-phononic acid, relative reactivities of (D.W. Hutchinson, G. Semple), (309) C7
- Tetrachlorotitanium and trichlorocyclopentadienyltitanium, reactions with tridentate triaminosilyl ligands; crystal and molecular structure of a titanabicycloheptane with Si-N-Li-Cl-Ti chain (D.J. Brauer, H. Bürger, G.R. Liewald), (307) 177
- Tin-alkylation of sterically-hindered stanna-heterocyclic compounds; synthesis of tri-t-butyltin-lithium chalcogenides (D. Hänssgen P. Reuter, G. Döllen), (317) 159
- Transition metal butadiene complexes, formation via vinylolithium of (R. Beckhaus, K.-H. Thiele), (317) 23
- 2,4,6-Tri-t-butylphenyllithium, reaction with bromotrichlorosilane under generation of LiSiCl₃ of (H. Oehme, H. Weiss), (319) C16
- Trimethylsilyllithium, X-ray crystal structure of (B. Tecle', A.F.M.M. Rahman, J.P. Oliver), (317) 267
- Trimethylstannyllithium mediated synthesis of 2-, 3- and 4-trimethylstannylcyclohexanol (A. Ricci, M. Taddei, G. Seconi), (306) 23
- α -Triorganostannyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151
- Tris(lithiomethyl)cyclohexane and hexolithiotrimethylcyclohexanetriolate, multiply metallated organic intermediates (C. Rücker), (310) 135
- 2,4,6-Tris(trifluoromethyl)phenyllithium, a sterically crowded system (G.E. Carr, R.D. Chambers, T.F. Holmes, D.G. Parker), (325) 13
- Vinyllithiums containing triorganostannyl groups on the α -carbon atom, preparation and stability of (T.N. Mitchell, W. Reimann), (322) 141
- (η^5 -C₅H₅)₂LuCl · OC₄H₈, formation and X-ray crystal structure of (C. Ni, Z. Zhang, D. Deng, C. Qian), (306) 209
- Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29
- Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and ¹³⁹La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Magnesium

- 1-Acetoxy-1,2,2-triethoxyethane, reactions with organometallic compounds of (A. Stambouli, R. Amouroux, F. Chastrette, M. Chastrette, G. Mattioda, A. Blanc), (307) 139
- Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with Z- or E-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343
- Alkyl- and alkenyl-sodium compounds, solubility in hexane on complexation with magnesium alkoxides of (C.G. Screttas, M. Micha-Screttas), (316) 1
- Alkylation of an arene π -complex, reversal of regiocontrol in (R.P. Alexander, G.R. Stephenson), (314) C73
- Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanner, H. Schumann, S. Chocron, M. Michman), (310) 107
- Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, (Me₅C₅)₂MLn (M = Mg, Ca, Sr, Ba), and Me₅C₅BeCl, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31
- (Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7
- Carbanion addition to a metallated acetaldehyde, regiospecific alkene synthesis (D.F. Marten, M.N. Akbari), (322) 99
- Copper(I) salts and dialkylcopper magnesium halides as catalysts in α -methylene- and α -(hydroxymethyl)-alkanoic ester preparation from substitution of α -(acetoxymethyl) acrylate or addition to ethyl- α -(hydroxymethyl) acrylate (H. Amri, M. Rambaud, J. Villieras), (308) C27
- Dicarboranyl magnesium bis(dioxane) adduct, Mg(2-Me-1,2-C₂B₁₀H₁₀)₂ · 2C₄H₈O₂, pre-

Lutetium

- Bis(tetramethylethylenediamine)lithium tetrakis(t-butylacetate(III)), synthesis, molecular structure and reactive behaviour towards α,β -unsaturated carbonylic compounds of (H. Schumann, W. Genthe, E. Hahn, J. Pickardt, H. Schwarz, K. Eckart), (306) 215

- paration and crystal structure of (W. Clegg, D.A. Brown, S.J. Bryan, K. Wade), (325) 39
- Diene- and aryne-substituted metallocene complexes, cyclometallation reactions of (G. Erker, T. Mühlenernd), (319) 201
- Diethyl-1-magnesium chloride methanephosphonate, novel Grignard reagent used in organic synthesis (P. Coutrot, M. Youssefi-Tabrizi, C. Grison), (316) 13
- Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291
- Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19
- Grignard reagents, novel, continuous high-yield synthesis of (J.R. Jennings), (325) 25
- Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
- 2-Phenylcyclobutylmethyl bromide Grignard reagent, formation and rearrangements of (E.A. Hill, C.L. Harder, R. Wagner, D. Meh, R.P. Bowman), (302) 5
- Polygermanes as by-products of the Grignard reaction of PhMgBr and GeCl_4 (S. Roller, D. Simon, M. Dräger), (301) 27
- Tetrafluoroterephthalonitrile, monoalkyldecyanation by reactions with Grignard reagents of (D.J. Milner), (302) 147
- Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320) 325
- Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, P. Wimmer), (309) C4
- Unsolvated dibutylmagnesium, reaction with aldehydes in the presence of lithium alkoxide in hydrocarbon solvents under homogeneous conditions, formation of ketones by (C.G. Scettas, B.R. Steele), (317) 137
- Alumino-metallocaminocarbene complexes ($M = \text{Fe}, \text{Mn}$), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149
- Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91
- 2,2'-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- Bis(dimethylphosphine)cyclopentadienylcobalt), $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)_2]$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- Bis(diphenylphosphino)acetylene complexes of $\text{C}_5\text{H}_5(\text{CO})_2\text{Mn}$ and $(\text{CO})_5\text{M}$ ($M = \text{Cr}, \text{W}$), preparation and characterisation of (O. Orama), (314) 273
- Bis[tris(dimethylamino)phosphane]hexacarbonyldimanganese, $\text{Mn}_2(\text{CO})_8[\text{P}(\text{NMe}_2)_3]_2$, structural study of (J.J. Hunt, E.N. Duesler, R.T. Paine), (320) 307
- $(\eta^5\text{-Borole})\text{cobalt}$ complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- Carbonyl-manganese(I) and -molybdenum(II) mononuclear complexes with chelating biimidazole, bibenzimidazole or tetramethyl-biimidazole ligands (M.P. Gamasa, E. Garcia, J. Gimeno, C. Ballesteros), (307) 39
- Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153
- Carbonylmanganese halogen-bridged cationic compounds, synthesis of; X-ray structure of $[\text{Mn}_2(\mu\text{-I})(\text{CO})_8(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)][\text{BF}_4]$ (V. Riera, M.A. Ruiz, A. Tiripicchio, M. Tiripicchio Camellini), (308) C19
- Carbonylnitrosyl(cycloheptadienyl)manganese cations, electrophilic reactivity of the dienyl ring in (E.D. Honig, D.A. Sweigart), (308) 229
- Carbonylnitrosyl(cyclohexadienyl)manganese cations, electrophilic reactivity of the dienyl ring in (Y.K. Chung, D.A. Sweigart), (308) 223
- $\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})\text{AuPPh}_3$ ($Mn-Au$) and $[\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})]_2\text{Pt}(3\text{-picolin})_2$ ($Mn-Pt$), synthesis from $\text{Na}[\text{CH}_2\text{C}_5\text{H}_4(\text{CO})_2\text{MnSiR}_3]$; formation of metal-metal bonds and simultaneous SiR_3/H exchange (E. Kunz, J. Müller, U. Schubert), (320) C11

Manganese

$\eta^2\text{-Acetylene-}$ and $\eta^1\text{-vinylidene-}$ manganese complexes, preparation from *p*-diethynylbenzene and cymantrene; X-ray crystal and molecular structure of $(\text{C}_5\text{H}_5)(\text{CO})_2\text{Mn}=\text{C}=\text{CHC}_6\text{H}_4\text{-CBrCH}_2$ (N.E. Kolobova, O.S. Zhvanko, L.L. Ivanov, A.S. Batsanov, Yu.T. Struchkov), (302) 235

Alkylation of an arene π -complex, reversal of regiocontrol in (R.P. Alexander, G.R. Stephenson), (314) C73

- $[(C_5H_4XC_5H_5)Cr(CO)_3]^-$ and $(C_6H_5XC_5H_4)Mn(CO)_3$ ($X = -, CO, CH_2, C_2H_2$), electronic structures of (N.J. Fitzpatrick, N.J. Gogan, P.K. Sayal), (301) C31
- $C_5Me_5(CO)(L)Mn(H)SiR_3$ complexes, structural chemistry and ^{29}Si NMR spectroscopy of (U. Schubert, G. Scholz, J. Müller, K. Ackermann, B. Wörle, R.F.D. Stansfield), (306) 303
- $(\eta^5-C_5Me_5)M(CO)_2S_2$ ($M = Mn, Re$), investigations of oxidation of the disulphur ligand in (M. Herberhold, B. Schmidkonz), (308) 35
- Cymantrene optically active monosubstituted derivatives, relationship of chiroptical characteristics with absolute configuration of (N.M. Loim, M.V. Laryukova, P.V. Kondratev, Z.N. Parnes), (301) 173
- Decacarbonyldimanganese, mechanism of photochemistry in the presence of *para*- and *ortho*-quinones of (A. Vlček, Jr.), (306) 63
- Decacarbonyldimanganese(0) photochemical reaction with 1,1-dimethylallene (C.G. Kreiter, M. Leyendecker, W.S. Sheldrick), (302) 217
- Decacarbonyldimanganese, reaction with allenes under UV irradiation of (C.G. Kreiter, M. Leyendecker, W.S. Sheldrick), (302) 35
- Decacarbonylmanganeserhenium, reaction with isocyanides of (D.J. Robinson, E.A. Darling, N.J. Coville), (310) 203
- (*exo*- and *endo*-Dialkylphosphonate- η^5 -cyclohexadienyl)tricarbonylmanganese compounds, synthesis of (H.K. Bae, I.N. Jung, Y.K. Chung), (317) C1
- Dicarbonylcyclopentadienylmanganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of $S[NP-t-Bu_2Mn(CO)_2-Cp]_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 27
- μ -Di-*t*-butylthioketenebis(dicarbonylcyclopentadienylmanganese), synthesis and structure of (D. Wormsbächer, F. Edelmann, U. Behrens), (312) C53
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, C. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147
- Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Heterodinuclear complexes with $CH_3C_5H_4-(CO)_2(MePh_2Si)Mn$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1
- Hexacarbonyl($\mu, \eta^5 : \eta^5$ -fulvalene)dimanganese, photochemistry of (W.A. Herrmann, D. Andrejewski, E. Herdtweck), (319) 183
- Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121
- Manganese, technetium and rhenium; annual survey 1984 (P.M. Treichel), (318) 83
- Manganese, technetium and rhenium; annual survey 1985 (P.M. Treichel), (318) 121
- $Mn(CO)_3L_2$ ($L_2 = R_2PC_2H_4PR_2$; $R = Et, Ph$), generation, characterisation and use in generation of organic radicals of (D.R. Tyler, A.S. Goldman), (311) 349
- Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with H_2 and CO of (H.W. Bosch, B.B. Wayland), (317) C5
- Octahedral carbonylmanganese(I) complexes with SCN or CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)₃(dppm)] (G.A. Carriedo, M.C. Crespo, V. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), (302) 47
- Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- μ_3 -P and μ_3 -As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137
- (Pentacarbonyl)acylmanganese compounds, synthesis gas incorporation into (D.J. Sheeran, J.D. Arenivar, M. Orchin), (316) 139
- 2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371
- Pentacarbonylmanganese-triphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167
- Pentacarbonyl(η^1 -2,4-pentadienyl)manganese, synthesis, characterisation and reactivity of (T.-W. Lee, R.-S. Liu), (320) 211
- Phosphamanganacyclopropanes, formation by reduction of secondary phosphoramanganese complexes with $K[HB(s-C_4H_9)_3]$ of (E. Lindner, D. Goth), (319) 149
- Phosphido-bridged dinuclear manganese complexes, synthesis and ligand substitution chemistry of; X-ray crystal structures of $Mn_2(\mu-H)(\mu-Cy_2P)(CO)_7(Cy_2PH)$ and Mn_2

- $(\mu\text{-H})(\mu\text{-Cy}_2\text{P})(\text{CO})_6(\text{PMMe}_3)_2$ (Cy = cyclohexyl) (A.M. Arif, R.A. Jones, S.T. Schwab), (307) 219
- Phosphine rhodium complexes as catalysts in enantioselective hydration of crotonic acid derivatives (H. Brunner, A. Knott, M. Kunz, E. Thalhammer), (308) 55
- [1-5- η -6-*exo*-Re(CO)₅C₇H₈]Mn(CO)₃, synthesis by metal carbonyl anion addition to a coordinated cyclic π -hydrocarbon (R.C. Bush, R.A. Jacobson, R.J. Angelici), (323) C25
- Siloxycarbonemanganese complexes, preparation of (M.J. McGeary, J.L. Templeton), (323) 199
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Thioketene-cobalt complexes, [Co(R₂C=C=S)-(PMMe₃)(C₅H₅)], reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369
- Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119
- Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluorooromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199
- mer*-Tricarbonylmanganese(I) compounds containing N-donor chelate ligands (F.J. Garcia Alonso, V. Riera, M. Vivanco), (321) C30
- ## Mercury
- Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kantert, H. Schumann, S. Chocron, M. Michman), (310) 107
- Bis(diphenylphosphine)methane, deprotonated, as monodentate ligand; preparation and $^{31}\text{P}/^{199}\text{Hg}$ NMR characterisation of Hg[CH-(PPh₂)₂]₂ (M. Lusser, P. Peringer), (312) C61
- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323
- Bis(phenylmercuric)oxonium tetrafluoroborate hydrate, [(PhHg)₂OH][BF₄]₂·H₂O, preparation and X-ray structure of (B.K. Nicholson, A.J. Whitton), (306) 139
- C₃-bonded acetylacetones of tellurium(IV), preparative and spectral investigations of (B.L. Khandelwal, A.K. Singh, N.S. Bhandari), (320) 283
- (η^5 -C₅Me₅Os(CO)(PMMe₂Ph)Me oxidative reactions; isolation of intermediates during alkyl-metal electrophilic cleavage reactions of (L.J. Sanderson, M.C. Baird), (307) C1
- Cyanomercuriomethanes, vibrational spectra and force fields of (J. Mink, D.K. Breitinger, W. Kress, W. Morell, R. Sendelbeck), (306) 273
- Cyclosilanometal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1
- Di- η^5 -cyclopentadienyl-titanium and -zirconium anthracene, preparation and characterisation of (J. Scholz, K.-H. Thiele), (314) 13
- β -Diketone derivatives of mercury, structures of (W. Depmeier, K. Dietrich, K. König, H. Musso, W. Weiss), (314) C1
- [Fe₂(η -C₅H₅)₂(CO)_{4-n}(CNMe)_n] (n = 0-4) complexes, reactions with halogens and mercury(II) salts of (R. Kumar, A.R. Manning, P.T. Murray), (323) 53
- Heterodinuclear complexes with CH₃C₅H₄-(CO)₂(MePh₂Si)Mn fragments, reactivity of (U. Schubert, E. Kunz), (303) C1
- [Hg₃{HC(PPh₂)₃}](OAc)_n(O₃SCF₃)_m ($n + m$ = 6) complexes containing an acidic carbon (M. Lusser, P. Peringer), (301) 269
- [Hg{(μ -PEt₂)Cr(CO)₅}₃]⁻, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320) 47
- Mercuridestannylation of phenylstannatranes and related derivatives, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 33
- [(Me₃Si)₂(CH₂=CHMe₂Si)Cl]₂Hg, [(Me₃Si)₂(CH₂=CHMe₂Si)Cl]₂Cd and [(Me₃Si)₂(CH₂=CHMe₂Si)Cl]HgBr, preparation and reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Butrus, C. Eaborn, P.B. Hitchcock, J.D. Smith), (320) 137
- Methylmercurimethanes, vibrational spectra and force fields of (J. Mink, D.K. Breitinger, W. Kress), (301) 1
- Mono-, di- and tetra-aurated derivatives of barbituric acid; crystal structure of 1,3-bis(triphenylphosphinegold)-5,5-diethylbarbituric acid (F. Bonati, A. Burini, B.R. Pietroni, B. Bovio), (317) 121
- Organoplatinum(II) formate complexes, preparation, characterisation and reactions of (M. Crespo, J. Sales), (322) 405
- Phenylene and polyphenylene mercurials, reactions of (A.G. Massey, N.A.A. Al-Jabar, R.E. Humphries, G.B. Deacon), (316) 25

- Phenylenemericurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Phenylmercury dithiolates, preparation and characterisation of; crystal and molecular structure of (C_6H_5)Hg(S₂COR) (R = Me, ¹Pr) and (C_6H_5)Hg(S₂CNEt₂)) (E.R.T. Tiekkink), (322) 1
- 1,2-Phenylenemercury dixanthate, crystal structure of (E.R.T. Tiekkink), (303) C53
- ortho*-Terphenylenemercury dimer, ($C_{18}H_{12}$ Hg)₂, crystal and molecular structure of (J. Bowen-Jones, D.S. Brown, C.F. Snook, A.G. Massey), (320) 13
- Tricarbonyl(fulvene)chromium complexes, reactions with HgCl₂ and SnCl₄ of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109
- Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145
- Trimercurated acetaldehyde, crystal structure of 2[OHg₃CCHO]NO₃ · HNO₃ and [HOHg₂-(NO₃Hg)CCHO]NO₃ (D. Grdenić, D. Matković-Čalogović, M. Sikirica), (319) 1
- Trimercurated acid derivatives, crystal structures of [Hg(H₂OHg)(NO₃Hg)CCOO]NO₃ and 2(NO₃Hg)₃CCOOH · HNO₃ (D. Grdenić, M. Sikirica, D. Matković-Čalogović), (306) 1
- structural characterisation of a mixed-valence compound (S.J. Geib, A.L. Rheingold, T.-Y. Dong, D.N. Hendrickson), (312) 241
- Biferrocenyl, high yield synthesis of (A.R. Koray, M. Ertas, Ö. Bekaroğlu), (319) 99
- Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49
- Bis(η -styrene)molybdenum, synthesis and polymerisation of; crystal structures of Mo(η -C₆H₅CH₂CH=CH₂)₂ and [Mo(η -C₆H₅-SiMe₂H)₂]BF₄ (M.L.H. Green, I. Treurnicht, J.A. Bandy, A. Gourdon, K. Prout), (306) 145
- Bis- and mono-(substituted cyclopentadienyl)-titanium derivatives, high-performance liquid chromatographic behaviour of (B. He, Y. Qian, S. Chen), (320) 27
- [η ⁴-2,5-Bis(trimethylsilyl)cyclopentadienone(η ⁵-cyclopentadienyl)cobalt, structure of (J.H. Bieri, A.S. Dreiding, T.C.C. Gartenmann, E.R.F. Gesing, R.W. Kunz, R. Prewo), (306) 241
- (η ⁵-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- (Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lecht), (311) 45
- t-Butanoyl-substituted η ⁶-arene- η ⁶-cyclopentadienyliron(II) cations, acid-catalysed ketone rearrangement of (R.M.G. Roberts, A.S. Wells), (317) 233
- (η ¹: η ⁵-C₅H₄)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of Cp(μ -[η ¹: η ⁵-C₅H₄])Ti-[PMe₃]₂ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310) 27
- [(C₅H₅)₄FeNi](BF₄)₂ charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39
- (η ⁵-C₅H₅)₂Zr[CH(SC₆H₅)C₆H₅]₂, thermally induced elimination from (E.A. Mintz, A.S. Ward), (307) C52
- (C₅H₅)₂Zr(CO)[(P(OCH₃)₃]₂, preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), (301) 299
- Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339
- [η ⁵-Cyclopentadienyl- η ⁶-areneiron]⁺ cations bearing methylene, methyl on methyne sub-

Metallocenes

- Alkylpermethyltytrocene complexes, synthesis of (K.H. den Haan, Y. Wielstra, J.J.W. Eshuis, J.H. Teuben), (323) 181
- Arenecyclopentadienyliron(II), bis-arene-iron(II) and substituted ferrocenes, organometallic conductors obtained by reactions with tetracyanoquinodimethane of (R.M. Lequen, M. Lequen, P. Legeay, J. Padiou), (323) 77
- η ⁶-Arene- η ⁵-cyclopentadienyliron cations and η ⁶-arenedi- η ⁵-cyclopentadienyliron dications, synthesis of complexed ketones or sulphones by oxidation of (C.C. Lee, R.L. Chowdhury, A. Piorko, R.G. Sutherland), (310) 391
- η ⁶-Arene- η ⁵-cyclopentadienyliron cations and related systems (Review) R.G. Sutherland, M. Iqbal, A. Piorko), (302) 307
- 2-Benzylidene[3]ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiak, Š. Toma), (316) 163
- Biferrocenium tetrabromoferrate, [(C₅H₅)Fe-(C₅H₄)-(C₅H₄)Fe(C₅H₅)]FeBr₄, X-ray

- stituents at arene, preparation of (M. Le Rudulier, C. Moinet, E. Raoult), (310) 209
- η^5 -Cyclopentadienyl- η^6 -areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), (302) 389
- η^5 -Cyclopentadienyldicarbonylcobalt, flash-vacuum pyrolysis under formation of cobaltocene of (J.-C. Fiaud, R. Chauvin, R. Bloch), (315) C32
- Cyclopentadienyliron complexes, exploratory flash vacuum pyrolysis of (C. Glidewell, J.S. McKechnie), (321) C21
- Cyclopentadienyltitanium(IV) complexes, behaviour in aqueous media of; titanocene complexes as cancerostatica (K. Döppert), (319) 351
- Dibenzoato(di- π -cyclopentadienyl)titanium(IV), preparation in aqueous solution and structure of (K. Döppert, H.-P. Klein, U. Thewalt), (303) 205
- Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
- Dichloroniobocene, electrochemical reduction at various temperatures of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron, E. Lavorin), (317) 201
- Dicyclopentadienylbis(toluolsulphonato)zirconium, preparation and structure of (W. Lasser, U. Thewalt), (302) 201
- Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37
- Di- η^5 -cyclopentadienyl(cinnamylato- C^3, O)-titanium/phenylpropionic acid (1/1), synthesis and molecular structure of; synthesis of dicyclopentadienylbis(phenylpropiolato)titanium (E. Samuel, J.L. Atwood, W.E. Hunter), (311) 325
- Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183
- Di- η^5 -cyclopentadienylhafnacyclopentadiene compounds, facile, high-yield synthesis of (M.B. Sabade, M.F. Farona), (310) 311
- Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trimuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69
- Dicyclopentadienylmolybdenum complexes derived from dimethyl acetylenedicarboxylate; crystal structure of $[(\eta^5-C_5H_5)_2MoOC(O)-CH=CCO_2CH_3]$ (M. Cariou, M.M. Kubicki, R. Kercoat, J.E. Guerchais, P. L'Haridon), (304) 127
- Dicyclopentadienylmolybdenum derivatives containing a four-membered ring, $[Mo(\eta^5-C_5H_5)_2(2-NHC_5H_4)][PF_6]$ and $[Mo(\eta^5-C_5H_5)_2(2-ONC_5H_4)][PF_6]$, molecular structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, R.G. Da Costa, A.R. Dias, M.T.L.S. Duarte, M.B. Hursthouse), (320) 53
- Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienylidoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5-C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. de Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63
- Dicyclopentadienyltantalum hydrides containing a Ta-Sn σ -bond; crystal and molecular structure of $(\eta^5-C_5H_5)_2TaH_2Sn(CH_3)Cl_2$ (T.M. Arkhireeva, B.M. Bulychev, A.N. Protsky, G.L. Soloveichik, V.K. Bel'sky), (317) 33
- Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $Cp_2Ti(P_2S_4-O_2(OEt)_2)$, isolation and structure of (U. Thewalt, S. Klíma, H.G. Alt), (321) 209
- Dicyclopentadienyltitanium(IV) pyridine-2,6-dicarboxylate complexes, synthesis and characterisation as pentacoordinate titanocene derivatives of (R. Leik, L. Zsolnai, G. Huttner, E. Neuse, H.H. Brintzinger), (312) 177
- Diene- and aryne-substituted metallocene complexes, cyclometallation reactions of (G. Erker, T. Mühlenernd), (319) 201
- Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekaroğlu), (317) 301
- Dihydrido(η -cyclopentadienyl)bis(triphenylphosphine)osmium(IV) cation, formation, properties, and reactions with halogen compounds of (T. Wilczewski), (317) 307
- Dimethylaminomethylferrocene and N,N -dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), (303) 397
- Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197
- Dithiophosphate and dithiophosphinate dicyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morán, I. Cuadrado), (311) 333

- 1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310) C25
- Dynamic stereochemistry of $TiBr + SPh^- \rightarrow TiSPh$ conversion with isocyanato complexes of titanocene (J. Besançon, J. Tiroflet, B. Trimaille, Y. Dusausoy), (314) C12
- Ferrocene; annual survey 1985 (B.W. Rockett, G. Marr), (318) 231
- Ferrocene derivatives, electronic structure studied by He(I) photoelectron spectroscopy and CNDO/2 method of (T. Vondrák), (306) 89
- Fluxional cryptands containing metallocene units (P.J. Hammond, P.D. Beer, C. Dudman, I.P. Danks, C.D. Hall, J. Knychala, M.C. Grossel), (306) 367
- Half-open cobaltocene, diene replacement vs. hydride abstraction by triphenylmethyl cation (T.D. Newbound, R.D. Ernst), (316) 213
- Heteroallene complexes of molybdenocenes, structure of (J. Okuda, G.E. Herberich), (320) C35
- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with $M=M'$ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38
- Hydrogenation of polyaromatics on ligand exchange with ferrocenes (V. Guerchais, D. Astruc), (312) 97
- Metallocene-chalcogen compounds, synthesis of $[(\eta^5-C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squelette (G. Erker, T. Mühlenernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21
- Metallocenes in biochemistry, microbiology and medicine (Review) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281
- Nickel catalysed substitution of acetates and aliphatic sulphones (T. Cuvigny, M. Julia), (317) 383
- Nickel(II) isolable phosphonio complexes, $C_5H_5Ni(PH_3)I$ and $[C_5H_5Ni(PH_3)_2]BF_4$ (N. Kuhn, M. Winter), (301) C9
- Nickelocene, high activity in catalysis of cross-linking of an acetylene-terminated monomer of (W. Douglas, A. Overend), (308) C14
- Nonamethylruthenocenylcarbenium hexafluorophosphate, synthesis and crystal structure of (A.Z. Kreindlin, P.V. Petrovskii, M.I. Rybinskaya, A.I. Yanovskii, Yu.T. Struchkov), (319) 229
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1'-(3-oxapentamethylene)-di-cyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285
- Permethallyltrocene chloride, synthesis and coordination chemistry of (K.H. den Haan, J.H. Teuben), (322) 321
- Phosphaferrocenes, $\eta^5-C_5Me_5Fc-\eta^5-PC_4(R_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323
- Phosphamanganacyclopropanes, formation by reduction of secondary phosphanemanganese complexes with $K[HB(s-C_4H_9)_3]$ of (E. Lindner, D. Goth), (319) 149
- Potassium selective metallocene cryptand molecules (P.D. Beer, C.G. Crane, A.D. Keefe, A.R. Whyman), (314) C9
- Ruthenocene-carboxylic and -boronic acids, separation and identification of; detection of alkali metal cations (T. Wilczewski), (306) 125
- Ruthenocene fluxional bis-crown ethers, synthesis of (P.D. Beer, A.D. Keefe), (306) C10
- Titanium and aluminium bimetallic hydride complexes; octonuclear $\{[(\eta^5-C_5M_5)(\eta^5-C_5Me_4CH_2)Ti(\mu_2-H)_2Al]-\mu_3-O\}_2 \cdot 2C_6H_6$, crystal and molecular structure of (E.B. Lobkovskii, A.I. Sizov, B.M. Bulychev, I.V. Sokolova, G.L. Soloveichik), (319) 69
- Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307
- ansa*-Titanocene chiral derivative with trimethylene-bridged tetrahydroindenyl ligands, synthesis of (W. Röll, L. Zsolnai, G. Huttner, H.H. Bräntzinger), (322) 65
- Titanocene chloride, activation of N=N bond in benzo[c]quinoline by (S. Renaud, Y. Mugnier, L. Roullier, E. Laviron), (309) C11
- Titanocene dichloride, hydrolysis of; preparation, structure and properties of trinuclear, oxygen-bridged, basic carboxylate complexes: $[Ti_3(\mu_3-O)(\mu_2-OH)_3(\mu_2-HCOO)_3(\eta^5-C_5H_5)_3]^+ HCOO^- \cdot 2HCOOH$ (K. Döppert, U. Thewalt), (301) 41
- Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167
- Titanocenyl- Ti^{IV} cationic complexes, preparation and structure of $[(\eta^5-C_5H_5)_2Ti(bipy)]^{2+} (CF_3SO_3^-)_2$ and $[(\eta^5-C_5H_5)_2Ti(Phen)]^{2+} (CF_3SO_3^-)_2$ (U. Thewalt, K. Berhalter), (302) 193
- Trialkyl- and triaryl-stannylferrocenes, structure

- and reactivity of (R.M.G. Roberts, J. Silver, J. Azizian), (303) 387
- Triferoценylferrocenoxyoxotungsten, WO(OFc)-Fe₃** (Fc = ferrocenyl), molecular structure in the solid state and dynamic behaviour in solution of (M. Herberhold, H. Kniestel, L. Haumaier, U. Thewalt), (301) 355
- Trimetallic complex containing three redox centres, syntheses of; assessment of inductive effect transmission through an iron atom (P.D. Beer, S.M. Charsley, C.J. Jones, J.A. McCleverty), (307) C19
- Trioxo(η⁵-pentamethylcyclopentadienyl)rhenium(VII)**, transfer of oxygen ligands to organozirconium(II) compounds by (W.A. Herrmann, T. Cuenca, U. Küstdardt), (309) C15
- (η⁶-1-Triphenylstannylbenzene)(η⁵-cyclopentadienyl)iron(II) hexafluorophosphate, preparation, structure and reactivity of (C.S. Frampton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver), (307) 231
- 1,2,3-Triseleno[3]ruthenocenophane, crystal and molecular structure of (A.J. Blake, R.O. Gould, A.G. Osborne), (308) 297
- Zirconocene and hafnocene dichlorides, electro-generation of Zr^{III} and Hf^{III} anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Lavoron), (302) C7
- Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M-H bond (M. Fahim, G. Tainturier), (301) C45
- Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320) 349
- Zirconocene bridged and unbridged alkyl derivatives, hydrogenolysis of (F. Wochner, H.H. Brintzinger), (309) 65
- Molybdenum**
- Acetylcarbonyl-η⁴-cyclopentadiene-η⁵-cyclopentadienylmolybdenum**, reactions with conjugated dienes of (C.G. Kreiter, J. Kögler, W.S. Sheldrick, K. Nist), (311) 125
- Alkenylphosphanes RPX₂ and R₂PX (X = Ne₂, Cl)**, function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291
- Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*-[M(N₂)₂(Ph₂PCH₂CH₂PPh₂)₂] (M = Mo, W) and with [Mo(Ph₂PCH₂PPh₂)₃]; X-ray structure of *trans*-[Mo(C≡CPh)₂(Ph₂PCH₂CH₂PPh₂)₂] (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pompeiro), (323) C47
- Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes**; crystal structure of [W₂Cl₈(PhC≡C-C≡CSiMe₃)(pyridine)₂] (M. Kersting, K. Dehnicek, D. Fenske), (309) 125
- (η³-Allyl)dicarbonylmolybdenum(II) complexes of the unsymmetrical diphosphenes Ph₂PP-(C₆H₄X) (X = *m*-F, *p*-F or *m*-CF₃) (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercukuty), (322) 71
- η³-Allylmolybdenum cationic complex, [η⁵-C₅H₅)₂Mo(η³-C₃H₅)]⁺[*p*-CH₃C₆H₄SO₃]⁻, convenient one-step synthesis of (T. Ito, T. Igarashi, F. Suzuki), (320) C16
- Azulenechromium dinuclear complexes, synthesis and structure of (F. Edelman, S. Töfke, U. Behrens), (308) 27
- Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from (η⁵-C₅H₅)(CO)₃MH (M = Mo, W) and (CO)₅ReCH₃ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322) 351
- Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by L₃M(CO)₃ complexes (M = Cr, Mo, W) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), (301) 161
- Benzyltricarbonyl-η⁵-cyclopentadienylmolybdenum(II) and related substituted benzyl complexes, crystal structures of (J.D. Cotton, C.H.L. Kennard, R.D. Markwell, G. Smith, A.H. White), (309) 117
- Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331
- 2,2'-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
- 2,2'-Bipyridinemolybdenum(II) six-coordinate complexes containing thiolate, nitrate, nitrite and pentane-2,4-dionate ligands (J.A. Connor, E.J. James), (316) 79
- Bisacetonitrilehalogenotrincarbonyl-molybdenum(II) and -tungsten(II) seven-coordinate complexes, synthesis and spectral properties of (P.K. Baker, S.G. Fraser, E.M. Keys), (309) 319
- Bis[amino(ethoxy)carbene]complexes, rearrange-

- ments with Lewis acids of; structure of $\{(CO)_4WBr_3\}[HC(N-i-Pr_2)OEt]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91
- Bis(1-t-butylimino-2-t-butylaminoethane)hexacarbonyldimolybdenum, metal–metal bond breaking and rearrangement of (R.R. Andréa, H.E. de Jager, D.J. Stufkens, A. Oskam), (316) C24
- Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S\{NP-t-Bu_2\}_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S\{NP-t-Bu_2\}_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51
- Bis(cyclobuta- η^6 -benzene)chromium $^{0,+1}$ and bis([1,2 : 4,5]-dicyclobuta- η^6 -benzene)chromium $^{0,+1}$, synthesis and magnetic resonance properties of (C. Elschenbroich, J. Koch, J. Schneider, B. Spangenberg, P. Schiess), (317) 41
- Bis(2,3-dicarbomethoxyxornorbornadiene)dicarbonylmolybdenum and related complexes, structure and bonding characteristics of (T.J. Chow, T.-H. Lin, S.-M. Peng, M.-C. Cheng), (316) C29
- Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]\}_2$ ($M = Mo, W$), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33
- Bis(η -styrene)molybdenum, synthesis and polymerisation of; crystal structures of $Mo(\eta-C_6H_5CH_2CH=CH_2)_2$ and $[Mo(\eta-C_6H_5-SiMe_2H)_2]BF_4$ (M.L.H. Green, I. Treurnicht, J.A. Bandy, A. Gourdon, K. Prout), (306) 145
- Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricinium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193
- Carbonylcyclopentadienylmolybdenum clusters containing $(As_2)_2$ or $(P_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77
- Carbonyl-dichromium(0) and -dimolybdenum(0) complexes containing bridging $trans$ -Ph₂PCH=CHPPh₂ ligands, synthesis of and NMR studies on; crystal structure of $[Mo_2(CO)_2(\mu-trans-Ph_2PCH=CHPPh_2)_2]$ (G.B. Jacobson, B.L. Shaw, M. Thornton-Pett), (323) 313
- Carbynyldi- η -cyclopentadienylhydridoniobium, insertion reactions with heteroallenenes of (G.E. Herberich, H. Mayer), (322) C29
- Carbonyl-managanese(I) and -molybdenum(II) mononuclear complexes with chelating biimidazole, bibenzimidazole or tetramethylbiimidazole ligands (M.P. Gamasa, E. Garcia, J. Gimeno, C. Ballesteros), (307) 39
- Carbynlmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407
- Carbonylmolybdenum complexes containing unidentate and bridging diphosphines, one-pot syntheses of (T.S.A. Hor), (319) 213
- $[\eta^5-(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5-C_5H_4CHO$)-Cr(CO)₃Au(PPh₃) (F. Edelmann, S. Töfke, U. Behrens), (309) 87
- $(C_5H_5)(OC)_2(R_3P)MoFBF_3$ ($R = Me, Et$), dynamic behaviour of the coordinated tetrafluoroborate ligand in (M. Appel, W. Beck), (319) C1
- $C_5H_5MoCo_2(CO)_8CCO^{\pm}$: synthesis and characterisation of a mixed metal acylium cation (M. Mlekuz, M.F. D'Agostino, J.W. Kolis, M.J. McGlinchey), (303) 361
- $(C_5Me_5)_2Mo_2(\mu-SCH_3)_2(\mu-S)_2$ isomers, preparation, separation and characterisation of (H. Brunner, W. Meier, J. Wachter, P. Weber, M.L. Ziegler, J.H. Enemark, C.G. Young), (309) 313
- Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
- Cyclopentadienylmolybdenum complexes, acetyl substitution of; nucleophilic additions to coordinated allyl groups (W.E. Vanarsdale, J.K. Kochi), (317) 215
- Cyclopentadienyltricarbonylmolybdenum complexes, heats of reaction with CCl_4 , CBr_4 , I_2 and CH_3 of; solution thermochemical study of the Mo–X bond ($X = H, Cl, Br, I, CH_3$) (S.P. Nolan, R. López de la Vega, C.D. Hoff), (315) 187
- $[\mu-2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanyl-bis(tricarbonylmolybdenum)]$ solvate, formation of (D. Sellmann, G. Binker, R. Boese), (311) C11
- Dicarbonyl- and carbonyl-(trimethylphosphine)-(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320) 83

- Dicyclopentadienyl-diligand-molybdenum and -titanium complexes, estimation of stepwise M-L bond dissociation enthalpies in (M.J. Calhorda, A.R. Dias, A.M. Galvão, J.A. Martinho Simões), (307) 167
- Dicyclopentadienyldiphenylphosphinehydridomolybdenum(IV) chloride, preparation and reactions with electron poor alkynes; formation of molybdaphosphacyclobutanes and X-ray structure of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{MoCl}(\text{CF}_3)\text{-CH}(\text{CF}_3)\text{PPh}_2]\text{Cl}\cdot\text{H}_2\text{O}$ (M.M. Kubicki, R. Kergoat, M. Cariou, J.E. Guerchais, P. L'Haridon), (322) 357
- Dicyclopentadienylmolybdenum complexes derived from dimethyl acetylenedicarboxylate; crystal structure of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{MoOC(O)-CH=CCO}_2\text{CH}_3]$ (M. Cariou, M.M. Kubicki, R. Kergoat, J.E. Guerchais, P. L'Haridon), (304) 127
- Dicyclopentadienylmolybdenum derivatives containing a four-membered ring, $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(2\text{-NHC}_5\text{H}_4)][\text{PF}_6]$ and $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(2\text{-ONC}_5\text{H}_4)][\text{PF}_6]$, molecular structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, R.G. Da Costa, A.R. Dias, M.T.L.S. Duarte, M.B. Hursthouse), (320) 53
- Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienylidoacetonitrilemolybdenum(IV) hexafluorophosphate, $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2\text{I}(\text{NCCH}_3)][\text{PF}_6]$ (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63
- Dicyclopentadienyltetracarbonylmolybdenum, $(\eta^5\text{-C}_5\text{H}_5)_2\text{Mo}_2(\text{CO})_4$, addition of PH functional methylenebisphosphanes to the Mo=Mo bond in (D.J. Brauer, G. Hasselkuss, O. Stelzer), (321) 339
- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant ${}^1J({}^{13}\text{C}, {}^{13}\text{C})$ in (R. Benn, A. Rufihska), (323) 305
- (α -Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), (302) 211
- Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
- Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetra-thiadecane)iron, [Fe(dttd)(THF)₂], reactions with tetracarbonylnorbornadienemolybdenum, $[\text{Mo}(\text{CO})_4(\text{nor})]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-dttd}\{\text{Mo}(\text{CO})_3\}_2]\cdot 2\text{H}_2\text{O}$ and $[\mu\text{-dttd}\{\text{Mo}(\text{CO})_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323
- Fluoromethylidyne-bridged molybdenum cluster, preparation and structure of $[(\text{C}_5\text{H}_5)_3(\text{CO})_6\text{Mo}_3(\mu_3\text{-CF})]$ (W. Schulze, H. Hartl, K. Seppelt), (319) 77
- Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147
- Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333
- Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligands (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Heteroallene complexes of molybdenocenes, structure of (J. Okuda, G.E. Herberich), (320) C35
- Hetero-bi- and -tri-metallic complexes containing electron-releasing and electron-accepting redox centres (P.D. Beer, C.J. Jones, J.A. McCleverty, R.P. Sidebotham), (325) C19
- Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51
- Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercütty), (311) 103
- Hexacarbonyl- μ - $\eta^{6,6}$ -heptafulvenedichromium-(0), $[4 + 6]$ -cycloaddition of 1,3-butadienes to (C.G. Kreiter, E. Michels), (312) 59
- Hexacarbonylmolybdenum, reductive coupling with thioketals of (C.S. Wong, W.S. Leung, L.L. Yeung, T.-Y. Luh), (307) C49
- Homodinuclear and *cis*-mononuclear complexes of $\text{Ph}_2\text{PNSNPPH}_2$, preparation and ${}^{31}\text{P}$ NMR studies of; crystal structure of *cis*- $\text{Cr}(\text{CO})_4(\text{Ph}_2\text{PNSNPPH}_2)\cdot 0.5\text{C}_6\text{H}_6$ (T. Chivers, C. Lensink, J.F. Richards), (325) 169
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25
- $[\text{M}(\text{CO})_3]_2\text{-}\mu\text{-}[(\eta^5\text{-Cp})_2\text{SiMe}_2]$, reactivity towards tetramethyldiphosphane, formation of

- a PMP-heteroallyl system ($M = Mo, W$) (J. Heck), (311) C5
- 1-syn-Methyl- and -phenyl-allyl complexes with symmetric metal ligand backbones, synthesis and spectra of; molecular structures of $[(\eta^1-PhC_3H_4)Pd(tmeda)]BF_4$, $[(\eta^1-C_5H_5)Pd(\eta^1-PhC_3H_4)]$, and $[(phen)Mo(CO)_2(NCS)(\eta^1-PhC_3H_4)]$ (N.W. Murrall, A.J. Welch), (301) 109
- $Mo_2[(\eta^5-C_5H_4CO_2)Fe(\eta^5-C_5H_5)]_2(O_2CCH_3)_2-(C_5H_5N)_2$ and $[Mo_2[(\eta^5-C_5H_4CO_2)-Fe(\eta^5-C_5H_5)]_2(ax-CH_3CN)(ax-DMSO)]-(DMSO)_2$, synthesis, X-ray crystallographic and electrochemical studies of (F.A. Cotton, L.R. Falvello, A.H. Reid, Jr., J.H. Tochter), (319) 87
- cis*- $Mo(CO)_2(Ph_2P(CH_2)_nPPh_2)_2$ ($n = 1, 2, 3$), preparation from *cis*-dicarbonylbis(norbornadiene)molybdenum and crystal structure of [*cis*- $Mo(CO)_2(Ph_2P(CH_2)_3PPh_2)_2$] (T.J. Chow, C.-Y. Wang, S.-C. Sheu, S.-M. Peng) (311) 339
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structure of $[MoTl(SC_6F_5)_2Cp]$ ($L = SC_6F_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322) C1
- Molybdenum(II) seven-coordinate complexes containing carbonyl, triphenylphosphine and O-donor or S-donor anionic bidentate ligands (V. Riera, F.J. Arnaiz, G.G. Herbosa), (315) 51
- Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ ($M = W, Mo, Cr$; $SiR_3 = SiPh_3, SiMePh_2$; $R' = Me, Et, n-Bu, C_6H_{11}, Ph$), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317
- Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with H_2 and CO of (H.W. Bosch, B.B. Wayland), (317) C5
- Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- Osmium and molybdenum trinuclear cluster, crystal structure of the co-crystallized molecules $MoOs_2(CO)_{11}[P(OMe)_3]$ and $[(MeO)_3-P](OC)_4OsMo(CO)_5$ (H.B. Davis, F.W.B. Einstein, V.J. Johnston, R.K. Pomeroy), (319) C25
- $PdMo(\mu-Ph_2Ppy)_2(\mu-CO)(CO)_2 \cdot 0.5CH_2Cl_2$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307
- Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63
- 2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371
- Pentacarbonylmercaptophosphane- and tetracarbonyl-bis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327
- Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach), (308) 325
- Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29
- Phosphinidene complexes, reasons for extremely paramagnetic shifts in ^{31}P NMR spectra of (G. Huttner), (308) C11
- Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30
- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41
- Supported transition metals and metal oxides and catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ ($M = Cr, Mo, W$), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Thiolatoamine-iron(II) and -molybdenum(II) with $[M(SNNS)]$ units and CO, PMo_3 , NO and N_2H_4 as coligands (SNNS = $(SC_6H_4N-$

$(R)C_2H_4N(R)C_6H_4S^{2-}$; R = H, CH₃) (D. Sellmann, U. Reineke), (314) 91

Thiolato-bridged carbonylcyclopentadienylmolybdenum dimeric complexes, ¹H NMR and electrochemical studies of isomerisation of; synthesis and X-ray crystal structure of $\{(\eta^5-C_5H_5)Mo(CO)_2(\mu-S-t-Bu)\}_2(BF_4)_2$ (J. Courtot-Coupez, M. Guéguen, J.E. Guerchais, F.Y. Pétillon, J. Talarmin, R. Mercier), (312) 81

o-Tolyl radicals from organomolybdenum sources, attack on side chain of toluenes by (L.P. Battaglia, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (317) C19

Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

Tricarbonyl- η -cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.Y. Yassin), (301) 313

Tricarbonyl- η^5 -cyclopentadienylmethylniobium, photoreaction with 1,3-cyclopentadienes of (C.G. Kreiter, J. Kögler, K. Nist), (310) 35

Tricarbonyl(η^6 -cyclophane)molybdenum complexes and their geometry-dependent ¹³C NMR behaviour (M. Takamori, N. Mori), (301) 321

Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Trifluoromethanesulphonato-molybdenum, tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), (303) C29

Trimetallic complex containing three redox centres, syntheses of; assessment of inductive effect transmission through an iron atom (P.D. Beer, S.M. Charley, C.J. Jones, J.A. McCleverty), (307) C19

Tris-bipyridine-molybdenum(II) complexes and related compounds, formation and characterisation of (J.A. Connor, E.J. James), (325) 181

Tris(triaminophosphino)tricarbonylmolybdenum, *fac*-[(i-PrNH)₃P]₃Mo(CO)₃, synthesis of (H.-J. Chen, A. Tarassoli, V.S. Allured, R.C. Haltiwanger, A.D. Norman), (306) C19

Neodymium

Cyclopentadienylneodymium dichloride, crystal structure of (G. Yang, Y. Fan, Z. Jin, Y. Xin, W. Chen), (322) 57

1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

Nickel

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

Allylbis-ligand-nickel(II) hexafluorophosphate complexes, catalysis of oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balabolov, K. Kurtev), (304) C4

Allylic phosphites, nickel chloride catalysed rearrangement of (X. Lu, J. Zhu), (304) 239

Azanickelacyclopantanones, α, ω -diacidic amides of alkenes and phenyl isocyanate, intermolecular CC bond formation in (H. Hoberg, E. Hernandez), (311) 307

Azanickelacyclopantanones, and cinnamanilide, catalytic formation from styrene and isocyanates by CC coupling of (E. Hernandez, H. Hoberg), (315) 245

Benzylnickel, reactions of dioxygen with (G. Favero, S. Issa, A. Turco, U. Vettori), (315) 237

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331

2,2'-Bipyridinenickel, catalytic activity in electrochemical reduction of aliphatic halides of (S. Mabrouk, S. Pelligrini, J.-C. Folest, J. Périchon), (301) 391

$[(C_5H_5)_4FeNi](BF_4)_2$ charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

$(\eta^5-C_5H_5)NiOs_3(\mu-H)_3(CO)_9$, reactions with Group V donor ligands, spectroscopic characterisation of disubstituted derivatives of; crystal structure of $(\eta^5-C_5H_5)NiOs_3(\mu-H)_3(CO)_7(PMe_2Ph)_2$ (E. Sappa, M.L.N. Marchino, G. Predieri, A. Tiripicchio, M. Tiripicchio-Camellini), (307) 97

$(\eta^5-C_5H_5)NiRu_3(\mu-H)_3(CO)_9$, homogeneous catalytic hydrogenation and isomerisation of linear and cyclic monoenes and dienes in the presence of (M. Castiglioni, R. Giordano, E. Sappa), (319) 167

$(C_5H_5)_2Ni_2(\mu-SR)_2$ (R = Ph, PhCH₂, 1-decyl, 2-naphthyl), reduction of the C–S bond in

- (N.F. Ho, T.C.W. Mak, T.-Y. Luh), (317) C28
- Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339
- Cyclopentadienylcarbonyliiron cationic complexes alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145
- Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahşen, Ö. Bekaroğlu), (317) 301
- Di-halo- and di-pseudohalo-bipyridine nickel(0) complexes, organic group coupling by electrochemical reduction catalysed by (Y. Rollin, M. Troupel, D.G. Tuck, J. Perichon), (303) 131
- Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103
- 1,3-Diphosphallylnickel complexes, preparation and structures of (R. Appel, W. Schuhn, F. Knoch), (319) 345
- Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahşen, Ö. Bekaroğlu), (319) 197
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83
- α -Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isocyanide ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301
- Monoazadienenickel complexes, synthesis and structure of (C. Müller, L. Stamp, H. tom Dieck), (308) 105
- Nickel and cobalt electrochemically generated complexes, catalysis of dimerisation of monoolefins by (H. Masotti, J.C. Wallet, G. Peiffer, F. Petit, A. Mortreux, G. Buono), (308) 241
- Nickel-catalysed amidation of bromo- and iodo-benzene (P. Giannococcaro, E. Pannacciulli), (319) 119
- Nickel-catalysed coupling of activated alkenes with organic halides (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani Ronchi), (301) C62
- Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383
- Nickel complex induced C-C linkage of carbon dioxide with trienes (A. Behr, U. Kanne), (317) C41
- Nickel(II) isolable phosphonio complexes, $C_5H_5Ni(PH_3)I$ and $[C_5H_5Ni(PH_3)_2]BF_4$ (N. Kuhn, M. Winter), (301) C9
- Nickel, palladium and platinum; Annual survey covering the year 1980 (P.A. Chaloner), (324) 283
- Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383
- Nickelirenes and nickeloles as catalytic carriers in oligomerisation of alkynes (J.J. Eisch, J.E. Gallo, A.A. Aradi, M.P. Boleslawski), (312) 399
- Nickelocene, high activity in catalysis of cross-linking of an acetylene-terminated monomer of (W. Douglas, A. Overend), (308) C14
- $[Ni_9Pt_3(CO)_{21}H_{4-n}]^{n-}$ ($n = 4, 3, 2$) anionic clusters, synthesis, NMR and structural characterisation of (A. Ceriotti, F. Demartin, G. Longoni, M. Manassero, G. Piva, G. Piro, M. Sansoni, B.T. Heaton), (301) C5
- $[NiR' L_2]$ (R' = aryl or vinyl; L = PMe_2Ph , PEt_3) complexes, decomposition by bromine or anodic oxidation of (J.M. Coronas, G. Muller, M. Rocamora), (301) 227
- Organoferricinium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organonickel hydrides with ionic contacts to sodium and lithium, structural and bonding characteristics of (R. Goddard, C. Krüger, K.R. Pörschke, G. Wilke), (308) 85
- Oxanickela complexes and pentenoic acids, reaction products from C-C coupling of alkenes with CO_2 to nickel(0) (H. Hoberg, Y. Peres, A. Milchereit), (307) C41
- Oxanickelacyclopentanones and cinnamic acid, reaction products from C-C coupling of alkenes with CO_2 to nickel(0) (H. Hoberg, Y. Peres, A. Milchereit), (307) C38
- Pentafluorophenyl asymmetric binuclear palladium(II) derivatives, synthesis of (G. Lopez, G. Garcia, C. de Haro, G. Sanchez, J. Garcia), (317) C23
- 1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzenes ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143
- 1-Phosphaallene η^1 -complexation with tetracarbonylnickel (R. Appel, F. Knoch, V. Winkhaus), (307) 93
- N*-Protonated 2-pyridynickel(II) complexes, insertion of isocyanides into the nickel-2-

- pyridyl bond of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton), (323) 123
- (tmesta)Ni(η^2 -C₄H₆)₂ and {(tmesta)Ni(η^2 -C₄H₆)₂}(η^2 , η^2 -C₄H₆), preparation and properties of (W. Schröder, K.R. Pörschke), (322) 385
- Triethenenickel, reactions with 7,7-difluorocyclopropabenzene in the presence of tetraethylenediamine (R. Benn, H. Schwager, G. Wilke), (316) 229
- Niobium**
- Dichloroniobocene, electrochemical reduction at various temperatures of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron, E. Laviron), (317) 201
- Di- η -cyclopentadienyl[1,3,4- η^3 -(1,2,3,4-tetramethyl-1,3-butadienyl)]niobium, synthesis, and crystal and molecular structures of (G.E. Herberich, B. Hessner, H. Mayer), (314) 123
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebisch), (308) 19
- [Nb(η^5 -C₅H₅R)₂{AuP(C₆H₅)₃}]⁺ (R = H, Si(CH₃)₃) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44
- Niobium organometallic compounds, analysis and classification of crystallographic data (Review) (C.E. Holloway, M. Melník), (303) 1
- Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV}, CH₃Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317
- Osmium**
- Alkyldyne-alkylidyne and alkylidyne-carbonyl coupling on the triosmium framework (W.-Y. Yeh, J.R. Shapley), (315) C29
- Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91
- Bis[bis(trimethylsilyl)methyl]tin, reactions with M₃(CO)₁₂ (M = Fe, Ru, Os) or its derivatives of; crystal and molecular structures of M₃(μ -SnR₂)₂(CO)₁₀ (R = CH(SiMe₃)₂, M = Ru, Os) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203
- 1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltriosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Harding, K. Pearson, A.K. Smith), (311) 153
- Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of Os₃(CO)₉(μ -dppm) (η^1 -dppm) (dppm = Ph₂PCH₂PPh₂) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403
- (η^5 -Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311
- Carbonylchloro(η -cyclopentadienyl)(triphenylphosphine)ruthenium(II), synthesis, reactivity and crystal structure of (T. Wilczewski, Z. Dauter), (312) 349
- Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of Ru₃(μ -H)₂(μ -PPh)-(CO)₈(PM₂Ph₂), Ru₄(μ -H)₄(μ -dppm)-(CO)₁₀, Ru₄(μ -H)(μ ₃-PPhCH₂PPh₂)(CO)₁₀ and Os₃(μ -H)₂(μ -dppm)(CO)₈ (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tieckink, M.L. Williams), (316) 187
- Carbonylruthenium complexes of *cis*-1,2-bis(diphenylphosphino)ethene, preparation of; X-ray structure of Ru₂{ μ -C₂H₂(PPh₂)₂}(CO)₆ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (306) 115
- μ -Carbyne-triosmium complex, formation in the reaction of O=C=Os₃H(CO)₉{ μ ₃- η^2 -C=C-(Ph)C=C(Ph)Re(CO)₄} with dimethylphenylphosphine; X-ray structure of HOs₃(CO)₁₀{ μ -CC(Ph)=C=C(Ph)Re(CO)₄PM₂Ph} (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), (302) 413
- (η^5 -C₅H₅)NiOs₃(μ -H)₃(CO)₉, reactions with Group V donor ligands, spectroscopic characterisation of disubstituted derivatives of; crystal structure of (η^5 -C₅H₅)NiOs₃(μ -H)₃(CO)₇(PM₂Ph)₂ (E. Sappa, M.L.N. Marchino, G. Predieri, A. Tiripicchio, M. Tiripicchio-Camellini), (307) 97
- (η^5 -C₅Me₅)Os(CO)(PM₂Ph)Me oxidative reactions; isolation of intermediates during alkyl-metal electrophilic cleavage reactions of (L.J. Sanderson, M.C. Baird), (307) C1

- Dihydrido(η -cyclopentadienyl)bis(triphenylphosphine)osmium(IV) cation, formation, properties, and reactions with halogen compounds of (T. Wilczewski), (317) 307
- Dodecacarbonyltriosmium, photochemical reactivity of and thermal activation of diosma-cyclobutanes towards alkynes (M.R. Burke, J. Takats), (302) C25
- Dodeca-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320) 363
- Ethylene(hydrido)metal complexes ($M = Ru, Os, Ir, Co$), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227
- Group IV derivatives of $Os_3(\mu\text{-H})_2(CO)_{10}$, structures of $HOS_3(\mu\text{-H})_2(CO)_{10}(SiHPh_2)$ and $Os_3(\mu\text{-H})_2(CO)_{10}(SnMe_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257
- Halovinylidene-containing ruthenium and osmium complexes, synthesis and properties of; X-ray structure of $[Ru(C=CIPh)(PPh_3)_2(\eta\text{-C}_5H_5)]_2[I_3]$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell, B.K. Nicholson), (320) 217
- Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67
- Hex-5-en-2-one, double bond shifts induced by reaction with triosmium clusters of (A.J. Arce, E. Boyar, A.J. Deeming), (320) 385
- $(\mu\text{-H})_3Ru_3(\mu_3\text{-CR})(CO)_9$, protonation of; evidence for formation of an agostic metal–hydrogen bond (D.K. Bower, J.B. Keister), (312) C33
- Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner), (303) 221
- Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29
- Nitrosylthiocarbonylosmium complexes, synthesis of (M. Herberhold, A.F. Hill, N. McAuley, W.R. Roper), (310) 95
- Octacarbonyltriosmium clusters, stepwise synthesis from decacarbonyltriosmium clusters of; X-ray crystal structure of $[Os_3(CO)_8(Ph_2C_2)_2]$, a bis(alkyne) without an osma-cyclopentadiene ring (B.F.G. Johnson, R. Khattar, F.J. Lahoz, J. Lewis, P.R. Raithby), (319) C51
- Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357
- Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of $[6-(\eta^6-C_6Me_6)-nido-6-MB_9H_{13}]$ ($M = Ru, Os$) and the rearrangement cluster $[5-(\eta^6-C_6Me_6)-nido-5-RuB_9H_{11}-7-(PMe_2Ph)]$ (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233
- OsC_2P metalla-heterocycles, formation via cationic hydrido- and deuterido-methylene intermediates of (H. Werner, K. Roder), (310) C51
- $Os_5(\mu_5\text{-}\eta^2-P-C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$, synthesis and X-ray structure of (J.-C. Daran, E. Cabrera, M.I. Bruce, M.L. Williams), (319) 239
- $Os(\equiv Cl)(CO)(PPh_3)_2$ and $Os(\equiv C[AgCl]R)Cl(CO)(PPh_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211
- Osma-five-membered heterocyclic compounds, formation by insertion reactions of alkyne into Os–I or Os–H bonds of (H. Werner, R. Weinand, H. Otto), (307) 49
- Osmium and molybdenum trinuclear cluster, crystal structure of the co-crystallized molecules $MoOs_2(CO)_{11}[P(OMe)_3]_2$ and $[(MeO)_3P](OC)_4OsMo(CO)_5$ (H.B. Davis, F.W.B. Einstein, V.J. Johnston, R.K. Pomeroy), (319) C25
- Osmium and ruthenium complexes, mechanism of homogeneous hydrogenation of carbon monoxide catalysed by (D.S. Barratt, D.J. Cole-Hamilton), (306) C41
- Osmium cluster radical anions (S.R. Drake, B.F.G. Johnson, J. Lewis, R.C.S. McQueen), (325) C31
- O-Perrenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269
- Platina-allenyl ligand coordination to a triosmium cluster, X-ray cluster structure of the acetylide complex $Os_3Pt(\mu\text{-H})(\mu_4\text{-}\eta^2-C\equiv C-Ph)(CO)_{10}(PCy_3)$ ($Cy = cyclohexyl$) (P. Ewing, L.J. Farrugia), (320) C47
- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41
- $Ru(C\equiv CPh)(dppe)(\eta\text{-C}_5H_5)$ and $[Ru(L)(PPh_3)_2(\eta\text{-C}_5H_5)]X$ ($L = C(OMe)Et, X = PF_6^-; L = C=CMePh, X = I$), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekkink), (314) 213
- $[Ru_3(CO)_{11}(CNBu^t)]$ and $[Os_3(CO)_{11}(CNBu^t)]$,

- X-ray structures of (M.I. Bruce, G.N. Pain, C. Hughes, J.M. Patrick, B.W. Skelton, A.H. White), (307) 343
- Ruthenium and osmium; annual survey 1983 (J.B. Keister), (318) 297
- Ruthenium and osmium; annual survey 1984 (P.A. Shapley), (318) 409
- Ruthenium and osmium cluster carbonyls containing olefinic tertiary phosphine PPh_2 - $(\text{C}_6\text{H}_4\text{CH}=\text{CH}_2\text{-}2)$ (sp); X-ray structure of $\text{Os}_3\text{H}(\mu\text{-H})(\text{CO})_{10}$ (sp) (M.I. Bruce, M.L. Williams), (314) 323
- Ruthenocene-carboxylic and -boronic acids, separation and identification of; detection of alkali metal cations (T. Wilczewski), (306) 125
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Thionitrosodimethylamine ($\text{Me}_2\text{N}-\text{N}=\text{S}$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105
- Tricarbonyl-*tetra*hapto-cyclopentadienoneruthenium(0) complexes, catalysis with; a water-gas type reaction (Y. Shvo, D. Czarkie), (315) C25
- Trinuclear osmium clusters containing amino-phosphine and phosphinoamido ligands, synthesis and molecular structure of $\text{Os}_3(\text{CO})_{11}(\text{PPh}_2\text{NHPh})$ and $\text{HOs}_3(\text{CO})_8(\text{PPh}_2\text{NHPh})(\text{PPh}_2\text{NPh})$ (G. Süss-Fink, M.A. Pellinghelli, A. Tiripicchio), (320) 101
- Triosmium cluster, $[\text{Os}_3(\text{CO})_{10}(\text{NCMe})_2]$, synthetic studies of reactions with aldehydes of (B.F.G. Johnson, J. Lewis, T.I. Odiaka), (307) 61
- Triosmium clusters, oxidative addition of 2-formylfuran and related pyrrole and thiophene compounds to (A.J. Arce, Y. De Sanctis, A.J. Deeming), (311) 371
- $\mu_3\text{-Allyl-}\mu_1\text{-chlorobis(triphenylphosphine)dipalladium(II)}$, preparation and crystal structure of (J. Sieler, M. Helms, W. Gaube, A. Svensson, O. Lindqvist), (320) 129
- Allylic arsenites, reactions with low valent transition metal complexes of (X. Lu, L. Lu), (307) 285
- Aryl-palladium(II) and -platinum(II) rigid complexes, synthesis and structure aspects of; X-ray crystal structure of *o,o*-bis[(dimethylamino)methyl]phenyl-platinum(II) bromide (J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen, C.H. Stam), (315) 401
- Binuclear and trinuclear complex clusters with Pd-Pd and Pd-Pt bonds stabilised by $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellon, M. Ries), (304) 245
- Biphosphinepalladium chiral complexes as catalysts for asymmetric hydrocyanation of norbornene (M. Hodgson, D. Parker), (325) C27
- cis*-Bis-acetylene-bis(pentafluorophenyl)-palladium(II) and -platinum(II) complexes, preparation of; crystal structure of *cis*- $[\text{Pt}(\text{C}_6\text{F}_5)_2(\text{PhC}=\text{CpH})_2]$ (R. Usón, J. Forniés, M. Tomás, B. Menjón, A.J. Welch), (304) C24
- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381
- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323
- Bis(pyrazolyl)alkane-palladium(II) and -platinum(II) complexes, preparation and characterisation of; crystal and molecular structures of $[\text{Pd}\{\text{CH}_2(\text{pz})_2\}_2][\text{BF}_4]_2$ and $[\text{PdCl}_2\{(\text{CH}_3)_2\text{C}(\text{pz})_2\}]$ (pzH = pyrazole), example of $\text{Pd}\cdots\text{H-C}$ agostic interaction (G. Minghetti, M.A. Cinelli, A.L. Bandini, G. Banditelli, F. Demartin, M. Manassero), (315) 387
- Carbonylphosphine-palladium high-nuclear cluster, $\text{Pd}_{23}(\text{CO})_{22}(\text{PEt}_3)_{10}$, production and characterisation of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (301) C35
- Chloride-bridged methylpalladium(II) dimers, preparation, carbonylation and bridge-splitting reactions with tertiary phosphines of (Y. Hayashi, K. Isobe, Y. Nakamura, S. Okeya), (310) 127

Palladium

- Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343
- Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233

- [CpFeP₂L]⁺ cations, (Cp = C₅H₅, C₅Me₅; L = CO vs. CH₃CN; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322) C13
- 1,5-Cyclooctadienedihalogenometal (M = Pd, Pt, X = Cl, Br) complexes, attack by cyclohexylamine on the diene ligands in (D.J. Evans, L.A.P. Kane-Maguire), (312) C24
- Cyclopalladated benzyl methyl sulphide, one-pot synthesis of heterocyclic compounds through insertion of alkynes into Pd–C bonds of (J. Dupont, M. Pfeffer), (321) C13
- Dichloro- and diacetoxy-allylic compounds, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, A.-M. Zigna, G. Balavoine), (306) 257
- Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekaroğlu), (317) 301
- Dithio- and trithio-carbonate-bridged palladium (II) and/or platinum(II) complexes; X-ray structure of [{(Ph₂PCH₂CH₂PPH₂)Pd(μ-S₂CS)}₂Pt(C₆F₅)₂] · CH₂Cl₂ (J. Forniés, M.A. Usón, J.I. Gil, P.G. Jones), (311) 243
- Iron-containing M₆ and M₅ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219
- K₂[Pd(C₆F₅)₄]-catalysed cyclotrimerisation of malononitrile (G. Lopez, G. Sanchez, G. Garcia, J. Galvez, J. Ruiz), (321) 273
- 1-syn-Methyl- and -phenyl-allyl complexes with symmetric metal ligand backbones, synthesis and spectra of; molecular structures of [(η-1-PhC₃H₄)Pd(tmeda)]BF₄, [(η-C₅H₅)Pd(η-1-PhC₃H₄)], and [(phen)Mo(CO)₂(NCS)(η-1-PhC₃H₄)] (N.W. Murrall, A.J. Welch), (301) 109
- Methylbenzalazines with Pd–C (aliphatic) bonds, six-membered cyclometallated compounds of (R.M^a. Ceder, J. Granell, J. Sales), (307) C44
- Nickel, palladium and platinum; Annual survey covering the year 1980 (P.A. Chaloner), (324) 283
- Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[di-*meta*-tolylphosphino]-methyl]benzene (P.N. Kapoor), (315) 383
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonate and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- Palladium(II) and platinum(II) complexes with hybrid phosphine-phosphine oxide ligands Ph₂P(CH₂)_nP(=O)Ph₂ (*n* = 1–4) (S.J. Higgins, R. Taylor, B.L. Shaw), (325) 285
- Palladium and platinum dinuclear cyclometallated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57
- Palladium(II) and platinum(II) derivatives with chiral 2,2'-bipyridines; X-ray structure of C₁₈H₁₅ClN₂Pd; C- and N-coordination in a six-membered metallacycle (G. Minghetti, M.A. Cinelli, G. Chelucci, S. Gladiali, F. Demartin, M. Manassero), (307) 107
- Palladium- and rhodium-catalysed synthesis of esters by reactions in mixtures of butadiene, carbon dioxide and oxiranes (A. Behr, U. Kanne), (309) 215
- Palladium(II) and rhodium(I) cationic complexes, reaction with t-butylperoxy anion and formation of t-butylperoxo-palladium(II) and -rhodium(II) complexes (N. Oshima, Y. Hamatani, H. Fukui, H. Suzuki, Y. Moro-Oka), (303) C21
- Palladium and rhodium complexes with [R₂PCH₂CO₂]⁻ ligands (R = Ph, cyclo-C₆H₁₁); crystal and molecular structure of [(o-C₆H₅CH₂NMe₂)Pd{Ph₂PCH₂C(O)O}](P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), (301) 401
- Palladium-assisted organic reactions, simple synthesis of 2,3-disubstituted phthalimidines (N. Barr, N.P. Bartley, P.W. Clark, P. Duns-tan, S.F. Dyke), (302) 117
- Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320) C56
- Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397
- Palladium-catalysed alkoxy- and amido-carbonylation of allenyl and propynyl halides, formation of allenyl esters and amides by (N.D. Trieu, C.J. Elsevier, K. Vrieze), (325) C23
- Palladium-catalysed aryldestannylation of α-styrylstannanes by arenediazonium salts (K. Kikukawa, H. Umekawa, T. Matsuda), (311) C44
- Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetone)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), (301) C17
- Palladium-catalysed cross-coupling followed by bromination, synthesis of broparestrol from (M.I. Al-Hassan), (321) 119
- Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated di-

- enes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), (303) 309
- Palladium(II) complexes with C^2 -bonded heteroaromatic ligands trans -[PdCl(R_N)(PPh₃)₂] (R_N = 2-pyridyl, 2-pyrazyl, 2-pyrimidyl), preparation and reactions of (R. Bertani, A. Berton, F. Di Bianca, B. Crociani), (303) 283
- PdMo(μ -Ph₂Ppy)₂(μ -CO)(CO)₂ · 0.5CH₂Cl₂, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357
- [Pd(OAc)₂(PPh₃)₂]-trialkylammonium formate reagent, reaction of aryl iodides with hindered $\alpha, \beta, \gamma, \delta$ -dienones in the presence of (A. Arcadi, F. Marinelli, S. Cacchi), (312) C27
- Pentachlorophenylpalladium(I) derivatives, synthesis and reactivity of; molecular structure of Pd₂(μ -dppm)₂(C₆Cl₅)₂ (P. Espinet, J. Fornies, C. Fortuño, G. Hidalgo, F. Martínez, M. Tomás, A.J. Welch), (317) 105
- Pentafluorophenylpalladium(I)-platinum(I) derivatives, synthesis and reactivity of; molecular structures of ClPt(μ -dppm)₂Pd(C₆F₅) (J. Fornies, F. Martínez, R. Navarro, A. Redondo, M. Tomás, A.J. Welch), (316) 351
- Pentafluorophenyl asymmetric binuclear palladium(II) derivatives, synthesis of (G. Lopez, G. Garcia, C. de Haro, G. Sanchez, J. Garcia), (317) C23
- Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-[Pt(PPh₃)₂(I)(CH₂P(O)(OCH₃)₂)] (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225
- [(PM₃)Pd(μ -Se₂CPMe₃)]₂, dinuclear complex with η^1, η^2 -bonded Se₂CPMe₃ bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63
- RuCl₂(PPh₃)₃HCOOH/Et₃N, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63
- Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of [(*p*-cymeme)ClRu(μ -Cl) (μ -pz)Pd(C₈H₁₁)] (M.P. García, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322) 111
- Sulphur ylide complexes of palladium, preparation by phase transfer catalysis of (I.J.B. Lin, H.Y.C. Lai, S.C. Wu, L. Hwan), (306) C24
- Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- 1,1,1,4-Tetrachlorobut-2-ene, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, Y.T. Xian, G. Balavoine), (306) 267
- Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), (304) 257
- Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119
- Trichlorostannate derivatives of chloro-bridged palladium(II) dimers, ³¹P and ¹¹⁹Sn NMR of (C. Arz, I.R. Herbert, P.S. Pregosin), (308) 373
- (4S,7R)-7,8,8-Trimethyl-1-phenyl-4,5,6,7-tetrahydro-4,7-methano-1*H*-indazole, structural study of cyclopalladation of (A.A. Watson, D.A. House, P.J. Steel), (311) 387
- Trithia macrocyclic complexes of palladium, structural and electrochemical studies on (A.J. Blake, A.J. Holder, T.I. Hyde, Y.V. Roberts, A.J. Lavery, M. Schröder), (323) 261

Phosphorus

- η^2 -Acyliron complexes; crystal structure of [Fe(I)(η^2 -C(O)-i-Pr)(CO)(PEt₃)₂] (R. Birk, H. Berke, G. Huttner, L. Zsnolnai), (309) C18
- cis*-Alkenyl- or -aryl-dimethyl(triphenylphosphine)gold(III), unusual steric effect on dissociative reductive elimination from (S. Komiya, A. Shibue, S. Ozaki), (319) C31
- Alkenylphosphanes RPX₂ and R₂PX (X = NEt₂, Cl), function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291
- Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), (304) 283
- Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107
- Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*-[(N₂)₂(Ph₂PCH₂CH₂PPh₂)₂] (M =

- Mo, W) and with $[\text{Mo}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]$; X-ray structure of *trans*- $[\text{Mo}(\text{C}\equiv\text{CPh})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pombeiro), (323) C47
- Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233
- Allylbis-ligand-nickel(II) hexafluorophosphate complexes, oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balabolov, K. Kurtev), (304) C4
- μ_3 -Allyl- μ_1 -chlorobis(triphenylphosphine)dipalladium(I), preparation and crystal structure of (J. Sieler, M. Helms, W. Gaube, A. Svensson, O. Lindqvist), (320) 129
- (η^3 -Allyl)dicarbonylmolybdenum(II) complexes of the unsymmetrical diphosphenes $\text{Ph}_2\text{PP}-(\text{C}_6\text{H}_4\text{X})$ ($\text{X} = m\text{-F}$, *p*-F or *m*-CF₃) (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercutty), (322) 71
- Allylic phosphites, nickel chloride catalysed rearrangement of (X. Lu, J. Zhu), (304) 239
- Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bresan, A. Morville), (304) 267
- Aminophosphinephosphinite chiral ligands, synthesis and applications as catalysts of (A. Karim, A. Mortreux, F. Petit, G. Buono, G. Peiffer, C. Siv), (317) 93
- Asymmetric hydrogenation of dehydroamino acids catalysed by aminophosphinerhodium complexes (A. Karim, A. Mortreux, F. Petit), (312) 375
- Azanickelacyclopentanones, α, ω -diacidic amides of alkenes and phenyl isocyanate, intermolecular CC bond formation in (H. Hoberg, E. Hernandez), (311) 307
- 2,1,3-Benzophosphadiazine ring system, synthetic and NMR spectroscopic studies on (M.R. Bryce, R.S. Matthews), (325) 153
- Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203
- Binuclear and trinuclear complex cluster with Pd-Pd and Pd-Pt bonds stabilised by Ph₂PCH₂PPh₂ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefond, M. Ries), (304) 245
- Biphosphinepalladium chiral complexes as catalysts for asymmetric hydrocyanation of norbornene (M. Hodgson, D. Parker), (325) C27
- 2,2'-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
- Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76
- Bis- μ -[bis(diphenylphosphino)methane]dihalodiplatinum(*Pt*-*Pt*) and its hydrido "A" frame derivatives, preparation and NMR spectra of (M.C. Grossel, J.R. Batson, R.P. Moulding, K.R. Seddon), (304) 391
- Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes S(NP-t-Bu₂[ML_n])₂ (ML_n = Cr(CO)₅, Mo(CO)₅, W(CO)₅, Fe(CO)₅) and chelates S(NP-t-Bu₂)₂M(CO)₄ (M = Cr, Mo, W); crystal and molecular structure of S(NP-t-Bu₂)₂Cr(CO)₄ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51
- 2,3-Bis(dimethylphosphino)maleic anhydride and 2,3-bis(dimethylphosphino)-*N*-phenylmaleimide, asymmetric hydrogenation catalysed by rhodium complexes of (A. Kinting, H.-W. Krause), (302) 259
- Bis(dimethylphosphine)cyclopentadienylcobalt), [C₅H₅Co(μ -PM₂)₂], addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- Bis(diphenylphosphino)acetylene complexes of C₅H₅(CO)₂Mn and (CO)₅M (M = Cr, W) preparation and characterisation of (O. Orama), (314) 273
- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381
- Bis(diphenylphosphino)-ethane- and -ethene-cyclopentadienyliron complexes with CO⁻, N₂⁻, HN₃⁻, HN₃⁻ or N₃⁻ as ligands (D. Sellmann, W. Weber), (304) 195
- Bis(diphenylphosphino)methane, deprotonated, as monodentate ligand; preparation and ³¹P/¹⁹⁹Hg NMR characterisation of Hg-[CH(PPh₂)₂]₂ (M. Lusser, P. Peringer), (312) C61
- 1,1-Bis(diphenylphosphino)ethene-tricarbonyl-iron and -decacarbonyltrirosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Harding, K. Pearson, A.K. Smith), (311) 153
- Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -trirosmium, preparation of; X-ray crystal structure of Os₃(CO)₉(μ -dppm)(η^1 -dppm)

- (dppm = Ph₂PCH₂PPh₂) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403
- Bis(diphenylphosphino)methane-substituted products from (μ_3 -CCH₃)Co₃(CO)₉ (S. Aime, M. Botta, R. Gobetto, D. Osella), (320) 229
- Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310) C36
- Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium complexes, formation in reactions of RuRhH₂Cl(C₈H₁₂)(Ph₂PCH₂PPh₂)₂ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51
- Bis-metallates, Na₂{Me₂Si[(C₅H₄)(CO)₃M]₂} (M = Mo,W), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch) (303) C33
- cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weismann), (316) 367
- Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27
- Bis(tertiary phosphine)cycloheptatrienyltungsten complexes, synthesis and spectra of (R. Breeze, S. b.t. Endud, M.W. Whiteley), (302) 371
- Bis(tricarbonylcyclopentadienylmolybdenum), [C₅H₅Mo(CO)₃]₂, Mo-Mo bond cleavage by ferricinium cations in the presence of Group V ligands under photochemical radiation of; formation of [C₅H₅Mo(CO)₂L₂]BF₄ complexes (H. Schumann), (323) 193
- Bis[tris(dimethylamino)phosphane]hexacarbonyl-dimanganese, Mn₂(CO)₈[P(NMe₂)₃]₂, structural study of (J.J. Hunt, E.N. Duesler, R.T. Paine), (320) 307
- (η^5 -Borole)rhodium complexes and nucleophilic degradation of μ -(η^5 -1-phenylborole)bis[η^5 -1-phenylborol]rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lütke), (312) 13
- (η^5 -Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311
- α -Bromoaryl esters and α -chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tzschach), (317) 11
- η^4 -1,3-Butadienetrakis(triethylphosphane)iron(0), synthesis properties and characterisation of (H. Hoberg, K. Jenni), (301) C59
- (Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lecht), (311) 45
- Butadiynetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Denicke), (316) 85
- {3-[t-Butyl(phenyl)phosphino]propyl}dimethyltin chloride, crystal and molecular structure of (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 267
- Carbomethoxy-pentacoordinate iridium(I) complex, CH₃OC(O)Ir(CO)₂(PPh₃)₂ synthesis and crystal structure of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (304) 227
- Carbonylcyclopentadienylethyl(triphenylphosphine)iron, [(η^5 -C₅H₅)Fe(CO)(PPh₃)CH₂-CH₃], conformational analysis and X-ray crystal structure of (S.G. Davies, I.M. Dordor-Hedgecock, K.H. Sutton, M. Whitaker), (320) C19
- Carbonylcyclopentadienylmolybdenum clusters containing (As₂)₂ or (P₂)₂ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77
- Carbonyl-dichromium(0) and -dimolybdenum(0) complexes containing bridging *trans*-Ph₂PCH=CHPPh₂ ligands, synthesis of and NMR studies on; crystal structure of [Mo₂(CO)₂(μ -*trans*-Ph₂PCH=CHPPh₂)₂] (G.B. Jacobson, B.L. Shaw, M. Thornton-Pett) (323) 313
- Carbonyliron RP-bridged clusters, reversible alkyne addition to (K. Knoll, G. Huttner, L. Zsolnai), (307) 237
- Carbonylmanganese halogen-bridged cationic compounds, synthesis of; X-ray structure of [Mn₂(μ -I)(CO)₈(μ -Ph₂PCH₂PPh₂)][BF₄] (V. Riera, M.A. Ruiz, A. Tiripicchio, M. Tiripicchio Camellini), (308) C19
- Carbonylmolybdenum complexes containing unidentate and bridging diphosphines, one-pot syntheses of (T.S.A. Hor), (319) 213
- Carbonylphosphine-palladium high-nuclear cluster, Pd₂₃(CO)₂₂(PEt₃)₁₀, production and characterisation of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (301) C35
- Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of Ru₃(μ -H)₂(μ_3 -PPh)-(CO)₈(PMcPh₂), Ru₄(μ -H)₄(μ -dppm)-(CO)₁₀, Ru₄(μ -H)₃(μ_3 -PPhCH₂PPh₂)(CO)₁₀ and Os₃(μ -H)₂(μ -dppm)(CO)₈ (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekkink, M.L. Williams), (316) 187

- Carbonylruthenium clusters containing aryl diazo ligands; X-ray structure of $\text{Ru}_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\mu\text{-}\eta^1\text{-N=NC}_6\text{H}_3\text{Cl}_2\text{-}2,4)(\text{CO})_9$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A. White), (309) 157
- Carbonylruthenium complexes of *cis*-1,2-bis(diphenylphosphino)ethene, preparation of; X-ray structure of $\text{Ru}_2(\mu\text{-C}_2\text{H}_2(\text{PPh}_2)_2)(\text{CO})_6$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (306) 115
- Carbyne complexes, *trans*-X(CO)₄M≡CR, influence of the central metal, the *trans*-X ligand and the carbyne substituent on M-CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187
- μ -Carbyne-triosmium complex, formation in the reaction of $\text{O=COs}_3\text{H}(\text{CO})_9\{\mu_3\text{-}\eta^2\text{-C=C-(Ph)}\text{C=C(Ph)Re(CO)}_4\}$ with dimethylphenylphosphine; X-ray structure of $\text{HOs}_3\text{-}(\text{CO})_{10}(\mu\text{-CC(Ph)}=\text{C=C(Ph)Re(CO)}_4\text{PMe}_2\text{-Ph})$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), (302) 413
- (η^1 : $\eta^5\text{-C}_5\text{H}_4$)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of $\{\text{Cp}(\mu\text{-}[\eta^1\text{:}\eta^5\text{-C}_5\text{H}_5])\text{Ti}[\text{PMe}_3]_2\}$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310) 27
- [$\eta^5\text{-C}_5\text{H}_4\text{CHO}$]Cr(CO)₃] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5\text{-C}_5\text{H}_4\text{CHO}$)Cr(CO)₃Au(PPh₃) (F. Edelmann, S. Töfke, U. Behrens), (309) 87
- ($\eta^5\text{-C}_5\text{H}_4\text{CH(Ph)Me}$)Fe(CO)(L)X chiral complexes, L = phosphine, phosphite; X = acyl, alkyl, halide, hydride, preparation, diastereomers and structural characterisation of (J.E. Shade, A. Wojcicki), (319) 391
- CH₃C₅H₄(CO)₂Mn(μ -H)AuPPh₃ (*Mn-Au*) and [CH₃C₅H₄(CO)₂Mn(μ -H)]₂Pt(3-picolin)₂ (*Mn-Pt*), synthesis from Na[CH₂C₅H₄(CO)₂MnSiR₃]; formation of metal-metal bonds and simultaneous SiR₃/H exchange (E. Kunz, J. Müller, U. Schubert), (320) C11
- [C₅H₅Co(μ -PMe₂)]₂, addition reactions with elemental halogen and dihalomethanes of; crystal and molecular structure of *trans*-{[C₅H₅(Br)Co]₂(μ -P(CH₃)₂)(μ -CH₂P(CH₃)₂)} (R. Zolk, H. Werner), (303) 233
- {[C₅H₅Co]₂(μ -PMe₂)₂(μ -H)}⁺ cation, opening of the hydrido bridges by Lewis bases in (H. Werner, R. Zolk, W. Hofmann), (302) 65
- Chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium, preparation from [RuHCl(PPh₃)₃] and penta-1,4-diene of, C-C bond formation by dehydrogenation (B.E. Mann, P.W. Manning, C.M. Spencer), (312) C64
- Chloromethylplatinum(II), formation of cationic ylide-platinum(II) complex from; crystal structures of *cis*-[Pt(CH₂PPh₃)₂X(PPh₃)₂]I (X = Cl, I) (C. Engelter, J.R. Moss, L.R. Nassimbeni, M.L. Niven, G. Reid, J.C. Spiers), (315) 255
- ($\eta^5\text{-C}_5\text{H}_5$)NiOs₃(μ -H)₃(CO)₉, reactions with Group V donor ligands, spectroscopic characterisation of disubstituted derivatives of; crystal structure of ($\eta^5\text{-C}_5\text{H}_5$)NiOs₃(μ -H)₃(CO)₇(PMe₂Ph)₂ (E. Sappa, M.L.N. Marchino, G. Predieri, A. Tiripicchio, M. Tiripicchio-Camellini), (307) 97
- (C₅H₅)(OC)₂(R₃P)MoFBF₃ (R = Me, Et), dynamic behaviour of the coordinated tetrafluoroborate ligand in (M. Appel, W. Beck), (319) C1
- ($\eta^5\text{-C}_5\text{H}_5$)(Ph₂PCH₂CH₂PPh₂)Ru=CH₂⁺ AsF₆⁻, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310) C39
- [($\eta\text{-C}_5\text{H}_5$)Ru((S,S)-Ph₂PCH(CH₃)CH(CH₃)-PPh₂)⁺PF₆⁻ optically active complexes, enantioface selection in (G. Consiglio, F. Morandini, P. Pregosin), (308) 345
- (C₅H₅)₂Zr(CO)[P(OCH₃)₃], preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), (301) 299
- C₅Me₅(CO)(L)Mn(H)SiR₃ complexes, structural chemistry and ²⁹Si NMR spectroscopy of (U. Schubert, G. Scholz, J. Müller, K. Ackermann, B. Wörle, R.F.D. Stansfield), (306) 303
- [C₆Me₆RuH(NH₂Prⁱ)PMe₃]PF₆, formation and structure of, example of reductive amination of acetone by a hydridometal complex (H. Werner, H. Kletzin, R. Zolk, H. Otto), (310) C11
- (C₅Me₅)Ta(H)₂(η^2 -CHPMe₂)(PMe₃), synthesis, molecular structure and reactivity of (C₅Me₅)Ta(H)₂(η^2 -CHPMe₃)(PMe₃) (T.P. Kee, V.C. Gibson, W. Clegg), (325) C14
- Cobalt(II) complexes with phosphorus-sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165
- [Co(CO)(dppm)₂]ClO₄, crystal and molecular structure of (C. Carriero, P. Gomez-Sal, P. Royo, S. Martinez-Carrera, S. Garcia-Blanco), (301) 79
- Co₃(μ_3 -CPh)(CO)₉, crystal structures of mixed-metal cluster derivatives of (M. Ahlgren, T.T. Pakkanen, I. Tahvanainen), (323) 91
- Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands Ph₂As(CH₂)_n-PPh₂ (*n* = 1, 2), synthesis and dynamic be-

- haviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27
- Copper(I) as phosphine abstractor from (η - C_5H_5)(CO)(PPh₃)(FeCOCH₃) (S.A. Levitre, C.C. Tso, A.R. Cutler), (308) 253
- [Co₂W(μ -PEt₂)₃(CO)₅(η -C₅H₅)], [Co₂W{ μ ₃-C(R)(Et)C(Et)C(O)}(μ -CO)(CO)₄(PPh₂-{C(Et)=CHEt})(η -C₅H₅)], and [CoW{ μ -C(R)(Et)C(Et)C(OH)}(CO)₄(η -C₅H₅)] (R = C₆H₄Me-4), crystal structures of (P. Dunn, J.C. Jeffery, P. Sherwood), (311) C55
- Cp'(CO)(L)W(PMe₃)HCCHCOMe] (Cp' = η ⁵-C₅H₅, η ⁵-C₅Me₅; L = CO, PMe₃), rearrangements with CF₃COOH of; reactions of [C₅-Me₅(CO)₂(CF₃COO)₂]PMe₃CH₂CH₂COMe] with Co, PMe₃, NOBF₄ and Et₃OBF₄ (H.G. Alt, H.I. Hayen), (316) 301
- Cp*Fe(CO)₂[η ¹-SP(S(OR)₂)] (Cp* = η -C₅H₅ or η -C₅Me₅), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320) 317
- [CpFeP₂L]⁺ cations, (Cp = C₅H₅, C₅Me₅; L = CO vs. CH₃CN; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322) C13
- Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339
- Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of [Me₂SnSP(S)CH₂CH₂]⁺HMPT (H. Weichmann, J. Meunier-Piret, M. Van Meersche), (309) 273
- Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145
- Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
- η ⁵-Cyclopentadienyl- η ⁵-1-phenylpentadienyl-rhodium hexafluorophosphate, crystal and molecular structure of (P. Powell, M. Stephens, A. Muller, M.G.B. Drew), (310) 255
- Cyclopentadienylruthenium alkoxy carbene, stereochemical aspects of conversion to acetylide complexes of; crystal structure of [(η -C₅H₅)Ru(Ph₂PCHMeCHMePPh₂)(C≡CPh)] (G. Consiglio, F. Morandini, A. Sironi), (306) C45
- Decacarbonyltriiron *nido* clusters, rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (312) C57
- Di-n-alkyl- and n-alkylaryl-chlorophosphanes, preparation and NMR spectroscopic characterisation of (W. Wolfsberger), (317) 167
- (*exo*- and *endo*-Dialkylphosphonate- η ⁵-cyclohexadienyl)tricarbonylmanganese compounds, synthesis of (H.K. Bae, N. Jung, I.K. Chung), (317) C1
- 1,3-Diborabenzeno complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16
- Dibromoacetylenetungsten(IV) complexes, crystal structure of PPh₄[WBr₅(BrC≡CBr)·0.5CCl₄ (K. Stahl, A. El-Kholi, U. Müller, K. Dehnicke), (316) 95
- Dicarbonyl- and carbonyl-(trimethylphosphine) (cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320) 83
- Dicarbonylcyclopentadienylalkylidynetungsten complex, [W(=CR)(CO)₂(η -C₅H₅)], reactions with PHPh₂ of; synthesis and X-ray structures of [W(CH₂RPPh₂)(CO)₂(η -C₅H₅)] and [$\overline{W}(\overline{CH}_2\overline{RCOO}\overline{PPh}_2)(\overline{PHPh}_2)(\overline{CO})(\eta$ -C₅H₅)] (R = C₆H₄Me-4) (G.A. Carriero, V. Riera, M.L. Rodriguez, J.C. Jeffery), (314) 139
- Dicarbonylcyclopentadienyliron-substituted phosphaalkene with Fe-P bonds, synthesis and structure of (L. Weber, K. Reizig, M. Frebel, R. Boese, M. Polk), (306) 105
- Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of S{NP-t-Bu₂[Mn(CO)₂Cp]}₂ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 37
- Dicarbonyl(*syn*- η ³-2,4-pentadienyl)triphenylphosphinecobalt, synthesis, characterisation and crystal structure of (G.-H. Lee, S.-M. Peng, M.-Y. Liao, R.-S. Liu), (312) 113
- Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO₂ and CS₂ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9
- Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37
- Dicyclopentadienyl diphenylphosphinehydrido-molybdenum(IV) chloride, preparation and reactions with electron poor alkynes; formation of molybdaphosphacyclobutanes and X-ray structure of [$(\eta$ ⁵-C₅H₅)₂MoCH(CF₃)CH(CF₃)PPh₂]Cl · H₂O (M.M. Kubicki, R.

- Kergoat, M. Cariou, J.E. Guerchais, P. L'Haridon), (322) 357
- Dicyclopentadienyltetracarbonyldimolybdenum, ($\eta^5\text{-C}_5\text{H}_5$)₂Mo₂(CO)₄, addition of PH functional methylenebisphosphanes to the Mo=Mo bond in (D.J. Brauer, G. Hasselkuss, O. Stelzer), (321) 339
- 1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1
- ($\eta^4\text{-Diene}$)transition metal complexes, indirect scalar spin-spin coupling constant ${}^1J({}^{13}\text{C}, {}^{13}\text{C})$ in (R. Benn, A. Rufińska), (323) 305
- Diethylaminodichlorophosphine in reaction with sodium tetracarbonylferrate(–II), diethylamino migrations in (R.B. King, F.-J. Wu, E.M. Holt), (314) C27
- Diethyl(diphenylphosphinomethyl)aminerhodium(I) derivative, ligand for synthesis of homo- and hetero-dinuclear complexes (R. Turpin, P. Dagnac, R. Poilblanc), (319) 247
- Diethyl-1-magnesium chloride methanephosphanate, novel Grignard reagent used in organic synthesis (P. Coutrot, M. Youssefi-Tabrizi, C. Grison), (316) 13
- trans*-Difulminatobis(triphenylphosphane)platinum(II), (Ph₃P)₂Pt(CNO)₂, preparation and structure of (W. Weigand, U. Nagel, W. Beck), (314) C55
- mer*-Dihalogenotricarbonyldialkylaminocarbonytungsten anioic complexes, formation and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (310) 357
- Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103
- (1,4-Dioxanyl methyl)diphenylphosphine, selective hydrocarbonylation of methanol with (E. Lindner, A. Sickinger, P. Wegner), (312) C37
- Diphenylantimonium(III) diphenylphosphonate and diphenylmonothiophosphinate, synthesis, spectra and crystal structure of (M.J. Begley, D.B. Sowerby, D.M. Wesołek, C. Silvestru, I. Haiduc), (316) 281
- σ -(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with Sn^{II}–Sn^{IV} bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47
- cis*-Diphenylplatinum(II) nitro-substituted compounds, synthesis of (H.A. Brune, B. Stapp, G. Schmidtberg), (307) 129
- 1,3-Diphosphaallylnickel complexes, preparation and structures of (R. Appel, W. Schuhn, F. Knoch), (319) 345
- Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322) C7
- Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of [Ru₂Cl₂(CO)₄{ μ -(MeO)₂PN(Et)P-(OMe)₂}₂] (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310) C42
- Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures [Fe₂I(CO)₅{ μ -(MeO)₂PN(Et)-P(OMe)₂}₂][PF₆] and [Ru₂{ μ -I}I(CO)₃{ μ -(i-PrO)₂PN(Et)P(i-PrO)₂}₂] (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21
- Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Born, L. Zsolnai), (304) 309
- Diphosphine and diarsine oxides, coordination behaviour in organotin(IV) adducts of (S. Dondi, M. Nardelli, C. Pelizzi, G. Predieri), (308) 195
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- Di- μ -pyrazolate(μ -carbonyl)dirhodium triply-bridged complexes with pentamethylcyclopentadienyl and diphosphine ligands, preparation and properties of (L.A. Oro, D. Carmona, J. Reyes), (302) 417
- Diruthenium bridged cations containing cyclopentadienyl and bidentate amine ligands, synthesis of; crystal and molecular structure of [{({ $\eta^5\text{-C}_5\text{H}_5$ }Ru(1,10-phenanthroline)})₂{ μ -bis(diphenylphosphine)methane}](PF₆)₂·CH₂Cl₂ (M.O. Albers, D.C. Liles, D.J. Robinson, E. Singleton), (323) C39
- Dithiophosphate and dithiophosphinate dicyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morán, I. Cuadrado), (311) 333
- 1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310) C25
- Dodecacarbonyltetracobalt, identification of reaction products with bis(diphenylphosphino)-ethane of (S. Aime, R. Gobetto, G. Jannon, D. Osello), (309) C51

- Dodecacarbonyl-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320) 363
- Ethylene glycol direct synthesis from CO and H₂, catalyst for (M. Tamura, M. Ishino, T. Deguchi, S. Nakamura), (312) C75
- Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227
- cis*-[Fe(CO)₂(t-Bu₂C₆H₂S₂)₂]²⁻, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhnen, G. Huttner, L. Zsolnai), (323) 21
- Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333
- Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311
- Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amide disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269
- Gold clusters, synthesis and characterisation of [Au₈(PPh₃)₇(CNR)]²⁺, [Au₉(PPh₃)₆(CNR)₂]³⁺ and [Au₁₁(PPh₃)₇(CNR)₂I]²⁺ and reactivity towards amines of; crystal structure of [Au₁₁(PPh₃)₇(CN-i-Pr)₂I](PF₆)₂ (W. Bos, R.P.F. Kanters, C.J. van Halen, W.P. Bosman, H. Behm, J.M.M. Smits, P.T. Beurskens, J.J. Bour, L.H. Pignolet), (307) 385
- Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51
- Heterobimetallic (Ru-Co) complexes with chelating and bridging Ph₂PCH₂PPh₂ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), (303) C47
- Heterodinuclear complexes with CH₃C₅H₄-(CO)₂(MePh₂Si)Mn fragments, reactivity of (U. Schubert, E. Kunz), (303) C1
- Hexacarbonylbis(tricyclopentylphosphine)dirhodium and hexacarbonylbis(triisopropylphosphine)dirhodium from a catalytic system for syngas conversion to ethylene glycol (Y. Tomotake, T. Matsuzaki, K. Murayama, E. Watanabe, K. Wada, T. Onoda), (320) 239
- Hexacarbonyl(μ , η^5 : η^5 -fulvalene)dimanganese, photochemistry of (W.A. Herrmann, D. Andrejewski, E. Herdtweck), (319) 183
- Hexaruthenium frameworks, behaviour of phenylphosphinidene ligands to (J.S. Field, R.J. Haines, D.N. Smit), (304) C17
- [Hg{(μ -PEt₂)Cr(CO)₅}₃]⁻, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320) 47
- Homodinuclear and *cis*-mononuclear complexes of Ph₂PNSNPPh₂, preparation and ³¹P DNMR studies of; crystal structure of *cis*-Cr(CO)₄(Ph₂PNSNPPh₂) · 0.5C₆H₆ (T. Chivers, C. Lensink, J.F. Richards), (325) 169
- Hydridocarbonylchlorotris(triphenylphosphine)ruthenium(II), insertion reactions of; X-ray structure of carbonylchloro(*cis*-1,2-diphenylethylnyl)bis(triphenylphosphine)ruthenium(II) (M.R. Torres, A. Vegas, A. Santos, J. Ros), (309) 169
- Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisorpolyphosphine as ligand (M.A. Esteruelas, H. Werner), (303) 221
- Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebisch), (308) 19
- Hydridoiridium(III) complexes with weakly coordinated anions and N₂ as leaving groups (H. Bauer, W. Beck), (308) 73
- Hydridoruthenium cationic complexes containing *N*- and *P*-donor ligands; crystal structure of carbonylhydrido(1,4-dicyclohexylidiazabutadiene)bis(methyldiphenylphosphine)ruthenium(II) perchlorate (A. Romero, A. Vegas, A. Santos, M. Martinez-Ripoll), (319) 103
- Hydridozirconium-rhodium complex, Cp₂Zr-(CH₂PPh₂)₂RhH(PPh₃), catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60
- Hydroboration of *N*-alkylallylphosphoramides, regio- and stereoselectivity of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Spezzale, A. Lattes), (306) 283
- Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83
- Hydroxycarbonyliridium(III) complexes, modification of the acid-base properties by substitution of CO by a tertiary phosphine ligand in (A.J. Deeming, G.P. Proud), (301) 385
- Indenyliron cationic complexes, [η^5 -C₉H₇-Fe(CO)₂L]⁺ (L = phosphine, phosphite, CO), synthesis of (H.H. Hammud, G.M. Moran), (307) 255
- Iridium-sulphur dioxide square planar com-

- plexes, coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27
- Iron-rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56
- Iron-tris(dimethylphosphinomethyl)methylsilane complexes, chemistry of; crystal structure of $\{[\text{Fe}(\text{Me}_2\text{PCH}_2)_3\text{SiMe}]_2(\mu\text{-H})_2(\mu\text{-C=CH}_2)\}$ with a vinylidene group derived from ethylene (J.M. Boncella, M.L.H. Green), (325) 217
- Ketene-phosphino and -arsino complexes, formation of tungsten-containing pentacyclic compounds by addition of trimethylphosphine to (F.R. Kreissl, M. Wolfgruber, U. Thewalt), (317) 175
- $\text{Li}_2[(\text{C}_5(\text{CH}_3)_4)_2\text{CH}_2]$ and ring-bridged rhodium dinuclear complexes with $(\text{C}_5(\text{CH}_3)_4)_2\text{CH}_2^{2-}$ as bridging ligand (H.J. Scholz, H. Werner), (303) C8
- Ligand-iron(0) systems, 1,3-diene reactions with CO_2 at; formation of carboxylates and their reactions (H. Hoberg, K. Jenni), (322) 193
- $\text{Li}_4(\mu_2\text{-PR}_2)_2(\mu_3\text{-PR}_3)(\text{THF})_2$ and $\text{Li}(\text{PR}_2)_2$ (pentamethyldiethylenetriamine), isolation and NMR spectra of; X-ray structures of the former and $[\text{Li}(\mu\text{-PR}_2)(\text{THF})_2]_2$ ($\text{R} = \text{SiMe}_3$) (E. Hey, P.B. Hitchcock, M.F. LapPERT, A.K. Rai), (325) 1
- α -Lithio- α -substituted alkanephosphonates $(\text{RO})_2\text{P}(\text{O})\text{CHR}'\text{Li}$ ($\text{R}' = \text{H}$, alkyl, Cl), synthesis, relative basicity and self-condensation of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (312) 283
- Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121
- $[\text{M}(\text{CO})_3]_2\mu\text{-}[(\eta^5\text{-Cp})_2\text{SiMe}_2]$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system ($\text{M} = \text{Mo}$, W) (J. Heck), (311) C5
- $\text{MeIr}(\text{CO})(\text{PPh}_3)_2[\text{C}_2(\text{CO}_2\text{Me})_2]$, formation by addition of $\text{C}_2(\text{CO}_2\text{Me})_2$ to *trans*- $\text{MeIr}(\text{CO})(\text{PPh}_3)_2$, isomerisation and crystal structure of thermodynamic isomer of (W.M. Rees, M.R. Churchill, J.C. Fettinger, J.D. Atwood), (319) 411
- $\text{MeIr}(\text{CO})(\text{PPh}_3)_2(\text{MeCO}_2\text{CH}=\text{CHCO}_2\text{Me})$, formation and crystal structure of; comparison of analogous alkene and alkyne complexes (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (301) 99
- $\text{Me}_3\text{SnO}_2\text{PCl}_2$ and $\text{Me}_3\text{SnO}_2\text{PMe}_2$, crystal structures of; vibrational spectra of $\text{Me}_3\text{SnO}_2\text{PMe}_2$ (F. Weller, A.-F. Shihada), (322) 185
- Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29
- Metallacyclic alkenyl ketone complexes, $\text{Cp}'(\text{CO})_2\text{Cr}^{\text{IV}}\text{R}^1\text{C}=\text{CR}^2\text{C}(\text{O})\text{Me}$ ($\text{Cp}' = \eta^5\text{C}_5\text{Me}$; $\text{R}^1, \text{R}^2 = \text{H}, \text{Me}, \text{Ph}, \text{CH}_2\text{OH}, (\text{CH}_2)_2\text{Me}, (\text{CH}_2)_5\text{Me}$), preparation, characterisation and reactivity of (H.G. Alt, H.I. Hayen), (315) 337
- Metalla-indole, formation by reaction of a cobalt-containing four-membered ring compound with electrophiles (H. Werner, B. Heiser, M.L. Ziegler, K. Linse), (308) 47
- Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminium of (S. Pasynkiewicz, J. Poplawska), (302) 269
- 1-Methyl-1,2,4-diazaphosphole, selective 5-metallation of (S. Kerschl, B. Wrackmeyer, A. Willhalm, A. Schmidpeter), (319) 49
- Methylolithium addition $\text{Rh}(\text{COMe})(\text{CO})(\text{triphos})$, formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51
- Methyl(trimethylphosphine)gold(I), molecular structure determined by gas diffraction of (A. Haaland, J. Hougen, H.V. Volden, R.J. Puddephatt), (325) 311
- cis*- $\text{Mo}(\text{CO})_2(\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh})_2$ ($n = 1, 2, 3$), preparation from *cis*-dicarbonylbis(norbornadiene)molybdenum and crystal structure of $[\text{cis-Mo}(\text{CO})_2(\text{Ph}_2\text{P}(\text{CH}_2)_3\text{PPh}_2)_2]$ (T.J. Chow, C.-Y. Wang, S.-C. Sheu, S.-M. Peng), (311) 339
- Monoazadienenickel complexes, synthesis and structure of (C. Müller, L. Stamp, H. tom Dieck), (308) 105
- Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1
- Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of t-butylphosphphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35
- $[\text{M}(\text{P}(\text{O})(\text{OMe})_2)(\text{P}(\text{OMe})_3)_4]$ ($\text{M} = \text{Co}$, Ir , Rh), synthesis and variable ^{31}P NMR spectra of (S.I. Klein, F. Nixon), (302) 87
- $[\text{Nb}(\eta^5\text{C}_5\text{H}_4\text{R})_2\{\text{AuP}(\text{C}_6\text{H}_5)_3\}_2]^+$ ($\text{R} = \text{H}$, $\text{Si}(\text{CH}_3)_3$ mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44
- Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383
- Nickel(II) isolable phosphonio complexes,

- $C_5H_5Ni(PH_3)I$ and $[C_5H_5Ni(PH_3)_2]BF_4$ (N. Kuhn, M. Winter), (301) C9
- Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning tertiary phosphine 3,3'-oxybis[*di-metato-tolylphosphino*-methyl]benzene (P.N. Kapoor), (315) 383
- $[NiR' L_2]$ (R-aryl or vinyl; L = PMe₂Ph, PEt₃) complexes, decomposition by bromine or anodic oxidation of (J.M. Coronas, G. Muller, M. Rocamora), (301) 227
- Nonacarbonyldiiron in reactions with $C_5H_5Rh-(Ph\equiv CH)PPr_3^i$, competitive formation of heterometallic dinuclear complexes with μ -C=CHPh and μ - η^1,η^3 -CHCPhCO bridging ligands (H. Otto, F.J. Garcia Alonso, H. Werner), (306) C13
- Nonacarbonyltriiron triple-bridged clusters, $[(\mu_3-RP)Fe_3(CO)_9]^{2-}$, synthesis and reactions of (K. Knoll, G. Huttner, L. Zsolnai, O. Orama, M. Wasiucionek), (310) 225
- Octahedral carbonylmanganese(I) complexes with SCN of CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)₃(dppm)] (G.A. Carriero, M.C. Crespo, C. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), (302) 47
- Optically active phosphines, formation by asymmetric substitution of prochiral, homochiral substituted phosphinous acid esters of (J. Neuffer, W.J. Richter), (301) 289
- Organoboration of *cis*-diethylplatinum(II) complexes with R₂P(CH₂)₂PR ligands; platinum-cyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), (304) 271
- Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organogermanium *O,O'*-dimethyl- and -diethyl-dithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271
- Organorhodium complexes, two-dimensional indirect ¹H, ¹⁰³Rh NMR spectroscopic investigations of (R. Benn, H. Brenneke, A. Rufińska), (320) 115
- Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of [6-($\eta^6-C_6Me_6$)-*nido*-6-MB₉H₁₃] (M = Ru, Os) and the rearrangement cluster [5-($\eta^6-C_6Me_6$)-*nido*-5-RuB₉H₁₁-7-(PMe₂Ph)] (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233
- Organotin(IV) chloride complexes of bis- β -ketophosphonium ylides, synthesis and characterisation of (R. Sanehi, R.K. Bansal, R.C. Mehrotra), (303) 351
- OsC₂P metallaheterocycles, formation via cationic hydrido- and deuterido-methylene intermediates of (H. Werner, K. Roder), (310) C51
- Os($\equiv CR$)Cl(CO)(PPh₃)₂ and Os($\equiv C[\bar{Ag}Cl]R$)Cl(CO)(PPh₃)₂, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211
- Osma-five-membered heterocyclic compounds, formation by insertion reactions of alkyne into Os-I or Os-H bonds of (H. Werner, R. Weinand, H. Otto), (307) 49
- Osmium and molybdenum trinuclear cluster, crystal structure of the co-crystallized molecules MoOs₂(CO)₁₁[P(OMe)₃] and [(MeO)₃P(OC)₄OsMo(CO)₅] (H.B. Davis, F.W.B. Einstein, V.J. Johnston, R.K. Pomeroy), (319) C25
- Osmium and ruthenium complexes, mechanism of homogeneous hydrogenation of carbon monoxide catalysed by (D.S. Barratt, D.J. Cole-Hamilton), (306) C41
- Os₅($\mu_5-\eta^2-P-C_2PPh_2$)(μ -PPh₂)(CO)₁₃, synthesis and X-ray structure of (J.-C. Daran, E. Cabrera, M.I. Bruce, M.L. Williams), (319) 239
- μ_3 -P and μ_3 -As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137
- ³¹P and ¹⁹⁵Pt investigations of substituted *cis*- and *trans*-diphenylbis(tri-n-butylphosphane)platinum(II) compounds (H.G. Alt, W.-D. Müller, J. Unsin, H.A. Brune), (307) 121
- Palladium and platinum dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57
- Palladium and rhodium complexes with [R₂PCH₂CO₂]⁻ ligands (R = Ph, cyclo-C₆H₁₁); crystal and molecular structure of [(*o*-C₆H₅CH₂NMe₂)Pd{Ph₂PCH₂C(O)O}]] (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), (301) 401
- Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320) C56
- Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397
- Palladium(II) complexes with C²-bonded heteroaromatic ligands *trans*-[PdCl(R_N)(PPh₃)₂] (R_N = 2-pyridyl, 2-pyrazyl, 2-pyrimidyl), preparation and reactions of (R. Bertani, A. Berton, F. Di Bianca, B. Crociani), (303) 283

- P-C bond cleavage in diphosphines by lithium; crystal structure of $[\text{Li}_4\{\text{PhPCH}_2\text{CH}_2\text{PPh}\}_2(\text{OC}_4\text{H}_8)_8]$ (P. Brooks, D.C. Craig, M.J. Gallagher, A.D. Rae, A. Sarroff), (323) C1
- $\text{PCl}_{3-n}\text{R}_n$ ($n = 1, 2$) and a bis-imidazolidine reducing agent, P-P single or double bond formation from (H. Goldwhite, J. Kaminski, G. Millhauser, J. Ortiz, M. Vargas, L. Vertal, M.F. Lappert, S.J. Smith), (310) 21
- $\text{PdMo}(\mu\text{-Ph}_2\text{Ppy})_2(\mu\text{-CO})(\text{CO})_2 \cdot 0.5\text{CH}_2\text{Cl}$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357
- $[\text{Pd}(\text{OAc})_2(\text{PPh}_3)_2]\text{-trialkylammonium formate reagent, reaction of aryl iodides with hindered } \alpha, \beta, \gamma, \delta\text{-dienones in the presence of}$ (A. Arcadi, F. Martinelli, S. Cacchi), (312) C27
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307
- Pentacarbonyl-Group VI metal(0) P-coordinated complexes of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifiji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63
- Pentacarbonylmanganese-triphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167
- Pentacarbonylmercaptophosphane- and tetra-carbonylbis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327
- Pentachlorophenylpalladium(I) derivatives, synthesis and reactivity of; molecular structure of $\text{Pd}_2(\mu\text{-dppm})_2(\text{C}_6\text{Cl}_5)_2$ (P. Espinet, J. Fornies, C. Fortuño, G. Hidalgo, F. Martínez, M. Tomas, A.J. Welch), (317) 105
- Pentamethylcyclopentadienyl complexes: $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ru}(\text{PPh}_3)(\text{L})\text{Cl}]$ ($\text{L} = \text{Co, t-BuNC}$) and $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ru}(\text{L})_2\text{Cl}]$ ($\text{L} = \text{t-BuNC, norbornadiene}$), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221
- cis*- $[(\eta^1\text{-4-Pentenyl)diphenylphosphine})\text{tetracarbonyltungsten(O)}]$, rates of olefin coordination via chelate ring closure through flash photolysis in (P.H. Wermer, C.B. Dobson, G.R. Dobson), (311) C47
- Perfluorophenoxyiridium(I) complex, $\text{trans-(C}_6\text{F}_5\text{O)}\text{Ir}(\text{CO})(\text{PPh}_3)_2$, synthesis, characterisation, crystal structure and carbonylation of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (308) 361
- O*-Perphenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- $[\text{Ph}_4\text{As}]_2[\text{Re}_7\text{C}(\text{CO})_{21}\text{Au}(\text{PPh}_3)]$, crystal structure of; comparison of H^+ and $\text{Au}(\text{PPh}_3)^+$ coordination to $[\text{Re}_7\text{C}(\text{CO})_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55
- 1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzeno ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143
- 5-Phenyl-5-phospho-2,8-dithia-1-stanna(II)bicyclo[3.3.0]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), (304) 107
- cis*-Phenyl[4-(trimethylsilyl)phenyl]bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), (303) 429
- Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylsmium (L. Weber, D. Bungardt), (311) 269
- 1-Phosphaallene η^1 -complexation with tetra-carbonylnickel (R. Appel, F. Knoch, V. Winkhaus), (307) 93
- $\mu_3\text{-}\eta^2\text{-Phosphaalkyne}$ complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[\text{M}_3\text{H}(\text{CO})_9(\text{Bu}^1\text{CP})]^-$ ($\text{M} = \text{Fe, Ru}$), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307
- Phosphaalkynes, preparation and additive behaviour towards diazomethane, methyl azide and benzonitrile oxide of (W. Rösch, U. Vogelbacher, T. Allspach, M. Regitz), (306) 39
- Phosphaferrocenes, $\eta^5\text{-C}_5\text{Me}_5\text{Fe-}\eta^5\text{-PC}_4(\text{R}_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323
- Phosphamanganacyclicpropanes, formation by reduction of secondary phosphanemanganese complexes with $\text{K}[\text{HB}(\text{s-C}_4\text{H}_9)_3]$ of (E. Lindner, D. Goth), (319) 149
- Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{I})(\text{CH}_2\text{P}(\text{O})(\text{OCH}_3)_2)]$ (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225
- Phosphido-bridged dinuclear manganese complexes, synthesis and ligand substitution chemistry of; X-ray crystal structures of $\text{Mn}_2(\mu\text{-H})(\mu\text{-Cy}_2\text{P})(\text{CO})_7(\text{Cy}_2\text{PH})$ and $\text{Mn}_2(\mu\text{-H})(\mu\text{-Cy}_2\text{P})(\text{CO})_6(\text{PMe}_3)_2$ ($\text{Cy} =$

- cyclohexyl) (A.M. Arif, R.A. Jones, S.T. Schwab), (307) 219
- Phosphidoiron cluster, $[(\text{Fe}_3(\text{CO})_{10})\text{P}(\text{Fe}(\text{CO})_4)]^-$, synthesis and X-ray analysis of (A. Gourdon, Y. Jeannin), (304) C1
- Phosphine-centred resolution of (η^4 -diene) $\text{Fe}(\text{CO})_3$ complexes, (η^4 -tropone) $\text{Fe}(\text{CO})_2\text{L}$ and (η^4 -isoprene) $\text{Fe}(\text{CO})_2\text{L}$ ($\text{L} = (+)$ -neomenethyl) PPh_2) formed by (J.A.S. Howell, A.D. Squibb, G. Walton, P. McArdle, D. Cunningham), (319) C45
- Phosphineiridium chiral complexes as catalysts in asymmetric transfer hydrogenation of ketones (H.W. Krause, A.K. Bhatnagar), (302) 265
- Phosphineiridium(I) complexes, reactions with S_4N_4 of; synthesis and crystal structure of $[(\text{dppen})_2\text{Ir}(\text{S}_2\text{N}_2)](\text{BPh}_4) \cdot 0.5\text{CH}_3\text{COCH}_3$ and $[(\text{dppen})_2\text{Ir}(\text{S}_2\text{N}_2)[\text{W}(\text{CO})_5]](\text{BPh}_4) \cdot 0.5\text{CH}_2\text{Cl}_2$ (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383
- Phosphine ligand effects on homogeneous hydrogenation of carbon monoxide catalysed by iridium carbonyls (T. Takano, T. Deguchi, M. Ishino, S. Nakamura), (309) 209
- Phosphine-rhodium(I) and -iridium(I) complexes, asymmetric transfer hydrogenation of ketones catalysed by (R. Spogliarich, J. Kašpar, M. Graziani, F. Morandini), (306) 407
- Phosphine rhodium complexes as catalysts in enantioselective hydration of crotonic acid derivatives (H. Brunner, A. Knott, M. Kunz, E. Thalhammer), (308) 55
- Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29
- Phosphinidine complexes, reasons for extremely paramagnetic shifts in ^{31}P NMR spectra of (G. Huttner), (308) C11
- α -Phosphinophenole, preparation by rearrangement of 1,3-carbanionic α -metallated aroxyphosphine (J. Heinicke, E. Nietzschnmann, A. Tschach), (310) C17
- Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{R}_3\text{EX})]^+$ ($\text{E} = \text{P, As, Sb; X = S, Se}$) (N. Kuhn, H. Schumann), (304) 181
- Phosphorus–carbon bonds, cleavage with sodium/naphthalene of; facile preparation of unsymmetrical diphosphines (T.-S. Chou, C.-H. Tsao, S.C. Hung), (312) 53
- Platina-allenyl ligand coordination to a triosmium cluster, X-ray structure of the acetylide complex $\text{Os}_3\text{Pt}(\mu\text{-H})(\mu_4\eta^2\text{-C}\equiv\text{C-Ph})(\text{CO})_{10}(\text{PCy}_3)$ ($\text{Cy} = \text{cyclohexyl}$) (P. Ewing, L.J. Farrugia), (320) C47
- Platinum(II) and palladium(II) complexes with hybrid phosphine-phosphine oxide ligands $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{P}(=\text{O})\text{Ph}_2$ ($n = 1\text{--}4$) (S.J. Higgins, R. Taylor, B.L. Shaw), (325) 285
- Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state ^{31}P NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylshen), (322) 393
- $[(\text{PMe}_3)\text{Pd}(\mu\text{-Se}_2\text{CPMe}_3)]_2$, dinuclear complex with η^1, η^2 -bonded Se_2CPMe_3 bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63
- Polyhydridorhenium anionic complex, mechanistic studies on oxidation of; generation and reactivity of the transient radical $[\text{ReH}_6(\text{PMePh}_2)_2]$ (J.W. Bruno, K.G. Caulton), (315) C13
- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41
- $(\text{PPh}_4)_3\text{Ag}[\text{WF}_5(\text{C}_2\text{I}_2)]_2$, synthesis, IR spectrum and crystal structure of (A. El-Kholi, K. Stahl, U. Müller, K. Dehnicke), (317) C9
- $trans$ - $[\text{Pt}(\text{H}_2)\{\text{P}(\text{C}_6\text{H}_{11})_3\}_2]$, reactions with heterocumulenes of; crystal and molecular structure of $trans$ - $[\text{Pt}\{\text{P}(\text{C}_6\text{H}_{11})_3\}_2(\text{H})(\text{OCH}=\text{C}(\text{C}_6\text{H}_5)_2)]$ (A. Musco, W. Porzio, S. Destri, G. Gatti, A. Grassi, P. Longo), (301) 237
- $[\text{Pt}_3(\text{PPh}_3)_2(\text{CNC}_6\text{H}_3\text{Me}_2)_6]_2$, a linear tri-nuclear cluster, synthesis, characterisation and crystal structure of (C.E. Briant, D.I. Gilmour, D.M.P. Mingos), (308) 381
- $[\text{Re}_3(\mu\text{-H})_4(\text{CO})_{10}]^-$, reactions with anions of; synthesis of $[\text{Re}_3(\mu\text{-H})_2(\text{CO})_{10}(\text{PR}_3)_2]^-$, crystal structure of $[\text{NH}_4][\text{Re}_3(\mu\text{-H})_2(\text{CO})_{10}(\text{PPh}_3)_2]$ (T. Beringhelli, G. Ciani, G. D'Alfonso, M. Freni), (311) C51
- Rhenium(I) enolate complex, synthesis, structure and photochemistry of (L.U. Gron, K.J. Haller, A.B. Ellis), (323) 207
- Rhenium(I) tetrahydroborate complex, cis - $[\text{Re}(\eta^2\text{-BH}_4)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$, preparation of (A.J.L. Pombeiro, R.L. Richards), (306) C33
- $[\text{RhH}_2(\text{C}_6\text{H}_5\text{NCHCHNC}_6\text{H}_5)(\text{PPh}_3)_2]\text{PF}_6$, molecular structure and reactions of (M. Iglesias, C. del Pino, S. García-Blanco, S. Martínez Carrera), (317) 363

- Rhodium and iridium phosphonate complexes from $[M(P(OMe)_3)_5]Cl$ ($M = Rh, Ir$), formation of; reactions of H_2 with $[MP(O)(OMe)_2 \cdot (P(OMe)_3)_4]$ complexes (S.I. Klein, J.F. Nixon), (304) 371
- Rhodium complex-catalysed hydrogenation of CO to ethylene glycol, specific rate enhancement by alkylphosphines in (H. Tanaka, Y.E. Watanabe, K. Wada, T. Onoda), (312) C71
- Rhodium-phosphine "in-situ" catalysis, hydroformylation of nitrogen-containing cyclic olefins via (K. Prölai-Tátrai, S. Törös, B. Heil), (315) 231
- cis*-Rh(oq)Br($P(o-C_6F_4)$) Ph_2L (oq = oxyquinoxinato) compounds, synthesis of; molecular structure of *cis*-Rh(oq)Br($P(o-C_6F_4)$) Ph_2 -(PPh_3) (F. Barceló, P. Lahuerta, M.A. Ubeda, A. Cantarero, F. Sanz), (309) 199
- trans*-[RhX(CO)(PR₃)₂] ($X = Cl, Br$; R = aryl) and *trans*-[Rh(μ -X)(CO)(PPh_3)₂] ($X = Cl, I$), oxidative addition of 1-haloalkanes to (F.R. Hartley, S.G. Murray, D.M. Potter, J.R. Chipperfield), (306) 133
- Ru(C=CPh)(dppe)(η -C₅H₅) and [Ru(L)(PPh_3)₂-(η -C₅H₅)]X (L = C(OMe)Et, X = PF₆; L = C=CMePh, X = I), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekkink), (314) 213
- RuCl₂[P(CH₂CH₂CH₂PM₂e)₃], C-H bond cleavage upon reduction in cyclopentene and THF of (M. Antberg, L. Dahlenburg), (312) C67
- RuCl₂(PPh_3)₃HCOOH/Et₃N, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63
- [Ru(CO)H(NCMe)₂(PPh_3)₂]ClO₄, reaction with 1-hydroxymethyl-3,5-dimethylpyrazole; formation of an amidine complex; crystal structure of [Ru(CO)H{NH=CMe(Me₂pz)}-(PPh_3)₂]ClO₄ (A. Romero, A. Vegas, A. Santos), (310) C8
- Ru(CO)₃(PMe₃)MeI and its acetyl derivatives, preparation of (G. Cardaci), (323) C10
- [Ru₈(μ_8 -P)(μ_2 - η^1 , η^6 -CH₂C₆H₅)(μ_2 -CO)₂-(CO)₁₇], synthesis and characterisation of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, D.N. Smit, G.M. Sheldrick), (310) C47
- Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310) 83
- Silicoalkylphosphinerhodium(I) complexes, synthesis, characteristics and catalytic activity of (W. Duczmal, W. Urbaniak, B. Marciniec), (317) 85
- α -Silylated and α , α -disilylated phosphonates, $(RO)_2P(O)CR^1R^2SiR^3R^4R^5$ and $(RO)_2P(O)-CR^1[Si(CH_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135
- Sulphur monoxide-iron cationic complex, [CpFe(dppe)(SO)]PF₆, and sulphur dioxide-iron cationic complex, [CpFe(dppe)(SO₂)]-PF₆, preparation of (W.A. Schenk, S. Müssig), (320) C23
- Tetraalkyl esters of methylene bis-phononic acid, relative reactivities of (D.W. Hutchinson, G. Semple), (309) C7
- Tetracarbonyl(carbenephosphine) and tetracarbonyl(imidatephosphine) complexes of chromium(0) (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen, S. Lotz), (314) 281
- Tetracarbonyl(phosphinothioformamide) complexes, (CO)₄M(PS) (M = Cr, Mo, W), reversible substitution with triorganophosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Tetracobalt octahedral clusters with μ_4 -PR and μ_4 -S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365
- Tetrakis(triisopropyl-phosphite)rhodium, electro-generation and characterisation of (G. Pilloni, G. Zotti, S. Zecchin), (317) 357
- Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), (304) 257
- Tetramethyl-diphosphine, -diarsine, -distibine and -dibismutine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197
- Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289
- Tetranuclear gold-silver cluster with phenyl-acetylide groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), (302) C10
- Thiocetene-cobalt complexes, [Co(R₂C=C=S)-(PMe₃)(C₅H₅)], reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369
- Thiolatoamine-iron(II) and -molybdenum(II) complexes with [M(SNNS)] units and CO, PMe₃, NO and N₂H₄ as coligands (SNNS = (SC₆H₄N(R)C₂H₄N(R)C₆H₄S)²⁻; R = H, CH₃) (D. Sellmann, U. Reineke), (314) 91
- Tolyldiphenyl- and dimethylphenyl-phosphine-methylgold, CH₃/Cl exchange reactions with

- chlorosilanes of (U. Schubert, J. Meyer), (303) C5
- Tolylmethylidyne(carborane)tungsten anionic complexes, protonation and reaction with trimethylphosphine of (A.P. James, F.G.A. Stone), (310) 47
- Transition metal butadiene complexes, formation via vinyllithium of (R. Beckhaus, K.-H. Thiele), (317) 23
- Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6
- Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320) 325
- Tricarbonyl- η^4 -dienetrimethylphosphite-tungsten complexes, synthesis and dynamic behaviour of (S. Özkar, C.G. Kreiter), (303) 367
- mer*-Tricarbonylmanganese(I) compounds containing N-donor chelate ligands (F.J. Garcia Alonso, V. Riera, M. Vivanco), (321) C30
- Tricarbonyltungsten coordination complexes with CS₂ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmelre), (303) C25
- Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, P. Wimmer), (309) C4
- Trichlorostannate derivatives of chloro-bridged palladium(II) dimers, ³¹P and ¹¹⁹Sn NMR of (C. Arz, I.R. Herbert, P.S. Pregosin), (308) 373
- Triethylphosphineplatinum(II) complexes in aqueous solution, fast atom bombardment mass spectrometric investigation of (D.W. Bruce, D.J. Cole-Hamilton, F.H. Cottee, J.A. Page), (320) 249
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), (303) C29
- Trimeric aluminium phosphamide [(CH₃)₂AlP-(CH₃)₂]₃, molecular structure determined by gas electron diffraction (A. Haaland, J. Hougen, H.V. Volden, G. Hanika, H.H. Karsch), (322) C24
- Trimethylphosphinecobalt(I) complexes, crystal and molecular structure of [Co(CO)₂(PMe₃)₃]BPh₄ (Y. Péres, A. Kerkeni, M. Dartiguenave, Y. Dartiguenave, F. Bélanger-Gariépy, A.L. Beauchamp), (323) 397
- 2,2,6-Trimethyl-6-selenono-1,3-dioxa-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), (303) 83
- Trinuclear osmium clusters containing amino-phosphine and phosphinoamido ligands, synthesis and molecular structure of Os₃(CO)₁₁(PPh₂NHPh) and HO₃(CO)₈-(PPh₂NHPh)(PPh₂NPh) (G. Süss-Fink, M.A. Pellinghelli, A. Tiripicchio), (320) 101
- Triorganotin phosphorodiamidates, preparation and characterisation of (K.C. Molloy, T.G. Purcell), (312) 167
- Triorganylstannate anion and phosphonium cation containing zwitterion, preparation of (M. Veith, V. Huch), (308) 263
- Triphosphane-rhodium complex, Rh(4-MeC₆H₄)[t-BuP(CH₂CH₂CH₂PPh₂)₂], reactions with CO₂ of (L. Dahlenburg, C. Prengel), (308) 63
- Tri-spirocyclic organoaluminiumphosphanenickel(0) complexes, preparation of (H.H. Karsch, A. Appelt), (314) C5
- Tris(triaminophosphino)tricarbonylmolybdenum, [(i-PrNH)₃P]₃Mo(CO)₃, synthesis of (H.-J. Chen, A. Tarassoli, V.S. Allured, R.C. Haltiwanger, A.D. Norman), (306) C19
- Tris(triphenylphosphine)carbonylhydrido-rhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), (302) C17
- Tris(triphenylphosphine)chlororhodium(I), reductive hydrosilylation of quinones catalysed by (M.N. Bakola-Christianopoulou), (308) C24
- Vinylrhodium complexes, formation by protonation of C₅H₅Rh(PhC₂H)P-i-Pr₃ and C₅H₅Rh(C₂Ph₂)P-i-Pr₃ of; crystal and molecular structure of C₅H₅Rh(*E*-CPh=CHPh)(P-i-Pr₃)OCOCF₃ and C₅H₅(P-i-Pr₃)RhC₆H₄-CH=CPh (H. Werner, J. Wolf, U. Schubert, K. Ackermann), (317) 327
- [W(PMe₃)₄(η^2 -CH₂PMe₂)H], reactions with carbon dioxide and dihydrogen of; characterisation of [{W(PMe₃)₃(η^1 -PMe₂-CH₂)₂(C₃H₂O₆)}] using two-dimensional NMR spectroscopy (M.L.H. Green, G. Parkin, D. O'Hare, L.-L. Wong, A.E. Deroome), (317) 61

Platinum

Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233

Allylic arsenites, reactions with low valent transition metal complexes of (X. Lu, L. Lu), (307) 285

- Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands** (M. Bresan, A. Morville), (304) 267
- Aryl-palladium(II) and -platinum(II) rigid complexes, syntheses and structural aspects of; X-ray crystal structure of *o,o*-bis(dimethylamino)methylphenyl-platinum(II) bromide** (J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen, C.H. Stam), (315) 401
- {2,3,5,6- η^4 -Bicyclo[2.2.1]hepta-2,5-diene}-(*E*)-bis(2-ethoxynaphth-1-yl)platinum(II), synthesis of (C. Weisemann, H.A. Brune), (312) 133
- Binuclear and trinuclear complex clusters with Pd-Pd and Pd-Pt bonds stabilised by Ph₂PCH₂PPh₂ ligands** (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefond, M. Ries), (304) 245
- cis-Bis-acetylene-bis(pentafluorophenyl)-palladium(II) and -platinum(II) complexes, preparation of; crystal structure of *cis*-[Pt(C₆F₅)₂(PhC≡CPh)₂]** (R. Usón, J. Forniés, M. Tomás, B. Menjón, A.J. Welch), (304) C24
- Bis- μ -[bis(diphenylphosphino)methane]dihaloplatinum(*Pt-Pt*) and its hydrido "A" frame derivatives, preparation and NMR spectra of** (M.C. Grossel, J.R. Batson, R.P. Moulding, K.R. Seddon), (304) 391
- Bis(dimethylarsino)sulphide (dmas) complexes of trimethylplatinum halides; synthesis and characterisation of *fac*-[PtXMe₃](dmas)₂] and [(PtMe₃)₂(dmas)]; crystal and molecular structure of [(PtBrMe₃)₂(dmas)]** (E.W. Abel, M.A. Beckett, P.A. Bates, M.B. Hursthouse), (325) 261
- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of** (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381
- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of** (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323
- cis-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of** (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weisemann), (316) 367
- Bis-phenyl-platinum(II) compounds, photochemistry of** (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27
- Bis(pyrazolyl)alkane-palladium(II) and -platinum(II) complexes, preparation and characterisation of; crystal and molecular structures of [Pd{CH₂(pz)₂}₂]**[BF₄]₂** and [PdCl₂{(CH₃)₂C(pz)₂}]** (pzH = pyrazole), example of Pd \cdots H-C agostic interaction (G. Minghetti, M.A. Cinelli, A.L. Bandini, G. Banditelli, F. Demartin, M. Manassero), (315) 387
- Carbonylmetals, reduction with a model for nicotinamide nucleotide of** (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407
- CH₃C₅H₄(CO)₂Mn(μ-H)AuPPh₃-(*Mn-Au*) and [CH₃C₅H₄(CO)₂Mn-(μ-H)]₂Pt(3-picolin)₂-*Mn-Pt*, synthesis from Na[CH₂C₅H₄(CO)₂MnSiR₃]; formation of metal-metal bonds and simultaneous SiR₃/H exchange** (E. Kunz, J. Müller, U. Schubert), (320) C11
- trans-Chloro(*N,N*-dimethyl-*D*-phenylglycine)(3-methyl-1-phenylpent-1-ene)platinum(II) complexes, HPLC separation and identification of the diastereomers** (D. Schmidt, E. Gil-Av) (307) 377
- Chloromethylplatinum(II), formation of cationic ylide-platinum(II) complex from; crystal structures of *cis*-[Pt(CH₂PPh₃)₂X(PPh₃)₂]I** (X = Cl, I) (C. Engelter, J.R. Moss, L.R. Nasimbeni, M.L. Niven, G. Reid, J.C. Spiers), (315) 255
- 1,5-Cyclooctadienedihalogenometal (*M* = Pd, Pt, X = Cl, Br) complexes, attack by cyclohexylamine on the diene ligands in** (D.J. Evans, L.A.P. Kane-Maguire), (312) C24
- Diene(polyfluorophenyl)platinum(II) complexes, preparations and ligand displacement reactions of** (G.B. Deacon, K.T. Nelson-Reed), (322) 257
- Diferrocenylglyoxime and transition metal complexes thereof, synthesis of** (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekaroğlu), (317) 301
- trans-Difulminatobis(triphenylphosphane)platinum(II), (Ph₃P)₂Pt(CNO)₂ preparation and structure of** (W. Weigand, U. Nagel, W. Beck), (314) C55
- Dimethylnorbornadieneplatinum, displacement of NBD by N-donors, dimethylsulphoxide and cyanide in; reactions of *cis*-Pt(CH₃)₂L₂ with iodomethane** (T.G. Appleton, J.R. Hall, M.A. Williams), (303) 139
- cis-Diphenylplatinum(II) nitro-substituted compounds, synthesis of** (H.A. Brune, B. Stapp, G. Schmidtberg), (307) 129
- Iminopyridine complexation by Zeise's salt, formation of estradiol-*cis*-dichloroplatinum; X-ray structure determination of *cis*-PtCl₂-[C₅H₄NCH₂N=C(CH₃)C₆H₄OH]·H₂O** (P. Pointeau, H. Patin, A. Mousser, J.-Y. Le Marouille), (312) 263
- Iron-containing M₆ and M₅ clusters, Mössbauer study of** (R.P. Brint, M.P. Collins, T.R.

- Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219
- Nickel, palladium and platinum; Annual survey covering the year 1980 (P.A. Chaloner), (324) 283
- Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[di-*meta*-tolylphosphino]-methyl]benzene (P.N. Kapoor), (315) 383
- $[\text{Ni}_9\text{Pt}_3(\text{CO})_{21}\text{H}_{4-n}]^{n-}$ ($n = 4, 3, 2$) anionic clusters, synthesis, NMR and structural characterisation of (A. Ceriotti, F. Demartin, G. Longoni, M. Manassero, G. Piva, G. Piro, M. Sansoni, B.T. Heaton), (301) C5
- Organoboration of *cis*-diethylplatinum(II) complexes with $\text{R}_2\text{P}(\text{CH}_2)\text{PR}_2$ ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), (304) 271
- Organoplatinum(II) formate complexes, preparation, characterisation and reactions of (M. Crespo, J. Sales), (322) 405
- ^{31}P and ^{15}Pt investigations of substituted *cis*- and *trans*-diphenylbis(tri-*n*-butylphosphane)platinum(II) compounds (H.G. Alt, W.-D. Müller, J. Unsin, H.A. Brune), (307) 121
- Palladium(II) and platinum(II) derivatives with chiral 2,2'-bipyridines; X-ray structure of $\text{C}_{18}\text{H}_{15}\text{ClN}_2\text{Pd}$; *C*- and *N*-coordination in a six-membered metallacycle (G. Minghetti, M.A. Cinelli, G. Chelucci, S. Gladiali, F. Demartin, M. Manassero), (307) 107
- Pentafluorophenyl asymmetric binuclear palladium(II) derivatives, synthesis of (G. Lopez, G. Garcia, C. de Haro, G. Sanchez, J. Garcia), (317) C23
- Pentafluorophenylpalladium(I)-platinum(I) derivatives, synthesis and reactivity of; molecular structure of $\text{ClPt}(\mu\text{-dppm})_2\text{Pd}(\text{C}_6\text{F}_5)$ (J. Fornies, F. Martinez, R. Navarro, A. Redondo, M. Tomas, A.J. Welch), (316) 351
- Pentamethylcyclopentadienyl- and indenyl-platinum complexes, chemistry and characterisation by double quantum filtered phase sensitive two-dimensional NMR spectroscopy of (D. O'Hare), (323) C13
- cis*-Phenyl[4-(trimethylsilyl)phenyl]bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), (303) 429
- Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{I})(\text{CH}_2\text{P}(\text{O})(\text{OCH}_3)_2)]$ (J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225
- Platina-allenyl ligand coordination to a triosmium cluster, X-ray structure of the acetylidy complex $\text{Os}_3\text{Pt}(\mu\text{-H})(\mu_4\eta^2\text{-C}\equiv\text{C-Ph})(\text{CO})_{10}(\text{PCy}_3)$ ($\text{Cy} = \text{cyclohexyl}$) (P. Ewing, L.J. Farrugia), (320) C47
- Platinum(II) and palladium(II) complexes with hybrid phosphine-phosphine oxide ligands $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{P}(\text{=O})\text{Ph}_2$ ($n = 1-4$) (S.J. Higgins, R. Taylor, B.L. Shaw), (325) 285
- Platinum and palladium dinuclear cyclometalated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57
- Platinum(II) chloride mononuclear complexes with *N*-[(triorganylsilyl)alkyl]ethylenediamines (C. Hu, J.-G. He, D.H. O'Brien, K.J. Irgolic), (307) 115
- Platinum-gold heterometallic clusters, MO calculations on (D.I. Gilmour, D.M.P. Mingos), (302) 127
- Platinum(II) mixed ligand complexes, preparation and characterisation of (H.C. Clark, A.B. Goel, V.K. Jain, K.G. Tyers, C.S. Wong), (321) 123
- Platinum phosphine hydride clusters, MO analysis of bonding in (D.G. Evans), (319) 265
- Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphininated polystyrenes by; a solid-state ^{31}P NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylissen), (322) 393
- Platinum(II) trichlorostannate chemistry, importance of Pt-Sn linkage in hydroformulation chemistry, and formation of $\text{PtC}(\text{OSnCl}_2)\text{R}$ -carbene (H.J. Ruegg, P.S. Pregosin, A. Scrivanti, L. Toniolo, C. Botteghi), (316) 233
- trans*- $[\text{Pt}(\text{H}_2)\{\text{P}(\text{C}_6\text{H}_{11})_3\}_2]$, reactions with heterocumulenes of; crystal and molecular structure of *trans*- $[\text{Pt}(\text{P}(\text{C}_6\text{H}_{11})_3)_2(\text{H})(\text{OCH}=\text{C}(\text{C}_6\text{H}_5)_2)]$ (A. Musco, W. Porzio, S. Destri, G. Gatti, A. Grassi, P. Longo), (301) 237
- $[\text{Pt}_3(\text{PPh}_3)_2(\text{CNC}_6\text{H}_3\text{Me}_2)_6](\text{PF}_6)_2$, a linear trinuclear cluster, synthesis, characterisation and crystal structure of (C.E. Briant, D.I. Gilmour, D.M.P. Mingos), (308) 381
- $[\text{Pt}_2(\mu\text{-S})(\text{CO})(\text{PPh}_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271
- Pt-Sn complexes as catalysts for olefin hydroformylation, NMR, IR and reactivity studies on (A. Scrivanti, A. Berton, L. Toniolo, C. Botteghi), (314) 369
- Silica-immobilised amine-platinum complexes as hydrosilylation catalysts (E.N. Ejike, R.V. Parish), (321) 135
- Sulphur dioxide-platinum cluster compounds, facilitation of substitution reactions by amine *N*-oxides of (M.F. Hallam, D.M.P. Mingos), (315) C35

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Thioketene-cobalt complexes, $[\text{Co}(\text{R}_2\text{C}=\text{C=S})(\text{PMe}_3)(\text{C}_5\text{H}_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Triethylphosphineplatinum(II) complexes in aqueous solution, fast atom bombardment mass spectrometric investigation of (D.W. Bruce, D.J. Cole-Hamilton, F.H. Cottee, J.A. Page), (320) 249

Trigonal-bipyramidal platinum-gold cluster compound, $[\text{Pt}_3\text{Au}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PCy}_3)_3\cdot(\text{P}\{\text{p-C}_6\text{H}_4\text{F}_3\})_2]\text{[PF}_6]$, synthesis and structural characterisation of (D.M.P. Mingos, P. Oster, D.J. Sherman), (320) 257

Trimethylplatinum(IV) complexes with tridentate Schiff base ligands containing N, O, and S donor atoms, preparation and ^1H NMR spectra of (D.H. Goldsworthy, K. Kite), (319) 257

Potassium

Bis- η^3 -allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

n-Butylpotassium, preparation, synthetic use and NMR properties in hexane and THF solutions of (R. Pi, W. Bauer, B. Brix, C. Schade, P.v.R. Schleyer), (306) C1

Cyclosilane metal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1

2,5-Disubstituted thiophenes, synthesis from 1-propynylamines or allenic amines and thiocarbonyl compounds of (R.L.P. de Jong, L. Brandsma), (316) C21

Phenylated trigermanes, preparation of (M. Dräger, D. Simon), (306) 183

Potassium selective metallocene cryptand molecules (P.D. Beer, C.G. Crane, A.D. Keefe, A.R. Whyman), (314) C9

Praseodymium

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and ^{139}La NMR

characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

Rhenium

Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{MH}$ ($\text{M} = \text{Mo, W}$) and $(\text{CO})_5\text{ReCH}_3$ with benzylum hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322) 351

Bis- μ -oxo rhenium(VI) dimer $\text{Re}_2\text{O}_2(\mu\text{-O})_2\text{-}(\text{CH}_2\text{CMe}_2\text{Ph})_4$, synthesis and structure of (J.M. Huggins, D.R. Whitt, L. Lebioda), (312) C15

μ -Carbyne-triosmium complex, formation in the reaction of $\text{O}=\text{COS}_3\text{H}(\text{CO})_9\{\mu_3\text{-}\eta^2\text{-C=C(Ph)C=C(Ph)Re}(\text{CO})_4\}$ with dimethylphenylphosphine; X-ray structure of $\text{HOs}_3(\text{CO})_{10}\{\mu\text{-CC(Ph)=C=C(Ph)Re}(\text{CO})_4\text{-PM}_2\text{Ph}\}$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), (302) 413

cis-($\eta^5\text{-C}_5\text{H}_5$)($\text{CO})_2\text{Re}(\text{SiPh}_3)\text{H}$, ring- versus metal-hydride deprotonation in with formation of *cis*- and *trans*-($\eta^5\text{-C}_5\text{H}_4(\text{SiPh}_3)$)($\text{CO})_2\text{ReH}_2$ (P. Pasman, J.J.M. Snel), (301) 329

$(\text{C}_5\text{Me}_5)\text{Ir}(\text{CO})_2/[\text{Re}(\text{CO})_4\text{Br}]_2$, cleavage of dichloromethane by; structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\text{CO})_2(\text{CH}_2\text{Cl})]^+[(\mu\text{-Cl})_x(\mu\text{-Br})_{3-x}\text{Re}_2(\text{CO})_6]^-$ ($x = \sim 1.5$) (F.W.B. Einstein, P.G. Glavina, R.K. Pomeroy, P. Rushman, A.C. Willis), (317) 255

($\eta^5\text{-C}_5\text{Me}_5\text{M}(\text{CO})_2\text{S}_2$ ($\text{M} = \text{Mn, Re}$), investigations of oxidation of the disulphur ligand in (M. Herberhold, B. Schmidkonz), (308) 35

Decarbonylmanganese(rhenium, reaction with isocyanides of (D.J. Robinson, E.A. Darling, N.J. Coville), (310) 203

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Halogenorhenium(V) mono- and di-nuclear complexes, syntheses and structures of (W.A. Herrmann, U. Küsthhardt, M. Flöel, J. Kulpe, E. Herdtweck, E. Voss), (314) 151

Hydride-rich uranium-rhenium dimer, $[(p\text{-FC}_6\text{H}_4)_3\text{P}]_2\text{ReH}_6\text{U}(\eta\text{-C}_5\text{H}_5)_3$, synthesis of (D. Baudry, M. Ephritikhine), (311) 189

- Manganese, technetium and rhenium; annual survey 1984 (P.M. Treichel), (318) 83
- Manganese, technetium and rhenium; annual survey 1985 (P.M. Treichel), (318) 121
- Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonate and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- Oxorhenium-half-sandwich complexes, cycloaddition of heterocumulenes to; synthesis of metallacycles (U. Küsthhardt, W.A. Herrmann, M.L. Ziegler, T. Zahn, B. Nuber), (311) 163
- 2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371
- Pentacarbonylrhenate/carbodiimide/electrophile system, reactions of (W.P. Fehlhammer, P. Hirschmann, A. Völkli), (302) 379
- O*-Perhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- [Ph₄As]₂[Re₇C(CO)₂₁Au(PPh₃)], crystal structure of; comparison of H⁺ and Au(PPh₃)⁺ coordination to [Re₇C(CO)₂₁]³⁻ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55
- Polyhydridorhenium anionic complex, mechanistic studies on oxidation of; generation and reactivity of the transient radical [ReH₆-(PMPh₂)₂] (J.W. Bruno, K.G. Caulton), (315) C13
- Re₇ carbido-carbonyl complexes, synthesis of; X-ray crystal structure of the anion [Re₇C(CO)₂₂]⁻ (T. Beringhelli, G. D'Alfonso, M. De Angelis, G. Ciani, A. Sironi), (322) C21
- [1-5-η-6-*exo*-Re(CO)₅C₇H₈]Mn(CO)₃, synthesis by metal carbonyl anion addition to a coordinated cyclic π-hydrocarbon (R.C. Bush, R.A. Jacobson, R.J. Angelici), (323) C25
- [Re₃(μ-H)₄(CO)₁₀]⁻, reactions with anions of; synthesis of [Re₃(μ-H)₂(CO)₁₀(PR₃)₂]⁻, crystal structure of [NH₄][Re₃(μ-H)₂(CO)₁₀-(PPh₃)₂] (T. Beringhelli, G. Ciani, G. D'Alfonso, M. Freni), (311) C51
- [Re₃(μ-H)₄(CO)₁₀]⁻, reaction product with Me₃NO of; synthesis and characterisation of [Re₃(μ-H)₃(CO)₉(μ₃-O . . . H . . . NMe₃)]⁻ and crystal and molecular structure of its tetraethylammonium salt (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, H. Molinari), (311) 177
- Rhenium complexes, analysis by desorption chemical ionisation mass spectrometry of (W.A. Korfomacher, J.P. Freeman, R.K. Mitchum, N.T. Allison, W. Yongskulrote, R. Ferde), (304) 323
- Rhenium(I) enolate complex, synthesis, structure and photochemistry of (L.U. Gron, K.J. Haller, A.B. Ellis), (323) 207
- Rhenium(I) tetrahydroborate complex, *cis*-[Re-(η²-BH₄)(Ph₂PCH₂CH₂PPh₂)₂], preparation of (A.J.L. Pombeiro, R.L. Richards), (306) C33
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119
- Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199
- Trioxo(η⁵-pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(III) compounds by (W.A. Herrmann, T. Cuenca, U. Küsthhardt), (309) C15

Rhodium

- Alkene C-H bonds on dirhodium centres, sunlight assisted making and breaking of; crystal and molecular structures of (η-C₅H₅)₂Rh₂(CH=CHCN){C(CF₃)=CF₃)H} · H₂O and (η-C₅H₅)₂Rh₂(CH=CF₂){C(CF₃)=CF₃)H} (R.S. Dickson, G.D. Fallon, S.M. Jenkins, B.W. Skelton, A.H. White), (314) 333
- Amidocarbonylation catalysis of substituted allylic alcohols (S.-S. Yuan, A.M. Ajami), (302) 255
- Aminophosphinephosphinite chiral ligands, synthesis and applications as catalysts of (A. Karim, A. Mortreux, F. Petit, G. Buono, G. Peiffer, C. Siv), (317) 93
- Asymmetric hydrogenation of dehydroamino acids catalysed by aminophosphine-rhodium complexes (A. Karim, A. Mortreux, F. Petit), (312) 375
- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197

- Bis(dicarbonylchlororhodium), $[\text{Rh}(\text{CO})_2\text{Cl}]_2$, reactivity patterns in reactions with chelating ketones of (J.W. Suggs, M.J. Wovkulich, P.G. Williard, K.S. Lee), (307) 71
- 2,3-Bis(dimethylphosphino)maleic anhydride and 2,3-bis(dimethylphosphine)-*N*-phenylmaleimide, asymmetric hydrogenation catalysed by rhodium complexes of (A. Kinting, H.-W. Krause), (302) 259
- trans*-Bis(diphenylphosphine)cyclopropane, ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.K. Brown, A.R. Lucy), (314) 241
- Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium-rhodium complexes, formation in reactions of $\text{RuRhH}_2\text{Cl}(\text{C}_8\text{H}_{12})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51
- Bis-olefin-rhodium(I) complexes of tripod ligand with an *O,O,O*-donor set (M. Scotti, M. Valderrama, S. Rojas, W. Kläui), (301) 369
- (η^5 -Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- (η^5 -Borole)rhodium complexes and nucleophilic degradation of μ -(η^5 -1-phenylborole)bis[η^5 -1-phenylborol]rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13
- (η^5 -Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311
- Carbonyl-rhodium(I) and -rhodium(II) complexes containing *N*-thionitrosodimethylamine (G. Tresoldi, S. Sergi, S.L. Schiavo, P. Piraino), (322) 369
- (η^5 -C₅H₅)Rh(CO)[C(NMe)CH₂CH₂(NMe)], formation and molecular structure of (D.W. Macomber, R.D. Rogers), (308) 353
- Carbonylruthenium mixed with halides as catalysts for ethylene glycol formation from synthesis gas (Y. Kiso, K. Saeki), (303) C17
- Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111
- Cobalt and rhodium complexes as catalysts in hydrocarbonylation of lactones (G. Bitsi, H. Kheradmand, G. Jenner), (310) 115
- Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörllein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257
- Cobalt, rhodium and iridium; Annual Survey 1984 (J.T. Mague), (305) 1
- Cobalt, rhodium and iridium; Annual survey 1985 (J.T. Mague), (324) 57
- [Co₈(CO)₁₈C]²⁻, electrochemical behaviour compared with those of [M₆(CO)₁₅C]²⁻ (M = Co, Rh) and [Fe₆(CO)₁₆C]²⁻ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. de Montauzon), (309) 355
- π -Cyclohexadienonerhodium(I) acetylacetonate derivatives; crystal and molecular structure of rhodium (η^4 -4-methyl-4-*exo*-trichloromethyl-2,5-cyclohexadiene-1-one)(pentane-*O*, *O'*-2,4-dionate) (V.A. Nikanorov, V.I. Rosenberg, A.I. Yanovsky, Yu.T. Struchkov, O.A. Reutov, B.I. Ginzburg, V.V. Kaverin, V.P. Yur'ev), (307) 363
- Cyclopentadienylcarbonylethylrhodium, C-H and Si-H activation reactions in low-temperature matrices and in solution of (D.M. Haddleton), (311) C21
- (η^5 -Cyclopentadienyl)(ethene)(dinitrogen)rhodium, photochemical generation in liquid xenon of (D.M. Haddleton, R.N. Perutz, S.A. Jackson, R.K. Upmacis, M. Polyakoff), (311) C15
- η^5 -Cyclopentadienyl- η^5 -1-phenylpentadienylrhodium hexafluorophosphate, crystal and molecular structure of (P. Powell, M. Stephens, A. Muller, M.G.B. Drew), (310) 255
- 2,6-Diallylpyridine (DAP) complexes of rhodium(I), synthesis and structures of; crystal structures of [Rh(COD)(DAP)][RhCl₂(COD)] and [Rh(COD)(DAP)][CuCl₂] (G. Vasapollo, A. Sacco, C.F. Nobile, M.A. Pellinelli, M. Lanfranchi), (312) 249
- Diethyl(diphenylphosphinomethyl)aminerhodium(I) derivative, ligand for synthesis of homo- and hetero-dinuclear complexes (R. Turpin, P. Dagnac, R. Poilblanc), (319) 247
- Difulvene-iridium(I) and -rhodium(I) complexes, intramolecular rearrangements in (E.J. Proffitt, R.J. Mawby), (310) 121
- Dihydridobis(trialkyltin)(pentamethylcyclopentadienyl)-rhodium(V) and -iridium(V) complexes, synthesis, characterisation and reactions of (J. Ruiz, C.M. Spencer, B.E. Mann, B.F. Taylor, P.M. Maitlis), (325) 253
- Di- μ -hydroxo- and dimethoxy-pentamethylcyclopentadienyl derivatives of rhodium and iridium with pyridine type ligands; crystal structure of $\{[(\text{C}_5\text{Me}_5)\text{Rh}(\text{Py})]\}_2(\mu\text{-OH})_2\} \cdot [\text{ClO}_4]_2$ (F.J. Lahoz, D. Carmona, L.A. Oro, M.P. Lamata, M.P. Puebla, C. Foces-Foces, F.H. Cano), (316) 221
- Dinuclear rhodium complexes, reaction with sulphur dioxide of (T.E. Bitterwolf), (320) 121
- Di- μ -pyrazolate(μ -carbonyl)dirhodium triply-

- bridged complexes with pentamethylcyclopentadienyl and diphosphine ligands, preparation and properties of (L.A. Oro, D. Carmona, J. Reyes), (302) 417
- Dodecacarbonyl-tetrarhodium, -dicobaltdirhodium, -tricobaltrhodium and -tetracobalt clusters, thermal decomposition of (R. Pince, R. Queau, D. Labroue), (306) 251
- Ethylene glycol direct synthesis from CO and H₂, catalyst for (M. Tamura, M. Ishino, T. Deguchi, S. Nakamura), (312) C75
- Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227
- Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
- Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M' bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38
- Hexacarbonylbis(tricyclopentylphosphine)dirhodium and hexacarbonylbis(triisopropylphosphine)dirhodium from a catalytic system for syngas conversion to ethylene glycol (Y. Tomotake, T. Matsuzaki, K. Murayama, E. Watanabe, K. Wada, T. Onoda), (320) 239
- Homogeneous rhodium catalyst for ethylene glycol formation from synthesis gas (Y. Kiso, M. Tanaka, T. Hayashi, K. Sacki), (322) C32
- H₂Ru₂Rh₂(CO)₁₁(PPh₃), structural, spectroscopic and conformational studies of (J. Pursiainen, T.A. Pakkanen), (315) 353
- Hydrido-zirconium-rhodium complex, Cp₂Zr(CH₂PPh₂)₂RhH(PPh₃), catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60
- Iridium-sulphur dioxide square planar complexes, coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27
- Iron-containing M₆ and M₅ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219
- Iron-rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56
- Li[(C₅(CH₃)₄)₂CH₂] and ring-bridged rhodium dinuclear complexes with (C₅(CH₃)₄)₂CH₂²⁻ as bridging ligand (H.J. Scholz, H. Werner), (303) C8
- Li[RhI₂(CO)₂], iodide and acetate salt promotion of carbonylation of methanol to acetic acid catalysed by (M.A. Murphy, B.L. Smith, G.P. Torrence, A. Aguiló), (303) 257
- Methoxymethylidyneironruthenium cluster complex, Fe₂Rh(μ-H)(μ₃-COCH₃)(CO)₇(η-C₅H₅), molecular structure and fluxional behaviour of (L.J. Farrugia), (310) 67
- (1-Methylene-4,4-dialkyl-2,5-cyclohexadienes), mixed (η^2 : η^4) coordination with two transition metal centres in bi- and tri-nuclear rhodium(I) complexes (V.A. Nikanorov, V.I. Rozenberg, V.I. Bakhmutov, O.A. Reutov, B.I. Ginzburg, V.V. Kaverin, V.P. Yur'ev), (307) 351
- Methylolithium addition Rh(COMe)(CO)(triphenylphosphine), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51
- Mono- and di-azadienerhodium(I) complexes, synthesis, spectra, oxidative addition reactions of and homogeneous catalysis for hydrosilylation with (M. Brockmann, H. tom Dieck, J. Klaus), (301) 209
- [M(P(O)(OMe)₂)(P(OMe)₃)₄] (M = Co, Ir, Rh), synthesis and variable ³¹P NMR spectra of (S.I. Klein, F. Nixon), (302) 87
- Nonacarbonyldiiron in reactions with C₅H₅Rh(PhC≡CH)PPr₃, competitive formation of heterometallic dinuclear complexes with μ -C≡CHPh and μ -η¹,η³-CHCPhCO bridging ligands (H. Otto, F.J. Garcia Alonso, H. Werner), (306) C13
- Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with H₂ and CO of (H.W. Bosch, B.B. Wayland), (317) C5
- Organorhodium complexes, two-dimensional indirect ¹H, ¹⁰³Rh NMR spectroscopic investigations of (R. Benn, H. Brenneke, A. Rufińska), (320) 115
- Palladium- and rhodium-catalysed synthesis of esters by reactions in mixtures of butadiene, carbon dioxide and oxiranes (A. Behr, U. Kanne), (309) 215
- Palladium(II) and rhodium(I) cationic complexes, reaction with t-butylperoxy anion and formation of t-butylperoxo-palladium(II) and -rhodium(II) complexes (N. Oshima, Y. Hamatani, H. Fukui, H. Suzuki, Y. Morooka), (303) C21
- Palladium and rhodium complexes with [R₂PCH₂CO₂]⁻ ligands (R = Ph, cyclo-C₆H₁₁); crystal and molecular structure of [(α -C₆H₅CH₂NMe₂)Pd{Ph₂PCH₂C(O)O}] (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), (301) 401
- O-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- Phosphine-rhodium(I) and -iridium(I) complexes, asymmetric transfer hydrogenation of ketones catalysed by (R. Spogliarich, J.

- Kašpar, M. Graziani, F. Morandini), (306) 407
- Phosphine rhodium complexes as catalysts in enantioselective hydration of crotonic acid derivatives (H. Brunner, A. Knott, M. Kunz, E. Thalhammer), (308) 55
- Phosphine-rhodium "in-situ" catalysis, hydroformylation of nitrogen-containing cyclic olefins via (K. Prölai-Tátrai, S. Tőrös, B. Heil), (315) 231
- 2-(2'-Pyridyl)pyridine-rhodium(I) chiral complexes, enantioface-discriminating transfer hydrogenation of acetophenone catalysed by (C. Botteghi, G. Chelucci, G. Chessa, G. Delogu, S. Gladiali, F. Soccolini), (304) 217
- [RhH₂(C₆H₅NCHCHNC₆H₅)(PPh₃)₂]PF₆, molecular structure and reactions of (M. Iglesias, C. del Pino, S. García-Blanco, S. Martínez Carrera), (317) 363
- Rhodium(acetylacetone)bis(vinyl chloride), photolysis in frozen gas matrices at 12 K of (A. Oskam, G. Schoemaker, A.J. Rest), (304) C13
- Rhodium and iridium phosphonate complexes from [M(P(OMe)₃)₅]Cl (M = Rh, Ir), formation of; reactions of H₂ with [MP(O-OMe)₂(P(OMe)₃)₄] complexes (S.I. Klein, J.F. Nixon), (304) 371
- Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345
- Rhodium(I) anionic and neutral complexes containing trichlorostannato ligands, isolation and reactions of (V. Garcia, M.A. Garralda, E. Zugasti), (322) 249
- Rhodium-catalysed C-C bond formation by ring-opening of alkylidenecyclopropanes and insertion of 3-butenoic acid (G.P. Chiusoli, M. Costa, P. Schianchi, G. Salerno), (315) C45
- Rhodium-catalysed C-C coupling of allenes with 3-butenoic acid (G. Salerno, C. Gallo, G.P. Chiusoli, M. Costa), (317) 373
- Rhodium-catalysed C-C coupling of 1,3-dienes with 3-alkenoic acids (G. Salerno, F. Gigliotti, G.P. Chiusoli), (314) 231
- Rhodium-catalysed hydrosilylation of 1-aza- and 1,4-diaza-1,3-dienes, formation of silylated enamines by (M. Brockmann, H. tom Dieck), (314) 75
- Rhodium complex-catalysed hydrogenation of CO to ethylene glycol, specific rate enhancement by alkylphosphines in (H. Tanaka, Y. Hara, E. Watanabe, K. Wada, T. Onoda), (312) C71
- Rhodium(I) complexes containing aliphatic diamine ligands, preparations of (M.A. Garralda, L. Ibarlucea), (311) 225
- [Rh(oq)Br(P(*o*-C₆F₄)Ph₂)(H₂O)]₂ (*o*q = 8-oxyquinolinolate), molecular structure of (F. Barceló, P. Lahuerta, M.A. Ubeda, C. Foces-Foces, F.H. Cano, M. Martínez-Ripoll), (301) 375
- trans*-[RhX(CO)(PR₃)₂] (X = Cl, Br; R = aryl) and *trans*-[Rh(μ-X)(CO)(PPh₃)₂] (X = Cl, I) oxidative addition of 1-haloalkanes to (F.R. Hartley, S.G. Murray, D.M. Potter, J.R. Chipperfield), (306) 133
- Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of [(*p*-cymene)ClRu(μ-Cl)(μ-pz)Pd(C₈H₁₁)] (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322) 111
- Ruthenium-rhodium dinuclear complexes mobility of dppm ligand in; formation of trinuclear RuRh₂ and Ru-Rh-Cu derivatives; X-ray structure of heterobimetallic hydrido-bridged complex (B. Delavaux, B. Chaudret, F. Dahan, R. Poilblanc), (317) 69
- Ruthenium-rhodium homogeneous catalysts for methanol homologation, synergistic effect of (J. Pursiainen, K. Karjalainen, T.A. Pakkanen), (314) 227
- Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143
- Siloxyalkylphosphinerrhodium(I) complexes, synthesis, characteristics and catalytic activity of (W. Duczmal, W. Urbaniak, B. Marciniec), (317) 85
- Tetrakis(triisopropyl-phosphite)rhodium, electro-generation and characterisation of (G. Pilloni, G. Zotti, S. Zecchin), (317) 357
- Toluene-solvated rhodium atoms; evidence for a hydridorhodium complex (G. Vitulli, G. Uccello-Barretta, P. Pannocchia, A. Rafaelli), (302) C21
- Tricyclic heterocycles with bifunctional silicon centres (J.Y. Corey, C.S. John, M.C. Ohmsted, L.S. Chang), (304) 93
- Triphosphane-rhodium complex, Rh(4-MeC₆H₄)[t-BuP(CH₂CH₂CH₂PPh₂)₂], reactions with CO₂ of (L. Dahlenburg, C. Prengel), (308) 63
- Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), (302) C17
- Tris(triphenylphosphine)chlororhodium(I), reductive hydrosilylation of quinones catalysed

- by (M.N. Bakola-Christianopoulou), (308) C24
- Vinylrhodium complexes, formation by protonation of $C_5H_5Rh(PhC_2H)P-i-Pr_3$ and $C_5H_5-Rh(C_2Ph_2)P-i-Pr_3$ of; crystal and molecular structure of $C_5H_5Rh(E-CPh=CHPh)$ ($P-i-Pr_3$)OCOCF₃ and $C_5H_5(P-i-Pr_3)RhC_6H_4-CH=CPh$ (H. Werner, J. Wolf, U. Schubert, K. Ackermann), (317) 327
- η^1 -Ylidic enaminerhodium(III) complex, formation using triethylamine for a base-promoted reaction of (S.N. Gamage, R.H. Morris, S.J. Rettig, B.R. James), (309) C59
- ## Ruthenium
- Allyldialkylruthenium(IV) complexes, preparation and reductive C-C bond formation followed by C-H bond activation of (H. Nagashima, K.-I. Ara, K. Yamaguchi, K. Itoh), (319) C11
- Arene(carbene)ruthenium complexes, formation via vinylideneruthenium intermediates of (K. Ouzzine, H. Le Bozec, P.H. Dixneuf) (317) C25
- Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91
- Arylnitrenes formed by cleavage of azoarenes, trapping with Fe₃(CO)₁₂ or Ru₃(CO)₁₂ of; X-ray structure of Ru₃(μ_3 -NPh)₂(μ -dppm)(CO), (M.I. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekkink), (315) C51
- 2,2'-Bipyridine-dodecacarbonyltriruthenium complex, catalysis of the water gas shift reaction by (T. Venäläinen, T.A. Pakkanen, T.T. Pakkanen, E. Iiskola) (314) C49
- Bis[bis(trimethylsilyl)methyl]tin, reactions with M₃(CO)₁₂ (M = Fe, Ru, Os) or its derivatives of; crystal and molecular structures of M₃(μ -SnR₂)₂(CO)₁₀ (R = CH(SiMe₃)₂, M = Ru, Os) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203
- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triruthenium and -triosmium, preparation of; X-ray crystal structure of Os₃(CO)₉(μ -dppm)(η^1 -dppm) (dppm = Ph₂PCH₂PPh₂) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403
- Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium-rhodium complexes, formation in reactions of RuRhH₂Cl-(C₈H₁₂)(Ph₂PCH₂PPh₂)₂ with trialkylborohydrides of (H. Benlaarab, B. Chaudrel, F. Dahan, R. Poilblanc), (320) C51
- Bis(η^6 -hexamethylbenzene)(η^6 , η^6 -triple layered [2,2]paracyclophe)diruthenium(II,II) tetrakis(tetrafluoroborate) and related mixed-valence ion, synthesis and characterisation of (H.C. Kang, K.-D. Plitzko, V. Boekelheide, H. Higuchi, S. Misumi), (321) 79
- (η^5 -Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
- (η^5 -Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311
- Carbonylchloro(η -cyclopentadienyl)(triphenylphosphine)ruthenium(II), synthesis, reactivity and crystal structure of (T. Wilczewski, Z. Dauter), (312) 349
- Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407
- Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of Ru₃(μ -H)₂(μ_3 -PPh)-(CO)₈(PMcPh₂), Ru₄(μ -H)₄(μ -dppm)-(CO)₁₀, Ru₄(μ -H)₃(μ_3 -PPhCH₂PPh₂)(CO)₁₀ and Os₃(μ -H)₂(μ -dppm)(CO)₈ (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekkink, M.L. Williams), (316) 187
- Carbonylruthenium complexes of *cis*-1,2-bis(diphenylphosphino)ethene, preparation of; X-ray structure of Ru₂{ μ -C₂H₂(PPh₂)₂}(CO)₆ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (306) 115
- Carbonylruthenium clusters containing aryldiazo ligands; X-ray structure of Ru₃(μ_3 -PPhCH₂PPh₂)(μ - η^1 -N=N-C₆H₃Cl₂-2,4)(CO)₉ (M.I. Bruce, M.L. Williams, B.W. Skelton, A. White), (309) 157
- Carbonylruthenium homogeneous catalyst, effect of imidazole compounds in hydrogenation of carbon monoxide on (Y. Kiso, K. Saeki), (309) C26
- Carboxylate ruthenium bridged complexes; crystal structures of [Ru(PhCOO)(CO)₂(PhCOOH)]₂, [Ru(4-FC₆H₄COO)₂(CO)₅(H₂O)]₂ · 0.5C₆H₆ and [Ru₂(s-BuCO₂)(CO)₄(s-BuCO₂H)]₂ (M. Rotem, I. Goldberg, U. Shmueli, Y. Shvo), (314) 185

- Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111
- Chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium, preparation from [RuHCl₂(PPh₃)₃] and penta-1,4-diene of, C-C bond formation by dehydrogenation (B.E. Mann, P.W. Manning, C.M. Spencer), (312) C64
- (η^5 -C₅H₅)NiRu₃(μ -H)₃(CO)₉, homogeneous catalytic hydrogenation and isomerisation of linear and cyclic monoenes and dienes in the presence of (M. Castiglioni, R. Giordano, E. Sappa), (319) 167
- (η^5 -C₅H₅)(Ph₂PCH₂CH₂PPh₂)Ru=CH₂⁺ AsF₆⁻, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310) C39
- [(η -C₅H₅)Ru{(*S,S*)-Ph₂PCH(CH₃)CH(CH₃)-PPh₂}(olefin)]⁺ PF₆⁻ optically active complexes, enantioface selection in (G. Consiglio, F. Morandini, P. Pregosin), (308) 345
- [(η -C₅H₅)Ru{(*R*)-Ph₂PCH(CH₃)CH₂PPh₂}-(olefin)]PF₆⁻ optically active complexes, influence of the stereogenic metal atom on enantioface selection in (G. Consiglio, F. Morandini), (310) C66
- arachno-[(η^6 -C₆Me₆)RuB₈H₁₄], nine-vertex structural analogue of n-B₉H₁₅ rather than of iso-B₉H₁₅ (M. Brown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett), (315) C1
- [C₆Me₆RuH(NH₂PrⁱIPMe₃)]PF₆⁻, formation and structure of, example of reductive amination of acetone by a hydridometal complex (H. Werner, H. Kletzin, R. Zolk, H. Otto), (310) C11
- Cobalt and ruthenium catalysts for hydrocarbylation of butanols (P. Andrianary, G. Jenner), (322) 89
- Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands Ph₂As(CH₂)_n-PPh₂ (*n* = 1, 2), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McMarthy, I.D. Salter), (306) C27
- Cycloheptatriene and cyclohepta-1,3-diene insertion into Ru-H bond of RuHCl(PPh₃)₃, formation of Ru(η^5 -C₇H₉)Cl(PPh₃)₂ and Ru(η^3 -C₇H₁₁)Cl(PPh₃)₂ (M. Grassi, B.E. Mann, P. Manning, C.M. Spencer), (307) C55
- Cyclometallated ruthenium complex, Ru{P(OC₆-H₃Me)(OC₆H₄Me-4)}₂CO₂, crystal and molecular structure of (M.I. Bruce, M.R. Snow, E.R.T. Tiekkari), (311) 217
- 1,5-Cyclooctadiene-1,4-diaza-1,3-diene hydrido-ruthenium complexes, (COD)(diamino-diene)Ru(H)Cl, synthesis, structure and catalytic properties of (H. tom Dieck, I. Kleinwächter, E.T.K. Haupt), (321) 237
- η^5 -Cyclopentadienyl- η^6 -areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), (302) 389
- Cyclopentadienylruthenium alkoxy carbene, stereochemical aspects of conversion to acetylidyne complexes of; crystal structure of [$(\eta$ -C₅H₅)Ru(Ph₂PCHMeCHMePPh₂)(C=CPh)] (G. Consiglio, F. Morandini, A. Sironi), (306) C45
- Cyclopentadienylruthenium complexes containing (S,S) donor ligands (L.B. Reventos, A.G. Alonso), (309) 179
- Cyclopentadienylruthenium mononuclear complex containing aromatic amine ligands, synthesis of (M.O. Albers, D.J. Robinson, E. Singleton), (311) 207
- Dihydrido(η -cyclopentadienyl)bis(triphenylphosphine)osmium(IV) cation, formation, properties, and reactions with halogen compounds of (T. Wilczewski), (317) 307
- Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322) C7
- Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogeno-alkanes and halogens on; crystal structure of [Ru₂Cl₂(CO)₄{ μ -(MeO)₂PN(Et)P-(OMe)₂}₂] (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310) C42
- Diphosphazane-bridge nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures of [Fe₂I(CO)₅{ μ -(MeO)₂PN(Et)P-(OMe)₂}₂][PF₆]⁻ and [Ru₂{ μ -I}(CO)₃{ μ -(i-PrO)₂PN(Et){(i-PrO)₂}₂}][PF₆]⁻ (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21
- Diruthenium bridged cations containing cyclopentadienyl and bidentate amine ligands, synthesis of; crystal and molecular structure of [{(η^5 -C₅H₅)Ru(1,10-phenanthroline)}₂{ μ -bis(diphenylphosphine)methane}](PF₆)₂·CH₂Cl₂ (M.O. Albers, D.C. Liles, D.J. Robinson, E. Singleton), (323) C39
- Dodecacarbonyldiironruthenium and tridecadahydridodiironruthenium, synthetic route to; crystal structure of H₂Fe₂Ru₂(CO)₁₃ (T. Venäläinen, T.A. Pakkanen), (316) 183
- Dodecacarbonyl-triruthenium and -triosmium and triphenylphosphine, redox chemistry of;

- mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320) 363
- Dodecacarbonyliridiruthenium catalysed carbonylation of amines and hydroamidation of olefins (Y. Tsuji, T. Ohsumi, T. Kondo, Y. Watanabe), (309) 333
- Dodecacarbonyliridiruthenium, reactions with heterocycles of; X-ray crystal structures of $\text{Ru}_3(\mu\text{-CO})_2(\text{CO})_8(\text{bipy})$ and $\text{Ru}_3(\mu\text{-H})(\mu\text{-N}_2\text{C}_3\text{H}(\text{CF}_3)_2\text{-}3,5)(\text{CO})_{10}$ (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekkink, R.C. Wallis), (314) 311
- Ethylene(hydrido)metal complexes ($M = \text{Ru}, \text{Os}, \text{Ir}, \text{Co}$), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227
- Fluxional cryptands containing metallocene units (P.J. Hammond, P.D. Beer, C. Dudman, I.P. Danks, C.D. Hall, J. Knychala, M.C. Grossel), (306) 367
- Halovinylidene-containing ruthenium and osmium complexes, synthesis and properties of; X-ray structure of $[\text{Ru}(\text{C}\equiv\text{CIPh})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[I}_3]$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell, B. K. Nicholson), (320) 217
- Hetero-bi- and -tri-metallic complexes containing electron-releasing and electron-accepting redox centres (P.D. Beer, C.J. Jones, J.A. McCleverty, R.P. Sidebotham), (325) C19
- Heterobimetallic ($\text{Ru}-\text{Co}$) complexes with chelating and bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), (303) C47
- Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67
- Hexaruthenium frameworks, behaviour of phenylphosphinidene ligands to (J.S. Field, R.J. Haines, D.N. Smit), (304) C17
- $\text{H}_2\text{Ru}_4\text{C}(\text{CO})_{12}$, structural isomers of; X-ray crystal structure of $\text{Ru}_4\text{C}(\text{CO})_{13}$ (A.G. Cowie, B.F.G. Johnson, J. Lewis, P.R. Raithby), (306) C63
- $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{10}(\text{dppe})$ and $\text{HRuCo}_3(\text{CO})_{10}(\text{dppe})$, synthesis and characterisation of (J. Pursiainen, T.A. Pakkanen), (309) 187
- $\text{H}_2\text{Ru}_2\text{Rh}_2(\text{CO})_{11}(\text{PPh}_3)$, structural, spectroscopic and conformational studies of (J. Pursiainen, T.A. Pakkanen), (315) 353
- $(\mu\text{-H})_3\text{Ru}_3(\mu_3\text{-CR})(\text{CO})_9$, protonation of; evidence for formation of an agostic metal-hydrogen bond (D.K. Bower, J.B. Keister), (312) C33
- Hydridocarbonylchlorotris(triphenylphosphine)ruthenium(II), insertion reactions of; X-ray structure of carbonylchloro(*cis*-1,2-diphenylethyynyl)bis(triphenylphosphine)ruthenium(II) (M.R. Torres, A. Vegas, A. Santos, J. Ros), (309) 169
- Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner), (303) 221
- Hydridoruthenium cationic complexes containing *N*- and *P*-donor ligands; crystal structure of carbonylhido(1,4-dicyclohexylidaza-1,3-butadiene)bis(methyldiphenylphosphine)ruthenium(II) perchlorate (A. Romero, A. Vegas, A. Santos, M. Martinez-Ripoll), (319) 103
- Hydrogenation of carbon monoxide in the presence of homogeneous ruthenium catalysts; effect of onium halides as promoters (Y. Kiso, M. Tanaka, H. Nakamura, T. Yamasaki, K. Saeki), (312) 357
- Nonamethylruthenocenylcarbenium hexafluorophosphate, synthesis and crystal structure of (A.Z. Kreindlin, P.V. Petrovskii, M.I. Rybinskaya, A.I. Yanovskii, Yu.T. Struchkov), (319) 229
- Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with H_2 and CO of (H.W. Bosch, B.B. Wayland), (317) C5
- Organoruthenaborane and -osmaborane clusters, preparation and NMR studies of $[6-(\eta^6\text{-C}_6\text{Me}_6)\text{-nido-6-MB}_9\text{H}_{13}]$ ($M = \text{Ru}, \text{Os}$) and the rearrangement cluster $[5-(\eta^6\text{-C}_6\text{Me}_6)\text{-nido-5-RuB}_9\text{H}_{11}\text{-7-(PM}_2\text{Ph)}]$ (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233
- Osmium and ruthenium complexes, mechanism of homogeneous hydrogenation of carbon monoxide catalysed by (D.S. Barratt, D.J. Cole-Hamilton), (306) C41
- Palladium-catalysed 2-acetoxallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397
- Pentamethylcyclopentadienyl complexes: $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ru}(\text{PPh}_3)(\text{L})\text{Cl}]$ ($L = \text{Co, t-BuNC}$) and $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ru}(\text{L})_2\text{Cl}]$ ($L = \text{t-BuNC, norbornadiene}$), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221
- O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
- $\mu_3\eta^2\text{-Phosphaalkyne}$ complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[\text{M}_3\text{H}(\text{CO})_9(\text{Bu}'\text{CP})]^-$ ($M = \text{Fe, Ru}$), synthesis

- sis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307
- Pyrazolate-bridged ruthenium(I) complexes, synthesis of; X-ray structure of bis- μ -(3,5-dimethylpyrazolate)bis(tricarbonylruthenium(I))(Ru-Ru) (J.A. Cabeza, C. Landazuri, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (322) C16
- (Pyridine-2-carbaldehyde-iminehexacarbonyldi-iron and -diruthenium) complexes with σ -N, μ_2 -N', η^2 -C=N' bonded 6-R'-py-2-C(R²)=NR ligand; X-ray structure of [Ru₂(CO)₅{1,2-bis(μ -isopropylamido)-1,2-bis(2-pyridyl)ethane}] containing two C-C linked pyridine-2-carbaldehyde-imine ligands (L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen, C.H. Stam), (304) 353
- Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345
- cis*-Rh(oq)Br(P(*o*-C₆F₄)Ph₂)L (oq = oxyquino-nato) compounds, synthesis of; molecular structure of *cis*-Rh(oq)Br(P(*o*-C₆F₄)Ph₂) (PPh₃) (F. Barceló, P. Lahuerta, M.A. Ubeda, A. Cantarero, F. Sanz), (309) 199
- RuCl₂[P(CH₂CH₂CH₂PMe₂)₃], C-H bond cleavage upon reduction in cyclopentene and THF of (M. Antberg, L. Dahlenburg), (312) C67
- RuCl₂(PPh₃)₃/NCOOH/Et₃N, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63
- Ru(C=CPh)(dppe)(η -C₅H₅) and [Ru(L)(PPh₃)₂(η -C₅H₅)]X (L = C(OMe)Et, X = PF₆; L = C=CMePh, X = I), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekkink), (314) 213
- [Ru₃(CO)₁₁(CNBu^t)] and [Os₃(CO)₁₁(CNBu^t)], X-ray structures of (M.I. Bruce, G.N. Pain, C. Hughes, J.M. Patrick, B.W. Skelton, A.H. White), (307) 343
- [Ru(CO)H(NCMe)₂(PPh₃)₂]ClO₄, reaction with 1-hydroxymethyl-3,5-dimethylpyrazole; formation of an amidine complex; crystal structure of [Ru(CO)H(NH=CMe(Me₂pz))-(PPh₃)₂]ClO₄ (A. Romero, A. Vegas, A. Santos), (310) C8
- Ru(CO)₃(PM₂Me) and its acetyl derivatives, preparation of (G. Cardaci), (323) C10
- Ru(C₂R)(L)₂(η -C₅H₅) (R = CH₃, Ph; L₂ = (CO, PPh₃), (PPh₃)₂, (dppe)), addition reactions of substituted styrenes with; X-ray crystal structure of Ru{Cl=C(CN)₂}CPh=C(H₂C₆H₄NO₂-4)}(dppe)(η -C₅H₅)·0.5CH₂Cl₂ (M.I. Bruce, P.A. Humphrey, M.R. Snow, E.R.T. Tiekkink), (303) 417
- [Ru₈(μ_8 -P)(μ_2 - η^1 , η^6 -CH₂C₆H₅)(μ_2 -CO)₂(CO)₁₇], synthesis and characterisation of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, D.N. Smit, G.M. Sheldrick), (310) C47
- clos*-[Ru₄(μ_4 -PPh₃)₂(μ_2 -CO)(CO)₁₀], insertion of acetylene into Ru-P bonds of; crystal structure of [Ru₄(μ_4 -PPh){ μ_4 - η^3 -P(Ph)CH-CH}(μ_2 -CO)(CO)₁₀] (J.S. Field, R.J. Haines, E. Minshall, D.N. Smith), (310) C69
- Ruthenium and osmium; annual survey 1983 (J.B. Keister), (318) 297
- Ruthenium and osmium; annual survey 1984 (P.A. Shapley), (318) 409
- Ruthenium clusters, carbonylation of nitrobenzene with (A. Basu, S. Bhaduri, H. Khwaja), (319) C28
- Ruthenium-cobalt homogeneous systems, catalysis of reductive carbonylation of carboxylic esters by; homologation of the alkoxy moiety (G. Jenner, P. Andrianary), (307) 263
- Ruthenium complexes, photochemical hydroformylation catalysis using (E.M. Gordon, R. Eisenberg), (306) C53
- Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradeятate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310) 83
- Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of [(*p*-cymene)ClRu(μ -Cl)(μ -pz)Pd(C₈H₁₁)] (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322) 111
- Ruthenium-rhodium dinuclear complexes, mobility of dppm ligand in; formation of trinuclear RuRh₂ and Ru-Rh-Cu derivatives; X-ray structure of heterobimetallic hydrido-bridged complex (B. Delavaux, B. Chaudret, F. Dahan, R. Poilblanc), (317) 69
- Ruthenium-rhodium homogeneous catalysts for methanol homologation, synergistic effect of (J. Pursiainen, K. Karjalainen, T.A. Pakkanen), (314) 227
- Ruthenocene-carboxylic acid- boronic acids, separation and identification of; detection of alkali metal cations (T. Wilczewski), (306) 125
- Ruthenocene fluxional bis-crown ethers, synthesis of (P.D. Beer, A.D. Keefe), (306) C10
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

- Tetranuclear ruthenium cluster, $[\text{Ru}_4(\text{CO})_{10}(\mu_2\text{-Cl})_2(\mu_3\text{-OEt})_2]$, preparation and structure of (B.F.G. Johnson, J. Lewis, J.M. Mace, P.R. Raithby, M.D. Vargas), (321) 409
- Thionitrosodimethylamine ($\text{Me}_2\text{N}-\text{N}=\text{S}$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105
- η -Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35
- Tricarbonyl-tetrahapto-cyclopentadienoneruthenium(0) complexes, catalysis with; a water-gas type reaction (Y. Shvo, D. Czarkie), (315) C25
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29
- Trihalogeno(pentamethylcyclopentadienyl)ruthenium(IV), preparation and reactions of (N. Oshima, H. Suzuki, Y. Moro-Oka, H. Nagashima, K. Itoh), (314) C46
- Trihydroruthenium(IV) complexes, preparation and photo-induced H/D exchange reaction (H. Suzuki, D.H. Lee, N. Oshima, Y. Moro-Oka), (317) C45
- Tris(2,2'-bipyridine) ruthenium(II), cyclometalated analogue of (E.D. Constable, J.M. Holmes), (301) 203
- 1,2,3-Triselena[3]ruthenocenophane, crystal and molecular structure of (A.J. Blake, R.O. Gould, A.G. Osborne), (308) 297
- dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145
- Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
- Dichalcogenophenylenemetallocenes ($M = \text{Ti}, \text{Zr}, \text{Hf}$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
- Dilithium benzene- α -diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
- 13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo[*d,g*]-[1,2,6]-diselenagermonine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[*d,g*][1,2,6]-diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven', B.I. Stepanov, M.Yu. Aismont), (301) 273
- Dimethyl-selenium and -tellurium and trimethyl-selenium and -tellurium iodides, synthesis of (N. Kuhn, P. Faupel, E. Zauder), (302) C4
- Octafluoroselenanthrene, $(\text{C}_6\text{F}_4)_2\text{Se}_2$, structure of a triclinic form of (D.S. Brown, T.K. Mistry, A.G. Massey), (308) 207
- Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Organometallic iron-selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295
- Phenylenemericurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{R}_3\text{EX})]^+$ ($E = \text{P}, \text{As}, \text{Sb}; X = \text{S}, \text{Se}$) (N. Kuhn, H. Schumann), (304) 181
- $[(\text{PMc}_3)\text{Pd}(\mu\text{-Se}_2\text{CPMe}_3)]_2$, dinuclear complex with η^1, η^2 -bonded Se_2CPMe_3 bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63
- Tetramethyldipnictogens, exchange reactions with dimethyl dichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289
- 2,2,6-Trimethyl-6-selenono-1,3-dioxa-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), (303) 83
- 1,2,3-Triselena[3]ruthenocenophane, crystal and molecular structure of (A.J. Blake, R.O. Gould, A.G. Osborne), (308) 297

Selenium

- Bis(dimethylphosphine)cyclopentadienylcobalt), $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- Carbyne complexes, *trans*-X(CO)₄M≡CR, influence of the central metal, the *trans*-X ligand and the carbyne substituent on M-CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187
- Chalcogen-substituted acetylenes, C-C and C-chalcogen spin-spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machnicki, B. Knieriem, W. Lütteke), (314) 53
- Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45

Silicon

Acetyltrimethylphenylsilane, fluoride induced fragmentation of (H. Zilch, R. Tacke), (316) 243

Alkene coordination at divalent germanium in ($\eta^2\text{-Me}_4\text{C}_5\text{H}$) $\text{Me}_2\text{Si}(\eta^2\text{-Me}_4\text{C}_5)\text{Ge}^+$ GeCl_3^- (F.X. Kohl, R. Dickbreder, P. Jutzi, G. Müller, B. Huber), (309) C43

Alkoxy silanes, multinuclear NMR spectroscopy of (E. Liepiņš, I. Zicmane, E. Lukevics), (306) 167

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of $[\text{W}_2\text{Cl}_8(\text{PhC}\equiv\text{C-C}\equiv\text{CSiMe}_3)(\text{pyridine})_2]$ (M. Kersting, K. Dehncke, D. Fenske), (309) 125

Amphoteric ligands: $(\text{Me}_3\text{SiCH}_2)_2\text{GaPPh}_2$, $(\text{Me}_3\text{SiCH}_2)_2\text{InPPh}_2$ and $(\text{Me}_3\text{CCH}_2)_2\text{InPPh}_2$, synthesis, characterisation and crystal and molecular structure of (O.T. Beachley, Jr., J.P. Kopasz, H. Zhang, W.E. Hunter, J.L. Atwood), (325) 69

Arylhalogenoboranes, preparation of (W. Haubold, J. Herdtle, W. Gollinger, W. Einholz), (315) 1

Aryltrimethyl-silicon, -germanium and -tin compounds, synthesis and spectroscopic characterisation of (S.M. Moerlein), (319) 29

Bis{[bis(trimethylsilylmethyl)arsino]diphenylgalane}, synthesis and crystal structure of (R.L. Wellis, A.P. Purdy, A.T. McPhail, C.G. Pitt), (308) 281

Bis(1,3,2-diazasilacycloalkyl)dimethylsilanes, preparation and properties of (R.H. Cragg, C.K. Ma), (304) 87

Bis(lithioamino)- and tris(lithioamino)-silane dimers containing electron-deficient Li_4N_4 and Li_6N_6 clusters, syntheses and crystal structures of (D.J. Brauer, H. Bürger, G.R. Liewald), (308) 119

2,6-Bis(lithiumtrimethylsilylmethyl)pyridine · 2TMEDA, monomeric dilithio compound exhibiting electrostatic charge communication (R. Hacker, P.v.R. Schleyer, G. Reber, G. Müller, L. Brandsma), (316) C4

Bis-metallates, $\text{Na}_2\{\text{Mc}_2\text{Si}[(\text{C}_5\text{H}_4)(\text{CO})_3\text{M}]_2\}$ ($\text{M} = \text{Mo, W}$), preparation and rearrangement to neutral complexes with σ -bonded dimethylarseno or methyl groups of (R. Baumann, W. Malisch), (303) C33

Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297

Bis(*N*-pentafluorophenyl)tetraphenylcyclodisilazane-tetrabenzeno, $(\text{Ph}_2\text{SiNC}_6\text{F}_5)_2 \cdot 4\text{C}_6\text{H}_6$, crystal structure of (P. Clare, D.B. Sowerby, I. Haiduc), (310) 161

Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27

Bis(η -styrene)molybdenum, synthesis and polymerisation of; crystal structures of $\text{Mo}(\eta\text{-C}_6\text{H}_5\text{CH}_2\text{CH}=\text{CH}_2)_2$ and $[\text{Mo}(\eta\text{-C}_6\text{H}_5\text{SiMe}_2\text{H})_2\text{BF}_4]$ (M.L.H. Green, I. Treurnicht, J.A. Bandy, A. Gourdon, K. Prout), (306) 145

[η^4 -2,5-Bis(trimethylsilyl)cyclopentadienone(η^5 -cyclopentadienyl)cobalt, structure of (J.H. Bieri, A.S. Dreiding, T.C.C. Gartenmann, E.R.F. Gesing, R.W. Kunz, R. Prewo), (306) 241

cis- and *trans*-1,2-Bis(trimethylsilyl)cyclopropane, reactions of (M. Grignon-Dubois, J. Dunoguès), (309) 35

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151

o-Bromoaryl esters and *o*-chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tschach), (317) 11

(α -Bromo- α -methoxymethyl)silanes, thermolysis of (U. Schubert, C. Steib, K. Weiss), (311) C1

Butadiynetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehncke), (316) 85

(*Si-n*-Butylamino)methylsilanes (silazates), preparation, IR and ^1H and ^7Li NMR spectra of mono- and poly-lithiated derivatives of (B.J. Aylett, C.-F. Liaw), (325) 91

Carbonylcobalt reaction of oxetanes with a hydrosilane and carbon monoxide (T. Murai, K. Furuta, S. Kato, S. Murai, N. Sonoda), (302) 249

Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machnicki, B. Knieriem, W. Lütke), (314) 53

$\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})\text{AuPPh}_3$ -($Mn-Au$) and $[\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})]_2\text{Pt}(3\text{-picolin})_2$ ($Mn-Pt$), synthesis from $\text{Na}[\text{CH}_2\text{C}_5\text{H}_4(\text{CO})_2\text{MnSiR}_3]$; formation of metal-

- metal bonds and simultaneous SiR_3/H exchange (E. Kunz, J. Müller, U. Schubert), (320) C11
- cis*-($\eta^5\text{-C}_5\text{H}_5$)(CO)₂Re(SiPh₃)H, ring- versus metal-hydride deprotonation with formation of *cis*- and *trans*-($\eta^5\text{-C}_5\text{H}_4$)(SiPh₃)-(CO)₂ReH₂ (P. Pasman, J.J.M. Sncl), (301) 329
- η^4 -*exo*- and η^4 -*endo*-1-Chloro-2,5-diphenylsilacyclopentadiene)tricarbonyliron complexes, stereochemical behaviour of (R.J.P. Corriu, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C1
- Chlorofluorovinylsilanes and derivatives thereof, synthesis of (S. Martin, R. Sauvêtre, J.-F. Normant), (303) 317
- 1-Chloro-1,3,5-trimethyl-3,5-bis(trimethylsiloxy)cyclotrisiloxanes, acetolysis of stereoisomers of (U. Scheim, K. Rühlmann, H. Grosser-Ruyken, A. Porzel), (314) 39
- $\text{C}_5\text{Me}_5(\text{CO})(\text{L})\text{Mn}(\text{H})\text{SiR}_3$ complexes, structural chemistry and ²⁹Si NMR spectroscopy of (U. Schubert, G. Scholz, J. Müller, K. Ackermann, B. Wörle, R.F.D. Stansfield), (306) 303
- π - σ Constant for substituents attached to silicon, determination of (M.S. Samples, C.H. Yoder), (312) 149
- Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339
- Cyclopentadienylcarbonylethylrhodium, C–H and Si–H activation reactions in low-temperature matrices and in solution of (D.M. Haddelet), (311) C21
- Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1
- Diazaboracyclopropane, synthesis and crystal structure analysis of (R. Boese, U. Klingebiel), (306) 295
- Diborylamines, influence of steric effects on conformation and parameters of (D. Männig, H. Nöth, H. Prigge, A.-E. Rotsch, S. Gopinathan, J.W. Wilson), (310) 1
- Dibromoacetylenetungsten(IV) complexes, crystal structure of PPh₄[WBr₅(BrC≡CBr)]·0.5CCl₄ (K. Stahl, A. El-Kholi, U. Müller, K. Dehncke), (316) 95
- Dicarbonylcyclopentadienyliron-substituted phosphaalkene with Fe–P bonds, synthesis and structure of (L. Weber, K. Reizig, M. Frebel, R. Boese, M. Polk), (306) 105
- Dicyclohexylsilanediol and bis(hydroxydimethylsilyl)bis(trimethylsilyl)methane, crystal structures of (N.H. Buttrus, C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A.D. Taylor), (309) 25
- μ -[(Di- η^5 -cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), (302) 363
- Diffluorosilylene, reactions with cyclic alkenes, cyclopentadiene and cycloheptatriene of (W.L. Lee, C.F. Shieh, C.S. Liu), (302) 23
- 1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1
- Di-Grignard approach to metallabenzcocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291
- 1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), (303) 73
- 2,6-Diisopropylphenyliminothexylborane(III), synthesis and reactions of (M. Armbrecht, A. Meller), (311) 1
- Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103
- Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasish, M. Sood, N. Sood, G. Singh), (301) 15
- 2,7-Dimethyl-2,3:7,8-diepoxy-5-silaspiro[4.4]nonane and cyclosiloxanes, synthesis by flash vacuum pyrolysis of (C.D. Juengst, W.P. Weber, G. Manuel), (308) 187
- 13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo[*d,g*]-[1,2,6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[*d,g*][1,2,6]diselenasiloline, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven', B.I. Stepanov, M.Yu. Aismont), (301) 273
- Dimethylsilylenes containing C=C or C≡C bonds, reactions of (H. Appler, W.P. Neumann), (314) 261
- Dimethyltris(trimethylsilyl)methylsilylsilanolithium tetrahydrofuranate, preparation and crystal structure of (P.B. Hitchcock, N.H. Buttrus, A.C. Sullivan), (303) 321
- Di-i-propylsilanediol, hydrogen bonding in and crystal structure of (N.H. Buttrus, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (302) 159
- o*-(Disilanylene)phenylene polymer, preparation via ring-opening polymerisation at Si–Si bonds of (K. Shiina), (310) C57
- Disilanyl radical anions, 2,3:5,6-dibenzo-7,8-di-

- silabicyclo[2.2.2]octa-2,5-dienes and a cyclo-tetrasilane, preparation and reactions of (M. Weidenburch, K.-L. Thom), (308) 177
- O*-Ethyl-*C*,*O*-bis(trimethylsilyl)ketene acetal, treatment of α , β -unsaturated ketones; synthesis of α -ylidene- δ -lactones (I. Matsuda), (321) 307
- Fluoropyridinyl-containing chlorosilanes, synthesis and hydrolysis of (M. Zeldin, J.-M. Xu), (320) 267
- Group IV derivatives of $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}$, structures of $\text{HOs}_3(\mu\text{-H})_2(\text{CO})_{10}$ and $\text{Os}_3(\mu\text{-H})_3(\text{CO})_{10}(\text{SnMe}_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257
- N*-Halogensilyl-phosphinimine, chlorine-fluorine exchange in (U. Kliebisch, U. Klingebiel), (314) 33
- Heterodinuclear complexes with $\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2(\text{MePh}_2\text{Si})\text{Mn}$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1
- Hexa-*t*-butylcyclotrisilane, formation of six-membered rings by photolysis in the presence of nitriles of (M. Weidenburch, A. Schäfer, M. Peters, H.G. von Schnering), (314) 25
- Hexafluorodisilane pyrolysis as a source for highly reactive difluorosilylene (S. Konieczny, P.P. Gaspar, J. Wormhoudt), (307) 151
- Hexamethyl-1,4-disilabenzene, generation and thermal chemistry of (K.M. Welsh, J.D. Rich, R. West, J. Michl), (325) 105
- Hydrogenosilanes, pentacoordination and pseudorotation in (J. Boyer, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo), (301) 131
- Iron-tris(dimethylphosphinomethyl)methylsilane complexes, chemistry: crystal structure of $[\{\text{Fe}(\text{Me}_2\text{PCH}_2)_3\text{SiMe}\}_2(\mu\text{-H})_2(\mu\text{-C}=\text{CH}_2)]$ with a vinylidene group derived from ethylene (J.M. Boncella, M.L.H. Green), (325) 217
- $\text{Li}_4(\mu_2\text{-PR}_2)_2(\mu_3\text{-PR}_3)(\text{THF})_2$ and $\text{Li}(\text{PR}_2)$ -pentamethyldiethylenetriamine, isolation and NMR spectra of; X-ray structures of the former and $[\text{Li}(\mu\text{-PR}_2)(\text{THF})_2]_2$ ($\text{R} = \text{SiMe}_3$) (E. Hey, P.B. Hitchcock, M.F. Lappert, A.K. Rai), (325) 1
- Lithium-arsenic homoleptic compound, $[\text{Li}-\mu\text{-As}(\text{CH}(\text{SiMe}_3)_2)_2]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. Lappert, S.J. Smith), (320) C27
- Lithium salts of imino- and amino-silanes, crystal structures of (R. Boese, U. Klingebiel), (315) C17
- $[\text{M}(\text{CO})_3]_2-\mu\text{-}[(\eta^5\text{-Cp})_2\text{SiMe}_2]$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system ($\text{M} = \text{Mo, W}$) (J. Heck), (311) C5
- $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{Hg}$, $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{Cd}$ and $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{HgBr}$, preparation and reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Buttrus, C. Eaborn, P. B. Hitchcock, J.D. Smith), (320) 137
- Metallocenes in biochemistry, microbiology and medicine (Review) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281
- 1,6-Methano[10]annulene-Group IVB derivatives, synthesis, substituent effects and reactivity of (W. Kitching, H.A. Olszowy, I. Schott, W. Adcock, D.P. Cox), (310) 269
- Methyl- and trimethylsilyl-tris(triphenylphosphine)cobalt, interference by phosphine decomposition in oxidative additions of aryl halides to (M. Michman, S. Chocron, S. Nussbaum, H. Schumann, R. Mohtachemi, G. Kannert), (315) 113
- Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
- Mono- and di-azadienerhodium(I) complexes, synthesis, spectra, oxidative addition reactions of and homogeneous catalysis for hydrosilylation with (M. Brockmann, H. tom Dieck, J. Klaus), (301) 209
- Monoalkylamino(silyl)carbene complexes, $(\text{CO})_5\text{MC}(\text{NR}')\text{SiR}_3$ ($\text{M} = \text{W, Mo, Cr}$; $\text{SiR}_3 = \text{SiPh}_3, \text{SiMePh}_2$; $\text{R}' = \text{Me, Et, n-Bu, C}_6\text{H}_{11}, \text{Ph}$), HSiR_3 elimination from (W. Hepp, U. Schubert), (321) 317
- Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of t-butylphosphphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35
- $[\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{R})_2\{\text{AuP}(\text{C}_6\text{H}_5)_3\}_2]^+$ ($\text{R} = \text{H, Si}(\text{CH}_3)_3$) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Goméz-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44
- Octaphenylpropane analogues, $\text{Ph}_3\text{SnSiPh}_2\text{SnPh}_3$ and $\text{Ph}_3\text{SnGePh}_2\text{SnPh}_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11
- Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61
- Organosilicon cations, 1,3-migration of chloride and azide substituents within, and anchimeric assistance by the azido group (C. Eaborn, P.D. Lickiss, S.T. Najim, M.N. Romanelli), (315) C5
- Organosilicon compounds, recent developments in structural chemistry of (Review) (V.E. Shklover, Yu.T. Struchkov), (322) 269

- Organotin crowded fluorides, $(\text{PhMe}_2\text{Si})_3\text{CSnMe}_2\text{F}$, $(\text{Me}_3\text{Si})_3\text{CSnMe}_2\text{F}$, and $(\text{Me}_3\text{Si})_3\text{CSnPh}_2\text{F}$, preparation and crystal structures of (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, J.D. Smith), (325) 117
- Oxygen-bridged bis(tricarbasilatrane), $\text{O}[\text{Si}-(\text{CH}_2\text{CH}_2\text{CH}_2)_3\text{N}]_2$, synthesis and crystal and molecular structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. van Meerssche), (317) 145
- Pentacarbonylmanganese-triphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167
- Pentacoordinated structures, enhancement of Si-H bond reactivity in (J. Boyer, C. Brelière, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo), (311) C39
- Phenyl- and benzyl-trimethylsilanes, electrosynthesis of (P. Pons, C. Biran, M. Bordeau, J. Dunoguès, S. Sibille, J. Périchon), (321) C27
- cis*-Phenyl[4-trimethylsilyl]phenyl]bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), (303) 429
- $\text{Ph}_3\text{GeSiMe}_3$ and $\text{Ph}_3\text{GeSiMe}_2\text{Fe}(\text{CO})_2(\eta^5-\text{C}_5\text{H}_5)$, synthesis and crystal structures of (L. Párkányi, C. Hernandez, K.H. Pannell), (301) 145
- Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpenta-methylcyclopentadienylsodium (L. Weber, D. Bungardt), (311) 269
- Phosphaalkynes, preparation and additive behaviour towards diazomethane, methyl azide and benzonitrile oxide of (W. Rösch, U. Vogelbacher, T. Allspach, M. Regitz), (306) 39
- o*-Phosphinophenole, preparation by rearrangement of 1,3-carbanionic *o*-metallated aroxyphosphine (J. Heinicke, E. Nietzschmann, A. Tzschach), (310) C17
- Platinum(II) chloride mononuclear complexes with *N*-[(triorganylsilyl)alkyl]ethylenediamines (C. Hu, J.-G. He, D.H. O'Brien, K.J. Irgolic), (307) 115
- Polydimethylsilane, analysis of the gases formed on rearrangement to polycarbosilanes of (M. Birot, E. Bacqué, J.-P. Pillot, J. Dunoguès), (319) C41
- Propargyltrimethylsilanes, protodesilylation leading to terminal allenes of (J. Pernet, D. Damour, L. Miginiac), (319) 333
- Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345
- Rhodium-catalysed hydrosilylation of 1-aza- and 1,4-diaza-1,3-dienes, formation of silylated enamines by (M. Brockmann, H. tom Dieck), (314) 75
- Rigid pentacoordinate silicon structure generalisation of pseudorotation (R.J.P. Corriu, M. Mazhar, M. Poirier, G. Royo), (306) C5
- Silaethene, $\text{Me}_2\text{Si}=\text{C}(\text{SiMe}_3)_2$, stabilisation by formation of adducts of; reactivity of $\text{Me}_2\text{Si}=\text{C}(\text{SiMe}_3)_2 \cdot \text{NMe}_3$ (N. Wiberg, H. Köpf), (315) 9
- Silafluorennes, precursors to (J.Y. Corey, L.S. Chang), (307) 7
- Silafunctional compounds: synthesis and reactivity; Annual survey for the year 1984 (J.Y. Corey) (313) 1
- 7-Silanorbornadiene, reactions with halogens and thermolysis in the presence or organometallic or organic halides of (H. Appler, W.P. Neumann), (314) 247
- Sila-retinol, the first sila-substituted vitamin (R. Münstedt, U. Wannagat), (322) 11
- Silica-immobilised amine-platinum complexes as hydrosilylation catalysts (E.N. Ejike, R.V. Parish), (321) 135
- Silica-supported carbonylcobalt cluster, synthesis and catalysis of (Y.-P. Wang, S.-M. Zhang, A.-M. Zhang, N. Wu, Y.-Z. Luo, H.-X. Fu), (307) 65
- Silica-supported cyclopentadienyl-rhodium(I), -cobalt(II), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143
- Silicon-containing aziridines, formation from reactions of vinylsilanes with ethoxycarbonylnitrene under phase-transfer conditions (E. Lukevics, V.V. Dirlens, Yu.Sh. Goldberg, E.E. Liepinsh), (316) 249
- Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7
- Silicon — the silicon–carbon bond; Annual Survey covering the year 1984 (G.L. Larson) (313) 141
- Siloxanes, synthesis of; rearrangement of silyl groups at the Si_3CSiO skeleton (S. Pillmann, U. Klingebiel), (323) 1
- Siloxaphenanthrene coordination with tricarbonylchromium; crystal and molecular structure of [$1-4a(10a)-\eta-10,10\text{-dimethyl-0-sila-9-oxa-9,10-dihydrophenanthrene}\text{]chromium}$ and tricarbonyl[$5-8a(4b)-\eta-10,10\text{-dimethyl-10-sila-9-oxa-9,10-dihydrophenanthrene}\text{]chromium}$ (N.I. Kirillova, A.I. Gusev, V.A. Sharapov, O.B. Afanasova, Yu.E. Zubarev, N.V. Alekseev, E.A. Chernychev, Yu.T. Struchkov), (306) 55

- Siloxo groups at silicon atom, inductive substituent constants σ^* and σ_1 determined by ^{29}Si NMR spectroscopy for (U. Scheim, H. Grosse-Ruyken, K. Rühlmann, A. Porzel), (312) 27
- Siloxylalkylphosphinerhodium(I) complexes, synthesis, characteristics and catalytic activity of (W. Duczmal, W. Urbaniak, B. Marciniec), (317) 85
- Siloxycarbonemanganese complexes, preparation of (M.J. McGahey, J.L. Templeton), (323) 199
- Silyl ether complexation with triethylaluminium, ^{29}Si NMR study of (P. Sormunen, E. Iiskola, E. Vähäsarja, T.T. Pakkanen, T.A. Pakkanen), (319) 327
- α -Silylated and α, α -disilylated phosphonates, $(\text{RO})_2\text{P}(\text{O})\text{CR}^1\text{R}^2\text{SiR}^3\text{R}^4\text{R}^5$ and $(\text{RO})_2\text{P}(\text{O})\text{CR}^1[\text{Si}(\text{CH}_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135
- Silylated cyclobutenes, synthesis of (L. Birkofner, D. Eichstädt), (307) 279
- Silylcupration of acetylenes (H.-M. Chen, J.P. Oliver), (316) 255
- Silyltin(II) bulky derivative, formation and structure of (A.M. Arif, A.H. Cowley, T.M. Elkins), (325) C11
- Si–O–C–C–N group containing compounds, through-bond interaction in (M.G. Voronkov, E.I. Brodskaya, V.V. Belyaeva, D.D. Toryashinova, A.F. Ermikov, V.P. Baryshok), (311) 9
- $(\text{SiO})_4$, $(\text{SiOSiN})_2$ and $(\text{SiN})_4$ isoelectronic rings, unusual conformations of (E. Egert, M. Haase, U. Klingebiel, C. Lensch, D. Schmidt, G.M. Sheldrick), (315) 19
- Six-membered cyclosilazoxanes containing two silazane bonds, kinetics of acid-catalysed solvolysis of (Z. Lasocki, M. Witekowa), (311) 17
- Sterically-crowded silanes, preparation and order of steric bulkiness of (Y. Nakadaira, K. Oharu, H. Sakurai), (309) 247
- Tetrachlorotitanium and trichlorocyclopentadienyltitanium, reactions with tridentate triaminosilyl ligands; crystal and molecular structure of a titanabicycloheptane with Si–N–Li–Cl–Ti chain (D.J. Brauer, H. Bürger, G.R. Liewald), (307) 177
- Tetramethyl-*N,N'*-bis(*o*-methoxyphenyl)cyclodisilazane, conformation of (L. Párkányi, L. Bihátsi, P. Hencsei, A. Szöllösy), (321) 7
- Tetramethylgermane, hexamethyldigermane and related organogermans, molecular and electronic structures derived from (C. Glidewell), (303) 337
- 2,2,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51
- Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320) C31
- Tin(II) amides, cyclometallation reactions with (C. Stader, B. Wrackmeyer), (321) C1
- Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167
- Tolyldiphenyl- and dimethylphenyl-phosphine-methylgold, CH_3/Cl exchange reaction with chlorosilanes of (U. Schubert, J. Meyer), (303) C5
- Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6
- 2,4,6-Tri-t-butylphenyllithium, reaction with bromotrichlorosilane under generation of LiSiCl_3 of (H. Oehme, H. Weiss), (319) C16
- 2,4,6-Tri-t-butylphenyl-substituted disilane, synthesis and conformation of (M. Weidenbruch, K. Kramer, S. Pohl, W. Saak), (316) C13
- Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, W. Wimmer), (309) C4
- Trichlorosilanes, reactions with enamines of (D.C. Snyder), (301) 137
- α -Trichlorosilyl-substituted organic amines, removal by hydrochlorides and base of the SiCl_3 group from (D.C. Snyder), (320) 163
- Tricyclic heterocycles with bifunctional silicon centres (J.Y. Corey, C.S. John, M.C. Ohmsted, L.S. Chang), (304) 93
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), (303) C29
- (Trifluoromethyl)trichlorosilane, synthesis and properties of (H. Beckers, H. Bürger, P. Bursch, I. Ruppert), (316) 41
- 2,2,6-Trimethyl-6-selenono-1,3-dioxa-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), (303) 83
- α -Trimethylsilyl ketones, regiodefined synthesis of α -bromo, α -phenylthio, and α -phenylseleno ketones from (I. Matsuda, S. Sato), (314) 47
- Trimethylsilyllithium, X-ray crystal structure of (B. Tecle', A.F.M.M. Rahman, J.P. Oliver), (317) 267
- α -Triorganostannylvinyllithiums with Group IVB

- organometallic halides, reactions of; formation of α -trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151
- Triorganylstannate anion and phosphonium cation containing zwitterion, preparation of (M. Veith, V. Huch), (308) 263
- Tris(arsino)gallane dimer containing nonplanar $(\text{Ga}-\text{As})_2$ ring, synthesis and characterisation of; crystal structure of $\{[(\text{Me}_3\text{SiCH}_2)_2\text{As}]_3\text{Ga}\}_2$ (R.L. Wells, A.P. Purdy, K.T. Higa, A.T. McPhail, C.G. Pitt), (325) C7
- Tris(trimethylsilyl)methanol, preparation of (P.D. Lickiss), (308) 261
- Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV} , CH_3Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317
- Zinc carbennoid reagents, reactions with enol ethers: cyclopropanation and subsequent isomerisation to allylic ethers (I. Ryu, T. Aya, S. Otani, S. Murai, N. Sonoda), (321) 279

Silver

- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd_2Pd , Pd_2Ag , and Pt_2Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381
- trans*-Bis(diphenylphosphino)cyclopropane, ligand and selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.K. Brown, A.R. Lucy), (314) 241
- Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands $\text{Ph}_2\text{As}(\text{CH}_2)_n\text{PPh}_2$ ($n = 1, 2$), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27
- $[\text{Fe}_2(\eta-\text{C}_5\text{H}_5)_2(\text{CO})_2\{\text{CN}(\text{Me})\text{H}\}]^+$, anion control of the reaction products with Ag^1 salts of (B. Callan, A.R. Manning), (306) C61
- Metal atom-free radical reactions, generality of; synthesis of trifluoromethylalkyls of gold(III) and silver (M.A. Guerra, T.R. Bierschenk, R.J. Lagow), (307) C58
- $\text{Os}(\equiv\text{CR})\text{Cl}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}(\equiv\text{C}[\text{AgCl}]\text{R})\text{Cl}(\text{CO})(\text{PPh}_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211
- Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320) C56

- $(\text{PPh}_4)_3\text{Ag}[\text{WF}_5(\text{C}_2\text{I}_2)]_2$, synthesis, IR spectrum and crystal structure of (A. El-Kholi, K. Stahl, U. Müller, K. Dehnicke), (317) C9
- $[\text{Pt}_2(\mu-\text{S})(\text{CO})(\text{PPh}_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271
- Silver(I) electrophiles, reactions with $[\text{Fe}_2-(\eta-\text{C}_5\text{H}_5)_2(\text{CO})_2(\text{L})\{\text{CN}(\text{Me})\text{H}\}]^+$ and $[\text{Fe}_2-(\eta-\text{C}_5\text{H}_5)_2(\text{CO})_2\{\text{CN}(\text{Me})\text{H}\}_2]^{2+}$ salts ($\text{L} = \text{CO}$ or CNMe) of (B. Callan, A.E. Manning), (316) 325
- Tetranuclear gold-silver cluster with phenylacetylidyne groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), (302) C10

Sodium

- Alkyl- and alkenyl-sodium compounds, solubility in hexane on complexation with magnesium alkoxides of (C.G. Scettas, M. Micha-Scettas), (316) 1
- o*-Bromoaryl esters and *o*-chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tzschach), (317) 11
- n*-Butylpotassium, preparation, synthetic use and NMR properties in hexane and THF solutions of (R. Pi, W. Bauer, B. Brix, C. Schade, P.v.R. Schleyer), (306) C1
- Organonickel hydrides with ionic contacts to sodium and lithium, structural and bonding characteristics of (R. Goddard, C. Krüger, K.R. Pörschke, G. Wilke), (308) 85
- Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29

Strontium

- Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(\text{Me}_5\text{C}_5)_2\text{MLn}$ ($\text{M} = \text{Mg}, \text{Ca}, \text{Sr}, \text{Ba}$), and $\text{Me}_5\text{C}_5\text{BeCl}$, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

Sulphur

- Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liége, N. Collignon), (304) 283

- Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bresan, A. Morville), (304) 267
- Bis(μ -cyclohexen-2-ylthio)- μ_4 -thiododecacarbonylettrairon, synthesis and structure of (B.I. Kolobkov, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, G.G. Aleksandrov, M.T. Tashev, H.B. Dustov), (301) 349
- Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S\{NP-t-Bu_2\}_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S\{NP-t-Bu_2\}_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51
- Bis(dimethylphosphine)cyclopentadienylcobalt, $[C_5H_5Co(\mu-PMe_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnerring), (312) 297
- Bis(pentamethylcyclopentadienyl)titanium(IV) cationic complexes, $[(C_5Me_5)_2(DMF)-Cl]CF_3SO_3$ and $[(C_5Me_5)_2(DMF)_2](CF_3SO_3)_2$ (DMF = dimethylformamide), preparation and structure of (B. Honold, U. Thewalt), (316) 291
- μ -(Boranedithiolato)bis(tricarbonyliron) compounds, $XBS_2[Fe(CO)_3]_2$, preparation, structure and reactions of (H. Nöth, W. Rattay), (308) 131
- 2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martin, M.-P. Heitz), (315) 59
- Carbonyldi- η -cyclopentadienylhydridoniobium, insertion reactions with heteroallenes of (G.E. Herberich, H. Mayer), (322) C29
- Carbonyl-iron dinuclear complexes with σ -metal–carbon bonds, synthesis, structure and properties of (H. Patin, B. Misterkiewicz, J.-Y. Le Marouille, A. Mousser), (314) 173
- Carbonyl-rhodium(I) and -rhodium(III) complexes containing *N*-thionitrosodimethylamine (G. Tresoldi, S. Sergi, S.L. Schiavo, P. Piraino), (322) 369
- $(CH_3C(CH_2PPh_2)_3)CoL$ complexes ($L = O_2CO, S_2CO, O_2SO$), synthesis through metal-assisted CO_2, CS_2, SO_2 oxidation of; crystal structure of $(CH_3C(CH_2PPh_2)_3)Co(O_2SO)$ (F. Cecconi, C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (323) C5
- Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machinek, B. Knieriem, W. Lüttke), (314) 53
- $(C_5H_5)_2Ni_2(\mu-SR)_2$ ($R = Ph, PhCH_2, 1-decyl, 2-naphthyl$), reduction of the C–S bond in (N.F. Ho, T.C.W. Mak, T.-Y. Luh), (317) C28
- $(\eta^5-C_5H_5)_2Zr[CH(SC_6H_5)C_6H_5]_2$, thermally induced elimination of stilbene from (E.A. Mintz, A.S. Ward), (307) C52
- $(\eta^5-C_5Me_5)M(CO)_2S_2$ ($M = Mn, Re$), investigations of oxidation of the disulphur ligand in (M. Herberhold, B. Schmidkonz), (308) 35
- $(C_5Me_5)_2Mo_2(\mu-SCH_3)_2(\mu-S)_2$ isomers, preparation, separation and characterisation of (H. Brunner, W. Meier, J. Wachter, P. Weber, M.L. Ziegler, J.H. Enemark, C.G. Young), (309) 313
- Cobalt(II) complexes with phosphorus–sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165
- $Cp^*Fe(CO)_2[\eta^1-SP(S)(OR)_2](Cp^* = \eta^5-C_5H_5 \text{ or } \eta^5-C_5Me_5)$, electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320) 317
- Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of $[Me_2SnSP(S)CH_2CH_2] \cdot HMPT$ (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 273
- Cyclopalladated benzyl methyl sulphide, one-pot synthesis of heterocyclic compounds through insertion of alkynes into Pd–C bonds of (J. Dupont, M. Pferr), (321) C13
- Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145
- Cyclopentadienylruthenium complexes containing (S,S) donor ligands (L.B. Reventos, A.G. Alonso), (309) 179
- 2,2-Dialkyl-1,3,2-oxathiastannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (325) 129
- $[\mu-2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanyl bis-(tricarbonylmolybdenum)]$ disolvate, formation of (G. Binker, R. Boese, D. Sellmann), (311) C11
- Di- and tri-organotin derivatives of piperazine bis(dithiocarbamic) acid, synthesis and characterisation of (K.C. Molloy, T.G. Purcell), (303) 179
- μ -Di-t-butylthioketenebis(dicarbonylcyclopentadienyl-manganese), synthesis and structure of (D. Wormsbächer, F. Edelmann, U. Behrens), (312) C53
- Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditel-

- Iurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
- Dicyclopentadienylbis(toluolsulphonato)zirconium, preparation and structure of (W. Lasser, U. Thewalt), (302) 201
- Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO₂ and CS₂ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9
- Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienylidoacetonitrilemolybdenum(IV) hexafluorophosphate, [Mo(η^5 -C₅H₅)₂I(NCCH₃)][PF₆] (M.J. Calhorda, M.A.A.F. De Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63
- Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, Cp₂Ti(P₂S₄O₂(OEt)₂), isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209
- Dimethylnorbornadieneplatinum, displacement of NBD by N-donors, dimethylsulphoxide and cyanide in; reactions of *cis*-Pt(CH₃)₂L₂ with iodomethane (T.G. Appleton, J.R. Hall, M.A. Williams), (303) 139
- Dimethyltin sulphide, interaction with 1,2-dibromoethane; crystal structure of dimethyltin dibromide/1,4-dithiane complex (V.I. Shcherbakov, I.K. Grigor'eva, G.A. Razuvayev, L.N. Akharov, R.I. Bochkova, Yu.T. Struchkov), (319) 41
- 2,5-Disubstituted thiophenes, synthesis from 1-propynylamines or allenic amines and thiocarbonyl compounds of (R.L.P. de Jong, L. Brandsma), (316) C21
- Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetra-thiadecane)iron, [Fe(dttd)(THF)₂], reactions with tetracarbonylnorbornadienemolybdenum, [Mo(CO)₄(nor)], by redox-coupled ligand transfer of; synthesis, structure and reactivity of [μ -dttd{Mo(CO)₃}₂] · 2H₂O and [μ -dttd{Mo(CO)₄}₂]²⁻ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323
- Dithiaboretanes and trithiaboranes, kinetically and thermodynamically controlled formation of (H. Nöth, W. Rattay), (312) 139
- Dithioester pentacarbonyldiiron complexes, structures and properties of (A. Lagadec, B. Misterkiewicz, H. Patin, A. Mousser, J.-Y. Le Marouille), (315) 201
- Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197
- 1,2-Ethanedithiolato complex [(CO)₃Fe]₂SC₂-H₄S(O), synthesis and structure of; insertion reactions of ethene and carbon monoxide into S-S bonds of nido-clusters [(CO)₃FeS]₂ (J. Messelhäuser, K.U. Gutensohn, I.-P. Lorenz, W. Hiller), (321) 377
- cis*-[Fe(CO)₂(t-Bu₂C₆H₂S₂)₂]²⁻, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21
- Fe₄S₄ cluster, formation of Fe₂S₂- and Fe₃S-carbonyls from; crystal structure of [Fe₃-S(CO)₉]²⁻ (F.T. Al-Ani, D.L. Hughes, C.J. Pickett), (307) C31
- Germanium(II) pseudohalides, Ge(CN)₂, Ge(NCO)₂ and Ge(NCS)₂, synthesis and reactivity of (M. Onyszchuk, A. Castel, P. Riviere, J. Satgé), (317) C35
- Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amine disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269
- Hexacarbonylmolybdenum, reductive coupling with thioketals of (C.S. Wong, W.S. Leung, L.L. Yeung, T.-Y. Luh), (307) C49
- Iridium-sulphur dioxide square planar complexes coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25
- Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121
- Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29
- Methylsulphonato(2,3,7,8,12,13,17,18-octaethyl-prophyrinato)gallium(III), crystal structure of (A. Boukhris, C. Lecomte, A. Coutsolelos, R. Guillard), (303) 151
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of [MoTl(SC₆F₅)₂Cp] (L = SC₆F₅, CO) (W.A.W.A. Bakar, J.L. Davidson, W.E. Lindsell, K.J. McCullough, K.W. Muir), (322) C1
- Mono- η^5 -cyclopentadienyl-titanium(IV) and -zirconium(IV) complexes with one or two toluene-3,4-dithiolate ligands, synthesis of (H. Köpf, T. Klapötke), (307) 319
- Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383
- p*-Nitrophenyl- and *p*-tolyl-oxadithia- and

- thirthia-stibocanes, synthesis and correlation between transannular distances and vibrational data of (H.M. Hoffman, M. Dräger), (320) 273
- Nitrosylthiocarbonylosmium complexes, synthesis of (M. Herberhold, A.F. Hill, N. McAuley, W.R. Roper), (310) 95
- Octahedral carbonylmanganese(I) complexes with SCN or CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)₃(dppm)] (G.A. Carriero, M.C. Crespo, V. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), (302) 47
- Organogermanium *O,O'*-dimethyl- and -diethyl-dithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271
- Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonlic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- Pentacarbonyliron, reaction with *N,N*-diethyl-S-ethylcarbamate of; crystal structure of [{Fe₂(CO)₆}₃(μ₄-S)₂(μ-CNEt₂)₂]3(Fe-Fe) (H.G. Raubenheimer, G.J. Kruger, A. van A. Lombard), (323) 385
- Pentacarbonylmercaptoporphane- and tetracarbonyl-bis(mercaptoporphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grove, D. Le Van, W. Meyring), (307) 327
- Phenylantimony bis(monothioacetate), preparation, structure and stability of (M. Hall, D.B. Sowerby, C.P. Falshaw), (315) 321
- Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Phenylmercury dithiolates, preparation and characterisation of; crystal and molecular structure of (C₆H₅)Hg(S₂COR) (R = Me; ⁱPr) and (C₆H₅)Hg(S₂CNEt₂) (E.R.T. Tiekkink), (322) 1
- 5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)bicyclo[3.3.0]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), (304) 107
- Phenylpropylbis(dimethylglyoximato)pyridine-cobalt(III) in aqueous sulphuric acid, kinetics, and mechanism of decomposition of (S. Derenne, A. Gaudemer, M.D. Johnson), (322) 239
- Phosphineiridium(I) complexes, reactions with S₄N₄ of; synthesis and crystal structure of [(dppe)₂Ir(S₂N₂)BPh₄ · 0.5CH₃COCH₃ and [(dppe)₂Ir(S₂N₂)[W(CO)₅]](BPh₄ · 0.5CH₂Cl₂) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383
- Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29
- Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C₅H₅Fe(CO)₂(R₃EX)]⁺ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181
- Polymethylthiopheneiron complexes, σ vs. π bonding in (V. Guerchais, D. Astruc), (316) 335
- [Pt₂(μ-S)(CO)(PPh₃)₃], reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271
- Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradeinate amine ligands (D. Sellmann, U. Reinke, G. Huttner, L. Zsolnai), (310) 83
- Six- and seven-membered tetracarbonyl carbene and imidate thioether chelates, synthesis by CO of NR insertion into metal-carbene bonds and crystal structures of (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen), (319) 361
- α-Sulphonylvinyllithium compounds, stereochemical stability of (H. Kleijn, P. Vermeer), (302) 1
- Sulphur dioxide-platinum cluster compounds, facilitation of substitution reactions by amine N-oxides of (M.F. Hallam, D.M.P. Mingos), (315) C35
- Sulphur monoxide-iron cationic complex, [CpFe(dppe)(SO)]PF₆, and sulphur dioxide-iron cationic complex, [CpFe(dppe)(SO₂)]PF₆, preparation of (W.A. Schenk, S. Müssig), (320) C23
- Sulphur ylide complexes of palladium, preparation by phase transfer catalysis of (I.J.B. Lin, H.Y.C. Lai, S.C. Wu, L. Hwan), (306) C24
- Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135
- Tetracarbonyl(phosphinothioformamide) com-

- plexes, $(CO)_4M(PS)$ ($M = Cr, Mo, W$), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Tetracobalt octahedral clusters with μ_4 -PR and μ_4 -S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365
- Tetramethyldigermane, [2 + 2] cycloaddition to multiple bonds of; synthesis of $\Delta^{1,7}$ -2,2,6,6,8-, 8,9-octamethyl-4-thia-8,9-digermabicyclo-[5.2.0]nonene (O.M. Nefedov, M.P. Egorov, A.M. Gal'minas, S.P. Kolesnikov, A. Krebs, J. Berndt), (301) C21
- Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289
- Thienyltetraorganotin(IV) compounds, Mössbauer and NMR studies of intramolecular coordination in; X-ray crystal structure of $\{C, N\}$ -[3-(2-pyridyl)-2-thienyl]tri(*p*-tolyl)-tin(IV) (V.G. Kumar Das, L.K. Mun, C. Wei, S.J. Blunden, T.C.W. Mak), (322) 163
- Thioketene-cobalt complexes, $[Co(R_2C=C=S)-(PMe_3)(C_5H_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369
- Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320) C31
- Thiolatoamine-iron(II) and -molybdenum(II) with $[M(SNNS)]$ units and CO, PMe₃, NO and N₂H₄ as coligands (SNNS = (SC₆H₄-(R)C₂H₄N(R)C₆H₄S)²⁻; R = H, CH₃) (D. Sellmann, U. Reineke), (314) 91
- Thiolato-bridged carbonylcyclopentadienylmolybdenum dimeric complexes, ¹H NMR and electrochemical studies of isomerisation of; synthesis and X-ray crystal structure of $((\eta^5-C_5H_5)Mo(CO)_2(\mu-S-t-Bu))_2(BF_4)_2$ (J. Courtois-Coupez, M. Guéguen, J.E. Guerchais, F.Y. Pétillon, J. Talarmin, R. Mercier), (312) 81
- η -Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35
- Tin-alkylation of sterically-hindered stanna-heterocyclic compounds; synthesis of tri-t-butyltin-lithium chalcogenides (D. Hänssgen, P. Reuter, G. Döllen), (317) 159
- Titanocene-*Ti*^{IV} cationic complexes, preparation and structure of $[(\eta^5-C_5H_5)_2Ti(bipy)]^{2+}$ ($CF_3SO_3^-$)₂ and $[(\eta^5-C_5H_5)_2Ti(phen)]^{2+}$ ($CF_3SO_3^-$)₂ (U. Thewalt, K. Berhalter), (302) 193
- 1-Trialkylstannyl-2-*para*-toluenesulphonylacetenes, synthesis and reactivity of (Z. Djeghaba, G. Jousseaume, M. Ratier, J.-G. Duboudin), (304) 115
- Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145
- Tricarbonyltungsten coordination complexes with CS₂ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), (303) C25
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29
- Trimethylplatinum(IV) complexes with tridentate Schiff base ligands containing N, O, and S donor atoms, preparation and ¹H NMR spectra of (D.H. Goldsworthy, K. Kite), (319) 257
- α -Trimethylsilyl ketones, regiodefined synthesis of α -bromo, α -phenylthio, and α -phenylseleno ketones from (I. Matsuda, S. Sato), (314) 47
- Tris(2,4,6-trimethylphenyl)antimony dihydroxide, synthesis and reactions with sulphonic acids RSO₃H (R = C₆H₅, CF₃) of; crystal structure of [2,4,6-(CH₃)₃C₆H₂]₃SbO·HO₃-SC₆H₅ (F. Huber, T. Westhoff, H. Preut), (323) 173
- Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), (302) C17
- Trithia macrocyclic complexes of palladium, structural and electrochemical studies on (A.J. Blake, A.J. Holder, T.I. Hyde, Y.V. Roberts, A.J. Lavery, M. Schröder), (323) 261
- Trithiagermatranes substituted with functional groups, synthesis of (N. Kakimoto, K. Sato, M. Matsui, T. Takada, M. Akiba), (316) C17
- Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a halogen unit into a M-H bond (M. Fahim, G. Tainturier), (301) C45

Tantalum

- (C₅Me₅)Ta(H)₂(η^2 -CHPM₂)(PMe₃), synthesis, molecular structure and reactivity of (C₅Me₅)Ta(H)₂(η^2 -CHPM₂)(PMe₃) (T.P. Kee, V.C. Gibson, W. Clegg), (325) C14
- Dicyclopentadienyltantalum hydrides containing a Ta-Sn σ -bond; crystal and molecular structure of $(\eta^5-C_5H_5)_2TaH_2Sn(CH_3)Cl_2$ (T.M.

- Arkhireeva, B.M. Bulychev, A.N. Protsky, G.L. Soloveichik, V.K. Bel'sky), (317) 33
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebisch), (308) 19
- Phenoxotantalum(V) complexes, preparation and structure of (M. Gómez, P. Royo, J.M. Selas), (314) 131
- Tantalum organometallic compounds, analysis and classification of crystallographic data (*Review*) (C.E. Holloway, M. Melnik), (303) 39
- Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV} , CH_3Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317

Technetium

- Manganese, technetium and rhenium; annual survey 1984 (P.M. Treichel), (318) 83
- Managense, technetium and rhenium; annual survey 1985 (P.M. Treichel), (318) 121

Tellurium

- Bis(*N,N*-dimethylaminoformyl) ditelluride, isolation and crystal structure of (R.A. Zingaro, C. Herrera, E.A. Meyers), (306) C36
- Bis(dimethylphosphine)cyclopentadienylcobalt), $[C_5H_5Co(\mu-PMe_2)]$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- 1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)-methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323
- Bis(2-(2-pyridyl)phenyl)tritelluride, synthesis and crystal structure of (T.A. Hamor, N. Al-Salim, A.A. West, W.R. McWhinnie), (310) C5
- C_3 -bonded acetylacetones of tellurium(IV), preparative and spectral investigations of (B.L. Khandelwal, A.K. Singh, N.S. Bhandari), (320) 283
- Chalcogen-substituted acetylenes, C-C and C-chalcogen spin-spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Macinek, B. Knieriem, W. Lüttke), (314) 53

- Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
- cis*-Diacetoxylation of alkenes with tellurium(IV) oxide and lithium bromide in acetic acid (S. Uemura, K. Ohe, S.-I. Fukuzawa, S.R. Patil, N. Sugita), (316) 67
- Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
- Dimethyl-selenium and -tellurium and trimethyl-selenium and -tellurium iodides, synthesis of (N. Kuhn, P. Faupel, E. Zauder), (302) C4
- Metallocene-chalcogen compounds, synthesis of $[(\eta\text{-}C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
- Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
- Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289
- Vinylic tellurides, synthesis of (M.J. Dabdoub, V.B. Dabdoub, J.V. Comassetto, N. Petragnani), (308) 211

Thallium

- Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
- Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[MoTi(SC_6F_5)_2Cp]$ ($L = SC_6F_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322) C1
- Pentamethylcyclopentadienyltantalum, crystal structure of (H. Werner, H. Otto, H.J. Kraus), (315) C57

Thorium

(η^4 -Diene)transition metal complexes, indirect scalar spin–spin coupling constant ${}^1J({}^{13}\text{C}, {}^{13}\text{C})$ in (R. Benn, A. Rufińska), (323) 305

Indenyl-*f*-metal cationic complexes with pentagonal bipyramidal geometry; crystal structures of $[\text{C}_9\text{H}_7\text{UBr}_2(\text{CH}_3\text{CN})_4]^{+2} [\text{UBr}_6]^{2-}$ and $[(\{\text{C}_9\text{H}_7\text{UBr}(\text{CH}_3\text{CN})_4\}_2\text{O})^{2+} [\text{UBr}_6]^{2-}$ (W. Beeckman, J. Goffart, J. Rebizant, M.R. Spirlet), (307) 23

Uranium(IV) and thorium(IV) amides containing cyclopentadienyl ligands (F. Ossola, G. Rossetto, P. Zanella, G. Paolucci, R.D. Fischer), (309) 55

Thulium

Tricyclopentadienyl-erbium(III) and -thulium(III), X-ray structure of (S.H. Eggers, W. Hinrichs, J. Kopf, W. Jahn, R.D. Fischer), (311) 313

Tin

Alkyltabis(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kanert, H. Schumann, S. Chocron, M. Michman), (310) 107

Allyltin compounds, evidence for σ – π interaction by photoelectron spectroscopy and LCBO calculations of (C. Cauletti, C. Furiani, F. Grandinetti, D. Marton), (315) 287

Arsaalkene $\text{F}_3\text{CaS}\equiv\text{CF}_2$, Diels–Alder reactions of (J. Grobe, D. Le Van), (311) 37

Aryltrimethyl-silicon, -germanium and -tin compounds, synthesis and spectroscopic characterisation of (S.M. Moerlein), (319) 29

1-Aza-5-methyltricyclo[3.3.3.0^{1,5}]undecane, crystal and molecular structure of; transannular donor–acceptor interaction in a tetraorganotin compound (K. Jurkschat, A. Tzschach, J. Meunier-Piret), (315) 45

Benzyltin compounds, ${}^1\text{H}$ CIDNP investigation of photolysis of (A. Standt, H. Dreeskamp), (322) 49

(2,3,5,6- η^4 -Bicyclo[2.2.1]hepta-2,5-diene)-(E)-bis(2-ethoxynaphth-1-yl)platinum(II), synthesis of (C. Weisemann, H.A. Brune), (312) 133

Bis-alkoxy-tin(IV) ($\text{R}_3\text{SnO}-\text{A}-\text{OSnR}_3$) derivatives of ethyleneglycol and pyridine-2,6-

methanol, structures of (C. Picard, P. Tisnes, L. Cazaux), (315) 277

Bis(alkynyl)boranes, borol synthesis by organoboration of (A. Sebald, B. Wrackmeyer), (307) 157

Bis[bis(trimethylsilyl)methyl]tin, reactions with $\text{M}_3(\text{CO})_{12}$ ($\text{M} = \text{Fe}, \text{Ru}, \text{Os}$) or its derivatives of; crystal and molecular structures of $\text{M}_3(\mu-\text{SnR}_2)_2(\text{CO})_{10}$ ($\text{R} = \text{CH}(\text{SiMe}_3)_2$, $\text{M} = \text{Ru}, \text{Os}$) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203

Bis(1,3-diphenylpropane-1,3-dionato)di-n-butyltin(IV), crystal and molecular structure of (G. Poli, C.J. Cheer, W.H. Nelson), (306) 347

cis-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weisemann), (316) 367

Bis- and tris-(pyrazolyl)borate complexes of methyltin chlorides, preparation of; X-ray structure of five-coordinate [bis(pyrazolyl)borate]chlorodimethyltin(IV) (S.K. Lee, B.K. Nicholson), (309) 257

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151

Bis(trimethyltin)carbonate (E.R.T. Tiekkink), (302) C1

(*E/Z*)- $\text{Bu}_3\text{SnCH}_2\text{CH}=\text{CHCH}_3$, stereochemical course of addition reactions with aldehydes in the presence of Lewis acids (Bu_2SnCl_2 , $\text{BF}_3 \cdot \text{Et}_2\text{O}$ and TiCl_4) (A. Boaretto, D. Marton, G. Tagliavini, P. Ganis), (321) 199

(3-[*t*-Butyl(phenyl)phosphino]propyl)dimethyltin chloride, crystal and molecular structure of (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 267

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls, $[\text{Fe}(\text{CO})_3(\text{L})(\text{L}')]$ ($\text{L} = \text{CN}-(\text{Me})(\text{CH}_2)_2\text{NMe}$, $\text{L}' = \text{PEt}_3$ or $\text{L} = \text{M}(\text{OAr})_2$ ($\text{M} = \text{Ge}, \text{Sn}$), $\text{Ar} = \text{C}_6\text{H}_2\text{Bu}_2^{2,6-\text{Me}4}$), $\text{L}' = \text{CO}$) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machnik, B. Knieriem, W. Lütke), (314) 53

[η^5 -($\text{C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3$] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and (η^5 - $\text{C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of $[\text{Me}_2\text{SnSP}(\text{S})\text{CH}_2\text{CH}_2]\cdot\text{HMPT}$ (H. Weich-

- mann, J. Meunier-Piret, M. Van Meerssche), (309) 273
- Cyclotetrasannanes, crystal structure of (H. Puff, C. Bach, W. Schuh, R. Zimmer), (312) 313
- Di- and tri-organotin derivatives of piperazine bis(dithiocarbamic) acid, synthesis and characterisation of (K.C. Molloy, T.G. Purcell), (303) 179
- 2,2-Dialkyl-1,3,2-oxathiastannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (325) 129
- 2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139
- Di-n-butylin(IV) compounds, ^{13}C and ^{119}Sn NMR spectra of (J. Holeček, M. Nádvorník, K. Handlíř, A. Lyčka), (315) 299
- Dichloro- and diacetoxy-allylic compounds, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, A.-M. Zigna, B. Balavoine), (306) 257
- Dicyclohexyltin dichloride and dibromide, crystal and molecular structures of (P. Ganis, G. Valle, D. Furlani, G. Tagliavini), (302) 165
- Dicyclopentadienyltantalum hydrides containing a Ta–Sn σ -bond; crystal and molecular structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{TaH}_2\text{Sn}(\text{CH}_3)\text{Cl}_2$ (T.M. Arkhireva, B.M. Bulychev, A.N. Protsky, G.L. Soloveichik, V.K. Bel'sky), (317) 33
- Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291
- Dihydridobis(trialkyltin)(pentamethylcyclopentadienyl)-rhodium(V) and -iridium(V) complexes, synthesis, characterisation and reactions of (J. Ruiz, C.M. Spencer, B.E. Mann, B.F. Taylor, P.M. Maitlis), (325) 253
- 1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), (303) 73
- Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasishtha, M. Sood, N. Sood, G. Singh), (301) 15
- Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), (303) 397
- 2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139
- Dimethyltin dichloride and 2,2'-bipyridine solution complex, proton relaxation and dynamic NMR studies of solute–solvent interactions in (F. Sakai, H. Fujiwara, Y. Sasaki), (310) 293
- Dimethyltin sulphide, interaction with 1,2-dibromoethane; crystal structure of dimethyltin dibromide/1,4-dithiane complex (V.I. Shcherbakov, I.K. Grigor'eva, G.A. Razuvayev, L.N. Zakharov, R.I. Bochkova, Yu-T. Struchkov), (319) 41
- Diorganotin(IV) complexes of *N*-protected dipeptides (G.K. Sandhu, R. Gupta, S.S. Sandhu, L.S. Moore, R.V. Parish), (311) 281
- o*-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with $\text{Sn}^{\text{II}}\text{-Sn}^{\text{IV}}$ bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47
- Diphosphine and diarsine oxides, coordination behaviour in organotin(IV) adducts of (S. Dondi, M. Nardelli, C. Pelizzi, G. Predieri), (308) 195
- Esterin dichlorides, $\text{Cl}_3\text{SnCH}_2\text{CH}_2\text{CO}_2\text{R}$, Lewis acidity towards acetonitrile of; crystal structure of $\text{Cl}_3\text{SnCH}_2\text{CH}_2\text{CO}_2\text{Pr-i}$ (R.A. Howie, E.S. Patterson, J.L. Wardell, J.W. Burley), (304) 301
- Group IV derivatives of $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}$, structures of $\text{HOs}_3(\mu\text{-H})_2(\text{CO})_{10}$ and $\text{Os}_3(\mu\text{-H})_3(\text{CO})_{10}(\text{SnMe}_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257
- Iododestannylation of stannatranes, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 45
- (*O*-Isopropylidithiocarbonate)triphenyltin(IV), X-ray structure of; example of *S*- and *O*-xanthate coordination (E.R.T. Tiekkink, G. Winter), (314) 85
- Lithiated 1,3-dithianes, reactions with trialkyltin and triphenyltin chlorides of (J. Klaverness, F. Rise, K. Undheim), (303) 189
- Main Group IV organometallic halides, insertion of indium(I) halides into the M–X bond of (T.A. Annan, D.G. Tuck), (325) 83
- Mercuridestannylation of phenylstannatranes and related derivatives, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 33
- $\text{Me}_3\text{SnO}_2\text{PCl}_2$ and $\text{Me}_3\text{SnO}_2\text{PMe}_2$, crystal structures of; vibrational spectra of $\text{Me}_3\text{SnO}_2\text{PMe}_2$ (F. Weller, A.-F. Shihada), (322) 185
- 1,6-Methano[10]annulene-Group IVB derivatives, synthesis, substituent effects and reactivity of (W. Kitching, H.A. Olszowy, I. Schott, W. Adcock, D.P. Cox), (310) 269
- 1-Methyl-1,2,4-diazaphosphole, selective 5-metallation of (S. Kerschl, B. Wrackmeyer, A. Willhalm, A. Schmidpeter), (319) 49
- Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1

- Methylphenyltin dichloride and dihydride, electroreduction with formation of bis(chloromethylphenyltin) of (M. Engel, M. Devaud), (307) 15
- Methyltin triiodide, crystal, molecular and electronic structure of (J.S. Tse, M.J. Collins, F.L. Lee, E.J. Gabe), (310) 169
- Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1
- Mono{octyltin(IV)} compounds, synthesis from 1-, 2-, or 3-octenes of (V.G. Kumar Das, O.G. Chee), (321) 335
- Nitroalkanes, *O*- and *C*-stannylation of (E. Guibé-Jampel, F. Huet), (320) 171
- Octaphenylpropane analogues, $\text{Ph}_3\text{SnSiPh}_2\text{SnPh}_3$ and $\text{Ph}_3\text{SnGePh}_2\text{SnPh}_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11
- Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61
- Organotin(IV) chloride complexes of bis- β -keto-phosphonium ylides, synthesis and characterisation of (R. Sanehi, R.K. Bansal, R.C. Mehrotra), (303) 351
- Organotin(IV) compounds, ^{13}C NMR studies of (T.A.K. Al-Allaf), (306) 337
- Organotin crowded fluorides, $(\text{PhMe}_2\text{Si})_3\text{CSnMe}_2\text{F}$, $(\text{Me}_3\text{Si})_3\text{CSnMe}_2\text{F}$, and $(\text{Me}_3\text{Si})_3\text{CSnPh}_2\text{F}$, preparation and crystal structures of (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, J.D. Smith), (325) 117
- Organotin iodides, Lewis acidity of (Y. Farhangi, D.P. Graddon), (317) 153
- Palladium-catalysed aryldestannylation of α -styrylstannanes by arenediazonium salts (K. Kikukawa, H. Umekawa, T. Matsuda), (311) C44
- Pentacarbonylmanganese-triphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167
- Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach), (308) 325
- 5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)bicyclo[3.3.0]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), (304) 107
- Phenyltin(IV) and phenyllead(IV) halides hexamethylphosphoramide adducts, fast atom bombardment mass spectrometry of (J.M. Miller, H. Mondal, I. Wharf, M. Onyszchuk), (306) 193
- Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by a solid-state ^{31}P NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylishen), (322) 393
- Platinum(II) trichlorostannate chemistry, importance of Pt-Sn linkage in hydroformylation chemistry, and formation of $\text{PtC}(\text{OSnCl}_2)\text{R}$ -carbene (H.J. Ruegg, P.S. Pregosin, A. Scrivanti, L. Toniolo, C. Botteghi), (316) 233
- Pt-Sn complexes as catalysts for olefin hydroformylation, NMR, IR and reactivity studies on (A. Scrivanti, A. Berton, L. Toniolo, C. Botteghi), (314) 369
- Quinoline-*N*-oxide adduct of tri-*p*-tolyltin(IV) bromide, X-ray structure of (V.G. Kumar Das, Y.C. Keong, N.S. Weng, C. Wei, T.C.W. Mak), (311) 289
- Rhodium(I) anionic and neutral complexes containing trichlorostannato ligands, isolation and reactions of (V. Garcia, M.A. Garralda, E. Zugasti), (322) 249
- Selective allylation in the presence of tin or zinc of carbonyl compounds in aqueous media (C. Einhorn, J.-L. Luche), (322) 177
- 7-Silanorbornadiene, reactions with halogens and thermolysis in the presence of organometallic or organic halides of (H. Appler, W.P. Neumann), (314) 247
- Silyltin(II) bulky derivative, formation and structure of (A.M. Arif, A.H. Cowley, T.M. Elkins), (325) C11
- Stannacyclopentadienes, preparation via organoboration of diethynylidimethylstannane with *B*-alkyl-9-borabicyclo[3.3.1]nonanes (C. Bihlmayer, S.T. Abu-Orabi, B. Wrackmeyer), (322) 25
- 1,1,1,4-Tetrachlorobut-2-ene, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, Y.T. Xian, G. Balavoine), (306) 267
- Tetrakis(triphenylphosphine)palladium(0), hexaalkyltin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), (304) 257
- Tetramethyl-1,2-bis(phenylthio)distannane, photochemical reaction with ketones of (H. Fobbe, W.P. Neumann), (303) 87
- 2,2,6,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51
- Thienyltetraorganotin(IV) compounds, Möss-

- bauer and NMR studies of intramolecular coordination in; X-ray crystal structure of $\{C, N\text{-}[3\text{-}(2\text{-pyridyl)\text{-}2\text{-thienyl}\text{}}]\text{tri}(p\text{-tolyl)tin(IV)}$ (V.G. Kumar Das, L.K. Mun, C. Wei, S.J. Blunden, T.C.W. Mak), (322) 163
- Tin-alkylation of sterically-hindered stanna heterocyclic compounds; synthesis of tri-t-butyltin-lithium chalcogenides (D. Hänssgen, P. Reuter, G. Döllen), (317) 159
- Tin(II) amides, cyclometallation reactions with (C. Stader, B. Wrackmeyer), (321) C1
- Tin(IV) complexes with crown ethers, synthesis and chemico-physical characterisation of (A. Fontana, E. Rivarola, F. Saiano, U. Russo), (317) 285
- Tin compounds used in carbohydrate and nucleoside chemistry (*Review*) (S.J. Blunden, P.A. Cusack, P.J. Smith), (325) 141
- Transition metal catalysis in organotin chemistry (*Review*) (T.N. Mitchell), (304) 1
- 1-Trialkylstannyl-2-*para*-toluenesulphonylacetylenes, synthesis and reactivity of (Z. Djeghaba, G. Jousseaume, M. Ratier, J.-G. Duboudin), (304) 115
- Tricarbonyl(fulvene)chromium complexes, reactions with $HgCl_2$ and $SnCl_4$ of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109
- Trichlorostannate derivatives of chloro-bridged palladium(II) dimers, ^{31}P and ^{119}Sn NMR of (C. Arz, I.R. Herbert, P.S. Pregosin), (308) 373
- Trimethylstannylolithium mediated synthesis of 2-, 3- and 4-trimethylstannylcyclohexanols (A. Ricci, M. Taddei, G. Secconi), (306) 23
- Trimethyltin halides and dimethyltin dihalides, IR and Mössbauer studies of diamine complexes with (G. Eng, P.K. McKinney-Forbes, K.L. Richie, V.V. Nguyen, L. May), (310) 285
- α -Triorganostannylvinyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151
- Triorganotin and triorganolead methyloxalates, preparation and structure of (A. Glowacki, F. Huber, H. Preut), (306) 9
- Triorganotin(IV) benzoates and aminobenzoates, preparation and characterisation of (G.K. Sandhu, S.P. Verma, L.S. Moore, R.V. Parish), (321) 15
- Triorganotin derivatives of 1,2-bis(2'-carboxyphenylamino)ethane and -propane and ethylenediaminetetraacetic acid (G.K. Sandhu, S.P. Verma, L.S. Moore, R.V. Parish), (315) 309
- Triorganotin phosphorodiamidates, preparation and characterisation of (K.C. Molloy, T.G. Purcell), (312) 167
- Triorganostannate anion and phosphonium cation containing zwitterion, preparation of (M. Veith, V. Huch), (308) 263
- (η^6 -1-Triphenylstannylbenzene)(η^5 -cyclopentadienyl)iron(II) hexafluorophosphate, preparation, structure and reactivity of (C.S. Frampton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver), (307) 231
- Triphenyltin derivatives of methionine, penicillamine and cysteine and L-histidinatotin(II) (O.A. Bamgbose, T.T. Bamgbose, P.G. Harrison), (306) 17
- Triphenyltin(IV) 8-quinolylxyacetate hydrate, [$Ph_3SnO_2CCH_2(8-C_9H_6NO) \cdot H_2O$]_n, organotin ester derivative built of hydrogen-bonded helical chains (V.G. Kumar Das, C. Wei, S. Wing, T.C.W. Mak), (322) 23
- Vinylolithiums containing triorganostannyl groups on the α -carbon atom, preparation and stability of (T.N. Mitchell, W. Reimann), (322) 141
- ## Titanium
- Acyl C-O bond cleavage in $(C_5Me_5)_2TiCOR$ compounds, formation of benzene derivatives by ring expansion involving incorporation of the acyl-carbon atom (E.J.M. de Boer, J. de With), (320) 289
- Bis- and mono-(substituted cyclopentadienyl)titanium derivatives, high-performance liquid chromatographic behaviour of (B. He, Y. Qian, S. Chen), (320) 27
- Bis-indenyl-titanacyclopentane and bis-indenyl-(η^2 -ethylene)titanium, preparation of (H. Lehmkuhl, R. Schwickardi), (303) C43
- Bis(pentamethylcyclopentadienyl)titanium(IV) cationic complexes, $[(C_5Me_5)_2(DMF)-Cl]CF_3SO_3$ and $[(C_5Me_5)_2(DMF)_2](CF_3SO_3)_2$ (DMF = dimethylformamide), preparation and structure of (B. Honold, U. Thewalt), (316) 291
- Bis(phenylethylnyl)dicyclopentadienyltitanium(III) anion electrogeneration of (L. Koch, A. Fakhr, Y. Mugnier, L. Roullier, C. Moise, E. Lavorin), (314) C17
- Bis(trimethylstannyl)aminotitanium complex, $[TiCl_2(OC_6H_3Ph_2-2,6)_2]$ and $[TiCl\{N(SnMe_3)_2\}(OC_6H_3Ph_2-2,6)_2]$, synthesis and structures of (J.R. Dilworth, J. Hanich, M. Krestel, J. Beck, J. Strähle), (315) C9
- (Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7
- (η^1 : η^5 - C_5H_4)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of $\{Cp(\mu\text{-}[\eta^1\text{:}\eta^5\text{-}C_5H_4])Ti-$

- [$\text{PMe}_3\text{]}_2$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310) 27
- Cyclopentadienyltitanium(IV) complexes, behaviour in aqueous media of; titanocene complexes as cancerostatica (K. Döppert), (319) 351
- Cyclopentadienyltitanium dinuclear complexes with oxygen bridges; structure of [$(\text{C}_5\text{H}_5)_2\text{-Ti}_2(\mu\text{-O})$] (B. Honold, U. Thewalt, M. Herberhold, H.G. Alt, L.B. Kool, M.D. Rausch), (314) 105
- Dibenzoato(di- π -cyclopentadienyl)titanium(IV), preparation in aqueous solution and structure of (K. Döppert, H.-P. Klein, U. Thewalt), (303) 205
- Dichalcogenophenylenemetallocenes ($M = \text{Ti}, \text{Zr}, \text{Hf}$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
- Dichloro- η^5 -cyclopentadienyltrimethylhydrazido-(1-)titanium, molecular structure of (R. Hemmer, U. Thewalt, D.L. Hughes, G.J. Leigh, D.G. Walker), (323) C29
- Dicyclopentadienyl-bis-isonitrile-titanium and -zirconium complexes, synthesis and characterisation of (L.B. Kool, M.D. Rausch, H.G. Alt, H.E. Engelhardt, M. Herberhold), (317) C38
- Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO_2 and CS_2 of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9
- Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37
- Di- η^3 -cyclopentadienyl(cinnamylato- C^3, O)-titanium/phenylpropionic acid (1/1), synthesis and molecular structure of; synthesis of dicyclopentadienylbis(phenylpropiolato)titanium (E. Samuel, J.L. Atwood, W.E. Hunter), (311) 325
- Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183
- Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69
- Dicyclopentadienyl-diligand-molybdenum and -titanium complexes, estimation of stepwise M-L bond dissociation enthalpies in (M.J. Calhorda, A.R. Dias, A.M. Galvão, J.A. Martinho Simões), (307) 167
- Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $\text{Cp}_2\text{Ti}(\text{P}_2\text{S}_4\text{-O}_2(\text{OEt})_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209
- Dicyclopentadienyltitanium(IV) dichloride and allyldicyclopentadienyltitanium(III), electron impact and negative ion chemical ionization mass spectra of derivatives of (G. Fu, Y. Qian, Y. Xu, S. Chen), (314) 113
- Dicyclopentadienyltitanium(IV) pyridine-2,6-dicarboxylate complexes, synthesis and characterisation as pentacoordinate titanocene derivatives of (R. Leik, L. Zsolnai, G. Huttner, E. Neuse, H.H. Brintzinger), (312) 177
- Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
- 1,3-Ditanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteege, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310) C25
- Dynamic stereochemistry of $\text{TiBr} + \text{SPH}^- \rightarrow \text{TiSPH}$ conversion with isocyanato complexes of titanocene (J. Besançon, J. Tirouflet, B. Trimaille, Y. Dusausoy), (314) C12
- O*-Ethyl-*C*,*O*-bis(trimethylsilyl)ketene acetal, treatment of α, β -unsaturated ketones; synthesis of α -ylidene- δ -lactones (I. Matsuda), (321) 307
- Fulvalenedithallium synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
- Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19
- Halo(alkoxo)- and monocyclopentadienyl-(halo)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serрано), (315) 329
- Lithium nitride reduction of chlorocyclopentadienyltitanium complexes, reaction products of (M. Kilner, G. Parkin), (302) 181
- Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteege, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
- Mono- η^5 -cyclopentadienyl-titanium(IV) and -zirconium(IV) complexes with one or two toluene-3,4-dithiolate ligands, synthesis of (H. Köpf, T. Klapötke), (307) 319
- Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Tetrachlorotitanium and trichlorocyclopenta-dienyltitanium, reactions with tridentate triaminosilyl ligands; crystal and molecular structure of a titanabicycloheptane with Si-N-Li-Cl-Ti chain (D.J. Brauer, H. Bürger, G.R. Liewald), (307) 177

Tetrakis[μ -oxo-(2,4,6-trimethylphenoxy)cyclopentadienyl]titanium(IV), preparation and structure of (U. Thewalt, K. Döppert), (320) 177

Titanium and aluminium bimetallic hydride complexes; octonuclear $\{[(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{Me}_4\text{CH}_2)\text{Ti}(\mu_2\text{-H})_2\text{Al}]_2\mu_3\text{-O}\}_2 \cdot 2\text{C}_6\text{H}_6$, crystal and molecular structure of (E.B. Lobkovskii, A.I. Sizov, B.M. Bulychev, I.V. Sokolova, G.L. Soloveichik), (319) 69

Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307

ansa-Titanocene chiral derivative with trimethylene-bridged tetrahydroindenyl ligands, synthesis of (W. Röll, L. Zsolnai, G. Huttner, H.H. Brintzinger), (322) 65

Titanocene chloride, activation of N=N bond in benzo[*c*]cinnoline by (S. Renaud, Y. Mugnier, L. Roullier, E. Laviron), (309) C11

Titanocene dichloride, hydrolysis of; preparation, structure and properties of trinuclear, oxygen-bridged, basic carboxylate complexes: $[\text{Ti}_3(\mu_3\text{-O})(\mu_2\text{-OH})_3(\mu_2\text{-HCOO})_3\cdot(\eta^5\text{-C}_5\text{H}_5)_3]^+$ $\text{HCOO}^- \cdot 2\text{HCOOH}$ (K. Döppert, U. Thewalt), (301) 41

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167

Titanocenyl-*Ti*^{IV} cationic complexes, preparation and structure of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\text{bipy})]^{2+}$ $(\text{CF}_3\text{SO}_3^-)_2$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\text{phen})]^{2+}$ $(\text{CF}_3\text{SO}_3^-)_2$ (U. Thewalt, K. Berhalter), (302) 193

Transition metal butadiene complexes, formation via vinylolithium of (R. Beckhaus, K.-H. Thiele), (317) 23

Transition metals — General

Metallocenes in biochemistry, microbiology and medicine (Review) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281

Organic reactions of selected π -complexes; annual surveys 1984 (B.W. Rockett, G. Marr), (305) 199

Transition metal catalysis in organotin chemistry (Review) (T.N. Mitchell), (304) 1

Transition metals in organic synthesis: hydroformylation, reduction and oxidation; annual survey 1984 (L. Markó), (305) 333

Tungsten

Alkenylphosphanes RPX₂ and R₂PX (X = NEt₂, Cl), function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291

Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*-[(N₂)₂(Ph₂PCH₂CH₂PPh₂)₂] (M = Mo, W) and with [Mo(Ph₂PCH₂PPh₂)₃]; X-ray structure of *trans*-[Mo(C≡CPh)₂(Ph₂PCH₂CH₂PPh₂)₂] (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pompeiro), (323) C47

Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of [W₂Cl₈-(PhC≡C-C≡CSiMe₃)(pyridine)₂] (M. Kersting, K. Dehnische, D. Fenske), (309) 125

Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{MH}$ (M = Mo, W) and (CO)₅ReCH₃ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322) 351

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by L₃M(CO)₃ complexes (M = Cr, Mo, W) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), (301) 161

Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203

Bisacetonitriledihalogenotricarbonyl-molybdenum(II) and -tungsten(II) seven-coordinate complexes, synthesis and spectral properties of (P.K. Baker, S.G. Fraser, E.M. Keys), (309) 319

Bis[amino(ethoxy)carbene] complexes, rearrangements with Lewis acids of; structure of $((\text{CO})_4\text{WBr}_3)[\text{HC}(\text{N}-i\text{-Pr}_2)\text{OEt}]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Bis(cyclobuta- η^6 -benzene)chromium^{0,+1} and bis([1,2 : 4,5]-dicyclobuta- η^6 -benzene)chromium^{0,+1}, synthesis and magnetic resonance properties of (C. Elschenbroich, J. Koch, J. Schneider, B. Spangenberg, P. Schiess), (317) 41

- Bis(di-*t*-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP-t-Bu_2)_2M(CO)_4$ ($M = Cr$, Mo , W); crystal and molecular structure of $S(NP-t-Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51
- Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ ($M = Cr$, W), preparation and characterisation of (O. Orama), (314) 273
- Bis-metallates, $Na_2\{Me_2Si(C_5H_4)(CO)_3M\}_2$ ($M = Mo$, W), preparation and rearrangement to neutral complexes with σ -bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33
- Bis(tertiary phosphine)cycloheptatrienyltungsten complexes, synthesis and spectra of (R. Breeze, S. bt. Endud, M.W. Whiteley), (302) 371
- Butadiyinetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85
- t*-Butyldicarbonyl- η^5 -cyclopentadienyliron, insertion reactions of (K.H. Pannell, T. Giasolli, R.N. Kapoor), (316) 315
- Carbene-alkene-tungsten bidentate complex, internal NMR probe for coordination of Lewis acids in (A. Parlier, H. Rudler, M. Fontanille, A. Soum), (312) C11
- Carbon-tungsten triple bonds, hydroboration of; crystal structures of $[W_2(\mu-MeCB(H)Et)(CO)_4(\eta^5-C_5H_5)_2]$ and $[W\{\eta^3-CH(BC_8H_{14})C_6H_4Me-4\}(CO)_2(\eta^5-C_5H_5)_2]$ and related complexes (D. Barratt, S.J. Davies, G.P. Elliott, J.A.K. Howard, D.B. Lewis, F.G.A. Stone), (325) 185
- Carbyne complexes, *trans*- $X(CO)_4M \equiv CR$, influence of the central metal, the *trans*- X ligand and the carbyne substituent on M-CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187
- $(CH_3)_3C_5(Cl)Ge \rightarrow W(CO)_5$, molecular rearrangement of (P. Jutzi, B. Hampel), (301) 283
- $[\eta^5-(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5-C_5H_4CHO$) $Cr(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87
- $C_5Me_5(CO)(CF_3COO)_2W[\eta^2-C(\bar{O})CH_2CH_2COMe]$, preparation, characterisation and molecular structure of (H.I. Hayen, H.G. Alt, R.D. Rogers), (323) 339
- $(CO)_5W=C[N(CH_3)_2]C_6H_4-p-CH_3$, regioselective anion generation and alkylation of (C.P. Casey, N.L. Hornung, N.W. Vollendorf), (303) 375
- $Cp'(CO)(L)W[(PM_3)HCCHCOMe]$ ($Cp' = \eta^5-C_5H_5$, $\eta^5-C_5Me_5$; L = CO, PMe₃), rearrangements with CF₃COOH of; reactions of $[C_5Me_5(CO)_2(CF_3COO)_2][PM_3CH_2CH_2COMe]$ with CO, PMe₃, NOBF₄ and Et₃OBf₄ (H.G. Alt, H.I. Hayen), (316) 301
- Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
- Dibromoacetylenetungsten(IV) complexes, crystal structure of $PPh_4[WBr_5(BrC\equiv CBr)] \cdot 0.5CCl_4$ (K. Stahl, A. El-Kholi, U. Müller, M. Dehnicke), (316) 95
- Dicarbonylcyclopentadienylalkylidynetungsten complex, $[W(\equiv CR)(CO)_2(\eta^5-C_5H_5)]$, reactions with PHPh₂ of; synthesis and X-ray structures of $[W(CHRPPh_2)(CO)_2(\eta^5-C_5H_5)]$ and $[W(CHRCOOPPh_2)(PHPh_2)(CO)(\eta^5-C_5H_5)]$ (R = C_6H_4Me-4) (G.A. Carriero, V. Riera, M.L. Rodriguez, J.C. Jeffery), (314) 139
- Dicarbonyl-carbonyl-(trimethylphosphine)(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320) 83
- μ -[(Di- η^5 -cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), (302) 363
- Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienyl-iodoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5-C_5H_5)_2I(NCCH_3)_2]PF_6$ (M.J. Calhorda, M.A.A.F. de Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63
- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305
- mer*-Dihalogenotricarbonyldialkylaminocarbynetungsten anionic complexes, formation and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (310) 357
- (α -Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), (302) 211
- Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

- o*-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with Sn^{II}-Sn^{IV} bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47
- 1,3-Dipolar germylene ligands, interaction with chromium and tungsten complexes of (A. Castel, P. Rivière, J. Satgé, M. Ahbala, J. Jaud), (307) 205
- Diphosphonetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157
- [FeW(μ -CC₆H₄Me-4)(CO)₅(η -C₅Me₅)], addition of methylene groups to (E. Delgado, J. Hein, J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (307) C23
- Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333
- Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311
- Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligand (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327
- Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
- [HCN(C₆H₅)CH₂CH₂N(C₆H₅)]⁺[Br₂(CO)₃WCN(cyclo-C₆H₁₁)₂]⁻, preparation by rearrangement of a neutral carbyne complex with an electron-rich olefin and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (303) C13
- Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51
- Heteronuclear (W-Fe) and homonuclear (Fe-Fe) μ -alkylidenemetal complexes from mononuclear terminal carbene complexes; crystal structures of CH₃C₂H₂(CO)₈WFeOC₂H₅ and (CO)₆WFeC₃H(CH₃)(OC₂H₅)₂ (C. Alvarez-Toledano), A. Parlier, F. Rose-Munch, H. Rudler, J.C. Daran, C. Knobler, Y. Jeannin), (323) 371
- Hexacarbonyl-Group VI metal derivatives of fluorine-substituted tertiary phosphines (P.N.
- Kapoor, D.D. Pathak, G. Gaur, P.C. Mercutty), (311) 103
- Homodinuclear and *cis*-mononuclear complexes of Ph₂PNSNPPh₂, preparation and ³¹P NMR studies of; crystal structure of *cis*-Cr(CO)₄(Ph₂PNSNPPh₂)·0.5C₆H₆ (T. Chivers, C. Lensink, J.F. Richards), (325) 169
- Homonuclear μ -alkylidenetungsten complexes, synthesis and X-ray structures of (A. Parlier, M. Rudler, H. Rudler, J.C. Daran), (323) 353
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands (J.R. Dilworth, S. Morton), (314) C25
- Ketene-phosphino and -arsino complexes, formation of tungsten-containing pentacyclic compounds by addition of trimethylphosphine to (F.R. Kreissl, M. Wolfgruber, U. Thewalt), (317) 175
- [M(CO)₃]₂ \cdot μ -[$(\eta^5$ -Cp)₂SiMe₂], reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system (M = Mo, W) (J. Heck), (311) C5
- Metallacyclic alkenyl ketone complexes, Cp'(CO)₂W[HC=CHC(O)Me] (Cp' = η^5 -C₅H₅, η^5 -C₅Me₅) with NO, ClNO and CF₃COOH, fragmentation, nitrosylation and hydration reactions of (H.G. Alt, H.I. Hayen), (316) 105
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of [MoTl(SC₆F₅)₂Cp] (L = SC₆F₅, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322) C1
- Monoalkylamino(silyl)carbene complexes, (CO)₅MC(NHR')SiR₃ (M = W, Mo, Cr; SiR₃ = SiPh₃, SiMePh₂; R' = Me, Et, n-Bu, C₆H₁₁, Ph), HSiR₃ elimination from (W. Hepp, U. Schubert), (321) 317
- Neutral diphenylarsano-transition metal complex *trans*-Ph₂As(CO)₂(2,2'-bipy)WCNEt₂ (2,2'-bipy = 2,2'-bipyridyl), (A.C. Filippou, E.O. Fischer, K. Öfele, H.G. Alt), (308) 11
- Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61
- Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
- Organotungsten(VI) complex containing W=N-N=W core, [$(\eta^5$ -C₅Me₅)W(CH₃)₃]₂(μ -N₂), crystal structure of (M.R. Churchill, Y.-J. Li), (301) 49
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphos-

- phineuracil (J. Ellermann, A.A.M. Demuth), (309) 307
- Pentacarbonyl(diphenylcarbene)tungsten, reaction with diethylamino(dimethyl)acetonitrile of (H. Fischer, S. Zeuner), (321) C6
- Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuje, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63
- 2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371
- Pentacarbonylmercaptoprophosphane- and tetracarbonyl-bis(mercaptoprophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327
- Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach), (308) 325
- Pentacarbonyl-[methoxy- and -[acetoxy-(phenyl)-carbene]-chromium and -tungsten complexes, reactions with tetramethylcyanoguanidine of (H. Fischer, F. Seitz, G. Müller), (320) 185
- cis*-[(η^1 -4-Pentenyl diphenylphosphine)tetracarbonyltungsten(0)], rates of olefin coordination via chelate ring closure through flash photolysis in (P.H. Wermser, C.B. Dobson, G.R. Dobson), (311) C47
- Phosphineiridium(I) complexes, reactions with S_4N_4 of; synthesis and crystal structure of [(dppe)₂Ir(S₂N₂)₂BPh₄] · 0.5CH₃C(=O)CH₃ and ((dppe)₂Ir(S₂N₂)₂W(CO)₅)(BPh₄ · 0.5CH₂Cl₂)) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383
- Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29
- Phosphinidene complexes, reasons for extremely paramagnetic shifts in ³¹P NMR spectra of (G. Huttner), (308) C11
- Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30
- Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41
- (PPh₄)₃Ag[WF₅(C₂I₂)]₂, synthesis, IR spectrum and crystal structure of (A. El-Kholi, K. Stahl, U. Müller, K. Dehncke), (317) C9
- Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corru, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Tetra- and penta-carbonyl-binuclear-tungsten complexes, solvatochromism of metal-to-ligand charge transfer transitions in (W. Kaim, S. Kohlmann, S. Ernst, B. Olbrich-Dessner, C. Bessenbacher, A. Schulz), (321) 215
- Tetracarbonyl(phosphinothioformamide) complexes, (CO)₄M(PS) (M = Cr, Mo, W), reversible substitution with triorganophosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67
- Tolylmethylidyne(carborane)tungsten anionic complexes, protonation and reaction with trimethylphosphine of (A.P. James, F.G.A. Stone), (310) 47
- Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluor-aromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199
- Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6
- Tricarbonyl- η -cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.H. Yassin), (301) 313
- Tricarbonyl- η^4 -diene trimethylphosphite-tungsten complexes, synthesis and dynamic behaviour of (S. Özkar, C.G. Kreiter), (303) 367
- Tricarbonyltungsten coordination complexes with CS₂ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), (303) C25
- Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29
- Tungsten hydride complex, insertion reactions of (P. Kundel, H. Berke), (314) C31
- [W(PMe₃)₄(η^2 -CH₂PMe₂)H], reactions with carbon dioxide and dihydrogen of; characterisation of [(W(PMe₃)₃(η^1 -PMe₂-CH₂))₂(C₃H₂O₆)] using two-dimensional NMR spectroscopy (M.L.H. Green, G.

Parkin, D. O'Hare, L.-L. Wong, A.E. De-
rome), (317) 61

Uranium

Dicyclopentadienyl alkoxides and aryl oxides of uranium(IV), influence of steric hindrance of an alkyl group on their stability (A. Berton, M. Porchia, G. Rossetto, P. Zanella), (302) 351

Hydride-rich uranium-rhenium dimer, $[(p\text{-FC}_6\text{H}_4)_3\text{P}]_2\text{ReH}_6\text{U}(\eta\text{-C}_5\text{H}_5)_3$, synthesis of (D. Baudry, M. Ephritikhine), (311) 189

Hydroalumination of olefins by $\text{LiAlH}_4/\text{UCl}_4$ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1

Indenyl-f-metal cationic complexes with pentagonal bipyramidal geometry; crystal structures of $[\text{C}_9\text{H}_7\text{UBr}_2(\text{CH}_3\text{CN})_4]^{+}\text{[UBr}_6]^{2-}$ and $[\{\text{(C}_9\text{H}_7\text{UBr}(\text{CH}_3\text{CN})_4\}_2\text{O}]^{2+}\text{[UBr}_6]^{2-}$ (W. Beeckman, J. Goffart, J. Rebizant, M.R. Spirlet), (307) 23

Tricyclopentadienyl(cyclooctane-1,5-diyl)uranium dihydroborate, synthesis and crystal structure of (P. Zanella, F. Ossola, M. Porchia, G. Rossetto, A. Chiesi Villa, C. Guastini), (323) 295

Tricyclopentadienyluranium(IV) cationic complexes with isonitrile ligands of the type $[\text{Cp}'\text{U}(\text{CNR})\text{L}]^{+}$ (H. Aslan, R.D. Fischer), (315) C64

Tricyclopentadienyluranium η^2 -iminoalkyl(cycloalkyl) derivatives, mass spectrometric behaviour of (G. Paolucci, S. Daolio, P. Traldi), (309) 283

Tricyclopentadienyluranium tetrahydroaluminate, synthesis and characterisation of (F. Ossola, N. Brianese, M. Porchia, G. Rossetto, P. Zanella), (310) C1

Uranium(IV) and thorium(IV) amides containing cyclopentadienyl ligands (F. Ossola, G. Rossetto, P. Zanella, G. Paolucci, R.D. Fischer), (309) 55

Vanadium

Dicyclopentadienyl[η^2 -(C,N)-ketene imine]-vanadium complexes, synthesis and structure of (T. Sielisch, U. Behrens), (310) 179

Dithiophosphate and dithiophosphinate dicyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morám, I. Cuadrado), (311) 333

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebisch), (308) 19

Organovanadium oxides ($\eta^5\text{-C}_5\text{H}_5$) VOCl_2 , synthesis of derivatives of (W.A. Herrmann, G. Weichselbaumer, H.-J. Kneuper), (319) C21

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320) C31

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV} , $\text{CH}_3\text{Nb}^{\text{V}}$ and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317

Vanadium organometallic compounds, analysis and classification of crystallographic data (Review), (C.E. Holloway, M. Melnik), (304) 41

Ytterbium

Bis(pentamethylcyclopentadienyl)-caesium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29

Yttrium

Alkylpermethyllytrocene complexes, synthesis of (K.H. den Haan, Y. Wielstra, J.J.W. Eshuis, J.H. Teuben), (323) 181

Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1'-(3-oxapentamethylene)-dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285

Permethyllytrocene chloride, synthesis and coordination chemistry of (K.H. den Haan, J.H. Teuben), (322) 321

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

Zinc

Alkyl- and hydrido-zinc compounds, factors affecting the degree of association of (N.A. Bell, P.T. Moseley), (325) 47

1-Aza-4-oxo-3-substituted-1,3-butadienes (α -amino esters and amides), coordination to aluminium chloride, zinc chloride and dimethylzinc of; selective reduction in $ZnEt_2$ /R¹N=CHC(NEt₂)=O system; crystal structure of [Et₂Zn(t-Bu)NCH₂C(NEt₂)=O]₂ (M.R.P. van Vliet, G. van Koten, J.F. Modder, J.A.M. van Beek, W.J. Klaver, K. Goubitz, C.H. Stam), (319) 285

Bis- μ -oxo rhenium(VI) dimer Re₂O₂(μ -O)₂(CH₂CMe₂Ph)₄, synthesis and structure of (J.M. Huggins, D.R. Whitt, L. Lebioda), (312) C15

1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1

Diethylzinc, reaction products with trihydric phenols of (P. Górecki, W. Kuran), (312) 1

Di-halo- and di-pseudohalo-bipyridine nickel(0) complexes, organic group coupling by electrochemical reduction catalysed by (Y. Rollin, M. Troupel, D.G. Tuck, J. Perichon), (303) 131

Ethyl α -(bromomethyl)acrylate, reformatsky reaction with acyl chlorides and nitriles of (N. El Alami, C. Belaud, J. Villieras), (319) 303

Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetone)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), (301) C17

Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), (303) 309

Selective allylation in the presence of tin or zinc of carbonyl compounds in aqueous media (C. Einhorn, J.-L. Luche), (322) 177

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (J.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Triethylaluminium etherate, ultrasonic irradiation in one-pot synthesis and conversion into other organometallic compounds of (Y.-T. Lin), (317) 277

Zinc carbonoid reagents, reactions with enol ethers: cyclopropanation and subsequent isomerisation to allylic ethers (I. Ryu, T. Aya, S. Otani, S. Murai, N. Sonoda), (321) 279

Zinc enolates, C- or O-metallation of (J. Dekker, A. Schouten, P.H.M. Budzelaar, J. Boersma,

G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (320) 1

Zirconium

(Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7

(Butadiene)zirconocene, reactions with carbonyl-iron complexes of (G. Erker, R. Lecht), (311) 45

(η^5 -C₅H₅)₂Zr[CH(SC₆H₅)C₆H₅]₂, thermally induced elimination of stilbene from (E.A. Mintz, A.S. Ward), (307) C52

(C₅H₅)₂Zr(CO)[P(OCH₃)₃], preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), (301) 299

Cyclopentadienylzirconium carboxylato tri-nuclear, oxygen-centered, ionic complex, [Zr₃(μ_3 -O)(μ_2 -OH)₃(ω_2 -C₆H₅-COO)₃(η^5 -C₅H₅)₃]⁺C₆H₅COO⁻·O(C₂H₅)₂, preparation and structure of (U. Thewalt, K. Döppert, W. Lasser), (308) 303

Dichalcogenophenylenemetalloccenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39

Dichlorobis(η^5 -t-butylcyclopentadienyl)zirconium(IV), crystal structure and reactivity of (R.A. Howie, G.P. McQuillan, D.W. Thompson, G.A. Lock), (303) 213

Dicyclopentadienyl-bis-isonitrile-titanium and -zirconium complexes, synthesis and characterisation of (L.B. Kool, M.D. Rausch, H.G. Alt, H.E. Engelhardt, M. Herberhold), (317) C38

Dicyclopentadienylbis(toluolsulphonato)zirconium, preparation and structure of (W. Lasser, U. Thewalt), (302) 201

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO₂ and CS₂ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37

Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

Dicyclopentadienylzirconium(IV) dichloride, aliphatic acid dihydrazide derivatives of and their reactions with β -diketones (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (321) 27

- Dicyclopentadienylzirconium(IV), picolinoyl, nicotinoyl and isonicotinoyl hydrazone derivatives of (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (306) 355
- Diene- and aryne-substituted metallocene complexes, cyclometallation reactions of (G. Erker, T. Mühlenbernd), (319) 201
- (η^4 -Diene)transition metal complexes, indirect scalar spin–spin coupling constant ${}^1J({}^{13}\text{C}, {}^{13}\text{C})$ in (R. Benn, A. Rufińska), (323) 305
- Di- μ -hydroxobis(tri aqua- π -cyclopentadienylzirconium(IV)) cation, preparation and structures of two salts of (W. Lasser, U. Thewalt), (311) 69
- Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
- Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19
- Halo(alkoxo)- and monocyclopentadienyl(halo)-alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329
- Hydrido zirconium-rhodium complex, $\text{Cp}_2\text{Zr}(\text{CH}_2\text{PPh}_2)_2\text{RhH}(\text{PPh}_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60
- Metallocene-chalcogen compounds, synthesis of [$(\eta\text{-C}_5\text{H}_4\text{R})_2\text{ZrTe}]_2$ complexes with a planar square metallacyclic squelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21
- Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
- Mono- η^5 -cyclopentadienyl-titanium(IV) and -zirconium(IV) complexes with one or two toluene-3,4-dithiolate ligands, synthesis of (H. Köpf, T. Klapötke), (307) 319
- Mono{octyltin(IV)} compounds, synthesis from 1-, 2-, or 3-octenes of (V.G. Kumar Das, O.G. Chee), (321) 335
- Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307
- Transition metal butadiene complexes, formation via vinyl lithium of (R. Beckhaus, K.-H. Thiele), (317) 23
- Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(III) compounds by (W.A. Herrmann, T. Cuenca, U. Küsthadt), (309) C15
- Zirconium and hafnium organometallic compounds, analysis and classification of crystallographic and structural data (*Review*) (C.E. Holloway, I.M. Walker, M. Melník), (321) 143
- Zirconium based homogeneous catalysts in organic synthesis (*Review*) (U.M. Dzhemilev, O.S. Vostrikova, G.A. Tolstikov), (304) 17
- Zirconocene and hafnocene dichlorides, electro-generation of Zr^{III} and Hf^{III} anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), (302) C7
- Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45
- Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320) 349
- Zirconocene bridged and unbridged alkyl derivatives, hydrogenolysis of (F. Wochner, H.H. Brintzinger), (309) 65

Book reviews

- A pictorial approach to molecular bonding; by J.G. Verkade (322) C41
- Ab initio molecular orbital theory; by W.J. Hehre, L. Random, P.v.R. Schleyer and J.A. Pople (J.N. Murrell), (309) C72
- Advances in heterocyclic chemistry, Vol. 39; edited by A.R. Katritzky (P.A. Chaloner), (323) C18
- Advances in organometallic chemistry, Vol. 24; edited by F.G.A. Stone and R. West (C. Eaborn), (310) C76
- Advances in organometallic chemistry, Vol. 25; edited by F.G.A. Stone and R. West (C. Eaborn), (323) C33
- An introduction to organometallic chemistry; by A.W. Parkins and R.C. Poller (M.F. Lappert), (321) C17
- Asymmetric synthesis. Vol. 2; Stereodifferentiating addition reactions, Part A; edited by J.D. Morrison (P.A. Chaloner), (304) C27
- Bond and structure models (Structure and bonding 63) (K.R. Seddon), (321) C18
- Carbocation chemistry; by P. Vogel (C. Eaborn), (304) C28
- Carbosilanes: Synthesis and reactions; by G. Fritz and E. Matern (C. Eaborn), (315) C40
- Catalysis science and technology, Vol. 7; edited by J.R. Anderson and M. Boudart (G.J. Leigh), (309) C36

- Catalytic hydrogenation; edited by L. Červený (P.A. Chaloner), (321) C33
- Chemistry of monoterpenes, an encyclopedic handbook, vol. A and B; by W.F. Erman (J.R. Hanson), (310) C75
- Chemistry of pseudohalides; edited by A.M. Golub, H. Köhler and V.V. Skopenko (C. Eaborn), (321) C21
- Clusters, structure and bonding 62 (K.R. Seddon), (319) C35
- Dictionary of organometallic compounds, First Supplement; edited by J.E. Mavintyre, Chapman and Hall (C. Eaborn), (306) C59
- Directory of Graduate Research 1985 (C. Eaborn), (306) C31
- Electrochemistry, Vol. 10; reported by D. Pletcher et al. (K.R. Seddon), (301) C40
- Fundamental and technological aspects of organo-f-element chemistry; edited by T.J. Marks and I.L. Fragalà (K.R. Seddon), (301) C38
- Gmelin handbook of inorganic chemistry, 8th edit., Cu, organocopper compounds, Part 1; by J. Faust, J. Füssel and H. Somer (C. Eaborn) (307) C63
- Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part A8, Ferrocene 8 (C. Eaborn), (317) C49
- Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B8, Mononuclear compounds 8; by A. Slawisch; edited by R. Froböse and A. Slawisch (M.F. Lappert), (323) C22
- Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B9, Mononuclear compounds 9 (K.R. Seddon), (317) C31
- Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B10, Mononuclear compounds 10 (K.R. Seddon), (317) C32
- Gmelin handbook of inorganic chemistry; 8th edit., Mo - molybdenum, Suppl. Vol. A2a: Element, Physical properties, Part I (K.R. Seddon), (311) C69
- Gmelin handbook of inorganic chemistry. 8th edit., Mo — molybdenum, Suppl. Vol. B4: Compounds — hydrous molybdates of Group VA to VIB metals (System Nos. 18–52) (K.R. Seddon), (310) C74
- Gmelin handbook of inorganic chemistry, 8th edit., Pt - Platinum, suppl. vol. A1, Technology of Platinum-Group metals (K.R. Seddon), (319) C58
- Gmelin handbook of inorganic chemistry, 8th ed., Sc, Y, La-Lu Rare earth elements, Part C9: Compounds with Se (K.R. Seddon), (315) C39
- Gmelin handbook of inorganic chemistry, 8th edit., Sc, Y, La-Lu rare earth elements, Part D4, Coordination compounds (continuation) (K.R. Seddon), (319) C36
- Gmelin handbook of inorganic chemistry, 8th ed., Sn—Organotin compounds, Part 12, Tri-propyltin- and tributyltin-oxygen compounds; by H. Schumann and I. Schumann (C. Eaborn) (304) C8
- Gmelin handbook of inorganic chemistry, Sn — organotin. Part 13. Other R_3Sn -oxygen compounds, $R_2R'Sn$ - and $RR'R''Sn$ -oxygen compounds (C. Eaborn), (323) C33
- Gmelin handbook of inorganic chemistry, 8th edit., Th — Thorium, Supplement Vol. A2, History, isotopes, recovery of thorium (K.R. Seddon), (320) C5
- Gmelin handbook of inorganic chemistry, 8th ed., Th—Thorium, Supplement vol. C5: Compounds with S, Se, Te, and B (K.R. Seddon), (309) C34
- Gmelin handbook of inorganic chemistry, 8th edition, U — Uranium, Supplement Vol. C5: Uranium dioxide, UO_2 , Physical properties, Electrochemical behaviour (K.R. Seddon), (309) C72
- Gmelin handbook of inorganic chemistry, 8th edit., Th—Thorium, Supplement Vol. D2, Solvent extraction (K.R. Seddon) (301) C65
- Handbook of coordination catalysis in organic chemistry; by P.A. Chaloner (D. Parker), (319) C37
- Handbook of heterocyclic chemistry; by A.R. Katritzky (D.W. Young), (309) C70
- Homogenous catalysis with compounds of rhodium and iridium; by R.S. Dickson (P.A. Chaloner), (301) C13
- Houben-Weyl Methoden der organischen Chemie, organische Schwefel-Verbindungen, 4th edition, Vol. E11, parts 1 and 2; edited by K. Klamann (P.A. Chaloner), (301) C42
- Houben-Weyl Methoden der organischen Chemie, Carbocyclische π -electronen-Systeme, 4th edition, Vol. V, part 2c; edited by H. Kropf (P.A. Chaloner), (309) C70
- Hydrogenation methods; by P.N. Rylander (P.A. Chaloner) (301) C67
- Inorganic high pressure chemistry: kinetics and mechanisms, Studies in inorganic chemistry 7; edited by R. van Eldik (K.R. Seddon), (323) C23
- Inorganic syntheses, Vol. 23; edited by S. Kirschner (K.R. Seddon), (301) C39
- Inorganic syntheses, Vol. 24; ed. by J.M. Shreeve et al. (C. Eaborn), (317) C48
- Landolt-Börnstein Group II Vol. 12b, Magnetic properties of coordination and organome-

- tallic transition metal compounds; by E. König and G. König (R.A. Jackson), (323) C21
- Landolt-Börnstein, Numerical data and functional relationships in science and technology. New series, Group II. Atomic and molecular physics, Supplement 4 (1973, 1974) to Vol. 12, Magnetic properties of coordination and organometallic transition metal compounds. Sub-Vol. b. Electron paramagnetic resonance; by E. König and G. König (C. Eaborn) (301) C38
- Landolt-Börnstein Group II Vol. 13e, Radical reaction rates in liquids, proton and electron transfer, biradicals; by J.K. Dohrmann, J.C. Scaiano and S. Steenken (R.A. Jackson), (323) C22
- Landolt-Börnstein, Numerical data and functional relationships in science and technology. New series, Group III, Vol. 10 (Eds. K.-H. Hellwege and A.M. Hellwege). Supplement to Vol. III/5, Structure data of organic sub-volume a: C₁...C₁₅ (C. Eaborn), (304) C9
- Lithium-current applications in science, medicine, and technology; edited by R.O. Bach (K.R. Seddon), (301) C14
- Magnetochemistry; by R.L. Carlin (K.R. Seddon), (309) C35
- Metal clusters in catalysis; edited by B.C. Gates, L. Guczi and H. Knözinger (P.A. Chaloner), (322) C27
- Metal ions in biological systems. Vol. 18. Circulation of metals in the environment; edited by H. Sigel (M.A.F. Smith), (301) C12
- Methoden der organischen Chemie (Houben-Weyl): Fourth completely new edit., Vol. 12, Part 9a; Metallorganische Verbindungen: Mn, Re, Fe, Ru, Os, Pt; edited by A. Signitz (J. Chatt), (325) C35
- Methods for the oxidation of organic compounds: alkanes, alkenes, alkynes and arenes; by A.H. Haines (P.A. Chaloner), (301) C41
- Organic photochemistry, Vol. 7; edited by A. Padwa (R.A. Jackson), (303) C56
- Organomercury compounds in organic synthesis; by R.C. Larock (P.A. Chaloner) (307) C10
- Organometallic chemistry reviews: annual surveys: Si, Sb, Bi, Mn, Tc, Re, heteronuclear complexes (J. Organomet. Chem. Library 17); edited by R.B. King and J.P. Oliver (P.D. Lickiss), (301) C15
- Organometallic intramolecular-coordination compounds; by I. Omae (M.F. Lappert) (319) C60
- Organometallic synthesis, Vol. 3; edited by R.B. King (J.D. Smith), (323) C18
- Organotitanium reagents in organic synthesis; by M.T. Reetz (P.A. Chaloner), (312) C47
- Organotransition metal chemistry; Fundamental concepts and applications; by A. Yamamoto (P.A. Chaloner), (317) C18
- Plain words; by Sir E. Gowers, revised edition by S. Greenbaum and J. Whitcut (C. Eaborn), (323) C55
- Schwingungsfrequenzen II: Nebengruppenelemente; by J. Weidlein, U. Müller and K. Dehncke (K.R. Seddon, M. Geissler), (311) C68
- Solvomercuration/demercuration reactions in organic synthesis; by R.C. Larock (P.A. Chaloner), (319) C19
- Spectroscopic properties of inorganic and organometallic compounds, Vol. 17; reported by G. Davidson and E.A.V. Ebsworth (C. Eaborn), (306) C58
- Stereochemistry of organometallic and inorganic compounds; edit. by I. Bernal (M.F. Lappert) (319) C59
- Supported metal complexes. A new generation of catalysts; by F.R. Hartley (P.A. Chaloner), (304) C10
- Syntheses of fluoroorganic compounds; edited by I.L. Knunyants and G.G. Yakobson (C. Eaborn), (308) C17
- Tailored metal catalysts; ed. by I. Iwasawa (Catalysis by Metal Complexes Series) (P.A. Chaloner), (317) C17
- The chemistry of the actinide elements, 2nd edition; edited by J.J. Katz, G.T. Seaborg and L.R. Morss (K.R. Seddon) (323) C20
- The chemistry of the metal-carbon bond, Vol. 3: Carbon-carbon bond formation using organometallic compounds; edited by F.R. Hartley and S. Patai (G.J. Leigh), (304) C7
- The chemist's English; by R. Schoenfeld (C. Eaborn), (323) C54
- The industrial uses of tin chemicals; by S.J. Blunden, D.A. Cusack and R. Hill (C. Eaborn), (314) C68
- The manipulation of air-sensitive compounds; by D.F. Shriver and M.A. Dreizzon (J.D. Smith), (321) C34
- The proton: applications to organic chemistry; by R. Stewart (C. Eaborn), (308) C27
- Topics in current chemistry, Vol. 130, Synthetic organic chemistry; edited by F.L. Boschke (P.A. Chaloner), (309) C74
- Topics in organic electrochemistry; edited by A.J. Fry and W.E. Britton, (K.R. Seddon), (316) C39
- Transition metal chemistry, Vol. 9; ed. by G.A. Melson and B.N. Figgis (K.R. Seddon, E.A. Seddon), (301) C66