

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 326 (1987)
SUBJECT INDEX
Aluminium

Alkyl-group 13 metal compounds, interaction with crown ethers of; synthesis and structure of $[\text{Ga}(\text{CH}_3)_3]_2[\text{dibenzo-18-crown-6}]$ and $[\text{Al}(\text{CH}_3)_3]_2[\text{dicyclohexano-18-crown-6}]$ (G.H. Robinson, W.E. Hunter, S.G. Bott, J.L. Atwood), (326)9

Polycyclic alumina-, lithia-, magnesia-, and sodia-silazanes with intra- and inter-molecular bonds (M. Veith, W. Frank, F. Töllner, H. Lange), (326)315

Antimony

trans- $\text{Br}(\text{CO})_2\text{L}_2\text{WCNEt}_2$ ($\text{L}_2 = 2,2'$ -bipyridyl-1,10-phenanthroline), structure of the reaction product with $[(\text{CO})_5\text{MEPh}_2]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{E} = \text{P}, \text{As}, \text{Sb}$) (A.C. Filippou, E.O. Fischer, H.G. Alt, U. Thewalt), (326)59

Arsenic

trans- $\text{Br}(\text{CO})_2\text{L}_2\text{WCNEt}_2$ ($\text{L}_2 = 2,2'$ -bipyridyl-1,10-phenanthroline), structure of the reaction product with $[(\text{CO})_5\text{MEPh}_2]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{E} = \text{P}, \text{As}, \text{Sb}$) (A.C. Filippou, E.O. Fischer, H.G. Alt, U. Thewalt), (326)59

Pentamethylcyclopentadienyl- and tributylphenyl-substituted diphosphenes and phospharsenes, synthesis of (P. Jutzi, U. Meyer), (326)C6

Boron

1,3-Di-*t*-butyl-2,4-dimethyl-1,3-diaza-2,4-diborolidine, synthesis and investigations of G. Schmid, D. Vehreschild-Yzermann, R. Boese), (326)307

Chromium

trans- $\text{Br}(\text{CO})_2\text{L}_2\text{WCNEt}_2$ ($\text{L}_2 = 2,2'$ -bipyridyl-1,10-phenanthroline), structure of the reaction product with $[(\text{CO})_5\text{MEPh}_2]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{E} = \text{P}, \text{As}, \text{Sb}$) (A.C. Filippou, E.O. Fischer, H.G. Alt, U. Thewalt), (326)59

Chromium, molybdenum and tungsten organometallic polymeric networks with aryldiisocyanide ligands (I. Feinstein-Jaffe, S.E. Maisuls), (326)C97

Di- and poly-nuclear transition metal complexes as catalysts for metal carbonyl-substitution reactions; role of supported metals and metal oxides as catalyst promoters (M.O. Alberts, N.J. Coville, E. Singleton), (326)229

Pentacarbonylchromium complexes, $\text{Cr}(\text{CO})_5\text{-PRH}_2$ ($\text{R} = \text{Ph}, \text{cyclohexyl}$), reactions with mercury(II) and silver(I) compounds of (D. Obendorf, P. Peringer, N. Müller, H. Falk), (326)375

Tetracarbonyl-chromium, -molybdenum and -tungsten complexes of dithioethers, steric influences on sulphur inversion barriers in (E.W. Abel, I. Moss, K.G. Orrell, C. Šik), (326)187

Cobalt

Alkyl- and aryl-mono- η^5 -cyclopentadienylphosphine-iron, -cobalt and -nickel compounds, preparation of (F. Scott, S. Cronjé, H.G. Raubenheimer), (326)C40

Arene-solvated cobalt atoms, cyclocotrimerisation of α, ω -dialkynes and nitriles to alkynylpyridines catalysed by (G. Vitulli, S. Bertozzi, M. Vignali, R. Lazzaroni, P. Salvadori), (326)C33

Cyclopentadienylcobalt neutral and cationic complexes, formation and reactions of (T. Avilés, F. Barroso, P. Royo), (326)423

Isonitrile-functionalised polymer supports as versatile ligands toward metal centres (B.

- Corain, M. Basato, P. Main, M. Zecca, R. De Pieri, R. Arshady), (326)C43
- (Norbornadiene)tris(trimethylphosphine)cobalt(I)tetraphenylborate complex, $[\text{Co}(\eta^4\text{-C}_7\text{H}_8)(\text{PMe}_3)_3]\text{BPh}_4$, crystal and molecular structure of (M. Dartiguenave, L.C. Ananias de Carvalho, Y. Dartiguenave, F. Bélanger-Gariépy, M. Simard, A.L. Beauchamp), (326)139
- Organocobaloximes, regiospecific reactions with *N*-halogeno compounds of (M.D. Johnson, G.M. Lampman, R.W. Koops, B.D. Gupta), (326)281
- Phenylenebis(salicylideneiminato)cobalt, electrochemical behaviour of (F. Bedioui, Y. Robin, J. Devynck, C. Bied-Charreton), (326)117
- $[\mu_4\text{-SiCo}(\text{CO})_4]_2\text{Co}_4(\text{CO})_{11}$, a carbonylcobalt cluster incorporating five-coordinate silicon (M. Van Tiel, K.M. Mackay, B.K. Nicholson), (326)C101
- Zirconoxycarbene complex, $\text{Cp}_2\overline{\text{Zr}(\text{C}_6\text{H}_4)\text{OC}=\text{Co}(\text{CO})(\eta\text{-C}_5\text{H}_4\text{X})}$, molecular structure and equilibration with $(\eta\text{-C}_5\text{H}_4\text{X})\text{Co}(\text{CO})_2/\text{Cp}_2\overline{\text{Zr}(\text{butadiene})}$ of (G. Erker, R. Lecht, C. Krüger, Y.-H. Tsay, H. Bönne-mann), (327)C75

Copper

- Isonitrile-functionalised polymer supports as versatile ligands toward metal centres (B. Corain, M. Basato, P. Main, M. Zecca, R. De Pieri, R. Arshady), (326)C43

Gallium

- Alkyl-group 13 metal compounds, interaction with crown ethers of; synthesis and structure of $[\text{Ga}(\text{CH}_3)_3]_2[\text{dibenzo-18-crown-6}]$ and $[\text{Al}(\text{CH}_3)_3]_2[\text{dicyclohexano-18-crown-6}]$ (G.H. Robinson, W.E. Hunter, S.G. Bott, J.L. Atwood), (326)9

Germanium

- Allylic and vinylic silanes, germanes, stannanes and plumbanes, reactivity towards $\text{S}_\text{H}2'$ or $\text{S}_\text{H}2$ substitution by carbon- or heteroatom-centered free radicals of (J.P. Light II, M. Ridenour, L. Beard, J.W. Hershberger), (326)17
- Benzoyltriethylgermane, Et_3GeCOPh , mechanism of photolysis of (M.B. Taraban, V.I. Maryasova, T.V. Leshina, L.I. Rybin, D.V. Gendin, N.S. Vyazankin), (326)347

Iridium

- Alkyl-, aryl- and *cis*-dihydrido-iridium complexes with $\text{P}(\text{CH}_2\text{CH}_2\text{PPh}_2)_3$, excellent precursors for activation of hydrocarbon C-H bonds (C. Bianchini, M. Peruzzini, F. Zanobini), (326)C79

Iron

- Alkyl- and aryl-mono- η^5 -cyclopentadienylphosphine-iron, -cobalt and -nickel compounds, preparation of (F. Scott, S. Cronjé, H.G. Raubenheimer), (326)C40
- $(\eta^6\text{-Arene})(\eta^5\text{-cyclopentadienyl})\text{iron(II)}$ salts, ^{57}Fe Mössbauer study of (A. Houlton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver, A.S. Wells), (326)217
- Bis(pentadienyl)-iron, -ruthenium and -osmium compounds, synthetic, structural and PE spectroscopic studies on; the role of the heavy metal in (L. Stahl, H. Ma, R.D. Ernst, I. Hyla-Kryspin, R. Gleiter, M.L. Ziegler), (326)257
- Bis- μ -(*S*-alkyl)hexacarbonyldiiron binuclear complexes, preparation by decarbonylation reactions of dithiocarbonates with nonacarbonyldiiron of (A. Lagadec, R. Dabard, A. Le Rouzic, H. Patin), (326)381
- Cycloheptatrienylvinylidene-iron, -ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, G.A. Koutsantonis, M.J. Liddell), (326)247
- Di- and poly-nuclear transition metal complexes as catalysts for metal carbonyl-substitution reactions; role of supported metals and metal oxides as catalyst promoters (M.O. Alberts, N.J. Coville, E. Singleton), (326)229
- $[(\text{PPh}_3)_2\text{PdFe}(\text{SC}_5\text{H}_4)_2] \cdot 0.5\text{C}_6\text{H}_5\text{CH}_3$, unusual heterobinuclear complex containing a weak Fe-Pd bond, structure of (M. Cowie, R.S. Dickson), (326)269
- 2-Trialkylsilylbutadienetetracarbonyliron complexes, Friedel-Crafts reactions of (M. Franck-Neumann, M. Sedrati, M. Mokhi), (326)389
- $(\eta^4\text{-Tropone})\text{tricarboxyliron}$, reactions with 4-phenyltriazoline-3,5-dione, sigmahaptotropic rearrangements involving nitrogen migration (Z. Goldschmidt, H.E. Gottlieb, A. Almadhoun), (326)405

Lanthanides

- Paramagnetism in organolanthanide complexes (*Review*) (W.J. Evans, M.A. Hozbor), (326)299

Lead

Allylic and vinylic silanes, germanes, stannanes and plumbanes, reactivity towards S_H2' or S_H2 substitution by carbon- or heteroatom-centered free radicals of (J.P. Light II, M. Ridenour, L. Beard, J.W. Hershberger), (326)17

Diphenylbis(isothiocyanato)bis(hexamethylphosphoramide)-tin(IV) and -lead(IV), crystal and molecular structures of (M. Onyszcuk, I. Wharf, M. Simard, A.L. Beauchamp), (326)25

Lithium

Alkyl lithium/potassium t-pentoxide systems, interaction with alkoxides of and lithium-potassium exchange in (L. Lochmann, J. Trekoval), (326)1

Polycyclic alumina-, lithia-, magnesia-, and sodia-silazanes with intra- and inter-molecular bonds (M. Veith, W. Frank, F. Töllner, H. Lange), (326)315

Pyridinyl disiloxanes and their bis-*N*-oxides, synthesis and characterisation of (M. Zeldin, J.-M. Xu, C.-X. Tian), (326)341

Magnesium

Magnesium iodide in diethyl ether and tetrahydrofuran, structural study of (A. Ericson, I. Persson), (326)151

Polycyclic alumina-, lithia-, magnesia-, and sodia-silazanes with intra- and inter-molecular bonds (M. Veith, W. Frank, F. Töllner, H. Lange), (326)315

Manganese

cis- and *trans*-Bis(diphenylphosphinomethane)-dicarbonylmanganese cations, crystal structures and their reactions with nucleophiles of (G.A. Carriedo, J.B. Parra Soto, V. Riera, M.L. Valín, D. Moreiras, X. Solans), (326)201

Manganese(I) cationic carbonyls, isomerisation with *N*-donor chelate ligands promoted by reduction of (F.J. García Alonso, V. Riera, M.L. Valín, D. Moreiras, M. Vivanco, X. Solans), (326)C71

Polymethylcyclopentadienylcarbonyl-transition metal complexes, mass spectra of $R_n-C_5H_5-nMn(CO)_3$ ($R = CH_3$, $n = 0-5$; $R = t-C(CH_3)_3$, $n = 1$) (I.R. Lyatifov, G.I.

Gulieva, E.I. Mysov, V.N. Babin, R.B. Materikova), (326)89

Mercury

Dimethyl(chloroalkyl)alkenylsilanes, aminomercuration-demercuration as a route to azasilacycloalkanes of (M.G. Voronkov, S.V. Kirpichenko, A.T. Abrosimova, A.I. Albanov, V.V. Keiko, V.I. Lavrentyev), (326)159

Pentacarbonylchromium complexes, $Cr(CO)_5-PRH_2$ ($R = Ph$, cyclohexyl), reactions with mercury(II) and silver(I) compounds of (D. Obendorf, P. Peringer, N. Müller, H. Falk), (326)375

Metalloenes

Alkyl- and aryl-mono- η^5 -cyclopentadienylphosphine-iron, -cobalt and -nickel compounds, preparation of (F. Scott, S. Cronjé, H.G. Raubenheimer), (326)C40

Bis(pentadienyl)-iron, -ruthenium and -osmium compounds, synthetic, structural and PE spectroscopic studies on; the role of the heavy metal in (L. Stahl, H. Ma, R.D. Ernst, I. Hyla-Kryspin, R. Gleiter, M.L. Ziegler), (326)257

Zirconoxycarbene complex, $Cp_2Zr(\overline{C_6H_4})(OC=)Co(CO)(\eta-C_5H_4X)$, molecular structure and equilibration with $(\eta-C_5H_4X)Co(CO)_2/Cp_2Zr(\text{butadiene})$ of (G. Erker, R. Lecht, C. Krüger, Y.-H. Tsay, H. Bönne-mann), (327)C75

Molybdenum

trans- $Br(CO)_2L_2WCNEt_2$ ($L_2 = 2,2'$ -bipyridyl-1,10-phenanthroline), structure of the reaction product with $[(CO)_5MEPh_2]^-$ ($M = Cr, Mo, W$; $E = P, As, Sb$) (A.C. Filippou, E.O. Fischer, H.G. Alt, U. Thewalt), (326)59

Chromium, molybdenum and tungsten organometallic polymeric networks with aryldiisocyanide ligands (I. Feinstein-Jaffe, S.E. Maisuls), (326)C97

Di- and poly-nuclear transition metal complexes as catalysts for metal carbonyl-substitution reactions; role of supported metals and metal oxides as catalyst promoters (M.O. Alberts, N.J. Coville, E. Singleton), (326)229

Isonitrile-functionalised polymer supports as versatile ligands toward metal centres (B. Corain, M. Basato, P. Main, M. Zecca, R. De

- Pieri, R. Arshady), (326)C43
 (1,2,7- η^3 -2-Methylbenzyl)(η^5 -cyclopentadienyl)-
 (dicarbonyl)molybdenum, mechanism of
 fluxionality of (B.E. Mann, S.D. Shaw),
 (326)C13
 Tetracarbonyl-chromium, -molybdenum and
 -tungsten complexes of dithioethers, steric in-
 fluences on sulphur inversion barriers in
 (E.W. Abel, I. Moss, K.G. Orrell, C. Šik),
 (326)187

Nickel

- Alkyl- and aryl-mono- η^5 -cyclopentadienylphos-
 phine-iron, -cobalt and -nickel compounds,
 preparation of (F. Scott, S. Cronjé, H.G.
 Raubenheimer), (326)C40
 Aminodiphosphinite ligands prepared with nickel
 catalysts, characterisation and applications of
 (A. Bendayan, H. Masotti, G. Peiffer, C. Siv,
 R. Faure), (326)289
 Isonitrile-functionalised polymer supports as
 versatile ligands toward metal centres (B.
 Corain, M. Basato, P. Main, M. Zecca, R. De
 Pieri, R. Arshady), (326)C43

Osmium

- Bis(pentadienyl)-iron, -ruthenium and -osmium
 compounds, synthetic, structural and PE
 spectroscopic studies on; the role of the heavy
 metal in (L. Stahl, H. Ma, R.D. Ernst, I.
 Hyla-Kryspin, R. Gleiter, M.L. Ziegler),
 (326)257
 Cycloheptatrienylvinylidene-iron, -ruthenium
 and -osmium complexes, preparation and
 properties of (M.I. Bruce, M.G. Humphrey,
 G.A. Koutsantonis, M.J. Liddell), (326)247

Palladium

- μ -Alkylidenepalladium complex, formation of
 malonate by double CO insertion into (B.
 Denise, D. Navarre, H. Rudler), (326)C83
 Aryl- and vinyl-tellurium compounds, carbonyla-
 tion with CO in the presence of palladium(II)
 salts of (K. Ohe, H. Takahashi, S. Uemura,
 N. Sugita), (326)35
 Cocyclotetramerisation of two alkynes with pal-
 ladacyclopentadiene as catalyst, formation of
 a cyclooctatetraene (H. tom Dieck, C. Munz,
 C. Müller), (326)C1
 Isonitrile-functionalised polymer supports as
 versatile ligands toward metal centres (B.
 Corain, M. Basato, P. Main, M. Zecca, R. De
 Pieri, R. Arshady), (326)C43

- "Palladium complexes-KF/alumina" catalysed
 exchange of allylic groups of esters with phen-
 ol (J. Muzart, J.-P. Genêt, A. Denis),
 (326)C23
 [(PPh₃)PdFe(SC₅H₄)₂] · 0.5C₆H₅CH₃, unusual
 heterobinuclear complex containing a weak
 Fe-Pd bond, structure of (M. Cowie, R.S.
 Dickson), (326)269

Phosphorus

- Alkenylruthenium complexes, [Ru(CO)Cl(R'C =
 CHR)(PPh₃)₂], insertion reactions with di-
 methyl acetylenedicarboxylate of; crystal
 structure of [Ru(CO)Cl(MeOCC = C(CO₂
 Me)CH = CHCMe₃)(PPh₃)₂] (M.R. Torres,
 A. Vegas, A. Santos, J. Ros), (326)413
 Alkyl- and aryl-mono- η^5 -cyclopentadienylphos-
 phine-iron, -cobalt and -nickel compounds,
 preparation of (F. Scott, S. Cronjé, H.G.
 Raubenheimer), (326)C40
 Alkyl-, aryl- and *cis*-dihydrido-iridium com-
 plexes with P(CH₂CH₂PPh₂)₃, excellent
 precursors for activation of hydrocarbon C-H
 bonds (C. Bianchini, M. Peruzzini, F.
 Zanobini), (326)C79
 Aminodiphosphinite ligands prepared with nickel
 catalysts, characterisation and applications of
 (A. Bendayan, H. Masotti, G. Peiffer, C. Siv,
 R. Faure), (326)289
cis- and *trans*-Bis(diphenylphosphinomethane)-
 dicarbonylmanganese cations, crystal struc-
 tures and their reactions with nucleophiles of
 (G.A. Carriedo, J.B. Parra Soto, V. Riera,
 M.L. Valín, D. Moreiras, X. Solans),
 (326)201
N,N-Bis(phosphinomethyl)- and *N*-phosphino-
 methyl-*N*-thiomethyl- α -amino unsymmetri-
 cally-substituted acids, synthesis of (K. Kell-
 ner, W. Hanke), (326)C9
trans-Br(CO)₂L₂WCNEt₂ (L₂ = 2,2'-bipyridyl-
 1,10-phenanthroline), structure of the reac-
 tion product with [(CO)₅MEPh₂]⁻ (M = Cr,
 Mo, W; E = P, As, Sb) (A.C. Filippou, E.O.
 Fischer, H.G. Alt, U. Thewalt), (326)59
 Cyclopentadienylruthenium complexes with
 cyclooctadiene ligands, ¹H, ¹³C and ³¹P stud-
 ies of; X-ray structure of [(η^5 -C₅H₅)Ru(η^4 -
 C₈H₈)(P(OCH₃)₃)]PF₆ (A.M. McNair, T.P.
 Gill, K.R. Mann), (326)99
 (*o*-Dimethylaminomethyl)phenyl- and (*o*-di-
 phenylphosphinomethyl)phenyl-stannylpenta-
 carbonyltungsten complexes, synthesis and
 structures of (H.-P. Abicht, K. Jurkschat, A.
 Tzschach, K. Peters, E.-M. Peters, H.G. von
 Schnering), (326)357
 (Diphenylphosphine)nonacarbonylhydridotriru-

- thenium, (H)Ru₃(CO)₉(μ-PPH₂), P-C bond activation, hydrogen migration and acetylene interconversion with Ph₂PC≡CR in; X-ray structure of Ru₃(CO)₉(μ-PPH₂)₂(μ₃-η²-HC≡CPh) (F. van Gestel, S.A. MacLaughlin, M. Lynch, A.J. Carty, E. Sappa, A. Tiripicchio, M. Tiripicchio Camellini), (326)C65
- Dodecacarbonyltetrahodium, comparison of face-capping vs. fragmentation with triphos, MeC(CH₂PPh₂)₃, and tripod, HC(PPh₂)₃ of; crystal structure of [(triphos)Rh(μ-CO)₂Rh(triphos)] (C. Allevi, M. Golding, B.T. Heaton, C.A. Ghilardi, S. Midollini, A. Orlandini), (326)C19
- (Norbornadiene)tris(trimethylphosphine)cobalt(I)tetraphenylborate complex, [Co(η⁴-C₇H₈)(PMe₃)₃]BPh₄, crystal and molecular structure of (M. Dartiguenave, L.C. Ananias de Carbalho, Y. Dartiguenave, F. Bélanger-Gariépy, M. Simard, A.L. Beauchamp), (326)139
- Pentacarbonylchromium complexes, Cr(CO)₅-PRH₂ (R = Ph, cyclohexyl), reactions with mercury(II) and silver(I) compounds of (D. Obendorf, P. Peringer, N. Müller, H. Falk), (326)375
- Pentamethylcyclopentadienyl- and tributylphenyl-substituted diphosphenes and phospharsenes, synthesis of (P. Jutzi, U. Meyer), (326)C6
- Platinum-silver clusters, synthesis and crystal structure of [Pt₃Ag(μ-CO)₃(PPh₃)₅]ClO₄·2H₂O (S. Bhaduri, K. Sharma, P.G. Jones, C.G. Erdbrügger), (326)C46
- [(PPh₃)₃PdFe(SC₅H₄)₂]·0.5C₆H₅CH₃, unusual heterobinuclear complex containing a weak Fe-Pd bond, structure of (M. Cowie, R.S. Dickson), (326)269
- ### Platinum
- Platinum-silver clusters, synthesis and crystal structure of [Pt₃Ag(μ-CO)₃(PPh₃)₅]ClO₄·2H₂O (S. Bhaduri, K. Sharma, P.G. Jones, C.G. Erdbrügger), (326)C46
- ### Potassium
- Alkylolithium/potassium t-pentoxide systems, interaction with alkoxides of and lithium potassium exchange in (L. Lochmann, J. Trekoval), (326)1
- ### Rhenium
- (CH₃)_nC₅H_{5-n}Re(CO)₃ homologues (n = 0-5), ¹⁷O, ¹³C, ¹H NMR and IR spectroscopic investigations of (I.R. Lyatifov, G.I. Gulieva, V.N. Babin, R.B. Materikova, P.V. Petrovskii, E.I. Fedin), (326)93
- Polymethylcyclopentadienylcarbonyl-transition metal complexes, mass spectra of R_nC₅H_{5-n}Re(CO)₃ (R = CH₃, n = 0-5; R = t-C(CH₃)₃, n = 1) (I.R. Lyatifov, G.I. Gulieva, E.K. Mysov, V.N. Babin, R.B. Materikova), (326)83
- (η⁵-Pyrrolyl)-transition metal complex, 1,2- and 1,2,5-substituted pyrroles from (J. Zakrzewski), (326)C17
- ### Rhodium
- 1,4-Dicyanobutene-bridged binuclear rhodium(I) complexes and their catalytic activities (H.-K. Park, I.B. Kim, C.S. Chin), (326)431
- Dodecacarbonyltetrahodium, comparison of face-capping vs. fragmentation with triphos, MeC(CH₂PPh₂)₃ and tripod, HC(PPh₂)₃ of; crystal structure of [(triphos)Rh(μ-CO)₂Rh(triphos)] (C. Allevi, M. Golding, B.T. Heaton, C.A. Ghilardi, S. Midollini, A. Orlandini), (326)C19
- Isonitrile-functionalised polymer supports as versatile ligands toward metal centres (B. Corain, M. Basato, P. Main, M. Zecca, R. De Pieri, R. Arshady), (326)C43
- ### Ruthenium
- Alkenylruthenium complexes, [Ru(CO)Cl(R'C = CHR)(PPh₃)₂], insertion reactions with dimethyl acetylenedicarboxylate of; crystal structure of [Ru(CO)Cl(MeOCC=C(CO₂-Me)CH=CHCMe₃)(PPh₃)₂] (M.R. Torres, A. Vegas, A. Santos, J. Ros), (326)413
- Bis(pentadienyl)-iron, -ruthenium and -osmium compounds, synthetic, structural and PE spectroscopic studies on; the role of the heavy metal in (L. Stahl, H. Ma, R.D. Ernst, I. Hyla-Kryspin, R. Gleiter, M.L. Ziegler), (326)257
- Cycloheptatrienylvinylidene-iron, -ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, G.A. Koutsantonis, M.J. Liddell), (326)247
- Cyclopentadienylruthenacyclopentatrienes, chemistry of; Co and RNC insertion reactions in [(η⁵-C₅H₅)Ru(C₄Ph₂H₂)Br]; crystal structure of [(η⁵-C₅H₅)Ru(η⁴-C₅Ph₂H₂NBu-t)Br] (M.O. Albers, D.J.A. De Waal, D.C. Liles, D.J. Robinson, E. Singleton), (326)C29
- Cyclopentadienylruthenium complexes with cyclooctadiene ligands, ¹H, ¹³C and ³¹P stud-

- ies of; X-ray structure of $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\eta^4\text{-C}_8\text{H}_8)(\text{P}(\text{OCH}_3)_3)]\text{PF}_6$ (A.M. McNair, T.P. Gill, K.R. Mann), (326)99
- (Diphenylphosphine)nonacarbonylhydridotri-ruthenium, $(\text{H})\text{Ru}_3(\text{CO})_9(\mu\text{-PPh}_2)$, P-C bond activation, hydrogen migration and acetylene interconversion with $\text{Ph}_2\text{PC}\equiv\text{CR}$ in; X-ray structure of $\text{Ru}_3(\text{CO})_9(\mu\text{-PPh}_2)_2(\mu_3\text{-}\eta^2\text{-HC}\equiv\text{CPh})$ (F. Van Gestel, S.A. MacLaughlin, M. Lynch, A.J. Carty, E. Sappa, A. Tiripicchio, M. Tiripicchio Camellini), (326)C65
- Isonitrile-functionalised polymer supports as versatile ligands toward metal centres (B. Corain, M. Basato, P. Main, M. Zecca, R. De Pieri, R. Arshady), (326)C43
- Selenium**
- Allylic and vinylic silanes, germanes, stannanes and plumbanes, reactivity towards $\text{S}_\text{H}2'$ or $\text{S}_\text{H}2$ substitution by carbon- of heteroatom-centered free radicals of (J.P. Light II, M. Ridenour, L. Beard, J.W. Hershberger), (326)17
- Silicon**
- Allylic and vinylic silanes, germanes, stannanes and plumbanes, reactivity towards $\text{S}_\text{H}2'$ or $\text{S}_\text{H}2$ substitution by carbon- or heteroatom-centered free radicals of (J.P. Light II, M. Ridenour, L. Beard, J.W. Hershberger), (326)17
- Bis- μ -(S-alkyl)hexacarbonyldiiron binuclear complexes, preparation by decarbonylation reactions of dithiocarbonates with nonacarbonyldiiron of (A. Lagadec, R. Dabard, A. Le Rouzic, H. Patin), (326)381
- Cocyclotramerisation of two alkynes with palladacyclopentadiene as catalyst, formation of a cyclooctatetraene (H. tom Dieck, C. Munz, C. Müller), (326)C1
- Dimethyl(chloroalkyl)alkenylsilanes, aminomercuration-demercuration as a route to azasilacycloalkanes of (M.G. Voronkov, S.V. Kirpichenko, A.T. Abrosimova, A.I. Albanov, V.V. Keiko, V.I. Lavrentyev), (326)159
- Iodotrimethylsilane generation in situ applied as a route to 1,3-(bis(trimethylsiloxy)-1,3-diene (O. Babot, P. Cazeau, F. Duboudin), (326)C57
- Pentamethylcyclopentadienyl- and tributylphenyl-substituted diphosphenes and phosphoarsenes, synthesis of (P. Jutzi, U. Meyer), (326)C6
- Pentamethyldisilyl radicals, dimethylsilylene as a product of self-reaction of? (J.A. Hawari, D. Griller, W.P. Weber, P.P. Gaspar), (326)335
- Polycyclic alumina-, lithia-, magnesia-, and sodia-silazanes with intra- and inter-molecular bonds (M. Veith, W. Frank, F. Töllner, H. Lange), (326)315
- Pyridinylsiloxanes and their bis-N-oxides, synthesis and characterisation of (M. Zeldin, J.-M. Xu, C.-X. Tian), (326)341
- $[\mu_4\text{-SiCo}(\text{CO})_4]_2\text{Co}_4(\text{CO})_{11}$, a carbonylcobalt cluster incorporating five-coordinate silicon (M. Van Tiel, K.M. Mackay, B.K. Nicholson), (326)C101
- 2-Trialkylsilylbutadienetricarbonyliron complexes, Friedel-Crafts reactions of (M. Franck-Neumann, M. Sedrati, M. Mokhi), (326)389
- Silver**
- Pentacarbonylchromium complexes, $\text{Cr}(\text{CO})_5\text{-PRH}_2$ (R = Ph, cyclohexyl), reactions with mercury(II) and silver(I) compounds of (D. Obendorf, P. Peringer, N. Müller, H. Falk), (326)375
- Platinum-silver clusters, synthesis and crystal structure of $[\text{Pt}_3\text{Ag}(\mu\text{-CO})_3(\text{PPh}_3)_5]\text{ClO}_4 \cdot 2\text{H}_2\text{O}$ (S. Bhaduri, K. Sharma, P.G. Jones, C.G. Erdbrügger), (326)C46
- Sulphur**
- N,N*-Bis(phosphinomethyl)- and *N*-phosphinomethyl-*N*-thiomethyl- α -amino unsymmetrically-substituted acids, synthesis of (K. Kellner, W. Hanke), (326)C9
- Bis- μ -(S-alkyl)hexacarbonyldiiron binuclear complexes, preparation by decarbonylation reactions of dithiocarbonates with nonacarbonyldiiron of (A. Lagadec, R. Dabard, A. Le Rouzic, H. Patin), (326)381
- Dicyclopentadienyluranium(IV) complexes containing tetrahydroborate, amido, pivalate and dithiocarbamate ligands (A.L. Arduini, J. Malito, J. Takats, E. Ciliberto, I. Fragala, P. Zanella), (326)49
- Diphenylbis(isothiocyanato)bis(hexamethylphosphoramidate)-tin(IV) and -lead(IV), crystal and molecular structures of (M. Onyszczuk, I. Wharf, M. Simard, A.L. Beauchamp), (326)25
- Organocobaloximes, regiospecific reactions with *N*-halogeno compounds of (M.D. Johnson,

- G.M. Lampman, R.W. Koops, B.D. Gupta), (326)281
- Organotin pentacoordination, polytopal dominance of square pyramidal geometry in; crystal structure of tribenzyl(2-thiolatopyridine-*N*-oxide)tin(IV) (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (326)C61
- $[(PPh_3)_2PdFe(SC_5H_4)_2] \cdot 0.5C_6H_5CH_3$ unusual heterobinuclear complex containing a weak Fe-Pd bond, structure of (M. Cowie, R.S. Dickson), (326)269
- Tetracarbonyl-chromium, -molybdenum and -tungsten complexes of dithioethers, steric influences on sulphur inversion barriers in (E.W. Abel, I. Moss, K.G. Orrell, C. Šik), (326)187

Tellurium

- Allylic and vinylic silanes, germanes, stannanes and plumbanes, reactivity towards S_H2' or S_H2 substitution by carbon- or heteroatom-centered free radicals or (J.P. Light II, M. Ridenour, L. Beard, J.W. Hershberger), (326)17
- Aryl- and vinyl-tellurium compounds, carbonylation with CO in the presence of palladium(II) salts of (K. Ohe, H. Takahashi, S. Uemura, N. Sugita), (326)35

Tin

- Acetate-bridged distannanes, $Ph_4Sn_2(X_3CCO_2)_2$ (X = H, Cl, F), comparison of bond distances, coupling constants and stretching vibrations in (S. Adams, M. Dräger, B. Mathiasch), (326)173
- Allylic and vinylic silanes, germanes, stannanes and plumbanes, reactivity towards S_H2' or S_H2 substitution by carbon- or heteroatom-centered free radicals of (J.P. Light II, M. Ridenour, L. Beard, J.W. Hershberger), (326)17
- 1,3-Di-*t*-butyl-2,4-dimethyl-1,3-diaza-2,4-diborolidine, synthesis and investigations of (G. Schmid, D. Vehreschild-Yzermann, R. Boese), (326)307
- Dichlorodimethylbis(pyrazole-*N,N'*)tin(IV), structure of (G. Valle, R. Ettore, V. Peruzzo, G. Plazzogna), (326)169
- (*o*-Dimethylaminomethyl)phenyl- and (*o*-diphenylphosphinomethyl)phenyl-stannylpentacarbonyltungsten complexes, synthesis and structures of (H.-P. Abicht, K. Jurkschat, A. Tzschach, K. Peters, E.-M. Peters, H.G. von Schnering), (326)357

- Diphenylbis(isothiocyanato)bis(hexamethylphosphoramide)-tin(IV) and -lead(IV), crystal and molecular structures of (M. Onyszchuk, I. Wharf, M. Simard, A.L. Beauchamp), (326)25
- Organotin pentacoordination, polytopal dominance of square pyramidal geometry in; crystal structure of tribenzyl(2-thiolatopyridine-*N*-oxide)tin(IV) (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (326)C61

Titanium

- Tetrakis[μ -terephthalatodi- η^5 -cyclopentadienyl]titanium(IV), an organotitanium macrocyclic complex, synthesis of (U. Thewalt, K. Döppert, T. Debaerdemaeker, G. Germain, V. Nastopoulos), (326)C37

Tungsten

- trans*-Br(CO) $_2$ L $_2$ WCNEt $_2$ (L $_2$ = 2,2'-bipyridyl-1,10-phenanthroline), structure of the reaction product with $[(CO)_5MEPh_2]^-$ (M = Cr, Mo, W; E = P, As, Sb) (A.C. Filippou, E.O. Fischer, H.G. Alt, U. Thewalt), (326)59
- Chromium, molybdenum and tungsten organometallic polymeric networks with aryldiisocyanide ligands (I. Feinstein-Jaffe, S.E. Maisuls), (326)C97
- Di- and poly-nuclear transition metal complexes as catalysts for metal carbonyl-substitution reactions; role of supported metals and metal oxides as catalyst promoters (M.O. Alberts, N.J. Coville, E. Singleton), (326)229
- (*o*-Dimethylaminomethyl)phenyl- and (*o*-diphenylphosphinomethyl)phenyl-stannylpentacarbonyltungsten complexes, synthesis and structures of (H.-P. Abicht, K. Jurkschat, A. Tzschach, K. Peters, E.-M. Peters, H.G. von Schnering), (326)357
- Tetracarbonyl-chromium, -molybdenum and -tungsten complexes of dithioethers, steric influences on sulphur inversion barriers in (E.W. Abel, I. Moss, K.G. Orrell, C. Šik), (326)187

Uranium

- Dicyclopentadienyluranium(IV) complexes containing tetrahydroborate, amido, pivalate and dithiocarbamate ligands (A.L. Arduini, J. Malito, J. Takats, E. Ciliberto, I. Fragala, P. Zanella), (326)49

Ytterbium

Ytterbium mixed ligand organometallics with cyclopentadienyl and β -diketonato chelate ligands, synthesis and disproportionation of (H. Ma, Z. Ye), (326)369

Zirconium

Zirconoxycarbene complex, $\text{Cp}_2\text{Zr}(\overline{\text{C}_6\text{H}_4})\text{O}=\text{C}=\text{Co}(\text{CO})(\eta\text{-C}_5\text{H}_4\text{X})$, molecular structure and equilibration with $(\eta\text{-C}_5\text{H}_4\text{X})\text{Co}(\text{CO})_2/\text{Cp}_2\text{Zr}(\text{butadiene})$ of (G. Erker, R. Lecht, C. Krüger, Y.-H. Tsay, H. Bönemann), (326)C75

Book reviews

Anorganische Synthesechemie — ein integriertes Praktikum; by B. Heyn, B. Hipler, G. Kreisler, H. Schreer and D. Walther (C.B. Aakeröy and K.R. Seddon), (326)C89

Asymmetric catalysis; edited by B. Bosnich (NATO ASI Series E: Applied sciences, No. 103) (P.A. Chaloner), (326)C55

Gmelin handbook of inorganic chemistry, Sb — Organoantimony compounds, Part 4, Compounds of pentavalent antimony with three Sb-C bonds (C. Eaborn), (326)C52

Gmelin handbook of inorganic chemistry, Si (a) Supplement Vol. B2, Silicon carbide, Part 1 (b) Supplement Vol. B3, Silicon carbide, Part 2 (C. Eaborn), (326)C51

Houben-Weyl Methoden der Organischen Chemie, Organo- π -Verbindungen als Hilfsmittel in der Organischen Chemie, 4th edition, Volume E18, parts 1 and 2; edited by J. Falbe (P.A. Chaloner), (326)C90

Infrared and Raman spectra of inorganic and coordination compounds; by K. Nakamoto, 4th edition (K.R. Seddon), (326)C92

Landolt-Börnstein, Numerical data and functional relationships in science and technology. New series. Group III, Vol. 10, Structure data of organic crystals. Subvol. b, C₁₆-C₁₆₈ (C. Eaborn), (326)C54

Metal clusters; edited by M. Moskovits (K. Wade), (326)C91

Metal ions in biological systems, Vol. 21: Applications of nuclear magnetic resonance to paramagnetic species; edited by H. Sigel (R.C. Bray), (326)C49

Organic syntheses by oxidation with metal compounds; edited by W.J. Mijs and C.R.H.I. de Jonge (P.A. Chaloner), (326)C52

Organometallic chemistry, Vol. 14; by E.W. Abel and F.G.A. Stone (M.F. Lappert), (326)C50

Organosilicon chemistry; by S. Pawlenko (C. Eaborn), (326)C86

Periodic table of the elements (C. Eaborn), (326)C54

Structural chemistry of boron and silicon (C. Eaborn), (326)C93

The periodic table of the elements; by R.J. Puddephatt and P.K. Monaghan (K.R. Seddon), (326)C88