

---

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 345 (1988)**


---

**SUBJECT INDEX****Aluminium**

Triethylaluminium,  $^{27}\text{Al}$  NMR determination of monomer proportion in solution of (Z. Černý, S. Heřmánek, J. Fusek, O. Kříž, B. Cásenský), (345) 1

**Boron**

Platinum complex catalysed carbonylative cross-coupling of alkyl iodides with sodium tetraphenylborate; synthesis of alkyl phenyl ketones (T. Kondo, Y. Tsuji, Y. Watanabe), (345) 397

Transition metal mediated homologation of  $\text{BH}_3 \cdot \text{THF}$ : synthesis and crystal structure of  $[\text{WH}_3(\text{PMe}_3)_3\text{B}_3\text{H}_8]$  (P.D. Grevenik, J.B. Leach, M.L.H. Green, N.M. Walker), (345) C31

**Chromium**

Binuclear dihalogenide cyclopentadienyl-*t*-butylate chromium(III) complexes, synthesis and molecular structure of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhator, O.G. Ellert, V.M. Novotortsev, S.B. Katser, A.S. Antyshkina, M.A. Porai-Koshits), (345) 97

Mono-hydro-bridged carbonyl complexes of early transition metals containing  $\eta^5\text{-C}_5\text{H}_5\text{Nb}(\text{CO})_3$  moiety (P. Oltmanns, D. Rehder), (345) 87

$(\text{RC}_3\text{H}_4)_2\text{Cr}_2(\mu_3\text{-S})_2(\mu_4\text{-S})\text{M}_2\text{L}_n$  clusters, (M = Co, Ni), effect of electronic structure on geometry of (I.L. Eremenko, A.A. Pasynskii, A.S. Katugin, B. Orazsakhator, V.L. Shirokii, V.E. Shklover, Yu.T. Struchkov), (345) 177

Transition metal coordinated thioaldehydes, selenoaldehydes and seleno ketones, kinetic investigations of (H. Fischer), (345) 65

**Cobalt**

Dicarbonylcarbyne-molybdenum and -tungsten stabilised by tridentate oxygen ligands (W. Kläui, H. Hamers), (345) 287

Dicarbonylnitrosyl-(5-diphenylphosphinouracil) cobalt(-I) · methanol(1/2), synthesis and X-ray structure of (J. Ellermann, E. Köck, H. Zimmermann, M. Gomm), (345) 167

Metal acylium mixed clusters, chemical and spectroscopic study of (M.F. D'Agostino, M. Mlekuz, M.J. McGlinchey), (345) 371

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405.

**Copper**

Saturated lithium organocuprates, reactions with  $\text{CH}_3(\text{CH}=\text{CH})_3\text{COCH}_3$  and with  $\text{CH}_3(\text{CH}=\text{CH})_3\text{COOC}_2\text{H}_5$  of (F. Barbot, A. Kadib-Elban, P. Miginiac), (345) 239

**Germanium**

Nickel halide reduction by magnesium, catalysation of cyclotrimerisation of alcyne by (P. Alphonse, F. Moyon, P. Mazerolles), (345) 209

Silyl- and germyl-ketenes, reaction with silyldiazomethanes of (G.S. Zaitseva, I.F. Lutsenko, A.V. Kisin, Yu.T. Baukov, J. Lorberth), (345) 253

Thiagermetane,  $\text{Me}_2\text{GeCH}_2\text{SCH}_2$ , dithiagermetane,  $\text{Me}_2\text{GeCH}_2\text{SSCH}_2$  and thiagermetane dioxide,  $\text{Me}_2\text{GeCH}_2\text{SO}_2\text{CH}_2$ , thermolysis, pyrolysis and photolysis of (J. Barrau, G. Rima, M. El-Amine, J. Satgé), (345) 39

**Gold**

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

**Iridium**

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

**Iron**

Acetylene-dicarbonylbis(trimethylphosphite)iron fragments, coordination and chemistry of (R. Birk, U. Grössmann, H.-U. Hund, H. Berke), (345) 321

$\pi$ -Areneiron, catalytic and stoichiometric reactions with alkynes of (A. Funhoff, H. Schäufler, U. Zenneck), (345) 331

$C_5Me_5MC_5Me_4CHAr^+$  (M = Ru, Os), synthesis and NMR study of; comparison with Fe-containing analogues of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva, P.V. Petrovskii), (345) 341

Diiron cationic  $\mu$ - $\eta^2$ -(C,O)-enolate complexes, metal-exchange reactions of (M. Akita, M. Terada, Y. Moro-oka), (345) C9

Diiron cationic  $\mu$ -vinylcarbyne complexes, addition of nucleophiles to; synthesis of functionalized diiron  $\mu$ -alkenylidene complexes (C.P. Casey, M.S. Konings, S.R. Marder), (345) 125

*cis*- and *trans*-Fe(CyNC)<sub>4</sub>(SPh)<sub>2</sub>, bis-thiolate precursors of (CyNC)<sub>4</sub>Fe(SPh)<sub>2</sub>Mo(CO)<sub>4</sub>, synthesis of (L.D. Rosenhein, J.W. McDonald), (345) 143

Nonamethylferrocenyl- and ferrocenyl-carbinols, IR spectra and X-ray single crystal study of hydrogen bonds and structure of (E.S. Shibuna, L.M. Epstein, A.T. Yanovsky, T.V. Timofeeva, Yu.T. Struchkov, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (345) 313

Tricarbonyl(cycloheptadienyl)iron(II) cation, steric and electronic influences on addition rate of pyridines to (T.I. Odiaka), (345) 135

**Lithium**

(Benzamidinato)uranium(IV) chloride, precursor for organoactinide complexes (M. Wedler, H.W. Roesky, F. Edelmann), (345) C1

**Manganese**

Monohydrido-bridged carbonyl complexes of early transition metals containing  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>Nb(CO)<sub>3</sub> moiety (P. Oltmanns, D. Rehder), (345) 87

**Mercury**

(2-Amino-5-nitrophenyl)platinum(II) complexes, synthesis and reactivity of (J. Vicente, J.A. Abad, F. Teruel, J. Garcia), (345) 233

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

Tetracarbonyl 2-carboxypicolinato- and 2-carboxyquinolinato-tungsten(0) anionic complexes, reactions with mercury(II) derivatives of (J.A. Campo, M. Cano, M.F. Perpiñan, A.E. Sánchez-Peláez), (345) 299

**Metalloenes**

$C_5Me_5MCC_5Me_5MC_5Me_4CHAr^+$  (M = Ru, Os), synthesis and NMR study of; comparison with Fe-containing analogues of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva, P.V. Petrovskii), (345) 341

Nonamethylferrocenyl- and ferrocenyl-carbinols, IR spectra and X-ray single crystal study of hydrogen bonds and structure of (E.S. Shibuna, L.M. Epstein, A.T. Yanovsky, T.V. Timofeeva, Yu.T. Struchkov, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (345) 313.

**Molybdenum**

Dicarbonylcarbyne-molybdenum and -tungsten stabilised by tridentate oxygen ligands (W. Kläui, H. Hamers), (345) 287

*cis*- and *trans*-Fe(CyNC)<sub>4</sub>(SPh)<sub>2</sub>, bis-thiolate precursors of (CyNC)<sub>4</sub>Fe(SPh)<sub>2</sub>Mo(CO)<sub>4</sub>, synthesis of (L.D. Rosenhein, J.W. McDonald), (345) 143

$M(C_5H_5)_2L$  complexes (M = Mo, W, Ti; L = C<sub>6</sub>H<sub>4</sub>O<sub>2</sub>, C<sub>10</sub>H<sub>6</sub>O<sub>2</sub>, C<sub>14</sub>H<sub>8</sub>O<sub>2</sub>), enthalpies of formation of (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva, A.R. Dias), (345) 105

Metal acylium mixed clusters, chemical and spectroscopic study of (M.F. D'Agostino, M. Mlekuz, M.J. McGlinchey), (345) 371

[Mo<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>4</sub>( $\mu$ -Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)], preparation and reactions of; crystal structure of [Mo<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>4</sub>( $\mu$ -H)( $\mu$ -Ph<sub>2</sub>PCH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>][Mo<sub>6</sub>O<sub>19</sub>] · 4C<sub>4</sub>H<sub>8</sub>O (V. Riera, M.A. Ruiz, F. Villafañe, Y. Jeannin, C. Bois), (345) C4

Monohydrido-bridged carbonyl complexes of early transition metals containing  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>Nb(CO)<sub>3</sub> moiety (P. Oltmanns, D. Rehder), (345) 87

Pentaalkylcyclopentadienyl(carbonyl)(nitrosyl)-(olefin)molybdenum complexes, preparation and chirality of (K.H. Dötz, C. Lyon, J. Rott), (345) 117

## Nickel

Metal acylium mixed clusters, chemical and spectroscopic study of (M.F. D'Agostino, M. Mlekuz, M.J. McGlinchey), (345) 371

Nickel halide reduction by magnesium, catalysation of cyclotrimerisation of alkynes by (P. Alphonse, F. Moyer, P. Mazerolles), (345) 209

Nickel(0)-induced CC coupling between CO<sub>2</sub> and 1,3-butadiene to C<sub>9</sub>-mono- and C<sub>18</sub>-dicarboxylic acids (H. Hoberg, Y. Peres, A. Milchereit, S. Gross), (345) C17

Organonickel complexes, reactions with activated alkynes of; crystal structure of *trans*-[NiBr(C(COOMe)=C(COOMe)(3,5-Cl<sub>2</sub>C<sub>6</sub>H<sub>3</sub>))(PPh<sub>3</sub>)<sub>2</sub>] (J. Hernández, G. Muller, M. Rocamora, X. Solans, M. Aguiló), (345) 383

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

## Niobium

Mono-hydrido-bridged carbonyl complexes of early transition metals containing η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>Nb(CO)<sub>3</sub> moiety (P. Oltmanns, D. Rehder), (345) 87

## Osmium

C<sub>5</sub>Me<sub>5</sub>MC<sub>5</sub>Me<sub>4</sub>CHAr<sup>+</sup> (M = Ru, Os), synthesis and NMR study of; comparison with Fe-containing analogues of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva, P.V. Petrovskii), (345) 341

*p*-Cymene-osmium(II) and -osmium(0) complexes as aromatic ligands, synthesis of (H. Werner, K. Zenkert), (345) 151

Ruthenium thio-ketene mono- and di-nuclear complexes, preparation and properties of (K. Seitz, U. Behrens), (345) 351

## Palladium

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

## Phosphorus

Acetylene-dicarbonylbis(trimethylphosphine) iron fragments, coordination and chemistry of (R. Birk, U. Grössmann, H.-U. Hund, H. Berke), (345) 321.

*cis*-Bis(phenyl)bis(ligand)platinum(II) *E*, *Z*-atropisomeric compounds, synthesis and isolation of (R. Baumgärtner, G. Schmidtberg, H.-A. Brune), (345) 221

*p*-Cymene-osmium(II) and -osmium(0) complexes as aromatic ligands, synthesis of (H. Werner, K. Zenkert), (345) 151

Dicarbonylnitrosyl-(5-diphenylphosphinouracil)-cobalt(-I) · methanol(1/2), synthesis and X-ray structure of (J. Ellermann, E. Köck, H. Zimmermann, M. Gomm), (345) 167

Dithiophosphate rhodium(III) complex formation from [(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>1</sup>-PSPPh<sub>2</sub>)RhPh<sub>2</sub>P<sup>+</sup>S<sup>-</sup>]; crystal structure of [(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>1</sup>-PSPPh<sub>2</sub>)RhPh<sub>2</sub>SP<sup>+</sup>S<sup>-</sup>] (M.T. Pinillos, M.P. Jauruta, D. Carmona, L.A. Oro, M.C. Apreada, C. Foces-Foces, F.H. Cano), (345) C13

[Mo<sub>2</sub>(η-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>4</sub>(η-Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)], preparation and reactions of; crystal structure of [Mo<sub>2</sub>(η-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>4</sub>(μ-H)(μ-Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>][Mo<sub>6</sub>O<sub>19</sub>] · 4C<sub>4</sub>H<sub>8</sub>O (V. Riera, M.A. Ruiz, F. Villafañá, Y. Jeannin, C. Bois), (345) C4

Mono-hydrido-bridged carbonyl complexes of early transition metals containing η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>Nb(CO)<sub>3</sub> moiety (P. Oltmanns, D. Rehder), (345) 87

Organonickel complexes, reactions with activated alkynes of; crystal structure of *trans*-[NiBr(C(COOMe)=C(COOMe)(3,5-Cl<sub>2</sub>C<sub>6</sub>H<sub>3</sub>))(PPh<sub>3</sub>)<sub>2</sub>] (J. Hernández, G. Muller, M. Rocamora, X. Solans, M. Aguiló), (345) 383

Organotin-containing phosphines, formation of (T.N. Mitchell, H.-J. Belt), (345) C28

Ruthenium thio-ketene mono- and di-nuclear complexes, preparation and properties of (K. Seitz, U. Behrens), (345) 351

Silyl- and germyl-ketenes, reaction with silyldiazomethanes of (G.S. Zaitseva, I.F. Lutsenko, A.V. Kisin, Yu.T. Baukov, J. Lorberth), (345) 253

Transition metal mediated homologation of BH<sub>3</sub> THF: synthesis and crystal structure of [WH<sub>3</sub>(PMe<sub>3</sub>)<sub>3</sub>B<sub>3</sub>H<sub>8</sub>] (P.D. Grevenik, J.B. Leach, M.L.H. Green, N.M. Walker), (345) C31

## Platinum

(2-Amino-5-nitrophenyl)platinum(II) complexes, synthesis and reactivity of (J. Vicente, J.A. Abad, F. Teruel, J. Garcia), (345) 233

*cis*-Bis(phenyl)bis(ligand)platinum(II) *E*, *Z*-atropisomeric compounds, synthesis and isolation of (R. Baumgärtner, G. Schmidtberg, H.-A. Brune), (345) 221

C-Nitroso-platinum complexes, <sup>13</sup>C NMR study of (A.S.F. Boyd, G. Browne, G.B. Gowenlock, P. McKenna), (345) 217

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

Platinum complex catalysed carbonylative cross-coupling of alkyl iodides with sodium tetraphenylborate; synthesis of alkyl phenyl ketones (T. Kondo, Y. Tsuji, Y. Watanabe), (345) 397

## Rhodium

Dithiophosphate rhodium(III) complex formation from  $[(\eta^5\text{-C}_5\text{Me}_5)(\eta^1\text{-PSPPh}_2)\text{RhPh}_2\text{P}\ddot{\text{S}}]$ ; crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_5)(\eta^1\text{-PSPPh}_2)\text{RhPh}_2\text{SP}\ddot{\text{S}}]$  (M.T. Pinillos, M.P. Jarauta, D. Carmona, L.A. Oro, M.C. Apreda, C. Foces-Foces, F.H. Cano), (345) C13

Rhodium-catalysed oxidation of organic compounds with *t*-butyl hydroperoxide (P. Müller, H. Idnoudmaz), (345) 187

Rhodium(I) dimers with salen as bridging ligand, reactivity of (A. Pasini, C. Caldirola, A. Colombo, M. Ghilotti), (345) 201

## Ruthenium

$\text{C}_5\text{Me}_5\text{MC}_5\text{Me}_4\text{CHAR}^+$  (M = Ru, Os), synthesis and NMR study of; comparison with Fe-containing analogues of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva, P.V. Petrovskii), (345) 341

Ruthenium thioetene mono- and di-nuclear complexes, preparation and properties of (K. Seitz, U. Behrens), (345) 351

## Selenium

Transition metal coordinated thioaldehydes, selenoaldehydes and seleno ketones, kinetic investigations of (H. Fischer), (345) 65

## Silicon

$\pi$ -Areneiron, catalytic and stoichiometric reactions with alkynes of (A. Funhoff, H. Schäufele, U. Zenneck), (345) 331

(Benzamidinato)uranium(IV) chloride, precursor for organoactinide complexes (M. Wedler, H.W. Roesky, F. Edelmann), (345) C1

Heteroarylhydrosilanes, reactions with dichlorocarbene under phase-transfer conditions of (E. Lukevics, R. Sturkovich, Yu. Goldberg, A. Gaukhman), (345) 19

Nickel halide reduction by magnesium, catalysation of cyclotrimerisation of alkynes by (P. Alphonse, F. Moyen, P. Mazcrolles), (345) 209

Oligoorganylsilsequioxanes, synthesis and properties of (T.N. Martynova, T.I. Chupakhina), (345) 11

Silyl- and germyl-ketenes, reaction with silyldiazomethanes of (G.S. Zaitseva, I.F. Lutsenko, A.V. Kisin, Yu.L. Baukov, J. Lorberth), (345) 253

$\alpha$ -Silylethers, electrochemical oxidation of; effects of silyl on oxidation potentials and reaction pathways (J.-i. Yoshida, T. Murata, S. Isoe), (345) C23

Triorganyl-, tetraorganyl-, organylorganoxy- and tetraorganoxy-silanes, thermochemistry of (M.G. Voronkov, V.A. Klychnikov, T.F. Danilova, V.I. Pepekin, A.N. Korchagina, Yu.I. Khudobin, V.P. Baryshok), (345) 27

## Silver

Pentafluorophenyl group distortion in metal complexes, limitations of rigid-body refinement (P.G. Jones), (345) 405

## Sulphur

Diamagnetic trigonal-bipyramidal cluster,  $(\pi\text{-MeC}_5\text{H}_4)_5\text{V}_5(\mu_3\text{-S})_6$ , synthesis and molecular structure of (I.L. Eremenko, A.S. Katugin, A.A. Pasynskii, Yu.T. Struchkov, V.E. Shklover), (345) 79

Dithiophosphate rhodium(III) complex formation from  $[(\eta^5\text{-C}_5\text{Me}_5)(\eta^1\text{-PSPPh}_2)\text{RhPh}_2\text{P}\ddot{\text{S}}]$ ; crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_5)(\eta^1\text{-PSPPh}_2)\text{RhPh}_2\text{SP}\ddot{\text{S}}]$  (M.T. Pinillos, M.P. Jarauta, D. Carmona, L.A. Oro, M.C. Apreda, C. Foces-Foces, F.H. Cano), (345) C13

*cis*- and *trans*- $\text{Fe}(\text{CyNC})_4(\text{SPh})_2$ , bis-thiolate precursors of  $(\text{CyNC})_4\text{Fe}(\text{SPh})_2\text{Mo}(\text{CO})_4$ , synthesis of (L.D. Rosenhein, J.W. McDonald), (345) 143

$(\text{RC}_5\text{H}_4)_2\text{Cr}(\mu_3\text{-S})_2(\mu_4\text{-S})\text{M}_2\text{L}_n$  clusters, (M = CO, Ni), effect of electronic structure on geometry of (I.L. Eremenko, A.A. Pasynskii, A.S. Katugin, B. Orasakhatov, V.L. Shirokii, V.E. Shklover, Yu.T. Struchkov), (345) 177

Thiagermetane,  $\text{Me}_2\text{GeCH}_2\text{SCH}_2$ , dithiagermetolane,  $\text{Me}_2\text{GeCH}_2\text{SSCH}_2$  and thiagermetane dioxide,  $\text{Me}_2\text{GeCH}_2\text{SO}_2\text{CH}_2$  thermolysis, pyrolysis and photolysis of (J. Barrau, G. Rima, M. El-Amine, J. Satgé), (345) 39

Transition metal coordinated thioaldehydes, selenoaldehydes and seleno ketones, kinetic investigations of (H. Fischer), (345) 65

## Tin

Carboxylate-bridged triorganotin(IV)-carboxylate polymers, repeat distance in (S.W. Ng, C. Wei, V.G. Kumar Das), (345) 59

Organotin-containing phosphines, formation of (T.N. Mitchell, H.-J. Belt), (345) C28

Triorganotin(IV) derivatives of *N*-acetyl-L-phenylalanine and *N*-acetyl-L-phenylalanyl-glycine, preparation, IR and  $^{13}\text{C}$  and  $^{119}\text{Sn}$  NMR of (G.K. Sandhu, G. Kaur, J. Holeček, A. Lyčka), (345) 51

## Titanium

$\text{M}(\text{C}_5\text{H}_5)_2\text{L}$  complexes (M = Mo, W, Ti; L =  $\text{C}_6\text{H}_4\text{O}_2$ ,  $\text{C}_{10}\text{H}_6\text{O}_2$ ), enthalpies of formation of (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva, A.R. Dias), (345) 105

Methyltitanium complexes, analysis by paired interacting orbitals of (A. Shiga, J. Kojima, T. Sasaki, Y. Kikuzono), (345) 275

## Tungsten

Dicarbonylcarbyne-molybdenum and -tungsten stabilised by tridentate oxygen ligands (W. Kläui, H. Hamers), (345) 287

$\text{M}(\text{C}_5\text{H}_5)_2\text{L}$  complexes (M = Mo, W, Ti; L =  $\text{C}_6\text{H}_4\text{O}_2$ ,  $\text{C}_{10}\text{H}_6\text{O}_2$ ), enthalpies of formation of (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva, A.R. Dias), (345) 105

Monohydrido-bridged carbonyl complexes of early transition metals containing  $\eta^5\text{-C}_5\text{H}_5\text{Nb}(\text{CO})_3$  moiety (P. Oltmanns, D. Rehder), (345) 87

Tetracarbonyl 2-carboxypicolinato- and 2-carboxyquinolinato-tungsten(0) anionic complexes, reactions with mercury(II) derivatives of (J.A. Campo, M. Cano, M.F. Perpiñan, A.E. Sánchez-Peláez), (345) 299

Transition metal coordinated thioaldehydes, selenoaldehydes and seleno ketones, kinetic investigations of (H. Fischer), (345) 65

Transition metal mediated homologation of  $\text{BH}_3 \cdot \text{THF}$ : synthesis and crystal structure of

$[\text{WH}_3(\text{PMe}_3)_3\text{B}_3\text{H}_8]$  (P.D. Grevenik, J.B. Leach, M.L.H. Green, N.M. Walker), (345) C31

## Uranium

(Benzamidinato)uranium(IV) chloride, precursor for organoactinide complexes (M. Wedler, H.W. Roesky, F. Edelmann), (345) C1

Heptacoordinate acetylacetonateuranium(IV) complexes, synthesis, crystal structure and ligand exchange reactions of (C. Baudin, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner),

## Vanadium

Diamagnetic trigonal-bipyramidal cluster, ( $\pi\text{-MeC}_5\text{H}_4$ ) $_5\text{V}_5(\mu_3\text{-S})_6$ , synthesis and molecular structure of (I.L. Eremenko, A.S. Katugin, A.A. Pasynskii, Yu.T. Struchkov, V.E. Shklover), (345) 79

Monohydrido-bridged carbonyl complexes of early transition metals containing  $\eta^5\text{-C}_5\text{H}_5\text{Nb}(\text{CO})_3$  moiety (P. Oltmanns, D. Rehder), (345) 87

## Zinc

Zinc dihydride, reactions with donor molecules containing acidic hydrogen atoms (N.A. Bell, A.L. Kassyk), (345) 245

## Book reviews

Landolt-Börnstein, Numerical data and functional relationships in science and technology. New series, Group II, Vol. 17, Subvolume a, Magnetic properties of free radicals; edit. by H. Fischer (R.A. Jackson), (345) C20

Landolt-Börnstein, Numerical data and functional relationships in science and technology. New series, Group II, Vol. 17, Subvolume b, Magnetic properties of free radicals: Non-conjugated carbon-centred radicals; edit. by H. Fischer (R.A. Jackson), (345) C20

Silicon and silicones; by R.G. Rochow (C. Eaborn), (345) C35C37 C38 C39 C40