

---

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 349 (1988)**


---

**SUBJECT INDEX****Aluminium**

Alkali metal- $\mu_3$ -hydridotetraethenedinickel(0) complexes, formation and properties of (K.R. Pörschke, G. Wilke), (349) 257

**Boron**

Mono-cyclopentadienyl- and hydrido-uranium(IV) complexes,  $(\eta\text{-C}_5\text{H}_5)\text{U}(\text{CH}_3)_3$  and  $(\text{CH}_3\text{OCH}_2\text{CH}_2\text{OCH}_3)\text{U}(\text{BH}_4)_3\text{H}$ , synthesis of (D. Baudry, M. Ephritikhine), (349) 123  
 $\text{Ru}_3(\text{CO})_9\text{BH}_5$ ; preparation of, the metal-rich ruthenaborane a case of isomerisation involving *endo*-hydrogen migration (A.K. Chipperfield, C.E. Housecroft) (349) C17  
 1,1,4,4-Tetramethyl-1,4-diazonia-2,5-diborata-cyclohexane, chemistry of (N.E. Miller, D.L. Reznicek), (349) 11

**Chromium**

$\eta^6, \eta^6$ -Bis(tricarbonylchromium)fluorene and the corresponding carbanion,  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy of (A. Cecon, A. Gambaro, A. Venzo, V. Lucchini, T.E. Bitterwolf, J. Shade), (349) 315  
 $(\text{C}_5\text{R}_5)_2\text{M}_2(\text{CO})_4$  (R = H, Me; M = Cr, Mo, W), reactivity of the  $\text{M}\equiv\text{M}$  bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323  
 Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.0]<sup>1,5</sup>octanechromium(0) · pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

**Cobalt**

$\text{CS}_2\text{W}$  complexes, activated addition of alkynes to and formation of tetrahedral methylidyne-dicobalttungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

Dioxanymethyldiorganylphosphanes, selectivity in hydrocarbonylation of methanol under formation of acetaldehyde and acetic acid (E. Lindner, A. Sickinger, P. Wegner), (349) 75

**Germanium**

Monoorganylgermanium trichlorides, chalcogenolysis of sesquioxides (H. Puff, K. Braun, S. Franken, T.R. Kök, W. Schuh), (349) 293  
 Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

**Iron**

Acyliiron complex,  $\text{CpFe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2\text{-CHCHCOOCOCHCHRCH=CH})$ , synthesis, characterization and molecular structure of (G.-H. Lee, S.-M. Peng, S.-F. Lush, R.-S. Liu), (349) 219  
 Trimethylphosphine complexes of iron(III) tetraphenylporphyrin;  $^1\text{H}$  NMR the electronic effect in paramagnetic haems (G. Simonneaux, P. Sodano), (349) C11

**Lithium**

Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of  $(\text{C}_5\text{Me}_5)_2\text{Lu}(\mu\text{-S}^1\text{C}_4\text{H}_9)_2\text{Li}(\text{THF})_2$  and  $(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-SeC}_6\text{H}_5)_2\text{Li}(\text{THF})_2$  (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103  
 2,6-Dimethoxyphenyllithium, crystal and molecular structure of (H. Dietrich, W. Mahdi, W. Storck), (349) 1

**Lutetium**

Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of  $(\text{C}_5\text{Me}_5)_2\text{Lu}(\mu\text{-S}^1\text{C}_4\text{H}_9)_2\text{Li}(\text{THF})_2$  and  $(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-SeC}_6\text{H}_5)_2\text{Li}(\text{THF})_2$  (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103

## Manganese

*ortho*-Manganation of *N*-acyl heteroaromatics, benzamides and substituted benzaldehydes; crystal structure of ( $\eta^2$ -*O*,*C*-1-acetyl-2-indoyl)tetracarbonylmanganese (N.P. Robinson, L. Main, B.K. Nicholson), (349) 209

*ortho*-Manganation of substituted acetophenones and heteroaromatic methyl ketones; crystal structures of cyclometallated acetylthiophene derivatives from (J.M. Cooney, L.H.P. Gommans, L. Main, B.K. Nicholson), (349) 197

## Metalloenes

Dicyclopentadienylethylenetitanium,  $Cp_2TiC_2H_4$ ; formation and reactivity of; crystal structure of  $(Cp_2TiEt)_2O$  (H.G. Alt, K.-H. Schwind, M.D. Rausch, U. Thewalt), (349) C7

Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

## Molybdenum

Bis(pentacarbonylmolybdenum) complexes, synthesis and NMR spectroscopic characterisation of; structure of  $(CO)_5Mo(\mu-Ph_2POP(OCH_2CMe_2CH_2O))Mo(CO)_5$  (G.M. Gray, W. Watt), (349) 149

$(C_5R_5)_2M_2(CO)_4$  (R = H, Me; M = Cr, Mo, W), reactivity of the  $M\equiv M$  bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

(Pentamethylcyclopentadienyl)molybdenum cationic complexes, improved synthesis and characterisation of (A. Asdar, M.-J. Tudoret, C. Lapinte), (349) 353

## Nickel

Alkali metal- $\mu_3$ -hydridotetraethenedinickel(0) complexes, formation and properties of (K.R. Pörschke, G. Wilke), (349) 257

## Osmium

*t*-Butyl isocyanide and homoleptic cations  $[M(CNCMe_3)_6]^{n+}$  (M = Re,  $n = 1$ ; M = Ru, Os,  $n = 2$ ), as their hexafluorophosphate salts, vibrational spectra of (D.A. Edwards, S.M. Tetrick, R.A. Walton), (349) 383

## Palladium

Bis- $\eta^3$ -allylpalladium, reaction with cyano olefins of, reductive coupling of allyl groups in the presence of triphenylphosphine (R. Bertani, A. Berton, G. Carturan, R. Camprostrini), (349) 263

$\eta^3$ -Allylpalladium complexes; mechanism of amination of an exploratory kinetic study (A. Vitagliano, B. Åkermark) (349) C22

*cis*- $[Pd_4(\mu-X)_4\{\mu-C(C_6F_5)=NMe\}_4$  (X = Cl, Br, I), reactivity towards neutral bidentate ligands of (R. Usón, J. Forniés, P. Espinet, E. Lalinde), (349) 269

## Phosphorus

Acyliron complex,  $CpFe(CO)(PPh_3)(COCH_2-CHCHCOOCOCHCHRCH=CH)$ , synthesis, characterization and molecular structure of (G.-H. Lee, S.-M. Peng, S.-F. Lush, R.-S. Liu), (349) 219

Alkali metal- $\mu_3$ -hydridotetraethenedinickel(0) complexes, formation and properties of (K.R. Pörschke, G. Wilke), (349) 257

$\eta^3$ -Allyl-PtP( $C_6H_5$ )<sub>3</sub>Cl, gas-phase ion-molecule reaction with  $SnCl_2$  of (M. Grassi, A. Musco, B. Pelli, P. Traldi), (349) 277

Bis- $\eta^3$ -allylpalladium, reaction with cyano olefins of, reductive coupling of allyl groups in the presence of triphenylphosphine (R. Bertani, A. Berton, G. Carturan, R. Camprostrini), (349) 263

Bis(pentacarbonylmolybdenum) complexes, synthesis and NMR spectroscopic characterisation of; structure of  $(CO)_5Mo(\mu-Ph_2POP(OCH_2CMe_2CH_2O))Mo(CO)_5$  (G.M. Gray, W. Watt), (349) 149

$CS_2W$  complexes, activated addition of alkynes to and formation of tetrahedral methylidyne-dicobaltungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

$CS_2W$  complexes, electrophilic and nucleophilic attack on (W.A. Schenk, D. Kuemmerle, T. Schwietzke), (349) 163

Di-*t*-butylbenzoquinonetricarbonyltriphenylphosphinerhenium radical,  $dtbq^{\cdot-}Re(CO)_3PPh_3$ , structure of (C.P. Cheng, S.R. Wang, J.C. Lin, S.-L. Wang), (349) 375

Dicarbonyl( $\eta^5$ -cyclopentadienyl)tolylcarbonyne-tungsten, reaction with dimethylchlorophosphine; CC coupling of (M. Wolfgruber, F.R. Kreissl), (349) C4

- Dioxanylmethyldiorganylphosphanes, selectivity in hydrocarbonylation of methanol under formation of acetaldehyde and acetic acid (E. Lindner, A. Sickinger, P. Wegner), (349) 75
- Di-rhodium(I) and tri-rhodium(I) complexes with bridging bis(dimethylphosphinomethyl)methylphosphine, preparation and crystal structure of (A.L. Balch, D.E. Oram), (349) 245
- Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.0]<sup>1,5</sup>octanechromium(0)·pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143
- (Pentamethylcyclopentadienyl)molybdenum cationic complexes, improved synthesis and characterisation of (A. Asdar, M.-J. Tudoret, C. Lapinte), (349) 353
- Ph<sub>2</sub>Te(S<sub>2</sub>P(OEt)<sub>2</sub>)<sub>2</sub> and two modifications of Ph<sub>2</sub>Te(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>, crystal structures of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 305
- Trimethylphosphine complexes of iron(III) tetraphenylporphyrin; <sup>1</sup>H NMR the electronic effect in paramagnetic haems (G. Simonneaux, P. Sodano), (349) C11
- Triruthenium dodecacarbonyl, reaction with bis(dimethylphosphino)methane, bis(diphenylphosphino)methane and bis(diphenylphosphino)ethylamine under photochemical conditions of (D.W. Engel, K.G. Moodley, L. Subramony, R.J. Haines), (349) 393

## Platinum

- $\eta^3$ -Allyl-PtP(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>Cl, gas-phase ion-molecule reaction with SnCl<sub>2</sub> of (M. Grassi, A. Musco, B. Pelli, P. Traldi), (349) 277

## Rhenium

- t*-Butyl isocyanide and homoleptic cations [M(CNCMe<sub>3</sub>)<sub>6</sub>]<sup>n+</sup> (M = Re, *n* = 1; M = Ru, Os, *n* = 2), as their hexafluorophosphate salts, vibrational spectra of (D.A. Edwards, S.M. Tetrack, R.A. Walton), (349) 383
- Di-*t*-butylbenzoquinonetri carbonyltriphenylphosphinerhenium radical, dtbq<sup>-</sup>·Re(CO)<sub>3</sub>PPh<sub>3</sub>, structure of (C.P. Cheng, S.R. Wang, J.C. Lin, S.-L. Wang), (349) 375

## Rhodium

- ( $\eta$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Rh<sub>2</sub>(CO)(CF<sub>3</sub>C<sub>2</sub>CF<sub>3</sub>), addition of terminal alkynes to; formation of bridging carbonylcyclobutenyl intermediates ( $\eta$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Rh<sub>2</sub>( $\mu$ -CO){ $\eta^1, \eta^3$ -C<sub>4</sub>(CF<sub>3</sub>)<sub>2</sub>HR}

and their conversion to binuclear metal-ladiene complexes (R.S. Dickson, F.I. McLure, R.J. Nesbit), (349) 413

- Di-rhodium(I) and tri-rhodium(I) complexes with bridging bis(dimethylphosphinomethyl)methylphosphine, preparation and crystal structure of (A.L. Balch, D.E. Oram), (349) 245

## Ruthenium

- t*-Butyl isocyanide and homoleptic cations [M(CNCMe<sub>3</sub>)<sub>6</sub>]<sup>n+</sup> (M = Re, *n* = 1; M = Ru, Os, *n* = 2), as their hexafluorophosphate salts, vibrational spectra of (D.A. Edwards, S.M. Tetrack, R.A. Walton), (349) 383
- Isocyanideruthenium(II) complexes, photochemistry of (L.L. Costanzo, S. Giuffrida, G. De Guidi, G. Condorelli), (349) 235
- Trimethylsilylmethyl-transition metal bond, unprecedented reaction mode of (K. Itoh, T. Fukahori), (349) 227
- Triruthenium dodecacarbonyl, reaction with bis(dimethylphosphino)methane, bis(diphenylphosphino)methane and bis(diphenylphosphino)ethylamine under photochemical conditions of (D.W. Engel, K.G. Moodley, L. Subramony, R.J. Haines), (349) 393
- [Ru( $\eta$ -C<sub>6</sub>H<sub>6</sub>)Cl(O<sub>2</sub>CCF<sub>3</sub>)], reactions with  $\alpha$ -pyridone and related ligands of; X-ray crystal structure of [Ru( $\eta$ -C<sub>6</sub>H<sub>6</sub>)Cl(C<sub>6</sub>H<sub>6</sub>-NO)] (E.C. Morrison, C.A. Palmer, D.A. Tocher), (349) 405
- Ru<sub>3</sub>(CO)<sub>9</sub>BH<sub>5</sub>; preparation of, the metal-rich ruthenaborane a case of isomerisation involving *endo*-hydrogen migration (A.K. Chipperfield, C.E. Housecroft) (349) C17

## Samarium

- [Li(dme)<sub>3</sub>]{[(C<sub>3</sub>H<sub>5</sub>)<sub>3</sub>Sm]<sub>2</sub>( $\mu$ -N<sub>3</sub>)}, synthesis and X-ray spectral analysis of (H. Schumann, C. Janiak, J. Pickardt), (349) 117

## Selenium

- (C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>M<sub>2</sub>(CO)<sub>4</sub> (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323
- Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of (C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>Lu( $\mu$ -S<sup>t</sup>C<sub>4</sub>H<sub>9</sub>)<sub>2</sub>Li(THF)<sub>2</sub> and (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Lu( $\mu$ -SeC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>Li(THF)<sub>2</sub>. (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103

## Silicon

- Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285
- 1-Phenyl-2,8,9-triazasilatrane, crystal and molecular structure of (A.A. Macharashvili, V.E. Shklover, Yu.T. Struchkov, A. Lapsina, G. Zelčans, E. Lukevics), (349) 23
- (PhMe<sub>2</sub>Si)<sub>3</sub>CSiMe<sub>3</sub>N=N=C(Me)N=N, crystal structure and formation from (PhMe<sub>2</sub>-Si)<sub>3</sub>CSiMe<sub>2</sub>I of (A. Alvanipour, N.H. Buttrus, C. Eaborn, P.B. Hitchcock, A.I. Mansour, A.K. Saxena), (349) 29
- 1,1,3,3-Tetramethyl-1,3-cyclodisiloxane in the gas phase, mass spectrometric evidence for the formation of (J. Tamás, Á. Gömöry, I. Besenyey, O.M. Nefedov, V.N. Khabashesku, Z.A. Kerzina, N.D. Kagramanov, A.K. Maltsev), (349) 37
- Trimethylsilylmethyl-transition metal bond, unprecedented reaction mode of (K. Itoh, T. Fukahori), (349) 227
- Vinylidene heterocyclic compounds, preparation from heterocyclic organosilicon compounds containing two heteroatoms (D. Damour, J. Pornet, L. Miginiac), (349) 43

## Sulphur

- (C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>M<sub>2</sub>(CO)<sub>4</sub> (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323
- CS<sub>2</sub>W complexes, activated addition of alkynes to and formation of tetrahedral methylidyne-dicobaltungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183
- CS<sub>2</sub>W complexes, electrophilic and nucleophilic attack on (W.A. Schenk, D. Kuemmerle, T. Schwietzke), (349) 163
- Dicyclopentadienyllutetium alkoxides, thiolates and selenolates, preparation of; crystal structures of (C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>Lu(μ-S<sup>14</sup>C<sub>4</sub>H<sub>9</sub>)<sub>2</sub>Li(THF)<sub>2</sub> and (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Lu(μ-SeC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>Li(THF)<sub>2</sub> (H. Schumann, I. Albrecht, M. Gallagher, E. Hahn, C. Muchmore, J. Pickardt), (349) 103
- ortho*-Manganation of substituted acetophenones and heteroaromatic methyl ketones; crystal structures of cyclometallated acetylthiophene derivatives from (J.M. Cooney, L.H.P. Gommans, L. Main, B.K. Nicholson), (349) 197
- Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.0<sup>1,5</sup>]octanechromium(0)·pyridine, crystal structure of (K. Jurkschat,

A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

Pentamethylcyclopentadienyloxopentasilphidovanadium, CpVO(S<sub>2</sub>), preparation and structure of (M. Herberhold, M. Kuhnlein, M.L. Ziegler, B. Nuber), (349) 131

Ph<sub>2</sub>Te(S<sub>2</sub>P(OEt)<sub>2</sub>)<sub>2</sub> and two modifications of Ph<sub>2</sub>Te(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>, crystal structures of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 305

## Tellurium

(C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>M<sub>2</sub>(CO)<sub>4</sub> (R = H, Me; M = Cr, Mo, W), reactivity of the M≡M bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

Organotellurium(IV) dihalides, NMR investigation of lability and Lewis acidity of; crystal structure of 1,3-dihydro-2λ<sup>4</sup>-benzotellurole-2,2-diyli difluoride, C<sub>8</sub>H<sub>8</sub>TeFe<sub>2</sub> (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 95

Ph<sub>2</sub>Te(S<sub>2</sub>P(OEt)<sub>2</sub>)<sub>2</sub> and two modifications of Ph<sub>2</sub>Te(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>, crystal structures of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (349) 305

## Tin

η<sup>3</sup>-Allyl-PtP(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>Cl, gas-phase ion-molecule reaction with SnCl<sub>2</sub> of (M. Grassi, A. Musco, B. Pelli, P. Traldi), (349) 277

Cyclopent-2-enyltriphenyltin, crystal structure of (P. Ganis, G. Valle, G. Tagliavini, W. Kitching, K.G. Penman, M.A. Jones), (349) 57

Pentacarbonyl-5-phenyl-5-phospha-2,8-dithia-1-stannabicyclo[3.3.0<sup>1,5</sup>]octanechromium(0)·pyridine, crystal structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (349) 143

Tetraorganotin pentacoordinated compound, Sn-O coordination bond in; X-ray crystal structure of (2-carbonmethoxy-1,4-cyclohexadien-1-yl)trimethyltin (B. Jousseau, P. Villeneuve, M. Dräger, S. Roller, J.M. Chezeau), (349) C1

Tetraorganotin unsymmetrical compounds, preparation and properties of (I.L. Marr, D. Rosales, J.L. Wardell), (349) 65

## Titanium

Dicyclopentadienylethylenetitanium, Cp<sub>2</sub>TiC<sub>2</sub>-H<sub>4</sub>; formation and reactivity of; crystal structure of (Cp<sub>2</sub>TiEt)<sub>2</sub>O (H.G. Alt, K.-H.

Schwind, M.D. Rausch, U. Thewalt), (349) C7

Phenylgermanes, oligomerisation by catalytic dehydrocoupling of (C. Aitken, J.F. Harrod, A. Malek, E. Samuel), (349) 285

## Tungsten

$(C_5R_5)_2M_2(CO)_4$  (R = H, Me; M = Cr, Mo, W), reactivity of the  $M\equiv M$  bonds towards condensed chalcogenide vapours of (K. Endrich, E. Guggolz, O. Serhadle, M.L. Ziegler, R.P. Korswagen), (349) 323

$CS_2W$  complexes, activated addition of alkynes to and formation of tetrahedral methylidyne-dicobalttungsten with (W.A. Schenk, D. Kuemmerle, C. Burschka), (349) 183

$CS_2W$  complexes, electrophilic and nucleophilic attack on (W.A. Schenk, D. Kuemmerle, T. Schwietzke), (349) 163

Dicarbonyl( $\eta^5$ -cyclopentadienyl)tolylycarbyne-tungsten, reaction with dimethylchlorophosphine CC coupling of (M. Wolfgruber, F.R. Kreissl), (349) C4

Pentamethylcyclopentadienyl-substituted diethylaminocarbyne low-valent tungsten complexes, synthesis of (A.C. Filippou, E.O. Fischer), (349) 367

## Uranium

Monocyclopentadienyl- and hydrido-uranium(IV) complexes,  $(\eta-C_5H_5)U(CH_4)_3$  and  $(CH_3OCH_2CH_2OCH_3)U(BH_4)_3H$ , synthesis of (D. Baudry, M. Ephritikhine), (349) 123

## Vanadium

Pentamethylcyclopentadienyloxopentasilphidovanadium,  $CpVO(S_5)$ , preparation and structure of (M. Herberhold, M. Kuhnlein, M.L. Ziegler, B. Nuber), (349) 131

## Book reviews

Flash points of organic and organometallic compounds; by R.M. Stephenson (P.A. Chaloner), (349) C15