

JOURNAL OF ORGANOMETALLIC CHEMISTRY, Vol. 339 (1988)

SUBJECT INDEX

Aluminium

1,4-Bis(trimethylsilyl)-1,3-butadiene anion, trapping by double ate-complex formation with AlR_3 of (W. Kaim), (339) 253

Boron

Cluster compounds with cylindrical topologies, theoretical analysis of (L. Zhenyang, D.M.P. Mingos), (339) 367

Dihydrobenzoborettes, synthesis of (W. Schacht, D. Kaufman), (339) 33

2-Hydroxy-2-(dimethylaminomethyl)-1,1,4,4-tetramethyl-1,4-diazonia-2,5-diboratacyclohexane, chemistry of (M.J. Magera, N.E. Miller), (339) 231

Chromium

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

Cobalt

Acetyliodocarbonylcobaltate, crystal structure of (M. Röper, C. Krüger), (339) 159

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C_5H_5 units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

Gallium

Organo- and organohalogeno-hydrogermanes, 1,4-addition to 3,5-di-*t*-butylorthoquinone (P. Rivière, A. Castel, J. Satgé, D. Guyot, Y.H. Ko), (339) 51

Germanium

Germanium- and nitrogen-containing heterocyclic compounds, synthesis of (K. Shitara, Y. Sato, R. Nakagawa), (339) 259

Iridium

Ether-phosphane-iridium complexes, synthesis and behaviour towards hydrogen of (E. Lindner, S. Meyer), (339) 193

Iron

$[(\eta-C_5H_5)(CO)_2FeC(S)SMLn]$ ($MLn = Fe(\eta-C_5H_5)(CO)_2, Re(CO)_5$), reactions with organic electrophiles of (L. Busetto, S. Bordoni, V. Zanotti), (339) 125

$[(\eta^5-C_5H_4Me)Fe(CO)(L)I]$ complexes, ^{13}C NMR spectra of (L. Carlton, P. Johnston, N.J. Coville), (339) 339

(1*Z*,3*Z*)-1,4-Dibromobutadiene, (1*Z*,3*Z*)-1-bromo-4-lithiobutadiene and (1*Z*, 3*Z*)-1,4-dilithiobutadiene, synthesis of; structure of (1*Z*,3*Z*)- $(\eta^5-C_5H_5)Fe(CO)_2CH=CHCH=CHBr$ (R. Ferede, M. Noble, A.W. Cordes, N.T. Allison, J. Lay), (339) 1

Dienetricarbonyliron complexes, Friedel-Crafts chemistry of, acetylation of 1-silylated and 1,4-disubstituted dienes (M. Franck-Neumann, M. Sedrati, A. Abdali), (339) C9

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C_5H_5 units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

Macrocyclic thioether synthesis and monoalkylation of dithiols with $[Fe^{II}(CO)_2]$ fragments as templates; X-ray structure of dibenzo-18-crown-S6 (D. Sellmann, P. Frank, F. Knoch), (339) 345

6-Methoxycyclohexadienyliron complexes, access to synthetic equivalents of cyclohexadiene dications (P.W. Howard, G.R. Stephenson, S.C. Taylor), (339) C5

Octakis(1-lithio-2-methoxybenzene) · *N,N,N',N'*-tetramethylethylenediamine, crystal structure of (S. Harder, J. Boersma, L. Brandsma, J.A. Kanters), (339) 7

1,1'-(1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylldicarbonyl)ferrocene dihydrate, crystal structure of (P.D. Beer, C.D. Bush, T.A. Hamor), (339) 133

Tricarbonyl(2,4-cycloheptadienonium)iron tetrafluoroborate, synthesis and absolute configuration of (N. Morita, T. Asao, H. Sotokawa, M. Hatano, A. Tajiri), (339) C1

Lithium

Aminomethyltributyltin compounds, formation from stannylation of immonium salts with tributylstannylmagnesium chloride of; regioselective route to β -aminoalcohols with (B. Elissondo, J.-B. Verlhac, J.-P. Quintard, M. Pereyre), (339) 267

(1*Z*,3*Z*)-1,4-Dibromobutadiene, (1*Z*,3*Z*)-1-bromo-4-lithiobutadiene and (1*Z*,3*Z*)-1,4-dilithiobutadiene, synthesis of; structure of (1*Z*,3*Z*)-(η^5 -C₅H₅)Fe(CO)₂CH=CHCH=CHBr (R. Ferede, M. Noble, A.W. Cordes, N.T. Allison, J. Lay), (339) 1

Octakis(1-lithio-2-methoxybenzene) · *N,N,N',N'*-tetramethylethylenediamine, crystal structure of (S. Harder, J. Boersma, L. Brandsma, J.A. Kanters), (339) 7

Magnesium

Aminomethyltributyltin compounds, formation from stannylation of immonium salts with tributylstannylmagnesium chloride of; regioselective route to β -aminoalcohols with (B. Elissondo, J.-B. Verlhac, J.-P. Quintard, M. Pereyre), (339) 267

Mercury

Tetrakis(methylmercurio)methane, C(HgCH₃)₄, and tetrakis(amminemercurio)methane cation, [C(HgNH₃)₄]⁴⁺, isoelectronic species, vibrational spectra and force fields of (R. Neufert, D.K. Breitinger, J. Mink), (339) 23

Metalloenes

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C₅H₅ units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

1,1'-(1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylldicarbonyl)ferrocene dihydrate, crystal structure of (P.D. Beer, C.D. Bush, T.A. Hamor), (339) 133

Molybdenum

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97
 η^3 -Cycloheptatrienyl-molybdenum and -tungsten complexes with bisphosphine or diamine ligands, spectroscopic investigation of structure and fluxionality of; synthesis of [Wl(CO)₂(Ph₂P(CH₂)_{*n*}PPh)₂]{ η^3 -C₇H₇(CN)₄} (*n* = 1 or 2) (R.A. Brown, S. Endud, J. Friend, J.M. Hill, M.W. Whiteley), (339) 283

Nickel

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C₅H₅ units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

Enolates derived from diethyl malonate and ethyl cyanoacetate, allylation of (E. Alvarez, T. Cuvigny, M. Julia), (339) 199

Nickel(0) induced and catalysed CC coupling of styrene with α,ω -diisocyanates (H. Hoberg, E. Hernandez, D. Guhl), (339) 213

Osmium

Design of a thin layer, infrared-transparent electrochemical cell and its use in the study of cluster species (M.H. Barley, C.E. Anson, B.F.G. Johnson, J. Lewis), (339) 151

Os₃(CO)₈(C₂Ph₂)₂, electronic structure of; deformation of a trimetal framework by acetylene ligands (C.E. Housecroft, S.M. Owen), (339) 139

Palladium

Trimethoxysilylpropylcyclopentadiene, Diels-Alder reactions of; synthesis of a silica-supported 4,5-dicyanonorborene palladium complex (J.A. Adeleke, B.L. Booth), (339) 223

Phosphorus

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

$[(\eta^5\text{-C}_5\text{H}_4\text{Me})\text{Fe}(\text{CO})(\text{L})\text{I}]$ complexes, ^{13}C NMR spectra of (L. Carlton, P. Johnston, N.J. Coville), (339) 339

η^3 -Cycloheptatrienyl-molybdenum and -tungsten complexes with bisphosphine or diamine ligands, spectroscopic investigation of structure and fluxionality of; synthesis of $[\text{W}(\text{CO})_2(\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh})\{\eta^3\text{-C}_7\text{H}_7(\text{CN})_4\}]$ ($n = 1$ or 2) (R.A. Brown, S. Endud, J. Friend, J.M. Hill, M.W. Whiteley), (339) 283

Ether-phosphane-iridium complexes, synthesis and behaviour towards hydrogen of (E. Lindner, S. Meyer), (339) 193

Hydroxyallylolefinrhodium cationic complexes with intramolecular O–H \rightleftharpoons Rh bonds; formation of $\{[\text{CpRh}(\eta^{2,3}\text{-C}_7\text{H}_6\text{-3-R-3-Cr}^1\text{-OH})]_2\text{F}_2\text{POO}\}^+\text{PF}_6^-$ dimers (I.T. Chizhevsky, N.V. Rastova, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin, L.E. Vinogradova, L.A. Leites, A.I. Yanovsky, Yu. T. Struchkov), (339) 165

Mono-, bis- and tris-trimethylphosphane-substituted diethylaminocarbyne-tungsten complexes (A.C. Filippou, E.O. Fischer, J. Okuda), (339) 309

Nickel (0) induced and catalysed CC coupling of styrene with α,ω -diisocyanates (H. Hoberg, E. Hernandez, D. Guhl), (339) 213

Tungsten (0)-carbon and tungsten (0)-hydrogen bonds, insertion reactions with CO, CO₂ or activated acetylenes of (P. Kundel, H. Berke), (339) 297

Platinum

Cluster compounds with cylindrical topologies, theoretical analysis of (L. Zhenyang, D.M.P. Mingos), (339) 367

Rhenium

$[(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{S})\text{SMLn}]$ (MLn = Fe($\eta\text{-C}_5\text{H}_5$)(CO)₂, Re(CO)₅), reactions with organic electrophiles of (L. Busetto, S. Bordoni, V. Zanotti), (339) 125

Hydridocarbonylrhenium clusters, reactions with unsaturated organic molecules of; crystal structure of $[\text{NEt}_4][\text{Re}_3(\mu\text{-H})_3(\eta\text{-OCHMe}_2)(\text{CO})_{10}]$ (T. Beringhelli, G. d'Alfonso, M. Freni, G. Ciani, M. Moret, A. Sironi), (339) 323

Pentacarbonyl(isocyanido)rhenium(I) cationic complexes, properties and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (339) 111

Rhodium

Cluster compounds with cylindrical topologies, theoretical analysis of (L. Zhenyang, D.M.P. Mingos), (339) 367

Hydroxyallylolefin rhodium cationic complexes with intramolecular O–H \rightleftharpoons Rh bonds; formation of $\{[\text{CpRh}(\eta^{2,3}\text{-C}_7\text{H}_6\text{-3-R-2-Cr}^1\text{-OH})]_2\text{F}_2\text{POO}\}^+\text{PF}_6^-$ dimers (I.T. Chizhevsky, N.V. Rastova, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin, L.E. Vinogradova, L.A. Leites, A.I. Yanovsky, Yu. T. Struchkov), (339) 165

Rhodium-catalysed formation of (*E*)- and (*Z*)- β -deuterostyrene and β,β -dideuterostyrene via selective β -hydride elimination from the branched alkylrhodium intermediate (R. Lazzaroni, R. Settambolo, A. Raffaelli, S. Pucci, G. Vitulli), (339) 357

Thiophosphinito-bridged rhodium complexes, preparation and properties of; crystal structure of $[\text{Rh}_2(\mu\text{-SPPH}_2)_2(\text{COD})_2]$ (M.T. Pinillos, M.P. Jarauta, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (339) 181

Silicon

1,4-Bis(trimethylsilyl)-1,3-butadiyne anion, trapping by double ate-complex formation with AlR_3 of (W. Kaim), (339) 253

Chlorotrineophylstannane, chlorotris(dimethylphenylsilyl)methylstannane, trineophyl (1,2,4-triazol-1-yl)stannane hemihydrate and 2,5-dimethyl-2,5-diphenylhexane, molecular structures of (D. Schomburg, M. Link, H. Linoh, R. Tacke), (339) 69

Dienetricarbonyliron complexes, Friedel–Crafts chemistry of, acetylation of 1-silylated and 1,4-disubstituted dienes (M. Franck-Neumann, M. Sedrati, A. Abdali), (339) C9

Silicon–sulphur catenates, σ -bond conjugation in (A. Herman, B. Dreczewski, W. Wojnowski), (339) 41

Trimethoxysilylpropylcyclopentadiene, Diels–Alder reactions of; synthesis of a silica-supported 4,5-dicyanonorbornene palladium complex (J.A. Adeleke, B.L. Booth), (339) 223

Trimethylhalosilane compounds of 1,1,3,3-tetramethyl-guanidine and 2-trimethylsilyl-1,1,3,3-tetramethylguanidine, nature of; preparation and characterisation of mono- and bis-(2-trimethylsilyl)-1,1,3,3-tetramethylguanidium halides (S.C. Chaudhry, D. Kummer), (339) 241

Sulphur

$[(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{FeC}(\text{S})\text{SMLn}]$ (MLn = Fe($\eta\text{-C}_5\text{H}_5$)(CO)₂, Re(CO)₅), reactions with organic electrophiles of (L. Busetto, S. Bordoni, V. Zanotti), (339) 125

Macrocyclic thioether synthesis and monoalkylation of dithiols with $[\text{Fe}^{\text{II}}(\text{CO})_2]$ fragments as templates; X-ray structure of dibenzo-18-crown-S6 (D. Sellmann, P. Frank, F. Knoch), (339) 345

Silicon-sulphur catenates, σ -bond conjugation in (A. Herman, B. Dreczewski, W. Wojnowski), (339) 41

Thiophosphinito-bridged rhodium complexes, preparation and properties of; crystal structure of $[\text{Rh}_2(\mu\text{-SPPH}_2)_2(\text{COD})_2]$ (M.T. Pinillos, M.P. Jarauta, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (339) 181

Tin

Aminomethyltributyltin compounds, formation from stannylation of immonium salts with tributylstannylmagnesium chloride of; regioselective route to β -aminoalcohols with (B. Elissondo, J.-B. Verlhac, J.-P. Quintard, M. Pereyre), (339) 267

Chlorotrineophylstannane, chlorotris(dimethylphenylsilyl)methylstannane, trineophyl(1,2,4-triazol-1-yl)stannane hemihydrate and 2,5-dimethyl-2,5-diphenylhexane, molecular structures of (D. Schomburg, M. Link, H. Linoh, R. Tacke), (339) 69

Divinyltin(IV) compounds, ¹³C and ¹¹⁹Sn NMR spectra of (J. Holeček, K. Handlíř, M. Nádvořník, S.M. Teleb, A. Lyčka), (339) 61

Paramagnetic tin complexes EPR and ENDOR investigations of isomerisation at the tin atom of (H.B. Stegmann, M. Sadowski, P. Schuler, K. Scheffler), (339) 81

Tungsten

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

η^3 -Cycloheptatrienyl-molybdenum and -tungsten complexes with bisphosphine or diamine ligands, spectroscopic investigation of structure and fluxionality of; synthesis of $[\text{W}(\text{CO})_2(\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh})\{\eta^3\text{-C}_7\text{H}_7(\text{CN})_4\}]$ ($n = 1$ or 2) (R.A. Brown, S. Endud, J. Friend, J.M. Hill, M.W. Whiteley), (339) 283

Methoxide-tungsten (0) complex, reactions of (P. Kundel, H. Berke), (339) 103

Mono-, bis- and tris-trimethylphosphane-substituted diethylaminocarbyne-tungsten complexes (A.C. Filippou, E.O. Fischer, J. Okuda), (339) 309

Tungsten (0)-carbon and tungsten (0)-hydrogen bonds, insertion reactions with CO, CO₂ or activated acetylenes of (P. Kundel, H. Berke), (339) 297

Vanadium

Dichloro(5,10,15,20-tetra-*p*-tolylporphyrinato)-vanadium(IV), electroreduction of (P. Reeb, Y., Mugnier), (339) 89

Ytterbium

(Dicyclopentadienyl)(acetylacetonato)ytterbium, $\text{Yb}(\eta^5\text{-C}_5\text{H}_5)_2 \cdot (\text{CH}_3\text{COCHCOCH}_3)$, crystal and molecular structure of (L. Shi, H. Ma, Y. Yu, Z. Ye), (339) 277

Zinc

(1,1-Dichloro-2,2,2-trifluoroethylzinc chloride) · 2(dimethylformamide), crystal structure of (D. Belluš, B. Klingert, R.W. Lang, G. Rihs), (339) 17