
JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 327 (1987)

SUBJECT INDEX**Aluminium**

$(\eta^5\text{-C}_5\text{H}_5)_2\text{Lu}(\mu_2\text{-H})\text{AlH}_3 \cdot \text{NEt}_3$ monomer with a monodentate alumohydride group, crystal and molecular structure of (S.Ya. Knjazhanski, B.M. Bulychev, V.K. Belsky, G.L. Soloveichik), (327)173

Antimony

$[\text{C}_5\text{H}_5\text{Fe}(\text{CO})\text{L}(\text{EMe}_2)]^+$ (E = S, Se, Te), synthesis and reactivity of (N. Kuhn, H. Schumann, E. Zauder), (327)17

Arsenic

$[\text{C}_5\text{H}_5\text{Fe}(\text{CO})\text{L}(\text{EMe}_2)]^+$ (E = S, Se, Te), synthesis and reactivity of (N. Kuhn, H. Schumann, E. Zauder), (327)17

Boron

Tetraazaborol-2-ines, access to (F. Truchet, B. Carboni, M. Vaultier, R. Carrié), (327)1

Chromium

Bimetallic biphenylene biscarbene complexes, synthesis, X-ray crystal structure and reactivity towards nucleophilic reagents of (N. Hoa Tran Huy, P. Lefloch, F. Robert, Y. Jeannin), (327)211

Diaminodiphosphene and aminophosphinidene complexes, synthesis and characterisation of (J. Borm, G. Huttner, L. Zsolnai, K. Evertz, H. Berke), (327)223

(Fluorenyl)-Cr(CO)₂L anions (L = CO, P(OPh)₃, PPh₃, P(n-Bu)₃), influence of metal basicity on the $\eta^6 \rightleftharpoons \eta^5$ haptotropic equilibrium of (A. Cecon, A. Gambaro, A. Venzo, V. Lucchini, T.E. Bitterwolf, J. Shade), (327)55

Cobalt

Tetrahedral and butterfly M₂E₂ clusters, structure and electron counting of; MO analysis of (L_rM)₂(μ -X)₂ (X = P, PR, PM'L₅) complexes (J.-F. Halet, J.-Y. Saillard), (327)365

Germanium

Monomeric and oligomeric carbodiimides with polysilane and siloxane fragments, synthesis of (G.A. Razuvaev, A.S. Gordetsov, A.P. Kozina, T.N. Brevnova, V.V. Semenov, S.E. Skobeleva, N.A. Boxer, Yu.I. Dergunov), (327)303

6-Thia-3,3-diphenyl-3-sila(and -germa)-bicyclo-[3.1.0]hexanes, preparation of (G. Manuel, A. Faucher, P. Mazerolles), (327)C25

Iron

η^6 -(Biphenyl)- η^5 -(cyclopentadienyl)iron(II) hexafluorophosphates, synthesis and structure of (R.M.G. Roberts, J. Silver, A.S. Wells, S.P. Wilkinson), (327)257

Carbon monoxide replacement by trimethylphosphite, detection of motions of ancillary bridging ligands during (A. Darchen, E.K. Lhadi, H. Patin), (327)C37

$[\text{C}_5\text{H}_5\text{Fe}(\text{CO})\text{L}(\text{EMe}_2)]^+$ (E = S, Se, Te), synthesis and reactivity of (N. Kuhn, H. Schumann, E. Zauder), (327)17

$(\text{C}_5\text{H}_5)(\text{CO})\text{LFeH}$ (L = CO, PPh₃) and $[(\text{C}_5\text{H}_5)(\text{CO})\text{FeH}]_2[(\mu\text{-C}_6\text{H}_5)_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{H}_5)_2]$ complexes, insertion of cyano- and dicyano-acetylenes into Fe-H bonds in (M. Cariou, M. Etienne, J.E. Guerschais, R. Kergoat, M.K. Kubicki), (327)393

Cyclopentadienyldicarbonyliron-diisopropylamine system, photoreaction with pyrrole and indole of (J. Zakrzewski), (327)C41

Decacarbonyltririron bridging phosphine complexes, alkyne insertion into (K. Knoll, G. Huttner, L. Zsolnai, O. Orama), (327)379

- Ferrocene, Friedel-Crafts alkylations with unsaturated lactones of; reactions caused by the β -ferrocenylcarbenium ion (M. Sališová, Š. Toma, E. Solčániová), (327)77
- Iron-functionalised diphosphiranes, $(C_5Me_5)(CO)_2MPCH_2P-2,4,6-t-Bu_3C_6H_2$ ($M = Fe, Ru$), preparation by reactions of diphosphanylcomplexes with $Me_2S(O)=CH_2$ (L. Weber, E. Lücke), (327)C63
- Isocyanide iron(II) compounds, synthesis of coordinated carbon monoxide from; crystal structure of $[Fe(dppe)(CO)(CN-p-tol)(p-tolN=C-N-p-tol-C=N-p-tol)]$ (V. Riera, J. Ruiz, A. Tiripicchio, M. Tiripicchio Camellini), (327)C5
- Keteneiminehexacarbonyliron, reactions with phosphanes of (T. Sielisch, U. Behrens), (327)85
- Phosphine-bridged decacarbonyltriiron clusters, synthesis and reactivity of (K. Knoll, G. Huttner, T. Fässler, L. Zsolnai), (327)265
- Tetrahedral and butterfly M_2E_2 clusters, structure and electron counting of; MO analysis of $(L_nM)_2(\mu-X)_2$ ($X = P, PR, PM/L_5$) complexes (J.-F. Halet, J.-Y. Saillard), (327)365
- Thioether-thiolate iron, molybdenum and ruthenium complexes, structure, stereoisomerism and reactivity of (D. Sellmann, G. Binker, M. Moll, E. Herdtweck), (327)403

Lead

- Monomeric and oligomeric carbodiimides with polysilane and siloxane fragments, synthesis of (G.A. Razuvaev, A.S. Gordetsov, A.P. Kozina, T.N. Brevnova, V.V. Semenov, S.E. Skobeleva, N.A. Boxer, Yu.I. Dergunov), (327)303

Lutetium

- $(\eta^5-C_5H_5)_2Lu(\mu_2-H)AlH_3 \cdot NEt_3$ monomer with a monodentate alumohydride group, crystal and molecular structure of (S.Ya. Knjazhanski, B.M. Bulychev, V.K. Belsky, G.L. Soloveichik), (327)173

Manganese

- Benzenethiolato- and *N*-phthalimido-metal carbonyl complexes, synthesis of (P.M. Treichel, P.C. Nakagaki, K.J. Haller), (327)327
- Phosphinoethylsilyl chelate ligands in manganese complexes containing Mn,H,Si three-centred bond (U. Schubert, K. Bahr, J. Müller), (327)357

Metalloenes

- Bis(η^5 -indenyl)dicarbonyl-titanium and -zirconium, formation, and crystal and molecular structures of (M.D. Rausch, K.J. Moriarty, J.L. Atwood, W.E. Hunter, E. Samuel), (327)39
- Ferrocene, Friedel-Crafts alkylations with unsaturated lactones of; reactions caused by the β -ferrocenylcarbenium ion (M. Sališová, Š. Toma, E. Solčániová), (327)77
- Molybdenocene dihydrocarbyls, preparation and characterisation of (A.R. Dias, M.H. Garcia, A.M. Martins, C.I. Pinheiro, C.C. Romão, L.F. Veiros), (327)C59
- Permethyltrocene methyl tetrahydrofuranate, formation and molecular structure of (K.H. den Haan, J.L. de Boer, J.H. Teuben, W.J.J. Smeets, A.L. Spek), (327)31

Molybdenum

- Acetonitrile derivatives of cycloheptatrienylmolybdenum and -tungsten complexes, formation and synthetic applications of (R. Breeze, A. Ricalton, M.W. Whiteley), (327)C29
- Benzenethiolato- and *N*-phthalimido-metal carbonyl complexes, synthesis of (P.M. Treichel, P.C. Nakagaki, K.J. Haller), (327)327
- Cyclopentadienyldicarbonyl(triphenylphosphine)formylmolybdenum, $(\eta^5-C_5Me_5)(CO)_2(PPh_3)MoCHO$, synthesis, characterisation and reactivity of (A. Asdar, C. Lapinte), (327)C33
- Diaminodiphosphene and aminophosphinidene complexes, synthesis and characterisation of (J. Borm, G. Huttner, L. Zsolnai, K. Evertz, H. Berke), (327)223
- Molybdenocene dihydrocarbyls, preparation and characterisation of (A.R. Dias, M.H. Garcia, A.M. Martins, C.I. Pinheiro, C.C. Romão, L.F. Veiros), (327)C59

Nickel

- η^3 -Allylbis(triphenylphosphite)nickel(II) complexes, anionic coordination and its influence on the catalytic activity for stereospecific polymerisation of butadienes of (R. Taube, J.-P. Gehrke), (327)419
- Nickel(0) systems, stoichiometric and catalytic CC coupling of 1,3-butadiene with phenyl isocyanate in (E. Hernandez, H. Hoberg), (327)429

Palladium

Carbonylphosphine palladium-tin clusters, synthesis of; X-ray diffraction study of the $\text{Pd}_3\text{Sn}(\text{acac})_4(\text{CO})_2(\text{PPh}_3)_3$ cluster (V.V. Bashilov, V.I. Sokolov, Yu.L. Slovokhotov, Yu.T. Struchkov, E.G. Mednikov, N.K. Eremenko), (327)285

Cyclopalladated compounds, ^1H and ^{13}C NMR spectral assignments of (P.J. Steel, G.B. Caygill), (327)101

Cyclopalladation of phenyl pyrazoles; crystal structure of acetylacetonato[2-(3-methyl-5-phenylpyrazol-1-yl)phenyl- $\text{C}^1, \text{N}^{2'}$]palladium(II) (G.B. Caygill, P.J. Steel), (327)115

Rhodium(III) and palladium(II) complexes with heteropolyacids as oxidative catalysts of octenes (B.E. Ali, J.-M. Brégeault, J. Martin), (327)C9

Sulphur ylide-palladium complexes, synthesis and reactions of (M.C. Cheng, S.M. Peng, I.J.B. Lin, B.H.H. Meng, C.H. Liu), (327)285

Phosphorus

η^3 -Allylbis(triphenylphosphite)nickel(II) complexes, anionic coordination and its influence on the catalytic activity for stereospecific polymerisation of butadienes of (R. Taube, J.-P. Gehrke), (327)419

Carbon monoxide replacement by trimethylphosphite, detection of motions of ancillary bridging ligands during (A. Darchen, E.K. Lhadi, H. Patin), (327)C37

Carbonylphosphine palladium-tin clusters, synthesis of; X-ray diffraction study of the $\text{Pd}_3\text{Sn}(\text{acac})_4(\text{CO})_2(\text{PPh}_3)_3$ cluster (V.V. Bashilov, V.I. Sokolov, Yu.L. Slovokhotov, Yu.T. Struchkov, E.G. Mednikov, N.K. Eremenko), (327)285

$[\text{C}_5\text{H}_5\text{Fe}(\text{CO})\text{L}(\text{EMe}_2)]^+$ (E = S, Se, Te), synthesis and reactivity of (N. Kuhn, H. Schumann, E. Zauder), (327)17

$(\text{C}_5\text{H}_5)(\text{CO})\text{LFeH}$ (L = CO, PPh_3) and $[(\text{C}_5\text{H}_5)(\text{CO})\text{FeH}]_2[(\mu\text{-C}_6\text{H}_5)_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{H}_5)_2]$ complexes, insertion of cyano- and dicyanoacetylenes into Fe-H bonds in (M. Cariou, M. Etienne, J.E. Guerchais, R. Kergoat, M.K. Kubicki), (327)393

Decacarbonyltriiron bridging phosphine complexes, alkyne insertion into (K. Knoll, G. Huttner, L. Zsolnai, O. Orama), (327)379

Di- and tri-organotin(IV) diethyldithiophosphinates, synthesis and characterisation of; crystal and molecular structure of bis(diethyldithiophosphinato)dimethyltin(IV), Me_2Sn -

$(\text{S}_2\text{PEt}_2)_2$ (C. Silvestru, I. Haiduc, S. Klima, U. Thewalt, M. Gielen, J.J. Zuckerman), (327)181

Diaminodiphosphene and aminophosphinidene complexes, synthesis and characterisation of (J. Borm, G. Huttner, L. Zsolnai, K. Evertz, H. Berke), (327)223

Diphosphazane-bridged derivatives of nonacarbonyliruthenium, umpolung behaviour of protonic acids containing coordinated anions with (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer), (327)C18

(Fluorenyl)- $\text{Cr}(\text{CO})_2\text{L}$ anions (L = CO, $\text{P}(\text{OPh})_3$, PPh_3 , $\text{P}(\text{n-Bu})_3$), influence of metal basicity on the $\eta^6 \rightleftharpoons \eta^5$ haptotropic equilibrium of (A. Cecccon, A. Gambaro, A. Venzo, V. Lucchini, T.E. Bitterwolf, J. Shade), (327) 55

Iron-functionalised diphosphiranes, $(\text{C}_5\text{Me}_5)(\text{CO})_2\text{MPCH}_2\text{P-2,4,6-t-Bu}_3\text{C}_6\text{H}_2$ (M = Fe, Ru), preparation by reactions of diphosphanyl complexes with $\text{Me}_2\text{S}(\text{O})=\text{CH}_2$ (L. Weber, E. Lücke), (327)C63

Keteneiminehexacarbonyliron, reactions with phosphanes of (T. Sielisch, U. Behrens), (327)85

Nickel(0) systems, stoichiometric and catalytic CC coupling of 1,3-butadiene with phenyl isocyanate in (E. Hernandez, H. Hoberg), (327)429

μ, μ' -1,2-Phenylenediimine-(*N, N'*)-dicarbonylbis(triphenylphosphine)diruthenium (*Ru-Ru*), triple-bonded Ru-Ru compound, preparation and crystal structure of (A. Anillo, V. Riera, R. Obeso-Rosete, M. Font-Altaba, X. Solans), (327)C43

Phosphine-bridged decacarbonyltriiron clusters, synthesis and reactivity of (K. Knoll, G. Huttner, T. Fässler, L. Zsolnai), (327)265

Phosphinoethylsilyl chelate ligands in manganese complexes containing Mn, H, Si three-centred bond (U. Schubert, K. Bahr, J. Müller), (327)357

Platinum π -olefin complex formed by intramolecular activation of a cyclopropylphosphine, *cis*- $\text{PtX}_2(\text{P}(\text{t-Bu})_2\text{CH}_2\text{CH}_2\text{CH}=\text{CHCH}_3)$ (X = Cl, Br), synthesis and structure of (B.L. Simms, J.A. Ibers), (327)125

trans- $\text{PtCl}_2(\text{P}(\text{t-Bu})_2\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_2\text{CH}_2)_2)$, synthesis and structure of (B.L. Simms, J.A. Ibers), (327)137

$[\text{RhCl}(\text{COD})]_2/\text{bis}(\text{diphenylphosphineethyl})\text{tetramethyldisiloxane}$, spectrophotometry of the reactivity with hydrosilylation reaction substrates of (W. Duczmal, B. Marciniak, W. Urbaniak), (327)295

Rhodium(III) and palladium(II) complexes with heteropolyacids as oxidative catalysts of oc-

tenes (B.E. Ali, J.-M. Brégeault, J. Martin), (327)C9

Tetrahedral and butterfly M_2E_2 clusters, structure and electron counting of; MO analysis of $(L_nM)_2(\mu-X)_2$ ($X = P, PR, PM'L_5$) complexes (J.-F. Halet, J.-Y. Saillard), (327)365

Platinum

Metal cluster formation by condensation of electron-deficient metal centres; X-ray structures of $(\eta-C_5H_5)_2Rh_4(CO)_4Cl_2(CF_3C_2CF_3)$ and $(\eta-C_5H_5)_4Rh_4Pt(CO)_2(CF_3C_2CF_3)_2$ (R.S. Dickson, G.D. Fallon, M.J. Liddell, B.W. Skelton, A.H. White), (327)C51

Platinum π -olefin complex formed by intramolecular activation of a cyclopropylphosphine, *cis*- $PtX_2(P(t-Bu)_2CH_2CH_2CH=CHCH_3)$ ($X = Cl, Br$), synthesis and structure of (B.L. Simms, J.A. Ibers), (327)125

trans- $PtCl_2(P(t-Bu)_2CH_2CHCH_2CH_2CH_2)_2$, synthesis and structure of (B.L. Simms, J.A. Ibers), (327)137

Rhodium

Cyclooctadiene- and phenanthroline-rhodium complexes as catalysts in asymmetric transfer hydrogenation of acetophenone (S. Gladiali, G. Chelucci, G. Chessa, G. Delogu, F. Saccolini), (327)C15

Metal cluster formation by condensation of electron-deficient metal centres; X-ray structures of $(\eta-C_5H_5)_2Rh_4(CO)_4Cl_2(CF_3C_2CF_3)$ and $(\eta-C_5H_5)_4Rh_4Pt(CO)_2(CF_3C_2CF_3)_2$ (R.S. Dickson, G.D. Fallon, M.J. Liddell, B.W. Skelton, A.H. White), (327)C51

$[RhCl(COD)]_2$ /bis(diphenylphosphineethyl)tetramethyldisiloxane, spectrophotometry of the reactivity with hydrosilylation reaction substrates of (W. Duczmal, B. Marciniak, W. Urbaniak), (327)295

Rhodium(III) and palladium(II) complexes with heteropolyacids as oxidative catalysts of octenes (B.E. Ali, J.-M. Brégeault, J. Martin), (326)C9

Ruthenium

Diphosphazane-bridged derivatives of nonacarbonyldiruthenium, umpolung behaviour of protonic acids containing coordinated anions with (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer), (327)C18

Hydroxycarbonyl- and alkoxycarbonyl-ruthenium complexes, synthesis, isolation and reactions of (H. Suzuki, H. Omori, Y. Morooka), (327)C47

Iron-functionalised diphosphiranes, $(C_5Me_5)(CO)_2MPCH_2P-2,4,6-t-Bu_3C_6H_2$ ($M = Fe, Ru$), preparation by reactions of diphosphanyl complexes with $Me_2S(O)=CH_2$ (L. Weber, E. Lücke), (327)C63

μ, μ' -1,2-Phenylenediimine-(*N, N'*)-dicarbonylbis(triphenylphosphine)diruthenium(*Ru-Ru*), triple-bonded Ru-Ru compound, preparation and crystal structure of (A. Anillo, V. Riera, R. Obeso-Rosete, M. Font-Altaba, X. Solans), (327)C43

Ruthenium chiral complexes used in hydrogenation of α, β -unsaturated ketones (V. Massonneau, P. Le Maux, G. Simonneau), (327)279

Selenium

$[C_5H_5Fe(CO)L(EMe_2)]^+$ ($E = S, Se, Te$), synthesis and reactivity of (N. Kuhn, H. Schumann, E. Zauder), (327)17

Organylselenoacetylene and selenocyanate, ^{77}Se and ^{13}C NMR chemical shifts and $^{77}Se-^{13}C$ coupling constants of (H. Poleschner, R. Radeglia, M. Kuprat, A.M. Richter, E. Fanghänel), (327) 7

Silicon

1-(Iododimethylsilyl)piperidone-2, crystal and molecular structure of (A.A. Macharashvili, V.E. Shklover, Yu.T. Struchkov, Yu.I. Baukov, E.P. Kramarova, G.I. Oleneva), (327)167

Monomeric and oligomeric carbodiimides with polysilane and siloxane fragments, synthesis of (G.A. Razuvaev, A.S. Gordetsov, A.P. Kozina, T.N. Brevnova, V.V. Semenov, S.E. Skobeleva, N.A. Boxer, Yu.I. Dergunov), (327)303

Phosphinoethylsilyl chelate ligands in manganese complexes containing Mn,H,Si three-centred bond (U. Schubert, K. Bahr, J. Müller), (327)357

$[RhCl(COD)]_2$ /bis(diphenylphosphineethyl)tetramethyldisiloxane, spectrophotometry of the reactivity with hydrosilylation reaction substrates of (W. Duczmal, B. Marciniak, W. Urbaniak), (327)295

6-Thia-3,3-diphenyl-3-sila (and -germa)-bicyclo[3.1.0]hexanes, preparation of (G. Manuel, A. Faucher, P. Mazerolles), (327)C25

Silver

Monomeric and oligomeric carbodiimides with polysilane and siloxane fragments, synthesis of (G.A. Razuvaev, A.S. Gordetsov, A.P. Kozina, T.N. Brevnova, V.V. Semenov, S.E. Skobeleva, N.A. Boxer, Yu.I. Dergunov), (327)303

Sulphur

Benzenethiolato- and *N*-phthalimido-metal carbonyl complexes, synthesis of (P.M. Treichel, P.C. Nakagaki, K.J. Haller), (327)327

Carbon monoxide replacement by trimethylphosphite, detection of motions of ancillary bridging ligands during (A. Darchen, E.K. Lhadi, H. Patin), (327)C37

Di- and tri-organotin(IV) diethyldithiophosphinates, synthesis and characterisation of; crystal and molecular structure of bis(diethyldithiophosphinato)dimethyltin(IV), $\text{Me}_2\text{Sn}(\text{S}_2\text{PEt}_2)_2$ (C. Silvestru, I. Haiduc, S. Klima, U. Thewalt, M. Gielen, J.J. Zuckerman), (327)181

Iron-functionalised diphosphiranes, $(\text{C}_5\text{Me}_5)(\text{CO})_2\text{MPCH}_2\text{P-2,4,6-t-Bu}_3\text{C}_6\text{H}_2$ (M = Fe, Ru), preparation by reactions of diphosphophenyl complexes with $\text{Me}_2\text{S}(\text{O})=\text{CH}_2$ (L. Weber, E. Lücke), (327)C63

6-Thia-3,3-diphenyl-3-sila (and -germa)-bicyclo[3.1.0]hexanes, preparation of (G. Manuel, A. Faucher, P. Mazerolles), (327)C25

Thioether-thiolate iron, molybdenum and ruthenium complexes, structure, stereo-isomerism and reactivity of (D. Sellmann, G. Binker, M. Moll, E. Herdtweck), (327)403

Technetium

$[\text{C}_5\text{H}_5\text{Fe}(\text{CO})\text{L}(\text{EMe}_2)]^+$ (E = S, Se, Te), synthesis and reactivity of (N. Kuhn, H. Schumann, E. Zauder), (327)17

Tin

Carbonylphosphine palladium-tin clusters, synthesis of; X-ray diffraction study of the $\text{Pd}_3\text{Sn}(\text{acac})_4(\text{CO})_2(\text{PPh}_3)_3$ cluster (V.V. Bashilov, V.I. Sokolov, Yu.L. Slovokhotov, Yu.T. Struchkov, E.G. Mednikov, N.K. Eremenko), (327)285

Di- and tri-organotin(IV) diethyldithiophosphinates, synthesis and characterisation of; crystal and molecular structure of bis(diethyl-

dithiophosphinato)dimethyltin(IV), $\text{Me}_2\text{Sn}(\text{S}_2\text{PEt}_2)_2$ (C. Silvestru, I. Haiduc, S. Klima, U. Thewalt, M. Gielen, J.J. Zuckerman), (327)181

Methylphenyltin(IV) dichloride, single crystal and molecular structure between polymeric and monomeric R_2SnCl_2 structures of (M.M. Amini, E.M. Holt, J.J. Zuckerman), (327)147

Monomeric and oligomeric carbodiimides with polysilane and siloxane fragments, synthesis of (G.A. Razuvaev, A.S. Gordetsov, A.P. Kozina, T.N. Brevnova, V.V. Semenov, S.E. Skobeleva, N.A. Boxer, Yu.I. Dergunov), (327)303

$[\text{SnR}_2]$ skeletal geometry, influence of substituents in carbon- and heteroatom-donor ligands on structure of (V.G. Kumar Das, Y. Chee-Keong, P.J. Smith), (327)311

Triphenyltin halide-lactam complexes, synthesis and structural characterisation of (T. Tahara, H. Imazaki, K. Aoki, H. Yamazaki), (327)157

Titanium

Bis(η^5 -indenyl)dicarbonyl-titanium and -zirconium, formation, and crystal and molecular structures of (M.D. Rausch, K.J. Moriarty, J.L. Atwood, W.E. Hunter, E. Samuel), (327)39

$[(\text{C}_5\text{Me}_4\text{H})_2\text{Ti}(\text{CH}_3)_2]$ as an initiator in thermal and photochemical isomerisations with (P. Courtot, R. Pichon, Y. Raoult, J.Y. Salaün), (327)C1

Tungsten

Acetonitrile derivatives of cycloheptatrienyl-molybdenum and -tungsten complexes, formation and synthetic applications of (R. Breeze, A. Ricalton, M.W. Whiteley), (327)C29

η^4 -Alkenylketone-tungsten complexes, preparation and characterisation of; molecular structure of $\{\eta^5\text{-C}_5\text{Me}_5(\text{CO})_2\text{W}[\eta^4\text{-PhCH=CH-COMe}]\}(\text{BF}_4) \cdot \text{CH}_2\text{Cl}_2$ (H.G. Alt, G.S. Herrmann, U. Thewalt), (327)247

Aminocarbene-tungsten complexes containing free and coordinated double bonds, synthesis and structure of (A. Parlier, H. Rudler, J.C. Daran, C. Alvarez, F. Delgado Reyes), (327)339

Benzenethiolato- and *N*-phthalimido-metal carbonyl complexes, synthesis of (P.M. Treichel, P.C. Nakagaki, K.J. Haller), (327)327

Bimetallic biphenylene biscarbene complexes, synthesis, X-ray crystal structure and reactiv-

ity towards nucleophilic reagents of (N. Hoa Tran Huy, P. Lefloch, F. Robert, Y. Jeannin), (327)211

Diaminodiphosphene and aminophosphinidene complexes, synthesis and characterisation of (J. Borm, G. Huttner, L. Zsolnai, K. Evertz, H. Berke), (327)223

Pentacarbonyl(diphenylcarbene)tungsten, competition between dissociative and associative mechanisms in reactions with nitriles of (H. Fischer, S. Zeuner), (327)63

Yttrium

Permethylyttrocene methyl tetrahydrofuranate, formation and molecular structure of (K.H. den Haan, J.L. de Boer, J.H. Teuben, W.J.J. Smeets, A.L. Spek), (327)31

Zirconium

Bis(η^5 -indenyl)dicarbonyl-titanium and -zirconium, formation, and crystal and molecular structures of (M.D. Rausch, K.J. Moriarty, J.L. Atwood, W.E. Hunter, E. Samuel), (327)39

Carbometallation of α,β -unsaturated carbonyl compounds and substituted oxacyclopropanes with zirconium-diene complexes (M. Akita, K. Matsuoka, K. Asami, H. Yasuda, A. Nakamura), (327)193

Book reviews

Gmelin handbook of inorganic chemistry, 8th edit., F — fluorine, Supplement Vol. 4: Compounds with oxygen and nitrogen (K.R. Seddon), (327)C57