

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 366 (1989)

SUBJECT INDEX
Antimony

- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281
- Tributylstibine, reaction of α -halogeno carboxylic derivatives with carbonyl compounds promoted by (Y.-Z. Huang, C. Chen, Y. Shen), (366) 87

Arsenic

- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281
- Pentacarbonyldiphosphanerhenium monomeric and bridged complexes and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (366) 313
- 2,4,6-Tris(trifluoromethyl)phenyl substituent, examples for electronic and sterically stabilised low-coordinated elements (M. Scholz, H.W. Roesky, D. Stalke, K. Keller, F.T. Edelmann), (366) 73

Bismuth

- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281

Chromium

- Bis(pyrazolyl)methanetetra-carbonyl-chromium(0), -molybdenum(0) and -tungsten(0), formation and characterisation of (G.G. Lobbia, F. Bonati), (366) 121
- (C₆H₃Me₃)(CO)₂Cr(C₂H₂), reactions with PMe₃ and HNMe₂ of, solid state structure of (C₆H₃Me₃)(CO)₂Zr(PMe₃) and (C₆H₃Me₃)(CO)₂Zr[C(Me)NMe₂] (R.D. Rogers, H.G. Alt, H.E. Engelhardt), (366) 305
- Manganese, chromium and tungsten mononuclear σ - and π -coordinated complexes with tetracyanoethene and tetracyano-*p*-chinodimethane (B. Olbrich-Deussner, R. Gross, W. Kaim), (366) 155
- Pentacarbonylmetal- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Pentacarbonylmetal complexes of organophosphorus chlorides with K₂SN₂, X-ray structure of (CO)₅Cr[P(t-Bu)NSNSNH] (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Cobalt

- Cobaltacyclopentene complex formation by the reaction of 2-ethynylpyridine with [Co(η^5 -C₅H₅)(PPh₃)₂] of (Y. Wakatsuki, H. Yoshimura, H. Yamazaki), (366) 215
- Pentacarbonylmetal- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Rhodium dihydride complex [RhH₂(cHex-DAB)(PPh₃)₂][PF₆] (cHex-DAB = C₆H₁₁N=CHCH=NC₆H₁₁) with [PPh₄][Co(CO)₄] and [PPh₄][HFe(CO)₄], reactions of; crystal structure of [RhH₂(cHex-DAB)(PPh₃)₂][Co(CO)₄] (M. Iglesias, C. del Pino, A.S. José, S. Martínez-Carrera, J. Ros), (366) 391

Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Germanium

Aryl-substituted trigermanes, photochemistry of (M. Wakasa, I. Yoneda, K. Mochida), (366) C1

Metal-metal spin coupling through chalcogenides; crystal structure of $[(2\text{-MeC}_6\text{H}_4\text{CH}_2)_3\text{Sn}]_2\text{O}$ and $[(1\text{-MeC}_6\text{H}_4)_3\text{Sn}]_2\text{O}$ (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61

Organogermanium functional bicyclic compounds, formation of (P. Mazerolles, C. Laurent, A. Faucher), (366) 57

Indium

Dimethylindium dialkylamides and organylphosphides, X-ray crystal structure of $(\text{Me}_2\text{InNR}_2)_2$ ($\text{R} = \text{Et}$, Pr^i , SiMe_3) and $(\text{Me}_2\text{InPBu}^t_2)_2$ (K.A. Aitchison, J.D.J. Backer-Dirks, D.C. Bradley, M.M. Faktor, D.M. Frigo, M.B. Hursthouse, B. Hussain, R.L. Short), (366) 11

Iridium

$(\eta^5\text{-C}_5\text{H}_5)_2\text{W}_2\text{Ir}_2(\text{CO})_4(\mu\text{-CO})_2(\mu_3\text{-Ph})(\mu_3\text{-}\eta^3\text{-C}_3\text{Ph}_3)$, a "60-electron" cluster with a triangulated rhomboidal W_2Ir_2 skeleton, crystal structure of (M.R. Churchill, L.V. Biondi), (366) 265

Ion pairing in solutions of $\text{Na}[\text{HfIr}_4(\text{CO})_{11}]$, evidence for Na^+ interaction with one of the bridging carbonyls (D.M. Vandenberg, T. Chin-Choy, P.C. Ford), (366) 257

$[\text{Ir}(\text{COD})(\text{tris}(\text{pyrazol-1-yl})\text{methane})]^+$ and $[\text{Ir}(\text{COD})(\text{tris}(\text{pyrazol-1-yl})\text{ethane})]^+$ cations, alcohol activation by: formation of $[(\text{tpzm})\text{IrH}(\text{CO}_2\text{R}')(\text{CO})]^+$ and $[(\text{tpze})\text{IrH}(\text{CO}_2\text{R}')(\text{CO})]^+$ ($\text{R}' = \text{Me}$, Et , $i\text{-Pr}$) (M.A. Esteruelas, L.A. Oro, R.M. Claramunt, C. López, J.L. Lavandera, J. Elguero), (366) 245

Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Iron

$[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}\{\text{P}(\text{O})(\text{NEt}_2)_2\}]_2\text{FeCl}_2$ synthesis and structure of (H. Nakazawa, Y. Kadoi, T. Mizuta, K. Miyoshi, H. Yoneda), (366) 333

Halomethyldicarbonylcyclopentadienyliron complexes with tertiary phosphine, amine and sulphur ligands, reactions of (G.C.A. Bellinger, H.B. Friedrich, J.R. Moss), (366) 175

Ligand-bridged iron binuclear complexes, molecular orbital analysis by UV photoelectron spectroscopy of (M.V. Andreocci, M. Bossa, C. Cauletti, R. Paolesse, G. Ortaggi, T. Vondrak, M.N. Pinacastelli, M. Casarin, M. Dal Colle, G. Granozzi), (366) 343

Porphyry-ferrocene-quinone linked molecule, synthesis and electrochemistry of (P.D. Beer, S.S. Kurek), (366) C6

Rhodium dihydride complex $[\text{RhH}_2(\text{cHex-DAB})(\text{PPh}_3)_2][\text{PF}_6]$ ($\text{cHex-DAB} = \text{C}_6\text{H}_{11}\text{N}=\text{CHCH}=\text{NC}_6\text{H}_{11}$) with $[\text{PPh}_4][\text{Co}(\text{CO})_4]$ and $[\text{PPh}_4][\text{Hf}(\text{CO})_4]$, reactions of; crystal structure of $[\text{RhH}_2(\text{cHex-DAB})(\text{PPh}_3)_2][\text{Co}(\text{CO})_4]$ (M. Iglesias, C. del Pino, A.S. José, S. Martínez-Carrera, J. Ros), (366) 391

Lead

Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281

Lithium

Lithiodi-*t*-butylfluorosilylphenylphosphane, eight-membered crystal structure of $(\text{SiFLiP})_2$ (D. Stalke, M. Meyer, M. Andrianarison, U. Klingebiel, G.M. Sheldrick), (366) C15

1-(α -Lithiomethyl)-2-(α -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1

Manganese

Manganese, chromium and tungsten mononuclear σ - and π -coordinated complexes with tetracyanoethene and tetracyano-*p*-chinodimethane (B. Olbrich-Deussner, R. Gross, W. Kaim), (366) 155

Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Metalloenes

Porphyrin-ferrocene-quinone linked molecule, synthesis and electrochemistry of (P.D. Beer, S.S. Kurek), (366) C6

Molybdenum

Bis(pyrazolyl)methanetetra-carbonyl-chromium(0), -molybdenum(0) and -tungsten(0), formation and characterisation of (G.G. Lobbia, F. Bonati), (366) 121

Cp'(CO)₂(CNR)MH Cp' = η⁵-C₅H₅, η⁵-C₅Me₅; R = Me, ¹Bu; M = Mo, W), formation and characterisation of; molecular structure of C₅Me₅(CO)₂(CN¹Bu)MoH (H.G. Alt, H.E. Engelhardt, T. Frister, R.D. Rogers), (366) 297

Pentacarbonylmetal- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197

Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Osmium

Bis-alkynyl- and hydrido-alkynyl-osmium(II) and -ruthenium(II) complexes containing triisopropylphosphine as ligand, formation of (H. Werner, U. Meyer, M.A. Esteruelas, E. Sola, L.A. Oro), (366) 187

Palladium

{Pd(CNR)(η³-2-XC₃H₄)[Ph₃PC(H)COMe]}BF₄ (X = H, Me; R = *p*-C₆H₄OMe, C(Me)₃, Me, C₆H₁₁, *p*-C₆H₄NO₂), complexes formation and characterization of; crystal structure of {Pd[CNCMe₃](η³-2-MeC₃H₄)[Ph₃PC(H)COMe]}BF₄ (G. Facchin, R. Bertani, L. Zanotto, M. Calligaris, G. Nardin), (366) 409

Pd-HCl bi-functional catalyst for the carbonylation of methoxyoctadienes (M.C. Bonnet, D. Neibecker, B. Stitou, I. Tkatchenko), (366) C9

Phosphorus

Bis-alkynyl- and hydrido-alkynyl-osmium(II) and -ruthenium(II) complexes containing triisopropylphosphine as ligand, formation of (H. Werner, U. Meyer, M.A. Esteruelas, E. Sola, L.A. Oro), (366) 187

[(η⁵-C₅H₅)(CO)₂Fe{P(O)(NEt₂)₂}]₂FeCl₂ synthesis and structure of (H. Nakazawa, Y. Kadoi, T. Mizuta, K. Miyoshi, H. Yoneda), (366) 333

(C₆H₃Me₃)(CO)₂Cr(C₂H₂), reactions with PMe₃ and HNMe₂ of, solid state structure of (C₆H₃Me₃)(CO)₂Zr(PMe₃) and (C₆H₃Me₃)(CO)₂Zr[C(Me)NMe₂] (R.D. Rogers, H.G. Alt, H.E. Engelhardt), (366) 305

[(η⁵-C₅H₅)Ru(PPh₃)(CN¹Bu)(IR)]PF₆, (R = CH₃, CH₂SiMe₃), preparation of; crystal structures of [(η⁵-C₅H₅)Ru(PPh₃)(CN¹Bu)I] and [(η⁵-C₅H₅)Ru(PPh₃)(CN¹Bu)(ICH₃)]PF₆ (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (366) 357

Dimethylindium dialkylamides and organylphosphides, X-ray crystal structure of (Me₂InNR₂)₂ (R = Et, Pr¹, SiMe₃) and (Me₂InPBU₂)₂ (K.A. Aitchison, J.D.J. Backer-Dirks, D.C. Bradley, M.M. Faktor, D.M. Frigo, M.B. Hursthouse, B. Hussain, R.L. Short), (366) 11

Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281

Halomethyldicarbonylcyclopentadienyliron complexes with tertiary phosphine, amine and sulphur ligands, reactions of (G.C.A. Bellinger, H.B. Friedrich, J.R. Moss), (366) 175

Lithiodi-*t*-butylfluorosilylphenylphosphane, eight-membered crystal structure of (SiFLiP)₂ (D. Stalke, M. Meyer, M. Andrianarison, U. Klingebiel, G.M. Sheldrick), (366) C15

Pentacarbonyldiphosphanerhenium monomeric and bridged complexes and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (366) 313

Pentacarbonylmetal- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197

- Pentacarbonylmetal complexes of organophosphorus chlorides with K_2SN_2 . X-ray structure of $(CO)_5Cr[P(t-Bu)NSNSNH]$ (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Rhodium dihydride complex $[RhH_2(cHex-DAB)(PPh_3)_2][PF_6]$ ($cHex-DAB = C_6H_{11}N=CHCH=NC_6H_{11}$) with $[PPh_4][Co(CO)_4]$ and $[PPh_4][HFe(CO)_4]$, reactions of; crystal structure of $[RhH_2(cHex-DAB)(PPh_3)_2][Co(CO)_4]$ (M. Iglesias, C. del Pino, A.S. José, S. Martínez-Carrera, J. Ros), (366) 391
- 2,4,6-Tris(trifluoromethyl)phenyl substituent, examples for electronic and sterically stabilised low-coordinated elements (M. Scholz, H.W. Roesky, D. Stalke, K. Keller, F.T. Edelmann), (366) 73
- [Tris(trimethyl)- and [tris(dimethylphenyl)-silyl]methyl derivatives of phosphorus; crystal structure of [tris(dimethylphenylsilyl)]methylphosphonous dichloride (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, C.A. McGeary, J.D. Smith), (366) 39

Platinum

- Platinum catalysts for homogeneous catalytic hydrosilylation of C=C bond (R. Skoda-Földes, L. Kollár, B. Heil), (366) 275
- Platinum hydride complex $[(PPh_3)_3PtH]^+$, interaction with carbon monoxide and ethylene in trifluoroacetic acid solutions of (V.D. Chinakov, G.N. Il'inich, V.N. Zudin, V.A. Likhobolov, V.M. Nekipelov), (366) 421

Potassium

- Pentacarbonylmetal complexes of organophosphorus chlorides with K_2SN_2 . X-ray structure of $(CO)_5Cr[P(t-Bu)NSNSNH]$ (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105

Rhenium

- Pentacarbonyldiphosphanerhenium monomeric and bridged complexes and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (366) 313
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Rhodium

- η^4 -Diene-rhodium(I) and main group metal derivatives of functionally substituted cyclopentadienes, NMR of (M. Arthurs, P. Gross, G. Kubal, L. Paniwnyk, E. Curzon), (366) 223
- β -Diketonato(1,5-cyclooctadiene)rhodium(I) complexes, kinetics of substitution by benzoyl-1,1,1-trifluoroacetone in (J.H. Potgieter), (366) 369
- 2-Pyridonate (OPy)-rhodium complexes, crystal structure of $\{[Rh(\mu-OPy)(CO)_2]_2\}$ (M.A. Ciriano, B.E. Villarroja, L.A. Oro, M.C. Apreda, C. Foces-Foces, F.H. Cano), (366) 377
- $[Rh(CO)_2I_2]^-$ ion-pairing in salts of (A. Fulford, P.M. Maitlis), (366) C20
- Rhodium catalysed reaction of ethylene and syngas with alkylamines, selective preparation of n-propylamines by (M.D. Jones), (366) 403
- Rhodium dihydride complex $[RhH_2(cHex-DAB)(PPh_3)_2][PF_6]$ ($cHex-DAB = C_6H_{11}N=CHCH=NC_6H_{11}$) with $[PPh_4][Co(CO)_4]$ and $[PPh_4][HFe(CO)_4]$, reactions of; crystal structure of $[RhH_2(cHex-DAB)(PPh_3)_2][Co(CO)_4]$ (M. Iglesias, C. del Pino, A.S. José, S. Martínez-Carrera, J. Ros), (366) 391
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129

Ruthenium

- Bis-alkynyl- and hydrido-alkynyl-osmium(II) and -ruthenium(II) complexes containing triisopropylphosphine as ligand, formation of (H. Werner, U. Meyer, M.A. Esteruelas, E. Sola, L.A. Oro), (366) 187
- $[(\eta^5-C_5H_5)Ru(PPh_3)(CN^tBu)(IR)]PF_6$, ($R = CH_3, CH_2SiMe_3$), preparation of; crystal structures of $[(\eta^5-C_5H_5)Ru(PPh_3)(CN^tBu)I]$ and $[(\eta^5-C_5H_5)Ru(PPh_3)(CN^tBu)(ICH_3)]PF_6$ (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (366) 357
- $[Rh(CO)_2I_2]^-$ ion-pairing in salts of (A. Fulford, P.M. Maitlis), (366) C20

Silicon

- Alkoxyisilylene (alkoxyisilanediy), formation and characterisation of (G. Maier, H.P. Reisenauer, K. Schöttler, U. Wessolek-Kraus), (366) 25
- Lithiodi-*t*-butylfluorosilylphenylphosphane, eight-membered crystal structure of (SiFLiP)₂ (D. Stalke, M. Meyer, M. Andrianarison, U. Klingebiel, G.M. Sheldrick), (366) C15
- 1-(α -Lithiomethyl)-2-[(α -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- Oligosiloxanes with hydroxyalkyl substituents, synthesis and characterization of (F. Braun, L. Willner, M. Hess, R. Kosfeld), (366) 53
- Platinum catalysts for homogeneous catalytic hydrosilylation of C=C bond (R. Skoda-Földes, L. Kollár, B. Heil), (366) 275
- [Tris(trimethyl)- and [tris(dimethylphenyl)-silyl]methyl derivatives of phosphorus; crystal structure of [tris(dimethylphenylsilyl)]methylphosphonous dichloride (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, C.A. McGeary, J.D. Smith), (366) 39

Sulphur

- Halomethyldicarbonylcyclopentadienyliron complexes with tertiary phosphine, amine and sulphur ligands, reactions of (G.C.A. Bellinger, H.B. Friedrich, J.R. Moss), (366) 175
- 1-(α -Lithiomethyl)-2-[(α -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- Metal-metal spin coupling through chalcogenides; crystal structure of [(2-MeC₆H₄CH₂)₃Sn]₂O and [(1-MeC₆H₄)₃Sn]₂O (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61
- Organogermanium functional bicyclic compounds, formation of (P. Mazerolles, C. Laurent, A. Faucher), (366) 57
- Pentacarbonylmetal complexes of organophosphorus chlorides with K₂SN₂, X-ray structure of (CO)₅Cr[P(*t*-Bu)NSNSNH] (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105

Tellurium

- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281
- Metal-metal spin coupling through chalcogenides; crystal structure of [(2-MeC₆H₄CH₂)₃Sn]₂O and [(1-MeC₆H₄)₃Sn]₂O (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61

Tin

- 1-(α -Lithiomethyl)-2-[(α -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- Metal-metal spin coupling through chalcogenides; crystal structure of [(2-MeC₆H₄CH₂)₃Sn]₂O and [(1-MeC₆H₄)₃Sn]₂O (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61

Titanium

- Titanium-methyl bonds, insertion of olefins by "paired interacting orbitals" into (A. Shiga, H. Kawamura, T. Ebara, T. Sasaki, Y. Kikuzono), (366) 95

Tungsten

- Bis(pyrazolyl)methanetetra-carbonyl-chromium(0), -molybdenum(0) and -tungsten(0), formation and characterisation of (G.G. Lobbia, F. Bonati), (366) 121
- (η^5 -C₅H₅)₂W₂Ir₂(CO)₄(μ -CO)₂(μ_3 -Ph)(μ_3 - η^3 -C₃Ph₃), a "60-electron" cluster with a triangulated rhomboidal W₂Ir₂ skeleton, crystal structure of (M.R. Churchill, L.V. Biondi), (366) 265
- C₅Me₅(CO)₃W-W(O)₂C₅Me₅, reactions with Cl₂, Br₂, I₂, HCl, CF₃COOH, NOCl, NO of; molecular structure of C₅Me₅W(CO)Br₃ (H.G. Alt, H.E. Engelhart, H.I. Hayen, R.D. Rogers), (366) 287
- Cp'(CO)₂(CNR)MH Cp' = η^5 -C₅H₅, η^5 -C₅Me₅; R = Me, ^tBu; M = Mo, W), formation and characterisation of; molecular structure of C₅Me₅(CO)₂(CN^tBu)MoH (H.G. Alt, H.E. Engelhardt, T. Frister, R.D. Rogers), (366) 297
- Manganese, chromium and tungsten mononuclear σ - and π -coordinated complexes with tetra-cyanoethene and tetracyano-*p*-chinodimethane (B. Olbrich-Deussner, R. Gross, W. Kaim), (366) 155

- Pentacarbonylmetal- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Pentacarbonylmetal complexes of organophosphorus chlorides with K_2SN_2 , X-ray structure of $(CO)_5Cr[P(t-Bu)NSNSNH]$ (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Tungsten carbene complexes, anionic initiated coupling of (D.W. Macomber, M.-H. Hung), (366) 147

Book reviews

- Annual reports in organic synthesis-1987; edited by F.V. Scriven and K. Turnbull (P.A. Chaloner), (366) C24
- Nuclear magnetic resonance spectroscopy, 2nd edition; by F.A. Bovey (P.C. Lickiss), (366) C23