

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 386 (1990)

SUBJECT INDEX
Aluminium

Trimethylaluminium monomer-dimer equilibrium, ^{27}Al NMR study of (Z. Černý, J. Fusek, O. Kříž, S. Heřmánek, M. Šolc, B. Čásenský), (386) 157

Antimony

Trigonal bipyramidal methylidene clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Arsenic

Trigonal bipyramidal methylidene clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Bismuth

$\text{C}_5\text{H}_5\text{BiCl}_2$, preparation from NaC_5H_5 and BiCl_3 at low temperature, properties and crystal structure of (W. Frank), (386) 177

Trigonal bipyramidal methylidene clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Boron

2,5-Dihydroboroles and 1,3-dihydro-1,3-diborete, formation from 1,3-dienes and alkynes by rearrangement with dichloro(diisopropylamino)borane and alkali metals (D. Bromm, D. Stalke, A. Heine, A. Meller, G.M. Sheldrick), (386) 1

Chromium

Chromium, μ_2 -benzylidene complex of, with unpaired electrons (F.H. Köller, C. Krüger, H. Zeh), (386) C13

Chromium and tungsten aziridinocarbene complexes, synthesis and reactivity with formation of nitrile and acetiminooxime complexes of (B. Denise, A. Massoud, A. Parlier, H. Rudler, J.C. Daran, J. Vaissermann, C. Alvarez, R. Patino, R.A. Toscano), (386) 51

$(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$, X-ray structure of $(\text{CO})_2(\text{NO})\text{Cr}_2(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2[\eta^5\text{-(3-acetyl)C}_5\text{H}_3]\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ (Y.-P. Wang, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79

$(\mu\text{-}\eta^6, \eta^6\text{-Naphthalene})\text{dichromium}$ and $\text{bis}(\eta^6\text{-naphthalene})\text{chromium}$ compounds, electrochemical properties of (B.F. Bush, J.J. Lagowski), (386) 37

Trigonal bipyramidal methylidene clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Cobalt

Phenylethynyl-substituted phosphonium ion complexes $(\text{R})(\text{R}')\text{P}=\text{MoCp}'(\text{CO})_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349

Germanium

Germyllithiums, mechanism of, reactions with di-*t*-butyl-3,5-orthoquinone of (P. Rivière, A. Castel, Y.H. Ko, D. Desor), (386) 147

N-Mesityldimesitylgermainime, formation of (M. Rivière-Baudet, J. Satgé, A. Morère), (386) C7

Gold

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Iridium

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Iron

$(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$, X-ray structure of $(\text{CO})_2(\text{NO})\text{Cr}_2(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2[\eta^5\text{-(3-acetyl)C}_5\text{H}_3]\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ (Y.-P. Wang, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79

Dithioformate $\text{Fe}(\eta^2\text{-HC}(\text{SR})\text{S})$ complexes, cleavage of the coordinate C-S bond by alkynes in; route to $\text{FeCH}(\text{SR})\text{COC}(\text{CO}_2\text{Me})=\text{C}(\text{CO}_2\text{Me})\text{S}(\text{CO})(\text{PR}_3)_2$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, R.D. Adams, B.E. Segmüller), (386) 95

$\text{Fe}_2(\text{CO})_9$, Fe-Fe bond in qualitative MO study of (C. Mealli, D.M. Proserpio), (386) 203

$[\text{Fe}_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ and related complexes, addition of halogenocarbons to alkenes in the presence of (R. Davis, J.L.A. Durrant, N.M.S. Khazal, T.E. Bitterwolf), (386) 229

$\text{Fe}_2(\text{CO})_6(\mu\text{-PhNC}(\text{O})\text{C}_6\text{H}_4\text{NH})$ binuclear complex, synthesis from $\text{Fe}(\text{CO})_5$ and azobenzene of, molecular structure of (A.S. Katugin, A.A. Pasyanski, I.L. Eremenko, E.A. Vas'utinskaya, Yu. T. Struchkov, A.I. Yanovsky), (386) 225

$[\text{Fe}(\text{CO})_3\text{NO}]^-$, use for carbonylation of primary, secondary and allylic halides of (S.G. Davies, A.J. Smallridge, A. Ibbotson), (386) 195

Ferrocenylalkenes, alkoxymethylation of (A. Ketter, R. Herrmann), (386) 241

Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253

Trigonal bipyramidal methylidene clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Lead

Se-organolead selenocarboxylates, isolation and characterisation of (S. Kato, H. Ishihara, K. Ibi, H. Kageyama, T. Murai), (386) 313

Lithium

Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253

Germyllithiums, mechanism of, reactions with di-*t*-butyl-3,5-orthoquinone of (P. Rivière, A. Castel, Y.H. Ko, D. Desor), (386) 147

Manganese

Hydrocarbon-bridged metal complexes, $(\text{OC})_5\text{M}(\text{CH}_2)_n\text{M}(\text{CO})_5$, (M = Mn, $n = 2$; M = Re; $n = 2$; $n = 3$), synthesis from dimethyl ether of the bistriflates $\text{Y}(\text{CH}_2)_n\text{Y}$ (Y = $\text{F}_3\text{CSO}_2\text{O}$) and carbonyl metalates $[\text{M}(\text{CO})_5]^-$ of (E. Lindner, M. Pabel, K. Eichele), (386) 187

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

Phosphametallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63

Trigonal bipyramidal methylidene clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Mercury

Hydroperoxymercuriation using 30% hydrogen peroxide (A.J. Bloodworth, M.D. Spencer), (386) 229

Metalloenes

Chromium, μ_2 -benzylidene complex of, with unpaired electrons (F.H. Köller, C. Krüger, H. Zeh), (386) C13

- (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η^5 -C₅H₅), X-ray structure of (CO)₂(NO)Cr₂(η^5 -C₅H₄)CH₂[η^5 -(3-acetyl)C₅H₃]Fe(η^5 -C₅H₅) (Y.-P. Wang, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79
- (η^4 -1,5-Cyclooctadiene)(η^6 -1,2,3,4-tetramethylfulvenc)ruthenium, formation of, ligand arrangement in and molecular structure of (U. Kölle, B.-S. Kang, U. Thewalt), (386) 267
- Cyclopentadienylcyclooctadienylhydridoruthenium, rearrangements in (U. Kölle, B.-S. Kang, G. Raabe, C. Krüger), (386) 261
- Ferrocenylalkenes, alkoxymethylation of (A. Ketter, R. Herrmann), (386) 241
- Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253
- (μ - η^6 , η^6 -Naphthalene)dichromium and bis(η^6 -naphthalene)chromium compounds, electrochemical properties of (B.F. Bush, J.J. Lagowski), (386) 37

Molybdenum

- Ethylisocyanidomolybdenum(0) complex, formation by *N*-alkylation of cyclopentadienyl-substituted diethylaminocarbynylmolybdenum complex of (A.C. Filippou, E.O. Fischer, W. Grünleitner), (386) 333
- Phenylethynyl-substituted phosphonium ion complexes (R)(R')P=MoCp'(CO)₂, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349
- Trigonal bipyramidal methylidene clusters, EFe₃(CO)₉CH (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Osmium

- Os₃(CO)₉L(R₂C₂) (L = CO, MeCN, P(OMe)₃ or PPh₃), synthesis and solution studies of; crystal and molecular structure of Os₃(CO)₉P(OMe)₃(Ph₂C₂) (M.A. Gallop, B.F.G. Johnson, R. Khattar, J. Lewis, P.R. Raithby), (386) 121
- Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Palladium

- trans*-*N,N,N*-Triethyl-2-[4-(2-phenylethenyl)phenoxy]ethan ammonium iodide, synthesis of (M.I. Al-Hasan), (386) 395

Phosphorus

- Phenylethynyl-substituted phosphonium ion complexes (R)(R')P=MoCp'(CO)₂, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349
- Phosphametallacycloalkanes, conformation and ³¹P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63
- Stannyl phosphines, addition to alkynes and allenes of (T.N. Mitchell, H.-J. Belt), (386) 167

Platinum

- Platinacyclohexanes, conformations studied by NMR and crystal structures of [Pt(CH₂)₄CH₂(PPhMe₂)₂] and [PtCH₂CH₂CMe₂CH₂CH₂(PPhMe₂)₂] of (N.W. Alcock, K.H. Bryars, P.G. Pringle), (386) 399

Rhenium

- Hydrocarbon-bridged metal complexes, (OC)₅M(CH₂)_{*n*}M(CO)₅, (M = Mn, *n* = 2; M = Re; *n* = 2; *n* = 3), synthesis from dimethyl ether of the bistriflates Y(CH₂)_{*n*}Y (Y = F₃CSO₂O) and carbonyl metalates [M(CO)₅]⁻ of (E. Lindner, M. Pabel, K. Eichele), (386) 187

Rhodium

- (Alkynyl)(vinyl)rhodium(III) complexes intermediate in dimerization of 1-alkynes catalysed by RhCl(PMe₃)₃ (I.P. Kovalev, K.V. Yevdakov, Yu. A. Strelenko, M.G. Vinogradov, G.I. Nikishin), (386) 139

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Unsaturated amides, reactions under hydroformylation conditions of (L. Kollár, G. Consiglio, P. Pino), (386) 389

Ruthenium

(η^4 -1,5-Cyclooctadiene)(η^6 -1,2,3,4,-tetramethylfulvene)ruthenium, formation of, ligand arrangement in and molecular structure of (U. Kölle, B.-S. Kang, U. Thewalt), (386) 267

Cyclopentadienylcyclooctadienylhydridoruthenium, rearrangements in (U. Kölle, B.-S. Kang, G. Raabe, C. Krüger), (386) 261

Diene-ruthenium(II) complexes of sulphur-containing α -amino acids, synthesis and stereochemistry of (W.S. Sheldrick, R. Exner), (386) 375

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

Ruthenium-catalysed alkyne hydrogenation reaction, steric control of (B.S. Nkosi, N.J. Coville, M.O. Albers, C. Gordon, M.M. Viney, E. Singleton), (386) 111

Ruthenium(II) isocyanide complexes, electrochemical reactions of (Y. Yamamoto, T. Tanase, T. Date, Y. Koide, K. Kobayashi), (386) 365

Three-, four-, and five-membered dimetalloheterocyclic compounds, synthesis by reaction of $[\text{Ru}_2\text{H}(\text{CO})_5\{\mu\text{-(RO)}_2\text{PN}(\text{Et})\text{P}(\text{OR})_2\}]_2[\text{PF}_6]$ (R = Me or Prⁱ) with $\text{X}\equiv\text{Y}$ and $\text{X}'=\text{Y}'=\text{Z}'$ systems and crystal structures of (K.J. Edwards, J.S. Field, R.J. Haines, B. Homann, J. Sundermeyer, S.F. Woollam), (386) C1

Selenium

Se-organolead selenocarboxylates, isolation and characterisation of (S. Kato, H. Ishihara, K. Ibi, H. Kageyama, T. Murai), (386) 313

Trifluoromethylselenocarbonylfluoride, preparation and reactions with 1,3-dienes and secondary amines of (J. Grobe, D. Le Van, J. Welzel), (386) 321

Silicon

2,5-Dihydroboroles and 1,3-dihydro-1,3-diborete, formation from 1,3-dienes and alkynes by rearrangement with dichloro(diisopropylamino)borane and alkali metals (D. Bromm, D. Stalke, A. Heine, A. Meller, G.M. Sheldrick), (386) 1

Isobutyl(isopropoxy)silanethiols $i\text{-Bu}_n(\text{i-PrO})_{3-n}\text{SiSH}$ ($n = 0-3$), imidazole catalysed alcoholysis of (J. Pikies, W. Wojnowski), (386) 305

ω -Monoalkylaminoallyltrimethylsilanes, $\text{RNH}(\text{CH}_2)_n\text{CH}(\text{SiMe}_3)\text{CH}=\text{CH}_2$ ($n = 2, 3$), reactions with formaldehyde of and formation of *N*-alkyl-2,3,6,7-tetrahydroazepines and *N*-alkyl-1,2,3,4,7,8-hexahydroazocines (B. Guyot, J. Pornet, L. Miginiac), (386) 19

trans-*N,N,N*-Triethyl-2-[4-(2-phenylethenyl)phenoxy]ethan ammonium iodide, synthesis of (M.I. Al-Hasan), (386) 395

Vinylsiloxane substituted compounds, synthesis of (G. Sonneck, E. Drahs, H. Jancke, H. Hamann), (386) 29

Sodium

Sodium aza-allyl monomer, $\{[\text{PhC}(\text{H})\text{NC}(\text{H})\text{Ph}]\text{Na}\cdot\text{PMDETA}\}$, discrete contact ion-pair structure with *N*-Na bond and (*ortho*-Ph)C-H \cdots Na contacts, X-ray structure in solid state and solution of (P.C. Andrews, R.E. Mulvey, W. Clegg, D. Reed), (386) 287

Sulphur

Diene-ruthenium(II) complexes of sulphur-containing α -amino acids, synthesis and stereochemistry of (W.S. Sheldrick, R. Exner), (386) 375

Dithioformate $\text{Fe}(\eta^2\text{-HC}(\text{SR})\text{S})$ complexes, cleavage of the coordinate C–S bond by alkynes in; route to $\overline{\text{FeCH}(\text{SR})\text{COC}(\text{CO}_2\text{Me})=\text{C}(\text{CO}_2\text{Me})\text{S}(\text{CO})(\text{PR}_3)_2}$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, R.D. Adams, B.E. Segmüller), (386) 95

Isobutyl(isopropoxy)silanethiols $i\text{-Bu}_n(\text{i-PrO})_{3-n}\text{SiSH}$ ($n = 0-3$), imidazole catalysed alcoholysis of (J. Píkies, W. Wojnowski), (386) 305

Thallium

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

Tin

Stannyl phosphines, addition to alkynes and allenes of (T.N. Mitchell, H.-J. Belt), (386) 167

Trifluoromethylselenocarbonylfluoride, preparation and reactions with 1,3-dienes and secondary amines of (J. Grobe, D. Le Van, J. Welzel), (386) 321

Tungsten

Chromium and tungsten aziridinocarbene complexes, synthesis and reactivity with formation of nitrile and acetiminoester complexes of (B. Denise, A. Massoud, A. Parlier, H. Rudler, J.C. Daran, J. Vaissermann, C. Alvarez, R. Patino, R.A. Toscano), (386) 51

Phosphametallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63

Trigonal bipyramidal methyldine clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ ($\text{E} = \text{As, Sb, Bi}$), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Book reviews

Gmelin handbook of inorganic chemistry, 8th edition, INDEX, Formula Index, 2nd Supplement (K.R. Seddon), (386) C20

Gmelin handbook of inorganic chemistry, 8th edition, Th—Thorium, Supplement Volume A4: General properties. Spectra. Recoil reactions (K.R. Seddon), (386) C19

Two-dimensional NMR methods for establishing molecular connectivity; a chemist's guide to experiment selection, performance and interpretation; by G.E. Martin and A.S. Zektzer (P.A. Chaloner), (386) C16