

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 399 (1990)****SUBJECT INDEX****Antimony**

$\eta^3, \eta^2, \eta^2$ -Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327

**Bismuth**

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

**Boron**

3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of  $\text{CH}_3\text{OOCCH}_2\text{CH}_2\text{Sn}(\text{pz})_3\text{BH}_2\text{X}_2$  ( $\text{X} = \text{Cl}, \text{NCS}$ ) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

**Chromium**

( $\eta^5\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_{13}\text{H}_9$ ) $\text{M}(\text{CO})_3\text{X}$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}$ ;  $\text{X} = \text{H}, \text{Me}$ ) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

$(\text{Cl})(\text{NO})_2\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ , synthesis of; an unexpected product from the Friedel-Crafts acylation of  $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$  with  $(\text{CO})_2(\text{NO})\text{Cr}[(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})\text{Cl}]$  (Y.-P. Wang, J.-M. Hwu), (399) 141

$[(\text{C}_5\text{Me}_2)_2\text{Cr}(\text{CO})_3]_2$  dimer, metal-metal bond dissociation in; equilibrium studies by NMR spectroscopy (L.Y. Goh, S.K. Khoo, Y.Y. Lim), (399) 115

Heterocumulenes with multiple metal-arsene and metal-antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

Transition metal stabilised As<sup>I</sup> and Sb<sup>I</sup> chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

**Cobalt**

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

(Propargylium)- $\text{Co}_2(\text{CO})_6^+$  and  $-(\text{C}_5\text{H}_5)_2\text{Mo}_2(\text{CO})_4^+$ , selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317

**Gadolinium**

$[\text{Na}(\mu_2\text{-THF})(\text{C}_5\text{Me}_5)\text{Gd}(\text{THF})]_2(\mu_2\text{-Cl})_3(\mu_3\text{-Cl}_2)_2\cdot 6\text{THF}$  monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

**Germanium**

Aryl-substituted trigermanes, photochemistry of; generation and mechanism of formation of germynes (K. Mochida, I. Yoneda, M. Wakasa), (399) 53

Optically active germane carrying  $\gamma$ -butyrolactones, synthesis of (Y. Takahashi, N. Kakimoto), (399) 47

**Iron**

(Cl)(NO)<sub>2</sub>Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>), synthesis of; an unexpected product from the Friedel-Crafts acylation of (CO)<sub>2</sub>(NO)Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>) with (CO)<sub>2</sub>(NO)Cr[ $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)Cl] (Y.-P. Wang, J.-M. Hwu), (399) 141

Fe<sub>2</sub>(CO)<sub>9</sub>, reductive dehalogenation of bidentate halogen phosphines RXP-CH<sub>2</sub>-PXR by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4

Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163

**Lead**

Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

**Manganese**

Dimetallaarsacumulenium ions, preparation of arsinidene complexes from (A. Strube, G. Huttner, L. Zsolnai, W. Imhof), (399) 281

Heterocumulenes with multiple metal-arsene and metal-antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

Transition metal stabilised As<sup>I</sup> and Sb<sup>I</sup> chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

**Metallocenes**

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301

(Cl)(NO)<sub>2</sub>Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>), synthesis of; an unexpected product from the Friedel-Crafts acylation of (CO)<sub>2</sub>(NO)Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>) with (CO)<sub>2</sub>(NO)Cr[ $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)Cl] (Y.-P. Wang, J.-M. Hwu), (399) 141

Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum-hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

Titanocene-trifluoroacetato complexes; molecular structures of [Cp<sub>2</sub>Ti(OCOCF<sub>3</sub>)<sub>2</sub>]<sub>2</sub> $\mu$ -O and Cp<sub>2</sub>Ti(OCOCF<sub>3</sub>)<sub>2</sub> (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

**Molybdenum**

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>CMe<sub>2</sub>C<sub>12</sub>H<sub>9</sub>)M(CO)<sub>3</sub>X (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

Molybdenum(V), imido ligand exchange at (G. Hogarth, P.C. Konidaris), (399) 149

(Propargylum)-Co<sub>2</sub>(CO)<sub>4</sub><sup>+</sup> and -(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Mo<sub>2</sub>(CO)<sub>4</sub><sup>+</sup>, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chamainant, G. Jaouen, K.M. Nicholas), (399) 317

**Nickel**

$\eta^3$ ,  $\eta^2$ ,  $\eta^2$ -Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327

2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205

**Palladium**

(Me<sub>3</sub>P)<sub>2</sub>Pd<sub>2</sub>( $\mu$ - $\eta^3$ -C<sub>3</sub>H<sub>5</sub>)( $\mu$ -SPh), preparation by reaction of Pd(0) complex with allyl phenyl sulfide (K. Osakada, Y. Ozawa, A. Yamamoto), (399) 341

- Palladium dichloride, reaction with  $C_6H_5C\equiv CC_6F_5$ ; structure of the phenylbis(pentafluorophenyl)benzofulvene (S.J. Blackett, J. Bowen Jones, D.S. Brown, A.G. Massey, M.R. Wiles), (399) 215  
 Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of  $\{[Ph_2PCH=C(O)Ph]Pd(\mu-Ph_2PO)\}_2$  (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349

## Phosphorus

- Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1  
 $(\eta^5-C_5H_4CMe_2C_{13}H_9)M(CO)_3X$  ( $M = Cr, Mo, W$ ;  $X = H, Me$ ) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131  
 $[(\eta^5-C_5H_5)Ru(PPh_3)(NO)(Cl)]PF_6$  six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307  
 $cis$ - and  $trans$ - $[(\eta^5-C_5H_5)W(CO)_2(H)PMc_3]$  half-sandwich complexes, one- and two-dimensional multi-nuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125  
 $[(\eta^5-C_5Me_5)(CO)Rh^I(F_3CPCF_2)_2Rh^{III}(CO)(\eta^5-C_5Me_5)]$ , isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameit), (399) 189  
 $Fe_2(CO)_9$ , reductive dehalogenation of bidentate halogen phosphines  $RXP-CH_2-PXR$  by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4  
 Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of  $\{[Ph_2PCH=C(O)Ph]Pd(\mu-Ph_2PO)\}_2$  (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349  
 $Pt(Ph_2PCH_2PPh_2)Cl_2$ , phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound  $[Pt_3(\mu_3-O)(\mu-\eta^2-PPh_2O)_3(PPh_2Me)_3]PF_6 \cdot CHCl_3$  (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361  
 Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163

## Platinum

- $Pt(Ph_2PCH_2PPh_2)Cl_2$ , phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound  $[Pt_3(\mu_3-O)(\mu-\eta^2-PPh_2O)_3(PPh_2Me)_3]PF_6 \cdot CHCl_3$  (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361

## Rhenium

- Hydrido-carbonyl rhenium cluster chemistry, coordination and reduction of isocyanide ligands in; synthesis and characterization of the anion  $[Re_3(\mu-H)_4(CO)_9(CNR)]^-$  and of the formimidoyl derivative  $[Re_3(\mu-H)_3(CO)_9(\mu-\eta^2-C(H)=NR)(PMe_2Ph)]^-$  ( $R = C_6H_{11}$ ) (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, M. Moret, A. Sironi), (399) 291

## Rhodium

- $[(\eta^5-C_5Me_5)(CO)Rh^I(F_3CPCF_2)_2Rh^{III}(CO)(\eta^5-C_5Me_5)]$ , isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameit), (399) 189  
 Di- $\mu$ -iododi- $\eta^1$ -methylbis( $\eta^5$ -pentamethylcyclopentadienylrhodium) and related complexes (A.R. Kunicki, K. Isobe, P.M. Maitlis), (399) 199  
 Hexarhodium hexadecacarbonyl, diene derivatives of; molecular structures of  $Rh_6(CO)_{14}(\eta^4-CH_2C(Me)C(Me)CH_2)$  and  $Rh_6(CO)_{12}(\eta^4-CH_2C(Me)C(Me)CH_2)_2$ , and their substitution reactions with bis(diphenylphosphino)methane (Z. Hou, Y. Wakatsuki, H. Yamazaki), (399) 103

## Ruthenium

- Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301  
 $[(\eta^5-C_5H_5)Ru(PPh_3)(NO)(Cl)]PF_6$  six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307

## Silicon

- Bis(bis(trimethylsilyl)phosphino)silane  $[(Me_3Si)_2P]_2SiH_2$  and 1,2-bis(bis(trimethylsilyl)phosphino)dilane  $[(Me_3Si)_2PSiH_2]_2$  (K. Hassler, U. Katzenbeisser), (399) C18

- Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267
- N*-Methyl-*N,O*-bis(trimethylsilyl)hydroxylamine bulky proton-containing reagent, selectivity in the formation of nitrones (J.R. Hwu, K.P. Khoudary, S.-C. Tsay), (399) C13
- Pentacoordinated 1,3,2-dioxosilaheterocycles, synthesis of (P. Arya, R.J.P. Corriu, K. Gupta, G.F. Lanneau, Z. Yu), (399) 11
- 2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205
- Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
- Spirocyclic pseudosilatrane, synthesis and spectroscopic and structural studies of (J.Y. Corey, N.P. Rath, C.S. John, E.R. Corey), (399) 221
- Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35
- Transition metal stabilised As<sup>I</sup> and Sb<sup>I</sup> chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

## Sodium

- {Na( $\mu_2$ -THF)[(C<sub>5</sub>Me<sub>5</sub>)Gd(THF)]<sub>2</sub>( $\mu_2$ -Cl)<sub>3</sub>( $\mu_3$ -Cl)<sub>2</sub>}<sub>2</sub>·6THF monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

## Tantalum

- Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

## Tin

- Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63
- 3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of CH<sub>3</sub>OOCCH<sub>2</sub>CH<sub>2</sub>Sn((pz)<sub>3</sub>BH)X<sub>2</sub> (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235
- Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

## Titanium

- Titanium-isocyanate complex, use in lactam synthesis by nitrogenation of enol lactones (Y. Uozumi, E. Mori, M. Mori, M. Shibasaki), (399) 93
- Titanocene-trifluoroacetato complexes; molecular structures of [Cp<sub>2</sub>Ti(OCOCF<sub>3</sub>)]<sub>2</sub> $\mu$ -O and Cp<sub>2</sub>Ti(OCOCF<sub>3</sub>)<sub>2</sub> (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

## Tungsten

- Benzylidene(pentacarbonyl)wolfram, 1,4-insertion of a 1,4-diazabutadiene into the C–H bond of (H. Fischer, K. Treier, E.-C. Plappert, J. Hofmann), (399) 153
- ( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>CMe<sub>2</sub>C<sub>13</sub>H<sub>9</sub>)M(CO)<sub>3</sub>X (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131
- cis*- and *trans*-[( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)W(CO)<sub>2</sub>(H)PM<sub>3</sub>] half-sandwich complexes, one- and two-dimensional multi-nuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125

## Uranium

- Monocyclopentadienyl uranium alkoxides, synthesis by alcoholysis of triscyclopentadienyl uranium chlorides (B. Delavaux-Nicot, M. Ephritikhine), (399) 77

## Zirconium

- Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

**Book reviews**

Gmelin handbook of inorganic chemistry, 8th edition, Mo—molybdenum, supplement volume B3b: oxomolybdenum species in aqueous solutions (continued). Oxomolybdenum species in nonaqueous solvents. Oxomolybdenum species in melts. Peroxomolybdenum species (K.R. Seddon), (399) C9