

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 387 (1990)**SUBJECT INDEX****Antimony**

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-AsCo}_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Arsenic

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-AsCo}_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Boron

Cyanotrihydroboranatotris(η^5 -cyclopentadienyl)acetonitrileuranium(IV), preparation and X-ray diffraction study of (M. Adam, K. Yünlü, R.D. Fischer), (387) C13

2-Oxygen derivatives of 1,2-oxaborolane, preparation from 2-allyloxy-1,2-oxaborolane (Z. Weike, L. Weiming, Z. Gaoyi, D. Hongxun, L. Shaofang), (387) 131

Chromium

Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Cobalt

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-AsCo}_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Cluster-substituted cyclopentadienone, formation from $PhC_2CCo_3(CO)_9$; crystal structure of $Ph_2C_4C(O)[CCo_3(CO)_9]_2$ (G.H. Worth, B.H. Robinson, J. Simpson), (387) 337

Cobalt and rhodium fulvene complexes, synthesis and structure (D. Rau, U. Behrens), (387) 219

Copper

Tetranuclear cluster $[Au_2Ag_2(C_2Ph)_4(PPh_3)_2]$ and mixed-metal gold-silver and gold-copper phenyl-acetylide polymer complexes $\{[AuM(C_2Ph)_2]_n\}$ ($M = Ag, Cu$), syntheses and structures of (O.M. Abu-Salah), (387) 123

Thermal decomposition of nickel-carbon and copper-carbon σ -bonds (review) (S. Pasynkiewicz), (387) 1

Germanium

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-AsCo}_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

Gold

Tetranuclear cluster $[Au_2Ag_2(C_2Ph)_4(PPh_3)_2]$ and mixed-metal gold-silver and gold-copper phenyl-acetylide polymer complexes $\{[AuM(C_2Ph)_2]_n\}$ ($M = Ag, Cu$), syntheses and structures of (O.M. Abu-Salah), (387) 123

Hafnium

Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

Iron

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-As}Co_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Dimethylgermyldimethylsilylmethaneoctacarbonydiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

Epoxides, ring opening reactions with cyclopentadienyliron complexed aminoarenes (C.H. Zhang, A. Piórko, C.C. Lee, R.G. Sutherland), (387) 295

$Fe_2(CO)_6(\mu_2\text{-Te}_2)$, insertion of a methylene group into the Te–Te bond of (P. Mathur, V.D. Reddy), (387) 193

Ferrocene with a pentaarsacyclopentadienyl ligand (O.J. Scherer, C. Blath, G. Wolmershäuser), (387) C21

Main Metals – General

Chemiluminescence of organometallics in solution (*review*) (R.G. Bulgakov, V.P. Kazakov, G.A. Tolstikov), (387) 11

Manganese

Dinuclear metal carbonyl complexes and alkyl halides, photochemical reactions of; formal oxidative addition across metal–metal single bond proceeding by free radical chain mechanism (M.A. Biddleph, R. Davis, F.I.C. Wilson), (387) 277

Metallocenes

Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

$Cp_2Ti(BiF_6)_2$, synthesis and characterization of (P. Gowik, T. Klapötke), (387) C27

Ferrocene with a pentaarsacyclopentadienyl ligand (O.J. Scherer, C. Blath, G. Wolmershäuser), (387) C21

Molybdenum

Molybdenum- η^3 -hexadienyl pseudo-octahedral complexes, synthesis and structure of (M.A. Paz-Sandoval, P. Juárez Saavedra, G. Durán Pomposo, P. Joseph-Nathan, P. Powell), (387) 265

Near-linear Rh_2Mo trinuclear complex $[(\eta^5-C_5H_5)Rh(\mu\text{-CO})(\mu\text{-Ph}_2PC_5H_4N)Rh(CO)Mo(CO)_3(\eta^5-C_5H_5)]$, synthesis and crystal structure of (S. Lo Schiavo, F. Faraone, M. Lanfranchi, A. Tiripicchio), (387) 357

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Nickel

Cyclopentadienylphosphine(α -benzenesulfonylalkyl)nickel complexes, reactions of; formation of aldehydes and alkenes from sulfones (M. Julia, H. Lauron, J.-N. Verpaux), (387) 365

Naphthalene nickel(0) complexes, preparation of; crystal structure of $[Ni(C_{10}H_8)(i-C_3H_7)_2\text{-PCH}_2CH_2P(i-C_3H_7)_2]$ (F. Scott, C. Krüger, P. Betz), (387) 113

Nickel(II) complexes, catalytic application in the Kumada cross-coupling reaction (M.E. Wright, M.-J. Jin), (387) 373

Nickel(0) induced and catalysed CC bond formation between phenylisocyanate and vinyl-substituted heterocycles (H. Hoberg, D. Guhl, P. Betz), (387) 233

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Thermal decomposition of nickel–carbon and copper–carbon σ -bonds (*review*) (S. Pasynkiewicz), (387) 1

Osmium

Osmium and iridium series [MLCl(PPh₃)₂(OSA)] (ML = OsNO, IrCO; A = O, CH₂, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323

Palladium

Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

6-Substituted-3,4-dihydro-2*H*-1-benzopyran-2-ones (dihydrocoumarins), synthesis via palladium catalysed coupling reactions (S.G. Davies, D. Pyatt, C. Thomson), (387) 381

Phosphorus

Dimethylgermyldimethylsilylmethaneoctacarbonydiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1

Naphthalene nickel(0) complexes, preparation of; crystal structure of [Ni(C₁₀H₈)(i-C₃H₇)₂·PCH₂CH₂P(i-C₃H₇)₂] (F. Scott, C. Krüger, P. Betz), (387) 113

Nickel(0) induced and catalysed CC bond formation between phenylisocyanate and vinyl-substituted heterocycles (H. Hoberg, D. Guhl, P. Betz), (387) 233

(PhCOO)₂(PPh₃)₂(CO)₂Ru, stereochemistry assignments and X-ray crystal structure determination of (M. Rotem, Z. Stein, Y. Shvo), (387) 95

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209

Ru[C₄H₃N]SCNMe₂S)(η²-S₂CNMe₂)(CO)(PPh₃), synthesis and reactions of; crystal structure of [Ru{=C(SCNMe₂S)(2-pyrrolyl)}(η²-S₂CNMe₂)(CO)(PPh₃)]⁺ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9

Platinum

Polydentate ligands containing pyrazole groups, cyclometallation of; synthesis of platinum(IV) complexes with tripodal [N–C–N][−] ligand systems (A.J. Canty, R.T. Honeyman), (387) 247

Rhenium

Early-late heterobimetallic μ-alkylidene complexes, synthesis of (C.P. Casey, F.R. Askham, L.M. Petrovich), (387) C31

Rhodium

Cobalt and rhodium fulvene complexes, synthesis and structure (D. Rau, U. Behrens), (387) 219

Near-linear Rh₂Mo trinuclear complex [(η⁵-C₅H₅)Rh(μ-CO)(μ-Ph₂PC₅H₄N)Rh(CO)Mo(CO)₃(η⁵-C₅H₅)], synthesis and crystal structure of (S. Lo Schiavo, F. Faraone, M. Lanfranchi, A. Tiripicchio), (387) 357

Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209

Rhodium(I) complexes containing 4-pyridylmethylene-4'-alkoxyanilines; formation of liquid crystals by coordination of non-mesogenic organic ligands (M.A. Esteruelas, E. Sola, L.A. Oro, M.B. Ros, M. Marcos, J.L. Serrano), (387) 103

Ruthenium

Formates, homogeneous activation of the C–H bond in; decarbonylation of formates to alcohols (G. Jenner, E.M. Nahmed, H. Leismann), (387) 315

- Osmium and iridium series [MLCl(PPh₃)₂(OSA)] (ML = OsNO, IrCO; A = O, CH₂, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323
- Pentaphenylcyclopentadienyl ligand, stereochemical and kinetic consequences of binding of; crystal structure of Ru(C₅Ph₅)(CO)(PPh₃)Br (H. Adams, N.A. Bailey, A.F. Browning, J.A. Ramsden, C. White), (387) 305
- (PhCOO)₂(PPh₃)₂(CO)₂Ru, stereochemistry assignments and X-ray crystal structure determination of (M. Rotem, Z. Stein, Y. Shvo), (387) 95
- Ru(C₄H₃N)SCNMe₂S(η²-S₂CNMe₂)(CO)(PPh₃), synthesis and reactions of; crystal structure of [Ru{=C(SCNMe₂S)(2-pyrrolyl)}(η²-S₂CNMe₂)(CO)(PPh₃)]⁺ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9
- Ru[=C(OC₆H₄O)(2-N-methylpyrrolyl)]I(CO)(PPh₃)₂, synthesis and crystal structure of (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C5

Silicon

- Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
- Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65
- Nickel(II) complexes, catalytic application in the Kumada cross-coupling reaction (M.E. Wright, M.-J. Jin), (387) 373
- Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209
- Unstable methoxycyclosiloxanes [(CH₃O)SiO]_n (*n* = 2, 3): thermal generation and direct mass spectral studies (I. Tamás, A. Gömöry, I. Besenyei, V.N. Khabashesku, Z.A. Kerzina, N.D. Kagrananov, I.O. Bragilevsky), (387) 147

Silver

- Tetranuclear cluster [Au₂Ag₂(C₂Ph)₄(PPh₃)₂] and mixed-metal gold–silver and gold–copper phenyl-acetylide polymer complexes [{AuM(C₂Ph)₂}_n] (M = Ag, Cu), syntheses and structures of (O.M. Abu-Salah), (387) 123

Sulphur

- Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65
- Osmium and iridium series [MLCl(PPh₃)₂(OSA)] (ML = OsNO, IrCO; A = O, CH₂, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323
- Ru(C₄H₃N)SCNMe₂S(η²-S₂CNMe₂)(CO)(PPh₃), synthesis and reactions of; crystal structure of [Ru{=C(SCNMe₂S)(2-pyrrolyl)}(η²-S₂CNMe₂)(CO)(PPh₃)]⁺ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9

Tellurium

- Fe₂(CO)₆(μ₂-Te₂), insertion of a methylene group into the Te–Te bond of (P. Mathur, V.D. Reddy), (387) 193

Tin

- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of [Fe₂(CO)₈(μ₄-As)]₂[Fe₂(CO)₆] and [μ₄-AsCo₃(CO)₈]₃ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- Diorganotin(IV) complexes with *o*-anisic acid, synthesis and spectroscopic properties of; crystal and molecular structure of {[¹¹Bu₂Sn(2-MeOC₆H₄COO)]₂O}₂ (C.S. Parulekar, V.K. Jain, T. Kesavadas, E.R.T. Tiekkink), (387) 163
- 6-Substituted-3,4-dihydro-2*H*-1-benzopyran-2-ones (dihydrocoumarins), synthesis via palladium catalysed coupling reactions (S.G. Davies, D. Pyatt, C. Thomson), (387) 381
- α-Tributylstannylacetals: preparation via transacetalisation of diethoxymethyltributyltin; use for the synthesis of new α-stannylyated ethers (A. Duchêne, S. Boissière, J.-L. Parrain, J.-P. Quintard), (387) 153

Titanium

Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
 $\text{Cp}_2\text{Ti}(\text{BiF}_6)_2$, synthesis and characterization of (P. Gowik, T. Klapötke), (387) C27

Tungsten

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
Tricarbonyl- $\eta^{5:1}$ -(2-cyclopentadienyl)ethyl-tungsten, photochemical reactions with conjugated dienes (C.G. Kreiter, M. Wenz, P. Bell), (387) 175

Uranium

Cyanotrihydroboranatotris(η^5 -cyclopentadienyl)acetonitrileuranium(IV). preparation and X-ray diffraction study of (M. Adam, K. Yünlü, R.D. Fischer), (387) C13

Zirconium

Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
Early-late heterobimetallic μ -alkylidene complexes, synthesis of (C.P. Casey, F.R. Askham, L.M. Petrovich), (387) C31

Book reviews

Gas phase inorganic chemistry; edited by D.H. Russell (A.J. Stace), (387) C17