

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 419 (1991)

SUBJECT INDEX

Aluminium

Coordinationally oversaturated metallocene derivatives, crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Sm}(\mu_3\text{-H})_2](\mu_2\text{-H})_2\text{AlH}\cdot\text{N}(\text{C}_2\text{H}_5)_3)_2$ and $[(\eta^5\text{-C}_5\text{H}_4\text{tBu})_2\text{Sm}]_2(\mu_2\text{-H})\mu_3(\mu_3\text{-H})_2\text{Al}(\mu_2\text{-H})_2\cdot\text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2]$ complexes (V.K. Belsky, Y.K. Gun'ko, B.M. Bulychev and G.L. Soloveichik), (419) 299

Homo- and heteronuclear hydrido lutetocene complexes with bulky 1,3-di(tert-butyl)cyclopentadienyl ($\text{C}_5\text{H}_3\text{tBu}_2$) ligands, molecular structure of $[(\text{tBu}_2\text{C}_5\text{H}_3)\text{LuH}]_4[\text{AlH}_4\cdot\text{Et}_2\text{O}]_2[\text{AlH}_4]_2$ (S.Y. Knjazhanski, E.B. Lobkovsky, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (419) 311

Antimony

Group 15 organometallics, high metal coordination numbers in; crystal structures of triphenylbismuth-bis(trifluoroacetate) and triphenylantimonybis(trifluoroacetate) (G. Ferguson, B. Kaitner, C. Glidewell and S. Smith), (419) 283

Bismuth

Group 15 organometallics, high metal coordination numbers in; crystal structures of triphenylbismuth-bis(trifluoroacetate) and triphenylantimonybis(trifluoroacetate) (G. Ferguson, B. Kaitner, C. Glidewell and S. Smith), (419) 283

Chromium

Enaminoketene and arenetricarbonyl nitrogen ylid chromium complexes, successive formation during intramolecular alkyne insertions into aminocarbene complexes (E. Chelain, A. Parlier, H. Rudler, J.C. Daran and J. Vaissermann), (419) C5

$(\eta^5\text{-Cyclopentadienyl})\text{tricarbonylmethylchromium}$, photochemistry in gas matrices and polymer films at 12–298 K; infrared spectroscopic evidence for reversible carbon monoxide ejection and $\alpha\text{-H}$ elimination from the methyl group (R.H. Hooker, K.A. Mahmoud, A.J. Rest and H.G. Alt), (419) 101

Group VI metal carbonyls, $(\eta^6\text{-C}_6\text{H}_6)\text{Cr}(\text{CO})_3$, $(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_3$, $(\eta^5\text{-CH}_3\text{C}_5\text{H}_4)\text{Mn}(\text{CO})_3$ and $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{CO})_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

$[\eta^5\text{-(C}_5\text{H}_4\text{COOCH}_3)]\text{Cr}(\text{NO})_2\text{L}$ (L = Cl, I, CH_3), syntheses and spectra of; crystal structures of $[\eta^5\text{-(C}_5\text{H}_4\text{COOCH}_3)]\text{Cr}(\text{NO})_2\text{L}$ (L = Cl, I) (Y.-P. Wang, Y.-H. Yang, S.-L. Wang and F.-L. Liao), (419) 325

Tricarbonyl(benzene)chromium and ferrocene containing unsaturated amides and nitriles, preparation of (J. Huang, H.-X. Jiang and Y.-Z. Huang), (419) 337

Cobalt

$[\text{RuCo}_3\text{H}(\text{CO})_{12}]$, disordered crystal structure of (J. Pursiainen, P. Hirva and T.A. Pakkanen), (419) 193

Alkylcobalt carbonyls, ligand-assisted carbonylation–decarbonylation reactions of (J. Somlyai-Haász, F. Haász, V. Galamb, A. Benedetti, C. Zucchi, G. Pályi, T. Krümming, B. Happ and T. Bartik), (419) 205

Some chiral alkyne-cobalt complexes (J.A. Dunn and P.L. Pauson), (419) 383

Gadolinium

Methylbis(t-butyl-cyclopentadienyl)neodymium and -gadolinium, preparation and molecular structure of (Q. Shen, Y. Cheng and Y. Lin), (419) 293

Gallium

Mono- and di-methyl gallium tetraaza macrocycles [MeGa(C₂₂H₂₂N₄)] and [Me₂Ga(C₂₂H₂₃N₄)], synthesis of; molecular structure of the dimethyl derivative (N.W. Alcock, N.C. Blacker, M.G.H. Wallbridge and J. Barker), (419) C23

Germanium

A new spirogermole: its synthesis, and some aspects of its reactivity (J.-D. Andriamizaka, C. Couret, J. Escudié, A. Laporterie, G. Manuel and M. Regitz), (419) 57

Iron

Opening of cluster frameworks, increase in skeletal electrons via amino substituents (B. Eber, G. Huttner, C. Emmerich, J.C. Daran, B. Heim and Y. Jeannin), (419) 43

Tricarbonyliron complex of tricyclo[5.3.1.0^{4,9}]undeca-2,5-diene, a strongly homo-conjugated nonparallel 1,4-diene; preparation, structure, and reaction of (N. Sakai, K. Mashima, H. Takaya, R. Yamaguchi and S. Kozima), (419) 181

Alkyl-Fp [Fp = (C₅H₅)Fe(CO)₂] complexes, preparation via organometallic reagents; reactions of RMgX and RLi with Fp-I and Fp-THF⁺BF₄⁻ (H.-j. Li and M.M. Turnbull), (419) 245

Tricarbonyl(benzene)chromium and ferrocene containing unsaturated amides and nitriles, preparation of (J. Huang, H.-X. Jiang and Y.-Z. Huang), (419) 337

Tricarbonyl(η¹,η²-but-3-en-1-yl)iron(0) anion complexes, bromination and alkylation of (M.-C.P. Yeh and C.-C. Hwu), (419) 341

Cyclopentadienyliron-mediated introduction of functionalized alkyl or alkynyl groups to arenes in an addition-demetalation sequence (R.G. Sutherland, C. Zhang and A. Piórko), (419) 357

Tricarbonyliron complexes, regioselective access to; controlled preparation and reactions of trifluoromethyl-substituted complexes (G.R. Stephenson, P.W. Howard and S.C. Taylor), (419) C14

[(η⁵-C₅Me₃)Fe(CO)₃][BF₄], direct observation of ion pair formation in dichloromethane solution and the crystal structure of (P. McArdle, D. MacHale, D. Cunningham and A.R. Manning), (419) C18

Lithium

(Alkylthio)fluorobenzenes, regioselective metalation of (S. Cabiddu, C. Fattuoni, C. Floris, G. Gelli and S. Melis), (419) 1

Lutetium

Homo- and heteronuclear hydrido lutetocene complexes with bulky 1,3-di(tert-butyl)cyclopentadienyl (C₅H₃^tBu₂) ligands, molecular structure of [(^tBu₂C₅H₃)LuH]₄[AlH₄·Et₂O]₂[AlH₄]₂ (S.Y. Knjazhanski, E.B. Lobkovsky, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (419) 311

Manganese

Group VI metal carbonyls, (η⁶-C₆H₆)Cr(CO)₃, (η⁵-C₅H₅)Mn(CO)₃, (η⁵-CH₃C₅H₄)Mn(CO)₃ and (η⁵-C₅H₅)Re(CO)₃, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Unsaturated dihydrides [Mn₂(μ-H)₂(CO)₆(μ-L₂)] (L₂ = (EtO)₂POP(OEt)₂, Ph₂PCH₂PPh₂), reactions with phosphines containing P-H bonds (R. Carreño, V. Riera and M.A. Ruiz), (419) 163

Silylphosphinites and their complexation to manganese, crystal structure of *cis*-MnBr(CO)₄[P(4-CH₃C₆H₄)₂OSiMe₃] (K.M. Cooke, T.P. Kee, A.L. Langton and M. Thornton-Pett), (419) 171

Metalloenes

Homo- and heteronuclear hydrido lutetocene complexes with bulky 1,3-di(tert-butyl)cyclopentadienyl (C₅H₃^tBu₂) ligands, molecular structure of [(^tBu₂C₅H₃)LuH]₄[AlH₄·Et₂O]₂[AlH₄]₂ (S.Y. Knjazhanski, E.B. Lobkovsky, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (419) 311

Tricarbonyl(benzene)chromium and ferrocene containing unsaturated amides and nitriles, preparation of (J. Huang, H.-X. Jiang and Y.-Z. Huang), (419) 337

Molybdenum

Group VI metal carbonyls, ($\eta^6\text{-C}_6\text{H}_6$)Cr(CO)₃, ($\eta^5\text{-C}_5\text{H}_5$)Mn(CO)₃, ($\eta^5\text{-CH}_3\text{C}_5\text{H}_4$)Mn(CO)₃ and ($\eta^5\text{-C}_5\text{H}_5$)Re(CO)₃, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Cyclopentadienyltrichloromolybdenum(IV), synthesis, characterization, and reactivity of; X-ray structure of CpMoCl₃[P(OCH₂)₃CEt]₂ (Cp = $\eta^5\text{-C}_5\text{H}_5$) (R. Poli and M.A. Kelland), (419) 127

Alkyne, cyclobutadiene and cyclopentadienone complexes of molybdenum and tungsten (J.L. Davidson), (419) 137

Organometallic compounds, oxidation with polychalcogenides; preparation and structure of [(Me₅C₅)Mo(S₄X₂CO)]⁻ containing a dithiocarbonate ligand (S.L. Gales, W.T. Pennington and J.W. Kolis), (419) C10

Neodymium

Methylbis(*t*-butyl-cyclopentadienyl)neodymium and -gadolinium, preparation and molecular structure of (Q. Shen, Y. Cheng and Y. Lin), (419) 293

Nickel

Oxidative carbonylation of aliphatic amines catalysed by nickel-complexes (P. Giannoccaro, C.F. Nobile, P. Mastrorilli and N. Ravasio), (419) 251

Osmium

Trisulphur- and triselenium-bridged [3]metallocenophanes, comparison of the energy barriers to bridge reversal in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne and V. Šik), (419) 375

Palladium

σ -Alkyl diketonato and monothio β -diketonato complexes of platinum(II) and palladium(II), synthesis of (H. Jin and K.J. Cavell), (419) 259

Phosphorus

Opening of cluster frameworks, increase in skeletal electrons via amino substituents (B. Eber, G. Huttner, C. Emmerich, J.C. Daran, B. Heim and Y. Jeannin), (419) 43

New family of water-soluble tertiary phosphine ligands and their rhodium(I) complexes, synthesis of; olefin hydrogenation in aqueous and biphasic media (E. Renaud, R.B. Russell, S. Fortier, S.J. Brown and M.C. Baird), (419) 403

Platinum

Chiral derivatising agent η^2 -ethene platinum-DIOP, crystal structure and further applications of (R. Fulwood, D. Parker, G. Ferguson and B. Kaltner), (419) 269

Rhenium

Group VI metal carbonyls, ($\eta^6\text{-C}_6\text{H}_6$)Cr(CO)₃, ($\eta^5\text{-C}_5\text{H}_5$)Mn(CO)₃, ($\eta^5\text{-CH}_3\text{C}_5\text{H}_4$)Mn(CO)₃ and ($\eta^5\text{-C}_5\text{H}_5$)Re(CO)₃, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Rhodium

Dimethylsulfide derivatives of [Rh₆(CO)₁₆], crystal structures of [Rh₆(CO)₁₅(SMe₂)] and [Rh₆(CO)₁₂(SMe₂)₄] (S. Rossi, K. Kallinen, J. Pursiainen, T.T. Pakkanen and T.A. Pakkanen), (419) 219

Isomeric biddiazine complexes [(C₅Me₅)ClRh(bdz)]⁺ and (C₅Me₅)Rh(bdz), spectroscopic and electrochemical properties of; their relevance to the catalysis of the 2 H⁺ → H₂ reaction by 2,2'-bipyridine analogues (M. Ladwig and W. Kaim), (419) 233

RhCl(CO)(PR₃)₂, substitution of CO by picolines and amines in; synthesis and crystal structure of *cis*-RhCl(3-pic)(P(OPh)₃)₂ (A.M. Trzeciak, J.J. Ziłkowski and T. Lis), (419) 391

Rh^I square planar derivative, fast olefin site interchange of cycloocta-1,5-diene in (E. Rotondo, G. Battaglia, C.G. Arena and F. Faraone), (419) 399

New family of water-soluble tertiary phosphine ligands and their rhodium(I) complexes, synthesis of; olefin hydrogenation in aqueous and biphasic media (E. Renaud, R.B. Russell, S. Fortier, S.J. Brown and M.C. Baird), (419) 403

Ruthenium

Selenium and tellurium atoms from selenophene and tellurophene by reaction with trinuclear iron, ruthenium, and osmium clusters, extrusion of; crystal structures of [Os₆(μ-H)(μ₃-Se)(μ₄-C₄H₃)(CO)₂₀] and of [Ru₄(μ₃-Se)μ-C₄H₄(CO)₁₁] (A.J. Arce, R. Machado, C. Rivas, Y. De Sanctis and A.J. Deeming), (419) 63

[RuCo₃H(CO)₁₂], disordered crystal structure of (J. Pursiainen, P. Hirva and T.A. Pakkanen), (419) 193
Trisulphur- and triselenium-bridged [3]metallocenophanes, comparison of the energy barriers to bridge reversal in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne and V. Šik), (419) 375

Samarium

Coordinationally oversaturated metallocene derivatives, crystal and molecular structure of [(η⁵-C₅H₅)₂Sm(μ₃-H)]₂[(μ₂-H)₂AlH·N(C₂H₅)₃]₂ and [(η⁵-C₅H₄¹Bu)₂Sm]₂-(μ₂-H)μ-[(μ₃-H)₂Al(μ₂-H)₂·Me₂NC₂H₄NMe₂] complexes (V.K. Belsky, Y.K. Gun'ko, B.M. Bulychev and G.L. Soloveichik), (419) 299

Selenium

Selenium and tellurium atoms from selenophene and tellurophene by reaction with trinuclear iron, ruthenium, and osmium clusters, extrusion of; crystal structures of [Os₆(μ-H)(μ₃-Se)(μ₄-C₄H₃)(CO)₂₀] and of [Ru₄(μ₃-Se)μ-C₄H₄(CO)₁₁] (A.J. Arce, R. Machado, C. Rivas, Y. De Sanctis and A.J. Deeming), (419) 63

Silicon

Heterocumulenes, aminosilylation of; intramolecular decomposition of their silyl-functionalized adducts (R.J.P. Corriu, G.F. Lanneau and V.D. Mehta), (419) 9

Aminosilanes, HeI and HeII photoelectron spectroscopic investigation of substituent effects in (A. Nagy, J.C. Green, L. Szepes and L. Zanathy), (419) 27

Opening of cluster frameworks, increase in skeletal electrons via amino substituents (B. Eber, G. Huttner, C. Emmerich, J.C. Daran, B. Heim and Y. Jeannin), (419) 43

Bis(trimethylsilyl)methylamine, handy preparation of (J.-P. Picard, S. Grelier, J. Dunoguès, J.-M. Aizpurua and C. Palomo), (419) C1

Silylphosphinites and their complexation to manganese, crystal structure of *cis*-MnBr(CO)₄[P(4-CH₃C₆H₄)₂OSiMe₃] (K.M. Cooke, T.P. Kee, A.L. Langton and M. Thornton-Pett), (419) 171

Tellurium

Selenium and tellurium atoms from selenophene and tellurophene by reaction with trinuclear iron, ruthenium, and osmium clusters, extrusion of; crystal structures of [Os₆(μ-H)(μ₃-Se)(μ₄-C₄H₃)(CO)₂₀] and of [Ru₄(μ₃-Se)μ-C₄H₄(CO)₁₁] (A.J. Arce, R. Machado, C. Rivas, Y. De Sanctis and A.J. Deeming), (419) 63

Tin

Me₂SnCl₂·(2-MeOC₆H₄N=CHC₅H₄N-2), synthesis and crystal structure of (T.K. Chattopadhyay, A.K. Kumar, A. Roy, A.S. Batsanov, E.B. Shamuratov and Yu.T. Struchkov), (419) 277

Titanium

Monopentamethylcyclopentadienyltitanium(IV) halo-alkoxides, alkyl-alkoxides and acetylacetonates (P. Gómez-Sal, A. Martín, M. Mena, P. Royo and R. Serrano), (419) 77

Tungsten

Group VI metal carbonyls, $(\eta^6\text{-C}_6\text{H}_6)\text{Cr}(\text{CO})_3$, $(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_3$, $(\eta^5\text{-CH}_3\text{C}_5\text{H}_4)\text{Mn}(\text{CO})_3$ and $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{CO})_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Alkyne, cyclobutadiene and cyclopentadienone complexes of molybdenum and tungsten (J.L. Davidson), (419) 137

$\text{W}(\text{CO})_6$, photochemical reaction with CCl_4 ; matrix-isolation studies of intermediates in (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and M.A.K. Wood), (419) 151

Vanadium

Binuclear pentamethylcyclopentadienylvanadium complexes with tellurium bridges; use of ^{51}V NMR spectroscopy for identification of new vanadium complexes with different chalcogenes in the bridging system (M. Herberhold and M. Schrepfermann), (419) 85