

Subject Index of Volume 447

Aluminium

The crystal structure and properties of $[1,3,5\text{-C}_6\text{H}_3(\text{CO}_2\text{Me})_3 \cdot 3\text{AlCl}_3]$ (J. Utko, M. Wróblewska, T. Lis and P. Sobota), 159

Arsenic

Verbrückte Diarsinidenkomplexe $\{[\text{Cp}'(\text{CO})_2\text{Mn}]_2\text{As}\}_2\text{E}$ (E = O, S, Se) und deren nukleophile Spaltung (C. Emmerich, G. Huttner und A. Asam), 71

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von $[\text{Cp}'(\text{CO})_2\text{Mn}]_2\text{AsCl}$ mit PhSeH und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), 81

Bismuth

Manganese carbonyl complexes of 2,5-dimethylbismoly. The crystal and molecular structure of $(\eta^1\text{-2,5-dimethylbismoly})$ manganese pentacarbonyl (A.J. Ashe, III, J.W. Kampf and D.B. Puranik), 197

Chalcogenides

Verbrückte Diarsinidenkomplexe $\{[\text{Cp}'(\text{CO})_2\text{Mn}]_2\text{As}\}_2\text{E}$ (E = O, S, Se) und deren nukleophile Spaltung (C. Emmerich, G. Huttner und A. Asam), 71

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von $[\text{Cp}'(\text{CO})_2\text{Mn}]_2\text{AsCl}$ mit PhSeH und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), 81

Chromium

Dichromastibacumulenum-Ionen $[\eta^6\text{-aren}(\text{CO})_2\text{Cr}=\text{Sb}=\text{Cr}(\text{CO})_2\text{-aren-}\eta^6]^+$: Stabilität in Abhängigkeit von η^6 -gebundenen Arenliganden am Chromatom (F. Bringewski, G. Huttner und L. Zsolnai), 233

^{13}C and ^{19}F NMR study on the structure and conformation of tricarbonylchromium complexes of biphenyl derivatives (P. Szczeciński and J. Zachara), 241

Cobalt

Sterically crowded $\text{PhCCo}_2(\text{CO})_9$ derivatives: X-ray structures of the mono- and bis-diphenylphosphinomethane substitution products (A.J. Downard, B.H. Robinson and J. Simpson), 281

Germanium

Complexes du fer hydro-digermaniés: $[\text{R}_2\text{HGeGeR}_2\text{Fe}(\eta^5\text{-C}_5\text{-H}_5)(\text{CO})_2]$ (R = Et, Ph) — étude photolytique (A. Castel, P. Rivière, M. Ahbala, J. Satgé, M. Soufiaoui et N. Knouzi), 123

Sila et germacyclopentanes C-bifonctionnels. I. 1-Sila et 1-germacyclopentane-2,3 et 3,4-diols (G. Manuel et R. Boukherroub), 167

Iridium

Dehydrogenative silation, isomerization and the control of *syn*- vs. *anti*-addition in the hydrosilation of alkynes (C.-H. Jun and R.H. Crabtree), 177

Iron

Umsetzung von Alkynylphosphanen mit Hauptgruppenelement-verbrückten Eisencarbonylclustern (W. Imhof, B. Eber, G. Huttner und C. Emmerich), 21

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $\text{Fe}_3(\text{CO})_9(\mu_3\text{-PR})(\mu_3\text{-X})$ (X = Se, Te; R = ^iPr , ^tBu) (W. Imhof und G. Huttner), 31

Photochemical head-to-head (R = H) vs. head-to-tail dimerization (R = Ph) of iron acetylides complexes $(\eta^5\text{-C}_5\text{Me}_5)\text{Fe}(\text{CO})_2\text{-C}\equiv\text{C-R}$ leading to a dimetallacyclopentenone and a μ -vinylidene complex (M. Akita, S. Sugimoto, M. Terada and Y. Moro-oka), 103

Electron transfer in mixed-valence 1',1''-bis(*m*-bromobenzyl)biferrocenium triiodide (T.-Y. Dong and C.-C. Schei), 107

Studies on olefin-coordinating transition metal carbene complexes. XX. Synthesis of 1,3-cyclohexadiene(dicarbonyl)(ethoxy(aryl)carbene)iron complexes and their phosphine adducts. Crystal structure of $\text{C}_6\text{H}_8(\text{CO})_2\text{FeC}(\text{OC}_2\text{H}_5)\text{C}_6\text{H}_4\text{CH}_3\text{-}o$ (J. Chen, Y. Yu, L. Hu and Z. Jin), 113

Complexes du fer hydro-digermaniés: $[\text{R}_2\text{HGeGeR}_2\text{Fe}(\eta^5\text{-C}_5\text{-H}_5)(\text{CO})_2]$ (R = Et, Ph) — étude photolytique (A. Castel, P. Rivière, M. Ahbala, J. Satgé, M. Soufiaoui et N. Knouzi), 123

Organometalloidal derivatives of the transition metals. XXXIII. Reactions of ferrocenylcarboxaldehyde with base and trimethylsilylcyanide. A new high yield reaction for the formation of cyanoamines or silylethers (E. Peña, M. Rivera-Claudio, R.N. Kapoor and K.H. Pannell), 265

Zur Reaktion von metallkoordinierten 1-Molybda-2-phospha-1,3-dienen mit Alkinen (H. Lang, M. Leise und L. Zsolnai), C1

Synthesis of the heterodinuclear Fe-Pt complex $[(\text{OC})_3\text{Fe}\{\mu\text{-CN}(2,6\text{-xylyl})\}(\mu\text{-dppm})\text{Pt}(\text{PPh}_3)]$ containing a bridging isonitrile ligand and electrophilic additions leading to μ -aminocarbyne complexes (M. Knorr, T. Faure and P. Braunstein), C4

Lutetium

Synthesis and characterization of the lutetium naphthalene complex, $\text{CpLuC}_{10}\text{H}_8(\text{DME})$ (A.V. Protchenko, L.N. Zakharov, M.N. Bochkarev and Y.T. Struchkov), 209

Magnesium

Conjugate addition of Grignard reagents to *para*-substituted nitrobenzenes (S.J. Bentley and D.J. Milner), 1

Manganese

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), 59

Verbrückte Diarsinidenkomplexe $[(Cp'(CO)_2Mn)_2As]_2E$ ($E = O, S, Se$) und deren nukleophile Spaltung (C. Emmerich, G. Huttner und A. Asam), 71

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von $[Cp'(CO)_2Mn]_2AsCl$ mit $PhSeH$ und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), 81

Manganese carbonyl complexes of 2,5-dimethylbismoly. The crystal and molecular structure of $(\eta^1-2,5\text{-dimethylbismoly})$ manganese pentacarbonyl (A.J. Ashe, III, J.W. Kampf and D.B. Puranik), 197

Mercury

Mass spectroscopic and nuclear magnetic resonance evidence confirming the existence of methyl mercury hydride (P.J. Craig, D. Mennie, M. Needham, N. Oshah, O.F.X. Donard and F. Martin), 5

Metalloenes

Fulvalene cyclopentadienyl titanium and zirconium(III) and -(IV) complexes. X-Ray crystal structure of $[(Ti(\eta^5-C_5H_5)Cl)_2(\mu-O)(\mu-\eta^5-\eta^5-C_{10}H_8)]$ (A. Cano, T. Cuenca, G. Rodríguez, P. Royo, C. Cardin and D.J. Wilcock), 51

Crystal and molecular structure of bis(tetramethylcyclopentadienyl)titanium halides, $(C_5HMe_4)_2TiCl$, $(C_5HMe_4)_2TiI$ and $(C_5HMe_4)_2TiCl_2$ (S.I. Troyanov, V.B. Rybakov, U. Thewalt, V. Varga and K. Mach), 221

Organometalloidal derivatives of the transition metals. XXXIII. Reactions of ferrocenylcarboxaldehyde with base and trimethylsilylcyanide. A new high yield reaction for the formation of cyanamines or silylethers (E. Peña, M. Rivera-Claudio, R.N. Kapoor and K.H. Pannell), 265

Molybdenum

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), 59

Darstellung und Struktur von 1-Metalla-2,3,4-triazolen des Molybdäns und Wolframs (C.M. Stegmair, W. Schütt, W. Ullrich, P. Kiprof, J. Ostermeier und F.R. Kreißl), 251

Zur Reaktion von metallkoordinierten 1-Molybda-2-phospha-1,3-dienen mit Alkinen (H. Lang, M. Leise und L. Zsolnai), C1

Nickel

Metallacyclische Acyl-carboxylate des Nickels: Reaktivität der Acylgruppe und Synthesepotential bei Kreuzkopplungsreaktionen mit Alkylhalogeniden (R. Fischer, D. Walther, R. Kempe, J. Sieler und B. Schönecker), 131

Stereospecific reactions of the " $M(C_6F_5)_2$ " ($M = Pd$ or Pt) synthons towards *cis*-dithiolato complexes (R. Usón, J. Forniés, M.A. Usón and S. Herrero), 137

Osmium

Cluster chemistry. LXXXVII. Some homo- and hetero-nuclear complexes derived from $C_2(PPh_2)_2$: Crystal structures of $Re_3(\mu-H)_3(\mu-dppa)(CO)_{10}$ ($dppa = C_2(PPh_2)_2$), $Re_3(\mu-H)_3(CO)_{11}[(PPh_2)_2(\mu-C_2Ru_2(\mu-PPh_2)(CO)_6)]$ and $Os_3Ru_2(\mu_5-C_2-PPh_2)(\mu-PPh_2)(CO)_{13}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 91

Interaction between $[(\eta^5-C_5Me_5)_2OsH]^+PF_6^-$ and nitrogen or oxygen bases. Hydrogen bonds of the type $[OsH]^+ \cdots B$ (L.M. Epstein, E.S. Shubina, A.N. Krylov, A.Z. Kreindlin and M.I. Rybinskaya), 277

Palladium

Stereospecific reactions of the " $M(C_6F_5)_2$ " ($M = Pd$ or Pt) synthons towards *cis*-dithiolato complexes (R. Usón, J. Forniés, M.A. Usón and S. Herrero), 137

Synthesis and characterization of *cis*-bis(*p*-tolylsulfonyl)methyl]palladium(II) complexes (P. Espinet, J.M. Martínez-Illarduya and C. Pérez-Briso), 145

Studies on Pd^{II} -catalyzed cyclization of 4'-hydroxy-2'-alkenyl 2-alkynoates (S. Ma and X. Lu), 305

An easy approach to 1-silylated ketones and asymmetrical 1,6- and 1,8-dicarbonyl compounds (V. Fiandanese, A. Punzi and N. Ravasio), 311

Phosphorus

Zur Reaktion von Vinyl- und Allylphosphonaten mit Dihalocarbenen — Dihalocyclopropyl- und Dihalocyclopropylmethylphosphonate (S. Bieler und K. Kellner), 15

Umsetzung von Alkinylphosphanen mit Hauptgruppenelement-verbrückten Eisencarbonylclustern (W. Imhof, B. Eber, G. Huttner und C. Emmerich), 21

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3-PR)(\mu_3-X)$ ($X = Se, Te$; $R = ^iPr, ^tBu$) (W. Imhof und G. Huttner), 31

Darstellung und Struktur von 1-Metalla-2,3,4-triazolen des Molybdäns und Wolframs (C.M. Stegmair, W. Schütt, W. Ullrich, P. Kiprof, J. Ostermeier und F.R. Kreißl), 251

P_4 -Liganden mit maximaler Elektronendonorfähigkeit. V. Zur Chlorierung eines *cyclo*- P_4 -Ligand-Komplexes (M. Scheer, M. Dargatz und P.G. Jones), 259

Interaction between $[(\eta^5-C_5Me_5)_2OsH]^+PF_6^-$ and nitrogen or oxygen bases. Hydrogen bonds of the type $[OsH]^+ \cdots B$ (L.M. Epstein, E.S. Shubina, A.N. Krylov, A.Z. Kreindlin and M.I. Rybinskaya), 277

Zur Reaktion von metallkoordinierten 1-Molybda-2-phospha-1,3-dienen mit Alkinen (H. Lang, M. Leise und L. Zsolnai), C1

Platinum

Stereospecific reactions of the " $M(C_6F_5)_2$ " ($M = Pd$ or Pt) synthons towards *cis*-dithiolato complexes (R. Usón, J. Forniés, M.A. Usón and S. Herrero), 137

Hydroformylation of norbornene and 2,5-norbornadiene catalysed by platinum(0)-alkene complexes in the presence of methanesulfonic acid: determination of the stereochemistry of the reaction (C. Botteghi, S. Paganelli, A. Perosa, R. Lazzaroni and G. Uccello-Barretta), 153

Binuclear pyrazolato-bridged organoplatinum(II) complexes: synthesis and characterization (A. Singhal, V.K. Jain and S. Kannan), 317

Synthesis of the heterodinuclear Fe-Pt complex $[(OC)_3Fe(\mu-CN(2,6\text{-xylyl}))(\mu-dppm)Pt(PPh_3)]$ containing a bridging isonitrile ligand and electrophilic additions leading to μ -aminocarbyne complexes (M. Knorr, T. Faure and P. Braunstein), C4

Sterically-induced low temperature polyhedral rearrangements of carboxylateboranes: synthesis and crystal structures of 1-Ph-3,3-(PMe_2Ph) $_2$ -3,1,2-PtC $_2$ B $_9$ H $_{10}$, 1-Ph-3,3-(PMe_2Ph) $_2$ -3,1,11-PtC $_2$ B $_9$ H $_{10}$, 11-Ph-3,3-(PMe_2Ph) $_2$ -3,1,11-PtC $_2$ B $_9$ H $_{10}$ and 1,11-Ph $_2$ -3,3-(PMe_2Ph) $_2$ -3,1,11-PtC $_2$ B $_9$ H $_9$, (D.R. Baghurst, R.C.B. Copley, H. Fleischer, D.M.P. Mingos, G.O. Kyd, L.J. Yellowlees, A.J. Welch, T.R. Spalding and D. O'Connell), C14

Rhenium

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), 59

Cluster chemistry. LXXXVII. Some homo- and hetero-nuclear complexes derived from $C_2(PPh_2)_2$: Crystal structures of $Re_3(\mu-H)_3(\mu-dppa)(CO)_{10}$ ($dppa = C_2(PPh_2)_2$), $Re_3(\mu-H)_3(CO)_{11}$ ($PPh_2[\mu-C_2Ru_2(\mu-PPh_2)(CO)_6]$) and $Os_3Ru_2(\mu_5-C_2PPh_2)(\mu-PPh_2)(CO)_{13}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 91

Carbon is not the initial site of attack in the protonation of an allene ligand to give an η^2 -vinyl species: kinetic studies on *trans*- $[ReCl(CH_2CCPh)(Ph_2PCH_2CH_2PPh_2)_2]$ (R.A. Henderson, A.J.L. Pombeiro, R.L. Richards and Y. Wang), C11

Rhodium

Dehydrogenative silylation, isomerization and the control of *syn- vs. anti*-addition in the hydrosilylation of alkynes (C.-H. Jun and R.H. Crabtree), 177

Electronic and steric effects in the rhodium-complex catalysed cyclization of alkynes and nitriles to pyridine derivatives (P. Diversi, L. Ermini, G. Ingrosso and A. Lucherini), 291

Rhodium(I) complexes with aromatic diamines (L. Fidalgo, M.A. Garralda, R. Hernández and L. Ibarlucea), 299

Ruthenium

Ruthenium complexes with bridging functionalized alkylidene ligands. Synthesis of $[Ru_2Cp_2(CO)_2(\mu-CO)(\mu-CX)N(Me)CH_2Ph]$ ($X = H, CN$) and molecular structure of the CN derivative (L. Busetto, L. Carlucci, V. Zanotti, V.G. Albano and M. Monari), 271

Hydride-phosphoniodithiocarboxylate/phosphonium-betaine isomerism in Cy_3PCS_2 complexes of ruthenium (A.L. Hector and A.F. Hill), C7

Samarium

ansa-Metalloenderivate des Samariums und Ytterbiums mit "weichen" Donorliganden (F.T. Edelmann, M. Rieckhoff, I. Haiduc und I. Silaghi-Dumitrescu), 203

Selenium

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3-PR)(\mu_3-X)$ ($X = Se, Te; R = ^iPr, ^tBu$) (W. Imhof und G. Huttner), 31

Substitution, nukleophile und oxidative Addition an Arsinidenkomplexe. Zur Reaktion von $[Cp'(CO)_2Mn]_2AsCl$ mit $PhSeH$ und verwandten Chalkogenverbindungen (C. Emmerich und G. Huttner), 81

ansa-Metalloenderivate des Samariums und Ytterbiums mit "weichen" Donorliganden (F.T. Edelmann, M. Rieckhoff, I. Haiduc und I. Silaghi-Dumitrescu), 203

Silicon

Metathesis of silicon-containing olefins. VIII. Synthesis of alkenyl (phenyl, methyl) substituted silanes by olefin metathesis (B. Marciniak and C. Pietraszuk), 163

Sila et germacyclopentanes C-bifonctionnels. I. 1-Sila et 1-germacyclopentane-2,3 et 3,4-diols (G. Manuel et R. Boukherroub), 167

Dehydrogenative silylation, isomerization and the control of *syn- vs. anti*-addition in the hydrosilylation of alkynes (C.-H. Jun and R.H. Crabtree), 177

Organometalloid derivatives of the transition metals. XXXIII. Reactions of ferrocenylcarboxaldehyde with base and trimethylsilylcyanide. A new high yield reaction for the formation of cyanoamines or silylethers (E. Peña, M. Rivera-Claudio, R.N. Kapoor and K.H. Pannell), 265

An easy approach to 1-silylated ketones and asymmetrical 1,6- and 1,8-dicarbonyl compounds (V. Fiandanese, A. Punzi and N. Ravasio), 311

Synthesis of the heterodinuclear Fe-Pt complex $[(OC)_3Fe(\mu-CN(2,6\text{-xylyl}))(\mu-dppm)Pt(PPh_3)]$ containing a bridging isonitrile ligand and electrophilic additions leading to μ -aminocarbyne complexes (M. Knorr, T. Faure and P. Braunstein), C4

Tellurium

Photochemisch induzierte Addition von Alkinen und Phosphaalkinen an die Cluster $Fe_3(CO)_9(\mu_3-PR)(\mu_3-X)$ ($X = Se, Te; R = ^iPr, ^tBu$) (W. Imhof und G. Huttner), 31

Tin

The first authenticated example of triorganotin(IV) perchlorate complexes of some heterocyclic bases. I. Synthesis, characterization and assessment of bonding and structure (T.S. Basu Baul, D. Dey, D.D. Mishra, W.L. Basaiawmoit and E. Rivarola), 9

Synthesis and molecular structure of $^nBu_2[(MeO)_3C_6H_2C(O)-N_2CHC_6H_4O]Sn$ formed in the reaction of di-*n*-butyltin(IV) oxide with 3,4,5-trimethoxy-benzoyl salicylhydrazone (Z.-K. Yu, S.-H. Wang, Z.-Y. Yang, X.-M. Liu and N.-H. Hu), 189

Titanium

Ti-Verbindungen mit Fulvalenbrücken. Die Struktur von $[CpTi-Br]_2(C_{10}H_8O) \cdot Toluol$ (T. Wöhrlé und U. Thewalt), 45

Fulvalene cyclopentadienyl titanium and zirconium(III) and -(IV) complexes. X-Ray crystal structure of $[(Ti(\eta^5-C_5H_5)Cl)_2(\mu-O)(\mu-\eta^5-\eta^5-C_{10}H_8)]$ (A. Cano, T. Cuenca, G. Rodríguez, P. Royo, C. Cardin and D.J. Wilcock), 51

Synthesis and structure of polymeric $[1,3,5-C_6H_3(CO_2Me)_3 \cdot 3TiCl_4]$ and dimeric $[(\mu-1,3,5-C_6H_3(CO_2Me)_3)_2Cl_8Ti_2] \cdot 2CH_2Cl_2$ compounds (P. Sobota, J. Utko and T. Lis), 213

Crystal and molecular structure of bis(tetramethylcyclopentadienyl)titanium halides, $(C_5HMe_4)_2TiCl$, $(C_5HMe_4)_2TiI$ and $(C_5HMe_4)_2TiCl_2$ (S.I. Troyanov, V.B. Rybakov, U. Thewalt, V. Varga and K. Mach), 221

Tungsten

Electrospray mass spectrometric studies of some cationic and anionic Group 6 and Group 7 metal carbonyl complexes (I. Ahmed, A.M. Bond, R. Colton, M. Jurcevic, J.C. Traeger and J.N. Walter), 59

Reactions of the cationic bis(but-2-yne) complex $[W(CO)(NCMe)(S_2CNC_4H_8)(\eta^2-MeC_2Me)_2][BF_4]$ with bidentate anionic oxygen and sulphur donor ligands (P.K. Baker and K.R. Flower), 67

Darstellung und Struktur von 1-Metalla-2,3,4-triazolen des Molybdäns und Wolframs (C.M. Stegmair, W. Schütt, W. Ullrich, P. Kiprof, J. Ostermeier und F.R. Kreißl), 251

P_4 -Liganden mit maximaler Elektronendonorfähigkeit. V. Zur Chlorierung eines *cyclo*- P_4 -Ligand-Komplexes (M. Scheer, M. Dargatz und P.G. Jones), 259

Ytterbium

ansa-Metalloenderivate des Samariums und Ytterbiums mit "weichen" Donorliganden (F.T. Edelmann, M. Rieckhoff, I. Haiduc und I. Silaghi-Dumitrescu), 203

Zirconium

Fulvalene cyclopentadienyl titanium and zirconium(III) and -(IV) complexes. X-Ray crystal structure of $[(Ti(\eta^5-C_5H_5)Cl)_2(\mu-O)(\mu-\eta^5-\eta^5-C_{10}H_8)]$ (A. Cano, T. Cuenca, G. Rodríguez, P. Royo, C. Cardin and D.J. Wilcock), 51

Studies on the reactions of transition metal hydrides with heterocumulenes. VI. Reaction of $\text{Cp}_2\text{Zr}(\text{H})\text{Cl}$ with RNCS ($\text{R} = \text{C}_6\text{H}_5$, $2\text{-C}_{10}\text{H}_7$, $\text{c-C}_6\text{H}_{11}$ and $\text{n-C}_4\text{H}_9$) (M. Wang, S. Lu, M. Bei, H. Guo and Z. Jin), 227

Book reviews

Salt Effects in Organic and Organometallic Chemistry by A. Loupy and B. Tchoubar (C. Eaborn), C10

Inorganic reactions and methods, Vol. 5 The Formation of Bonds to Group VIB (O, S, Se, Te, Po) Elements (Part 1), A.P. Hagen (ed.) (C. Eaborn), C10

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th edition Iron, Organoiron Compounds, Part A, Ferrocene 10 (G.J. Leigh), C18

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th edition Iron, Organoiron Compounds, Part C 6a, Trinuclear Compounds (G.J. Leigh), C18

The Chemistry of Organophosphorus Compounds, Volume 2: Phosphine Oxides, Sulphides, Selenides, and Tellurides. Edited by Frank R. Hartley, in the series *The Chemistry of Functional Groups*, edited by Saul Patai, John Wiley and Sons, Chichester, 1992, pp. 647. (J.F. Nixon), C18