

Subject Index of Volume 455

Arsenic

Reactions of coordinated phosphines and arsines. Stereoselective reactions at the fluoroarsine-As stereocentre in the complex [(*R*),(*R*,*R*)]-(±)-[(η^5 -C₅H₅)(1,2-C₆H₄(PMePh)₂)Fe(AsFMePh)]-PF₆·CH₂Cl₂ (G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild), 185

Monomeric arsinoboranes. The question of arsenic–boron π -bonding (M.A. Mardones, A.H. Cowley, L. Contreras, R.A. Jones and C.J. Carrano), C1

Boron

Preparation of some organo-bis(diisopropylamino)boranes and their application to the synthesis of oxazaborolidines (P.Y. Chavant and M. Vaultier), 37

Protodeboronation of arylboronic acids and triarylboroxines in Bu₂O/THF (M.A. Beckett, R.J. Gilmore and K. Idrees), 47

Monomeric arsinoboranes. The question of arsenic–boron π -bonding (M.A. Mardones, A.H. Cowley, L. Contreras, R.A. Jones and C.J. Carrano), C1

Chromium

Protodeboronation of arylboronic acids and triarylboroxines in Bu₂O/THF (M.A. Beckett, R.J. Gilmore and K. Idrees), 47

Crystal structures of (η^6 -C₇H₈)M(CO)₃ (M = Cr, W). Comparisons among a homologous series of cycloheptatriene complexes and experimental evidence for a boat conformation of the coordinated ring (F.J. Hadley, T.M. Gilbert and R.D. Rogers), 107

Cobalt

Chelation of Group 6 metal tetracarbonyl fragments by dicobalt thioalkyne complexes (A. Gelling, M.J. Went and D.C. Povey), 203

Electrode processes of (η^5 -cyclopentadienyl)(1,2-substituted 1,2-ethylenedithiolato)cobalt(III) complexes in an ambient temperature molten salt (S. Song, J. Tang, M. Kajitani, K. Shimizu and R.A. Osteryoung), 211

A model for CO insertion in transition metal complexes (A.L. Tchougreff, Yu.V. Gulevich, I.A. Misurkin and I.P. Beletskaya), 261

Gold

Electrospray mass spectrometry of inert and labile metal alkyl compounds: a study of methyl and dimethyl derivatives of gold(III), indium(III) and thallium(III) (A.J. Canty, R. Colton and I.M. Thomas), 283

Indium

Electrospray mass spectrometry of inert and labile metal alkyl compounds: a study of methyl and dimethyl derivatives of gold(III), indium(III) and thallium(III) (A.J. Canty, R. Colton and I.M. Thomas), 283

Iron

Reactions of some Group 15 ligands with [(η^5 -indenyl)Fe(CO)₃]BF₄ (D.A. Brown, N.J. Fitzpatrick, W.K. Glass, H.A. Ahmed, D. Cunningham and P. McArdle), 157

Synthesis and structure of acylcarbonylindenyl(phosphine)iron(II) complexes. Analysis of ligand effects in an indenyl system (L. Ambrosi, M. Bassetti, P. Buttiglieri, L. Mannina, D. Monti and G. Bocelli), 167

A comparative study of the use of triethylammonium salts of the [Fe₂(CO)₆(μ -CO)(μ -SR)]⁻ anion in the synthesis of iron–gold clusters. Crystal structures of [Fe₂(CO)₆(μ -CO)(μ -S¹Pr)(μ -AuPPh₃)] and [Fe₂(CO)₅(PPh₃)(μ -SEt)₂] (E. Delgado, E. Hernández, O. Rossell, M. Seco, E.G. Puebla and C. Ruiz), 177

Reactions of coordinated phosphines and arsines. Stereoselective reactions at the fluoroarsine-As stereocentre in the complex [(*R*),(*R*,*R*)]-(±)-[(η^5 -C₅H₅)(1,2-C₆H₄(PMePh)₂)Fe(AsFMePh)]-PF₆·CH₂Cl₂ (G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild), 185

Lithium

X-ray diffraction studies of polymeric lithiobenzotriazole·DMSO and lithiotetrazole·DMSO: from β -sheet to wash-board structures (C. Lambert, F. Hampel and P. von Ragué Schleyer), 29

Metalloenes

Bis(binaphthylcyclopentadienyl)-derived metallocene peroxide complexes: catalysts for the enantioselective epoxidation of unfunctionalized alkenes (S.L. Colletti and R.L. Halterman), 99

Isocyanide derivatives of tungstenocene (A.C. Filippou, A.R. Dias, A.M. Martins and C.C. Romão), 129

Molybdenum

Crystal structures of (η^6 -C₇H₈)M(CO)₃ (M = Cr, W). Comparisons among a homologous series of cycloheptatriene complexes and experimental evidence for a boat conformation of the coordinated ring (F.J. Hadley, T.M. Gilbert and R.D. Rogers), 107

The cleavage reaction of the Mo–Mo triple bond. The crystal structures of molybdenum complexes [CpMo(CO)₂(C₅H₄NS)], [CpMo(CO)₂(C₉H₆NS)]·O=PPh₃ and [CpMo(CO)₂(S₂CNMe₂)] (Y. Shi, G. Cheng, S. Lu, H. Guo, Q. Wu, X. Huang and N. Hu), 115

Seven-coordinate molybdenum–tin and tungsten–tin complexes containing phosphites and tetramethylthiourea: X-ray structure of [Mo(CO)₂(P(OMe)₃)₃(SnBuCl₂)Cl] (D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 121

The formation of the metal-stabilized carbocation from an ammonium ion (I.V. Barinov, V.A. Chertkov and O.A. Reutov), C9

Neodymium

Synthesis and structural determination of a neodymium(III) complex derived from 9-(cyclopentadienyl-1-methylethyl)-9,10-dihydroanthracene (Y. Chauvin, S. Heyworth, H. Olivier, F. Robert and L. Saussine), 89

Nickel

- Silicon-carbon unsaturated compounds. XLVI. Nickel-catalyzed reaction of 2-tolyl- and 2-phenyl-2-(phenylethynyl)hexamethyltrisilanes in the presence of 2,3-dimethylbutadiene and dicyclopentadiene (A. Kunai, Y. Yuzuriha, A. Naka and M. Ishikawa), 77
- Synthesis and characterization of cyclopentadienylnickel(II) thiolates. Crystal structure of $[(\eta^5\text{-C}_5\text{H}_5)\text{Ni}(\text{SC}_6\text{H}_5)(\text{PPh}_3)]$ (J. Darkwa, F. Bothata and L.M. Koczon), 235
- Komplekxkatalyse. XLI. Die Kristallstruktur des η^3, η^2 -Octa-2(*E*),7-dien-1-yl-(triphenylphosphin)nickel(II)-tetrafluoroborats, ein Beitrag zur Klärung der Koordinationsverhältnisse in der allylnickelkomplekxkatalysierten Butadienpolymerisation (J. Sieler, R. Kempe, S. Wache und R. Taube), 241
- A model for CO insertion in transition metal complexes (A.L. Tchougreff, Yu.V. Gulevich, I.A. Misurkin and I.P. Beletskaya), 261

Niobium

- Bis(binaphthylcyclopentadienyl)-derived metallocene peroxide complexes: catalysts for the enantioselective epoxidation of unfunctionalized alkenes (S.L. Colletti and R.L. Halterman), 99

Palladium

- Efficient palladium catalysts for the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 247
- Utilization of $\text{Me}_3\text{SiSnBu}_3$ in organic synthesis. I. Generation of a stannyl anion from $\text{Me}_3\text{SiSnBu}_3$ and R_4NX (M. Mori, N. Kaneta, N. Isono and M. Shibasaki), 255
- A model for CO insertion in transition metal complexes (A.L. Tchougreff, Yu.V. Gulevich, I.A. Misurkin and I.P. Beletskaya), 261

Phosphorus

- Reactions of coordinated phosphines and arsines. Stereoselective reactions at the fluoroarsine-As stereocentre in the complex $[(R),(R,R)-(\pm)-(\eta^5\text{-C}_5\text{H}_5)(1,2\text{-C}_6\text{H}_4(\text{PMePh}_2))\text{Fe}(\text{AsFMePh})]\text{PF}_6 \cdot \text{CH}_2\text{Cl}_2$ (G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild), 185
- Komplekxkatalyse. XLI. Die Kristallstruktur des η^3, η^2 -Octa-2(*E*),7-dien-1-yl-(triphenylphosphin)nickel(II)-tetrafluoroborats, ein Beitrag zur Klärung der Koordinationsverhältnisse in der allylnickelkomplekxkatalysierten Butadienpolymerisation (J. Sieler, R. Kempe, S. Wache und R. Taube), 241

Platinum

- A model for CO insertion in transition metal complexes (A.L. Tchougreff, Yu.V. Gulevich, I.A. Misurkin and I.P. Beletskaya), 261
- Synthesis of anionic pentafluorophenyl platinum-silver acetylide complexes. Molecular structures of $(\text{NBu}_4)[\text{Pt}(\text{C}_6\text{F}_5)_2(\mu\text{-C}\equiv\text{CPh})_2\text{Ag}(\text{PPh}_3)]$ and $(\text{NBu}_4)_2[\text{Pt}(\text{C}_6\text{F}_5)_2(\mu\text{-C}\equiv\text{CPh})_2\text{Ag}]_2(\mu\text{-dppe})$ (J. Forniés, E. Lalinde, F. Martínez, M.T. Moreno and A.J. Welch), 271
- The reactions of $\text{Me}_3\text{SiCHN}_2$ with $[\text{PtX}_2(\text{S},\text{S}\text{-skewphos})]$: highly diastereoselective carbene insertions into Pt-Cl bonds, and $\text{Me}_3\text{SiCHN}_2$ as a CH_2N_2 equivalent (P. Bergamini, E. Costa, S. Sostero, C. Ganter, J. Hogg, A.G. Orpen and P.G. Pringle), C13

Rhenium

- Reactivity studies on bimetallic μ -malonyl complexes: cleavage and alkylation chemistry of the malonyl ligand (J.M. O'Connor, R. Uhrhammer, R.K. Chadha, B. Tsui and A.L. Rheingold), 143

Rhodium

- Carbon monoxide as a building block in organic synthesis. IV. Direct preparation of amines from alkenes by aminomethylation catalysed by dinuclear rhodium complexes (T. Baig, J. Molinier and P. Kalck), 219
- Chemical evidence of polynuclear intermediates in a ligand redistribution equilibrium between dinuclear rhodium complexes. X-ray structure of $[\text{Rh}_2(\mu\text{-bzta})_2(\text{CO})_3(\text{PPh}_3)]$ (bzta = benzothiazole-2-thiolate) (M.A. Ciriano, J.J. Pérez-Torrente, F.J. Lahoz and L.A. Oro), 225
- Reversible electrophilic Rh-C bond cleavage in metallated dirhodium(II) compounds by carboxylic acids. Crystal structure of a new variety of rhodium(II) complex (P. Lahuerta, E. Peris, M.A. Ubeda, S. García-Granda, F. Gómez-Beltrán and M.R. Díaz), C10

Ruthenium

- Catalytic asymmetric hydrogenation of β -ketoesters using new BINAP complexes of ruthenium (J.B. Hoke, L.S. Hollis and E.W. Stern), 193
- $^1\text{H-NMR}$ spectroscopic studies of anion and solvent effects on mixed-valence iodobiruthenocenium(II, IV) salts (M. Watanabe, T. Iwamoto, H. Sano and I. Motoyama), 197

Silicon

- Mono-, Bis-, Tris- und Tetrakis(indol-1-yl)silane (U. Klingebiel, W. Lüttke und M. Noltemeyer), 51
- The crystal structure of the organosilicon *p*-toluenesulfonate $(\text{Me}_3\text{Si})_3\text{CSiPh}(\text{H})(\text{OSO}_2\text{C}_6\text{H}_4\text{Me-}p)$ (S.S. Al-Juaid, A.A.K. Al-Nasr, C. Eaborn and P.B. Hitchcock), 57
- Silicon-carbon unsaturated compounds. XLIV. Photochemical behavior of permethylated *p*-(di(allyl)enyl)phenylene oligomers (M. Ishikawa, K. Watanabe, H. Sakamoto and A. Kunai), 61
- Preparation of diphenylsilylene polymers containing main-chain acetylene and (hetero)aromatic groups: $\chi^{(2)}$ non-linear optical and other properties (R.J.P. Corriu, W.E. Douglas, Z.-x. Yang, Y. Karakus, G.H. Cross and D. Bloor), 69
- Silicon-carbon unsaturated compounds. XLVI. Nickel-catalyzed reaction of 2-tolyl- and 2-phenyl-2-(phenylethynyl)hexamethyltrisilanes in the presence of 2,3-dimethylbutadiene and dicyclopentadiene (A. Kunai, Y. Yuzuriha, A. Naka and M. Ishikawa), 77
- Utilization of $\text{Me}_3\text{SiSnBu}_3$ in organic synthesis. I. Generation of a stannyl anion from $\text{Me}_3\text{SiSnBu}_3$ and R_4NX (M. Mori, N. Kaneta, N. Isono and M. Shibasaki), 255
- Studies of the zinc(II) catalysed addition of silyl enol ethers to cyclic enol ethers (J.R. Studley and M. Wills), C3
- The reactions of $\text{Me}_3\text{SiCHN}_2$ with $[\text{PtX}_2(\text{S},\text{S}\text{-skewphos})]$: highly diastereoselective carbene insertions into Pt-Cl bonds, and $\text{Me}_3\text{SiCHN}_2$ as a CH_2N_2 equivalent (P. Bergamini, E. Costa, S. Sostero, C. Ganter, J. Hogg, A.G. Orpen and P.G. Pringle), C13

Silver

- Synthesis of anionic pentafluorophenyl platinum-silver acetylide complexes. Molecular structures of $(\text{NBu}_4)[\text{Pt}(\text{C}_6\text{F}_5)_2(\mu\text{-C}\equiv\text{CPh})_2\text{Ag}(\text{PPh}_3)]$ and $(\text{NBu}_4)_2[\text{Pt}(\text{C}_6\text{F}_5)_2(\mu\text{-C}\equiv\text{CPh})_2\text{Ag}]_2(\mu\text{-dppe})$ (J. Forniés, E. Lalinde, F. Martínez, M.T. Moreno and A.J. Welch), 271

Sulphur

- Metal complex catalysis in the synthesis of organic sulfur compounds (U.M. Dzhemilev and R.V. Kunakova), 1

Tantalum

Synthesis and reaction of (η^5 -pentamethylcyclopentadienyl)bis(allyl)tantalum(III) complexes; crystal structure of Ta(η^5 -C₅Me₅)(η^3 -1-phenylallyl)₂ (K. Mashima, Y. Yamanaka, Y. Gohro and A. Nakamura), C6

Technetium

Metallorganische Chemie des Technetiums. X. Synthese, Charakterisierung und Röntgenstrukturanalyse von μ -Distickstoff-bis[hydrotris(3,5-dimethylpyrazolyl)-borato-technetium-dicarbonyl], [L*^{Tc}(CO)₂]₂(μ -N₂) (J.E. Joachim, C. Apostolidis, B. Kanelakopulos, R. Maier, D. Meyer, J. Rebizant und M.L. Ziegler), 137

Thallium

Electrospray mass spectrometry of inert and labile metal alkyl compounds: a study of methyl and dimethyl derivatives of gold(III), indium(III) and thallium(III) (A.J. Canty, R. Colton and I.M. Thomas), 283

Tin

Synthese, Kristallstruktur und Reaktionen des Isopropylzinntriisopropoxids, ¹PrSn(OⁱPr)₃ (H. Reuter und D. Schröder), 83

Utilization of Me₃SiSnBu₃ in organic synthesis. I. Generation of a stannyl anion from Me₃SiSnBu₃ and R₄NX (M. Mori, N. Kaneta, N. Isono and M. Shibusaki), 255

Titanium

Bis(binaphthylcyclopentadienyl)-derived metallocene peroxide complexes: catalysts for the enantioselective epoxidation of unfunc-

tionized alkenes (S.L. Colletti and R.L. Halterman), 99

Transition Metals general

Metal complex catalysis in the synthesis of organic sulfur compounds (U.M. Dzhemilev and R.V. Kunakova), 1

Tungsten

Crystal structures of (η^6 -C₇H₈)M(CO)₃ (M = Cr, W). Comparisons among a homologous series of cycloheptatriene complexes and experimental evidence for a boat conformation of the coordinated ring (F.J. Hadley, T.M. Gilbert and R.D. Rogers), 107

Seven-coordinate molybdenum-tin and tungsten-tin complexes containing phosphites and tetramethylthiourea: X-ray structure of [Mo(CO)₂{P(OMe)₃]₃(SnBuCl₂)Cl] (D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 121

Isocyanide derivatives of tungstenocene (A.C. Filippou, A.R. Dias, A.M. Martins and C.C. Romão), 129

Ytterbium

Synthesis and X-ray crystal structure of the cyclopentadienyl nitrito complex of ytterbium(III), (C₅H₅)₂Yb(NO₂)·THF (Z. Wu, Z. Xu, X. You, H. Wang, X. Zhou, F. Sheng and J. Hu), 93

Zinc

Studies of the zinc(II) catalysed addition of silyl enol ethers to cyclic enol ethers (J.R. Studley and M. Wills), C3

Book review

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Fe, Organoiron Compounds, Part C 6b (G.J. Leigh), C17