

Subject Index of Volume 451

Aluminium

Polymerization of 1,3-dienes with the soluble catalyst system methylaluminoxanes–[CpTiCl₃]. Influence of monomer structure on polymerization stereospecificity (G. Ricci, S. Italia, A. Giarrusso and L. Porri), 67

Chromium

The synthesis and X-ray structure of a phenoxide-bridged heterobimetallic anion, W(CO)₅OPh(Cr(CO)₃)[−], and its reactivity with carbon dioxide and carbonyl sulfide (D.J. Darensbourg, B.L. Mueller and J.H. Reibenspies), 83

Cobalt

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Reaction of silylcobalt tetracarbonyls with oxiranes. Kinetics and mechanism (J. Kreisz, A. Sisak, L. Markó and F. Ungváry), 53

Charge-transfer ion pairs with cationic bis(arene)iron(II) acceptors. Thermal electron-transfer catalysis of aromatic de-ligation (J.K. Kochi and C.H. Wei), 111

Phase transfer catalyzed reductive acylation of nitrogen-containing heteroaromatics with acetylcobalt tetracarbonyl (M. de Wang and H. Alper), 169

Cobalt-catalyzed methoxycarbonylation of naphthalene mono- and di-sulfonates to naphthalene mono- and di-esters (G. Cometti, A. Du vosel, F. Francalanci, R. Santi, W. Cabri and M. Foà), C13

Copper

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Reactivity of double thioureas towards metal complexes. Synthesis and crystal structure of [(μ-H)Ru₃(CO)₉]₂{SC(NPh)N(Et)(CH₂)₂NH(Ph)NCS]} (E. Boroni, G. Predieri, A. Tiripicchio and M.T. Camellini), 163

(Carbaborane)rhodium–copper and –manganese complexes: crystal structure of [RhCu(PPh₃)(cod)(η³-7,8-C₂B₉H₉Me₂)] (J.C. Jeffery, F.G.A. Stone and I. Topaloglu), 205

Methylchloroformate synthesis *via* direct interaction of palladium di(methoxycarbonyl) complexes with CuCl₂: utilization in the synthesis of carbonates and carbamates (P. Giannoccaro, N. Ravasio and M. Aresta), 243

Gold

Polarizable stilbazole-based organometallic complexes and polymers (J. Burdeniuk and D. Milstein), 213

Iridium

Novel rhodate and iridate complexes containing C,N chelating arylamine ligand systems (I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten), 195

Iron

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Further applications of the NCO[−] insertion into a C–SR bond: synthesis of the bis(μ-acylisocyanide) complex [Fe₂(CO)₂(Cp)₂(μ-CNC(OSMe)₂)] (L. Busetto, S. Bordoni, V. Zanotti and M.C. Cassani), 107

Charge-transfer ion pairs with cationic bis(arene)iron(II) acceptors. Thermal electron-transfer catalysis of aromatic de-ligation (J.K. Kochi and C.H. Wei), 111

Syntheses and structures of decamethylbiferrocene mono- and di-cation triiodides (M.-H. Delville, F. Robert, P. Gouzerh, J. Linarès, K. Boukheddaden, F. Varret and D. Astruc), C10

Lithium

Novel rhodate and iridate complexes containing C,N chelating arylamine ligand systems (I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten), 195

Magnesium

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Manganese

Charge-transfer ion pairs with cationic bis(arene)iron(II) acceptors. Thermal electron-transfer catalysis of aromatic de-ligation (J.K. Kochi and C.H. Wei), 111

(Carbaborane)rhodium–copper and –manganese complexes: crystal structure of [RhCu(PPh₃)(cod)(η⁵-7,8-C₂B₉H₉Me₂)] (J.C. Jeffery, F.G.A. Stone and I. Topaloglu), 205

Mercury

Electrochemistry of [(Ru₃(CO)₉(μ₃-η²-C≡C^tBu)₂Hg] and [Ru₃(CO)₉(μ₃-η²-C≡C^tBu)HgX] {X = Re(CO)₅ or MoCp(CO)₃} (D. Osella, L. Milone, S.V. Kukhareenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Metalloenes

Syntheses and structures of decamethylbiferrocene mono- and di-cation triiodides (M.-H. Delville, F. Robert, P. Gouzerh, J. Linarès, K. Boukheddaden, F. Varret and D. Astruc), C10

Molybdenum

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Carbene complexes. XXII. Preparation, properties and structures of the *N,N*-functionalized bis(amino)carbenemolybdenum(0) carbonyls $[\text{Mo}(\text{CO})_4\{\text{CN}(\text{CH}_2\text{CH}:\text{CH}_2)(\text{CH}_2)_2\text{N}(\text{CH}_2\text{CH}:\text{CH}_2)\}]$ and $[\text{Mo}(\text{CO})_3\{\text{CN}[(\text{CH}_2)_3\text{PPh}_2](\text{CH}_2)_2\text{N}[(\text{CH}_2)_3\text{PPh}_2]\}]_n$ (J.A. Chamizo, P.B. Hitchcock, H.A. Jasim and M.F. Lappert), 89

Electrochemistry of $[\{\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}\equiv\text{C}^t\text{Bu})\}_2\text{Hg}]$ and $[\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}\equiv\text{C}^t\text{Bu})\text{HgX}]$ (X = $\text{Re}(\text{CO})_5$ or $\text{MoCp}(\text{CO})_3$) (D. Osella, L. Milone, S.V. Kukhareenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Nickel

The $[\text{Ni}(\text{CO})_4]$ -promoted carbonylative cycloaddition of alkynes and allyl halides for the synthesis of 2-cyclopentenone derivatives (A. Llebaria and J.M. Moretó), 1

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Palladium

Palladium-catalyzed carbonylation of 2-alkynyl carbonates and 2,3-alkadienyl carbonates (J. Tsuji and T. Mandai), 15

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Metal catalyzed deoxygenation by carbon monoxide of *o*-substituted nitrobenzenes. Synthesis of 1,4-dihydro-2*H*-3,1-benzoxazin-2-one derivatives (S. Cenini, S. Console, C. Crotti and S. Tollari), 157

Reactivity of double thioureas towards metal complexes. Synthesis and crystal structure of $[\{(\mu\text{-H})\text{Ru}_3(\text{CO})_9\}_2\{\text{SC}(\text{NPh})\text{N}(\text{Et})(\text{CH}_2)_2\text{NH}(\text{Ph})\text{CS}\}]$ (E. Boroni, G. Predieri, A. Tiripicchio and M.T. Camellini), 163

Polarizable stilbazole-based organometallic complexes and polymers (J. Burdeniuk and D. Milstein), 213

Synthesis, characterization, and carbonylation reactions of methylpalladium amide, carbamate, and alkyl carbonate complexes (R.S. Srivastava, G. Singh, M. Nakano, K. Osakada, F. Ozawa and A. Yamamoto), 221

Synthesis and characterization of platinum and palladium clusters with phosphide ligands (I.I. Moiseev, N.Y. Kozitsyna, D.I. Kochubey, V.N. Kolomijchuk and K.I. Zamaraev), 231

Methylchloroformate synthesis *via* direct interaction of palladium di(methoxycarbonyl) complexes with CuCl_2 : utilization in the synthesis of carbonates and carbamates (P. Giannoccaro, N. Ravasio and M. Aresta), 243

Asymmetric allylic alkylation with palladium coordinated to a new optically active pyrazolymethane ligand (M. Bovens, A. Togni and L.M. Venanzi), C28

Synthesis and X-ray crystal structure of a new palladium catalyst precursor containing an η^2 -phosphinate (P. Leoni, F. Marchetti and M. Pasquali), C25

Phosphorus

Synthesis and characterization of platinum and palladium clusters with phosphide ligands (I.I. Moiseev, N.Y. Kozitsyna, D.I. Kochubey, V.N. Kolomijchuk and K.I. Zamaraev), 231

Platinum

Synthesis and characterization of platinum and palladium clusters with phosphide ligands (I.I. Moiseev, N.Y. Kozitsyna, D.I. Kochubey, V.N. Kolomijchuk and K.I. Zamaraev), 231

Preparation and X-ray structure of a platinum(II) hydroxycarbonyl, $\text{Pt}(\text{CO}_2\text{H})[\text{C}_6\text{H}_3(\text{CH}_2\text{PPh}_2)_2\text{-2,6}]$, containing a *trans*-spanning, tridentate P,C,P-ligand (M.A. Bennett, H. Jin and A.C. Willis), 249

Mesitylene solvated platinum atoms as hydrosilylation catalysts (C. Polizzi, A.M. Caporusso, G. Vitulli and P. Salvadori), C4

Rhenium

Synthesis and characterization of rhenium polyhydrides stabilized by the tripodal ligand $\text{MeC}(\text{CH}_2\text{PPh}_2)_3$ (C. Bianchini, M. Peruzzini, F. Zanobini, L. Magon, L. Marvelli and R. Rossi), 97

Electrochemistry of $[\{\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}\equiv\text{C}^t\text{Bu})\}_2\text{Hg}]$ and $[\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}\equiv\text{C}^t\text{Bu})\text{HgX}]$ (X = $\text{Re}(\text{CO})_5$ or $\text{MoCp}(\text{CO})_3$) (D. Osella, L. Milone, S.V. Kukhareenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Rhodium

Vinylidene transition-metal complexes. XXV. Novel square-planar alkynylrhodium anions *trans*- $[\text{RhCl}(\text{C}\equiv\text{CR})(\text{P}^i\text{Pr}_3)_2]^-$ as precursors for alkyne, vinylidene and allene rhodium complexes (H. Werner, D. Schneider and M. Schulz), 175

Aza- and oxacarbonylations of allyl phosphates catalyzed by rhodium carbonyl cluster. Selective synthesis of β,γ -unsaturated amides, esters, and acids (Y. Imada, O. Shibata and S.-I. Murahashi), 183

Novel rhodate and iridate complexes containing C,N chelating arylamine ligand systems (I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten), 195

(Carbaborane)rhodium-copper and -manganese complexes: crystal structure of $[\text{RhCu}(\text{PPh}_3)(\text{cod})(\eta^2\text{-7,8-C}_2\text{B}_9\text{H}_9\text{Me}_2)]$ (J.C. Jeffrey, F.G.A. Stone and I. Topaloglu), 205

Rhodium catalysed hydroformylation using slim phosphate ligands to improve selectivity (S.N. Poelsma and P.M. Maitlis), C15

Hydroformylation of cinnamic acid derivatives catalyzed by rhodium complexes (C. Botteghi and S. Paganelli), C18

Carbonylation of organic allyl moieties. IV. Unexpected formation of cyclic esters from the carbonylation of alkoxyoctadienes in the presence of rhodium catalysts (M.-M. Barreto-Rosa, M.C. Bonnet, G. Commenges, B. Manzano, A.L. Monteiro, D. Neibecker and I. Tkatchenko), C22

Ruthenium

Surface organometallic chemistry: reductive carbonylation of silica-supported $\text{RuCl}_3 \cdot 3\text{H}_2\text{O}$ (D. Roberto, R. Psaro and R. Ugo), 123

Novel ruthenium-catalyzed synthesis of 1,3-dioxolan-4-ones from α -hydroxy acids and terminal alkynes *via* enol esters (M. Neveux, B. Seiller, F. Hagedorn, C. Bruneau and P.H. Dixneuf), 133

Catalytic activity of cluster ruthenium complexes: oligomerization of ethylene (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 139

Coupling of two alkynes with a carbon and an oxygen atom on an Ru_3 cluster (D. Heineke and H. Vahrenkamp), 147

Electrochemistry of $[\{\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}\equiv\text{C}^t\text{Bu})\}_2\text{Hg}]$ and $[\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}\equiv\text{C}^t\text{Bu})\text{HgX}]$ (X = $\text{Re}(\text{CO})_5$ or $\text{MoCp}(\text{CO})_3$) (D. Osella, L. Milone, S.V. Kukhareenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Metal catalyzed deoxygenation by carbon monoxide of *o*-substituted nitrobenzenes. Synthesis of 1,4-dihydro-2*H*-3,1-benzoxazin-2-one derivatives (S. Cenini, S. Console, C. Crotti and S. Tollari), 157

Reactivity of double thioureas towards metal complexes. Synthesis and crystal structure of $[(\mu\text{-H})\text{Ru}_3(\text{CO})_9]_2\{\text{SC}(\text{NPh})\text{N}(\text{Et})(\text{CH}_2)_2\text{NH}(\text{PhNCS})\}$ (E. Boroni, G. Predieri, A. Tiripicchio and M.T. Camellini), 163

Silicon

Anchimeric assistance by the $\gamma\text{-N}_3$ and $\gamma\text{-NCS}$ groups in solvolysis of $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{N}_3)(\text{SiMe}_2\text{Br})$ and $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{NCS})(\text{SiMe}_2\text{Br})$ (C. Eaborn and M.N. Romanelli), 45

Reaction of silylcobalt tetracarbonyls with oxiranes. Kinetics and mechanism (J. Kreisz, A. Sisak, L. Markó and F. Ungváry), 53

A new trialkoxysilylation reaction, the cross-coupling of (tri-isopropoxy)silyl)methyl grignard reagent with organic halides (D.J. Brondani, R.J.P. Corriu, S. El Ayoubi, J.J.E. Moreau and M. Wong Chi Man), C1

Mesitylene solvated platinum atoms as hydrosilylation catalysts (C. Polizzi, A.M. Caporusso, G. Vitulli and P. Salvadori), C4

Tin

Versatile ligand behaviour of di-2-pyridylketone 2-aminobenzoylhydrazone (Hdpa) towards SnPh_2Cl_2 . Crystal structures of $[\text{SnPh}_2(\text{Hdpa})\text{Cl}_2]$ and $[\text{SnPh}(\text{dpa})\text{Cl}_2]$ (S. Ianelli, M. Orcesi, C. Pelizzi, G. Pelizzi and G. Predieri), 59

Titanium

Polymerization of 1,3-dienes with the soluble catalyst system methylaluminoxanes- $[\text{CpTiCl}_3]$. Influence of monomer structure on polymerization stereospecificity (G. Ricci, S. Italia, A. Giarrusso and L. Porri), 67

Tungsten

The synthesis and X-ray structure of a phenoxide-bridged heterobimetallic anion, $\text{W}(\text{CO})_5\text{OPh}(\text{Cr}(\text{CO})_3)^-$, and its reactivity with

carbon dioxide and carbonyl sulfide (D.J. Darensbourg, B.L. Mueller and J.H. Reibenspies), 83

Influence of steric crowding at the heteroatom on the metathesis of functionalized olefins: the polymerization of alkylthiocyclooctenes catalyzed by a metallacyclic aryloxo(chloro)neopentylidenetungsten complex (J.-L. Couturier, M. Leconte, J.-M. Basset and J. Ollivier), C7

Vanadium

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Bis(arene)vanadium(0) complexes as a source of vanadium(II) derivatives by both disproportionation of the $[\text{V}(\eta^6\text{-arene})_2]^+$ cations and oxidation of $[\text{V}(\eta^6\text{-arene})_2]$ (F. Calderazzo, G.E. De Benedetto, G. Pampaloni, C.M. Mössmer, J. Strähle and K. Wurst), 73

Zinc

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Palladium-catalyzed reaction between aryl or alkenyl halides and (1-carbalkoxy-1-alkenyl)zinc iodides. A new class of unmasked β -substituted acrylate α -anion equivalents (R. Rossi, A. Carpita, F. Bellina and P. Cossi), 33