

Subject Index of Volume 481

Addition compound

Structure of the silver imidodi(sulphuryl fluoride)–benzene solvate $\text{AgN}(\text{SO}_2\text{F})_2 \cdot \text{C}_6\text{H}_6$ (M.J. Begley, D.B. Sowerby, R.D. Verma and A. Vig), 243

Alkoxy-carbonyls

Bis(alkoxy-carbonyl) complexes of platinum: preparation, reactivity and their role in carbonylation reactions (G. Vasapollo, L. Toniolo, G. Cavinato, F. Bigoli, M. Lanfranchi and M.A. Pellinghelli), 173

Alkyl complexes

Reactions of hydridovanadium complexes: The formation of seven-coordinated σ -alkylvanadium(I) complexes by hydrovanadation of alkenes, and the molecular structure of *trans*- $[\text{V}(\text{CO})_2(\text{dppe})_2] \cdot 3\text{C}_6\text{D}_6$ (F. Süssmilch, F. Olbrich and D. Rehder), 125

Alkyne

Dark and photochemical reactions of $\text{Co}_3\text{Rh}(\text{CO})_{12}$ with diphenylacetylene. Crystal and molecular structure of the $\text{Co}_3\text{Rh}(\mu_2 - \text{CO})_2(\text{CO})_8(\mu_4, \eta^2 - \text{PhC}_2\text{Ph})$ cluster (S.P. Tunik, V.R. Krym, G.L. Starova, A.B. Nikol'skii, I.S. Podkorytov, S. Ooi, M. Yamasaki and M. Shiro), 83

Alkyne complexes

Synthesis, electrocatalysis and structural studies of bis(silylcyclopentadienyl)niobium complexes with acetylene ligands (A. Antiñolo, A. Otero, M. Fajardo, M. Galakhov, R. Gil-Sanz, C. López-Mardomingo, D. Lucas, H. Chollet and Y. Mugnier), 27

Allyl

Multiple bonds between main-group elements and transition metals. CXXXI. Allyl-, vinyl- and related rhenium(VII) trioxides: synthesis and degradation (W.A. Herrmann, F.E. Kühn, C.C. Romão and H.T. Huy), 227

Amide

Chemie polyfunktioneller Moleküle. CXIII. Komplexe des Dicobaltoctacarbonyls mit den Liganden Bis(diphenylphosphino)amin und -amid (D. Pohl, J. Ellermann, F.A. Knoch, M. Moll und W. Bauer), 259

Amine

Chemie polyfunktioneller Moleküle. CXIII. Komplexe des Dicobaltoctacarbonyls mit den Liganden Bis(diphenylphosphino)amin und -amid (D. Pohl, J. Ellermann, F.A. Knoch, M. Moll und W. Bauer), 259

Aminomethylation-desilylation

Synthèse et protodésilylation de silanes α -alléniques hétérocycliques (J. Pomet, P. Aubert, B. Randrianoélina et L. Miginiac), 217

Arene complexes

Steric effects in heteroboranes. Part 7. The synthesis and characterisation of arene–ruthenium complexes of C-substituted carbaboranes. Molecular structures of 1-Ph-3-(mes)-3,1,2-*closo*- $\text{RuC}_2\text{B}_9\text{H}_{10}$ (mes = $\text{C}_6\text{H}_3-1,3,5$) and 1-Ph-2-Me-3-(*p*-cym)-3,1,2-*closo*- $\text{RuC}_2\text{B}_9\text{H}_9$ (*p*-cym = $\text{C}_6\text{H}_4\text{Me}-1\text{-}^i\text{Pr}-4$), the latter showing an incipient deformation (J. Cowie, B.D. Reid, J.M.S. Watmough and A.J. Welch), 283

Azobenzonorbornadiene

Novel coupling between tricarbonyl(7-azobenzonorbornadiene)iron complexes and cyclohexene to form stereospecifically a (C-5 substituted η^4 -cyclohexadiene) $\text{Fe}(\text{CO})_3$ moiety (C.-H. Sun, N.-C. Shang, L.-S. Liou and J.-C. Wang), 179

Benzene

Structure of the silver imidodi(sulphuryl fluoride)–benzene solvate $\text{AgN}(\text{SO}_2\text{F})_2 \cdot \text{C}_6\text{H}_6$ (M.J. Begley, D.B. Sowerby, R.D. Verma and A. Vig), 243

Bifunctional ligands

Chemie polyfunktioneller Moleküle. CXIII. Komplexe des Dicobaltoctacarbonyls mit den Liganden Bis(diphenylphosphino)amin und -amid (D. Pohl, J. Ellermann, F.A. Knoch, M. Moll und W. Bauer), 259

Bis(arene)metals

Metal π complexes of benzene derivatives. XLIII. Intramolecular interactions between bis(benzene)chromium and cymantrene units in di- and tri-nuclear species containing PMe_2 spacers, as studied by CV and EPR (C. Elschenbroich, T. Isenburg, B. Metz, A. Behrendt and K. Harms), 153

Boron

Steric effects in heteroboranes. Part 8. Sterically-induced *Exo*-skeletal isomerisation of di-copper carbametallaboranes: syntheses and crystal structures of $(\text{Ph}_3\text{PCu})_2\text{Ph}_2\text{C}_2\text{B}_9\text{H}_9$ and $(\text{o-tol})_3\text{PCu})_2\text{Ph}_2\text{C}_2\text{B}_9\text{H}_9$ (K.J. Adams, J. Cowie, S.G.D. Henderson, G.J. McCormick and A.J. Welch), C9

Synthese und Strukturen von Benzo-tetracarbahexaboran- und 1,3-Dihydro-1,3-diboranaphthalin-Metallkomplexen (B. Deobald, J. Hauss, H. Pritzkow, D. Steiner, A. Berndt und W. Siebert), 205

Synthesis of pinacol esters of 2,3-alkadienylboronic acid via the copper(I) mediated coupling reaction of Knochel's (dialkoxycarbonyl)methylzinc reagents with propargylic tosylates (I. Gridnev, G. Kanai, N. Miyaura and A. Suzuki), C4

Boronic acid

Synthesis of pinacol esters of 2,3-alkadienylboronic acid via the copper(I) mediated coupling reaction of Knochel's (dialkoxycarbonyl)methylzinc reagents with propargylic tosylates (I. Gridnev, G. Kanai, N. Miyaura and A. Suzuki), C4

Carbaboranes

Steric effects in heteroboranes. Part 7. The synthesis and characterisation of arene–ruthenium complexes of C-substituted carbaboranes. Molecular structures of 1-Ph-3-(mes)-3,1,2-*closo*- $\text{RuC}_2\text{B}_9\text{H}_{10}$ (mes = $\text{C}_6\text{H}_3-1,3,5$) and 1-Ph-2-Me-3-(*p*-cym)-3,1,2-*closo*- $\text{RuC}_2\text{B}_9\text{H}_9$ (*p*-cym = $\text{C}_6\text{H}_4\text{Me}-1\text{-}^i\text{Pr}-4$), the latter showing an incipient deformation (J. Cowie, B.D. Reid, J.M.S. Watmough and A.J. Welch), 283

Carbene

Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $\text{RhCl}(\text{L}^R)_3$ and $[\text{RhCl}(\text{COD})\text{L}^R]$ $\{\text{L}^R =$

$dCN(Me)Cu(CH_2CNMe-o)$ and the preparation and X-ray structures of the enetetramine L_2^R and its salt $[L_2^R][BF_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), 89

Carbon-carbon bond formation

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. II. Oxidative Addition von Chloraromaten an Pd^0 -Komplexe: Synthese, Struktur und Stabilität von Arylpalladium(II)-chloriden der Phosphanreihe (W.A. Herrmann, C. Broßmer, T. Priermeier und K. Öfele), 97

Carbonyl

Chemical and electrochemical studies on metal carbonyl/cobaltocene systems (G. Pampaloni and U. Koelle), 1

Dark and photochemical reactions of $Co_3Rh(CO)_{12}$ with diphenylacetylene. Crystal and molecular structure of the $Co_3Rh(\mu_2-CO)_2(CO)_8(\mu_4,\eta^2-PhC_2Ph)$ cluster (S.P. Tunik, V.R. Krym, G.L. Starova, A.B. Nikol'skii, I.S. Podkorytov, S. Ooi, M. Yamasaki and M. Shiro), 83

Novel coupling between tricarbonyl(7-azabenzonorborene)iron complexes and cyclohexene to form stereospecifically a (C-5 substituted η^4 -cyclohexadiene)Fe(CO)₃ moiety (C.-H. Sun, N.-C. Shang, L.-S. Liou and J.-C. Wang), 179

The structure of $[Co(\eta^4-C_6H_{10})(CO)_2]_2SnCl_2$ in the solid state ($C_6H_{10}\equiv 2,3$ -dimethylbuta-1,3-diene) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan, R. Foley and A.R. Manning), 63

Carbonylation

Bis(alkoxycarbonyl) complexes of platinum: preparation, reactivity and their role in carbonylation reactions (G. Vasapollo, L. Toniolo, G. Cavinato, F. Bigoli, M. Lanfranchi and M.A. Pellinghelli), 173

Carborane

Steric effects in heteroboranes. Part 8. Sterically-induced Exo-skeletal isomerisation of di-copper carbametallaboranes: syntheses and crystal structures of $(Ph_3PCu)_2Ph_2C_2B_9H_9$ and $\{(o-tol)_3PCu\}_2Ph_2C_2B_9H_9$ (K.J. Adams, J. Cowie, S.G.D. Henderson, G.J. McCormick and A.J. Welch), C9

Catalysis

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. II. Oxidative Addition von Chloraromaten an Pd^0 -Komplexe: Synthese, Struktur und Stabilität von Arylpalladium(II)-chloriden der Phosphanreihe (W.A. Herrmann, C. Broßmer, T. Priermeier und K. Öfele), 97

Chromium

Metal π complexes of benzene derivatives. XLIII. Intramolecular interactions between bis(benzene)chromium and cymantrene units in di- and tri-nuclear species containing PMe_2 spacers, as studied by CV and EPR (C. Elschenbroich, T. Isenburg, B. Metz, A. Behrendt and K. Harms), 153

Cluster

Dark and photochemical reactions of $Co_3Rh(CO)_{12}$ with diphenylacetylene. Crystal and molecular structure of the $Co_3Rh(\mu_2-CO)_2(CO)_8(\mu_4,\eta^2-PhC_2Ph)$ cluster (S.P. Tunik, V.R. Krym, G.L. Starova, A.B. Nikol'skii, I.S. Podkorytov, S. Ooi, M. Yamasaki and M. Shiro), 83

Cobalt

Chemical and electrochemical studies on metal carbonyl/cobaltocene systems (G. Pampaloni and U. Koelle), 1

Chemie polyfunktioneller Moleküle. CXIII. Komplexe des Dicobaltoctacarbonyls mit den Liganden Bis(diphenylphosphino)amin und -amid (D. Pohl, J. Ellermann, F.A. Knoch, M. Moll und W. Bauer), 259

Dark and photochemical reactions of $Co_3Rh(CO)_{12}$ with

diphenylacetylene. Crystal and molecular structure of the $Co_3Rh(\mu_2-CO)_2(CO)_8(\mu_4,\eta^2-PhC_2Ph)$ cluster (S.P. Tunik, V.R. Krym, G.L. Starova, A.B. Nikol'skii, I.S. Podkorytov, S. Ooi, M. Yamasaki and M. Shiro), 83

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ,π -Allyl- und σ,σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Komplexe des 2-(Trimethylsilyloxy)phenylisocyanids als Vorstufen für die Darstellung von N,O-Heterocarbon-Komplexen (F.E. Hahn und T. Lügger), 189

Synthese und Strukturen von Benzo-tetracarbahexaboran- und 1,3-Dihydro-1,3-diboranaphthalin-Metallkomplexen (B. Deobald, J. Hauss, H. Pritzkow, D. Steiner, A. Berndt und W. Siebert), 205

The structure of $[Co(\eta^4-C_6H_{10})(CO)_2]_2SnCl_2$ in the solid state ($C_6H_{10}\equiv 2,3$ -dimethylbuta-1,3-diene) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan, R. Foley and A.R. Manning), 63

Cobaltocene

Chemical and electrochemical studies on metal carbonyl/cobaltocene systems (G. Pampaloni and U. Koelle), 1

Complexes

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. III. Phosphol-Komplexe des nullwertigen Palladiums (W.A. Herrmann, W.R. Thiel, T. Priermeier und E. Herdtweck), 253

Conjugated heterocyclic dienes

Synthèse et protodésilylation de silanes α -alléniques hétérocycliques (J. Pomet, P. Aubert, B. Randrianoélina et L. Miginiac), 217

Copper

Steric effects in heteroboranes. Part 8. Sterically-induced Exo-skeletal isomerisation of di-copper carbametallaboranes: syntheses and crystal structures of $(Ph_3PCu)_2Ph_2C_2B_9H_9$ and $\{(o-tol)_3PCu\}_2Ph_2C_2B_9H_9$ (K.J. Adams, J. Cowie, S.G.D. Henderson, G.J. McCormick and A.J. Welch), C9

Synthesis of pinacol esters of 2,3-alkadienylboronic acid via the copper(I) mediated coupling reaction of Knochel's (dialkoxycarbonyl)methylzinc reagents with propargylic tosylates (I. Gridnev, G. Kanai, N. Miyaura and A. Suzuki), C4

Coupling

Novel coupling between tricarbonyl(7-azabenzonorborene)iron complexes and cyclohexene to form stereospecifically a (C-5 substituted η^4 -cyclohexadiene)Fe(CO)₃ moiety (C.-H. Sun, N.-C. Shang, L.-S. Liou and J.-C. Wang), 179

Coupling reaction

Synthesis of pinacol esters of 2,3-alkadienylboronic acid via the copper(I) mediated coupling reaction of Knochel's (dialkoxycarbonyl)methylzinc reagents with propargylic tosylates (I. Gridnev, G. Kanai, N. Miyaura and A. Suzuki), C4

Crosslinking

Formation of dimeric 1-alkoxy-3-acyloxytetrabutylidistannoxanes by reaction of dibutyltin oxide with esters. I. Characterization in solution by multinuclear NMR spectroscopy and application to polymer crosslinking (J. Bonetti, C. Gondard, R. Petiaud, M.-F. Llauro and A. Michel), 7

Crystal structure

Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $RhCl(L^R)_3$ and $[RhCl(COD)L^R]$ ($L^R =$

- $dCN(Me)Cu(CH_4)CNMe-o$) and the preparation and X-ray structures of the enetetramine L_2^R and its salt $[L_2^R][BF_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), 89
- Chemie polyfunktioneller Moleküle. CXIII. Komplexe des Dicoaltoctacarbonyls mit den Liganden Bis(diphenylphosphino)amin und -amid (D. Pohl, J. Ellermann, F.A. Knoch, M. Moll und W. Bauer), 259
- Cyclometallation of ferrocenylimines. Part II. Studies on the cyclomercuration of [1-(arylimino)ethyl] ferrocenes and related structure-reactivity relationships (Y.J. Wu, S.Q. Huo, Y. Zhu and L. Yang), 235
- Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. II. Oxidative Addition von Chloraromaten an Pd^0 -Komplexe: Synthese, Struktur und Stabilität von Arylpalladium(II)-chloriden der Phosphanreihe (W.A. Herrmann, C. Broßmer, T. Priermeier und K. Öfele), 97
- Steric effects in heteroboranes. Part 7. The synthesis and characterisation of arene-ruthenium complexes of C-substituted carbaboranes. Molecular structures of 1-Ph-3-(mes)-3,1,2-closo-Ru $C_2B_9H_{10}$ (mes = C $_6H_3$ -1,3,5) and 1-Ph-2-Me-3-(p-cym)-3,1,2-closo-Ru $C_2B_9H_9$ (p-cym = C $_6H_4$ Me-1-ⁱPr-4), the latter showing an incipient deformation (J. Cowie, B.D. Reid, J.M.S. Watmough and A.J. Welch), 283
- Structure of the silver imidodisulphur fluoride-benzene solvate $AgN(SO_2F)_2 \cdot C_6H_6$ (M.J. Begley, D.B. Sowerby, R.D. Verma and A. Vig), 243
- The structure of $[(Co(\eta^4-C_6H_{10})(CO)_2)_2SnCl_2]$ in the solid state (C $_6H_{10}$ =2,3-dimethylbuta-1,3-diene) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan, R. Foley and A.R. Manning), 63
- Cyclic voltammetry
Synthesis, electrosynthesis and structural studies of bis(silyl-cyclopentadienyl)niobium complexes with acetylene ligands (A. Antiñolo, A. Otero, M. Fajardo, M. Galakhov, R. Gil-Sanz, C. López-Mardomingo, D. Lucas, H. Chollet and Y. Mugnier), 27
- Cyclohexane
Novel coupling between tricarbonyl(7-azabenzonorbornadiene)iron complexes and cyclohexene to form stereospecifically a (C-5 substituted η^4 -cyclohexadiene)Fe(CO) $_3$ moiety (C.-H. Sun, N.-C. Shang, L.-S. Liou and J.-C. Wang), 179
- Cyclometallation
Cyclometallation of ferrocenylimines. Part II. Studies on the cyclomercuration of [1-(arylimino)ethyl] ferrocenes and related structure-reactivity relationships (Y.J. Wu, S.Q. Huo, Y. Zhu and L. Yang), 235
- Six-membered cyclometallated derivatives of platinum(II) derived from 2-benzylpyridines. Crystal and molecular structure of $[Pt(L)(Ph_3P)Cl]$ (HL = 2-(1-methylbenzyl)pyridine) (G. Minghetti, A. Zucca, S. Stoccoro, M.A. Cinellu, M. Manassero and M. Sansoni), 195
- Cyclopentadienyl
Synthesis of the novel bifunctional ligand, dicyclopentadienylsulfide (C $_5H_5$) $_2S$, and its dilithium salt (K.A. Ruffanov, A.V. Churakov, N.B. Kazennova and D.A. Lemenovskii), C1
- Destannylation
Synthesis of η^3 -2-stannylmethylallylpalladium complexes and their destannylation leading to trimethylenemethane-palladium species (S. Watanabe, S. Ogoshi, K. Kakiuchi and H. Kurosawa), 19
- Dichlorodisilazanes
Synthesis and chemical properties of 1,3-dichloro-1,3-dihydridodisilazanes (E. Bacqué, J.-P. Pillot, M. Birot, J. Dunoguès, G. Bourgeois and M. Pétraud), 167
- Dihydridodisilazanes
Synthesis and chemical properties of 1,3-dichloro-1,3-dihydridodisilazanes (E. Bacqué, J.-P. Pillot, M. Birot, J. Dunoguès, G. Bourgeois and M. Pétraud), 167
- Diimine
A useful method in organotin chemistry: diimine hydrogenation of 1,2-bis(trimethylstannyl)-1-alkenes, 1-trimethylsilyl-2-trimethylstannyl-1-alkenes and some distannacyclopentenes (T.N. Mitchell and B. Kowall), 137
- Dinuclear
Asymmetric monocationic and dicationic gold(II) complexes: X-ray structure of $[MePh_2PAu(CH_2PPh_2CH_2)_2AuOH_2](ClO_4)_2 \cdot 2CH_2Cl_2 \cdot H_2O$ (M.C. Gimeno, J. Jiménez, A. Laguna, M. Laguna, P.G. Jones and R.V.D. Parish), 37
- Dimeric uranium complexes with bridging phospholyl ligands. Crystal structure of $[(U(\eta^5-C_4Me_4P)(\mu-\eta^5, \eta^1-C_4Me_4P)(BH_4))_2]$ (P. Gradoz, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 69
- Diolefin
The structure of $[(Co(\eta^4-C_6H_{10})(CO)_2)_2SnCl_2]$ in the solid state (C $_6H_{10}$ =2,3-dimethylbuta-1,3-diene) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan, R. Foley and A.R. Manning), 63
- Dysprosium
Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenyl-cyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275
- Electrochemistry
Chemical and electrochemical studies on metal carbonyl/cobaltocene systems (G. Pampaloni and U. Koelle), 1
- Metal π complexes of benzene derivatives. XLIII. Intramolecular interactions between bis(benzene)chromium and cymantrene units in di- and tri-nuclear species containing PMe_2 spacers, as studied by CV and EPR (C. Elschenbroich, T. Isenburg, B. Metz, A. Behrendt and K. Harms), 153
- Electron spin resonance
Metal π complexes of benzene derivatives. XLIII. Intramolecular interactions between bis(benzene)chromium and cymantrene units in di- and tri-nuclear species containing PMe_2 spacers, as studied by CV and EPR (C. Elschenbroich, T. Isenburg, B. Metz, A. Behrendt and K. Harms), 153
- Enetetramine
Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $RhCl(L^R)_3$ and $[RhCl(COD)L^R]$ $\{L^R = dCN(Me)Cu(CH_4)CNMe-o\}$ and the preparation and X-ray structures of the enetetramine L_2^R and its salt $[L_2^R][BF_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), 89
- Ferrocene
Ferrocene und Ferrocenophane mit dipolaren Strukturelementen (K. Pagel, A. Werner und W. Friedrichsen), 109
- Ferrocenophane
Ferrocene und Ferrocenophane mit dipolaren Strukturelementen (K. Pagel, A. Werner und W. Friedrichsen), 109

Ferrocenylimine

Cyclometallation of ferrocenylimines. Part II. Studies on the cyclomercuration of [1-(arylimino)ethyl] ferrocenes and related structure-reactivity relationships (Y.J. Wu, S.Q. Huo, Y. Zhu and L. Yang), 235

Fluorine

Trifluormethyl-substituierte Plumbane—Darstellung, Eigenschaften und NMR-spektroskopische Charakterisierung von $\text{CF}_3\text{PbR}_2\text{H}$ ($\text{R} = \text{CH}_3, \text{C}_2\text{H}_5$) sowie von $\text{CF}_3\text{Pb(II)}$ -Derivaten (R. Eujen und A. Patorra), 75

Fluxionality

Steric effects in heteroboranes. Part 8. Sterically-induced *Exo*-skeletal isomerisation of di-copper carbametallaboranes: syntheses and crystal structures of $(\text{Ph}_3\text{PCu})_2\text{Ph}_2\text{C}_2\text{B}_9\text{H}_9$ and $\{(o\text{-tol})_3\text{PCu}\}_2\text{Ph}_2\text{C}_2\text{B}_9\text{H}_9$ (K.J. Adams, J. Cowie, S.G.D. Henderson, G.J. McCormick and A.J. Welch), C9

Gadolinium

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenyl-cyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Gold

Asymmetric monocationic and dicationic gold(II) complexes: X-ray structure of $[\text{MePh}_2\text{PAu}(\text{CH}_2\text{PPh}_2\text{CH}_2)_2\text{AuOH}_2](\text{ClO}_4)_2 \cdot 2\text{CH}_2\text{Cl}_2 \cdot \text{H}_2\text{O}$ (M.C. Gimeno, J. Jiménez, A. Laguna, M. Laguna, P.G. Jones and R.V.D. Parish), 37

Group 1H

Trifluormethyl-substituierte Plumbane—Darstellung, Eigenschaften und NMR-spektroskopische Charakterisierung von $\text{CF}_3\text{PbR}_2\text{H}$ ($\text{R} = \text{CH}_3, \text{C}_2\text{H}_5$) sowie von $\text{CF}_3\text{Pb(II)}$ -Derivaten (R. Eujen und A. Patorra), 75

Heteroboranes

Steric effects in heteroboranes. Part 7. The synthesis and characterisation of arene-ruthenium complexes of *C*-substituted carbaboranes. Molecular structures of 1-Ph-3-(mes)-3,1,2-*closo*- $\text{RuC}_2\text{B}_9\text{H}_{10}$ (mes = $\text{C}_6\text{H}_3\text{-1,3,5}$) and 1-Ph-2-Me-3-(*p*-cym)-3,1,2-*closo*- $\text{RuC}_2\text{B}_9\text{H}_9$ (*p*-cym = $\text{C}_6\text{H}_4\text{Me-1-}^i\text{Pr-4}$), the latter showing an incipient deformation (J. Cowie, B.D. Reid, J.M.S. Watmough and A.J. Welch), 283

Heterocycles

Ferrocene und Ferrocenophane mit dipolaren Strukturelementen (K. Pagel, A. Werner und W. Friedrichsen), 109

Heterocyclic α -allenylsilanes

Synthèse et protodésilylation de silanes α -alléniques hétérocycliques (J. Pornet, P. Aubert, B. Randrianoélina et L. Miginiac), 217

Hydrogenation

A useful method in organotin chemistry: diimine hydrogenation of 1,2-bis(trimethylstannyl)-1-alkenes, 1-trimethylsilyl-2-trimethylstannyl-1-alkenes and some distannacyclopentenes (T.N. Mitchell and B. Kowall), 137

Hydrovanadation

Reactions of hydridovanadium complexes: The formation of seven-coordinated σ -alkylvanadium(I) complexes by hydrovanadation of alkenes, and the molecular structure of $\text{trans-[V(CO)}_2(\text{dnppe})_2] \cdot 3\text{C}_6\text{D}_6$ (F. Süssmilch, F. Olbrich and D. Rehder), 125

Imidodi(sulphuryl fluoride)

Structure of the silver imidodi(sulphuryl fluoride)-benzene solvate $\text{AgN}(\text{SO}_2\text{F})_2 \cdot \text{C}_6\text{H}_6$ (M.J. Begley, D.B. Sowerby, R.D. Verma and A. Vig), 243

Iridium

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Iron

Crystal and molecular structure of *N*-(ferrocenylcarbonyl)-*N'*-naphthyl thiourea (J.-T. Wang, Y.-F. Yuan, Y.-M. Xu, Y.-W. Zhang, R.-J. Wang and H.-G. Wang), 211

Cyclometallation of ferrocenylimines. Part II. Studies on the cyclomercuration of [1-(arylimino)ethyl] ferrocenes and related structure-reactivity relationships (Y.J. Wu, S.Q. Huo, Y. Zhu and L. Yang), 235

Ferrocene und Ferrocenophane mit dipolaren Strukturelementen (K. Pagel, A. Werner und W. Friedrichsen), 109

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Ligand substitution reaction of $(\mu\text{-H})\text{Os}_3(\text{CO})_{10}(\mu\text{-COMe})$ with 1,1'-bis(diphenylphosphino)ferrocene (W.-Y. Yeh, S.-B. Chen, S.-M. Peng and G.-H. Lee), 183

Novel coupling between tricarbonyl(7-azabenzonorbordiene)iron complexes and cyclohexene to form stereospecifically a (C-5 substituted η^4 -cyclohexadiene) $\text{Fe}(\text{CO})_3$ moiety (C.-H. Sun, N.-C. Shang, L.-S. Liou and J.-C. Wang), 179

Synthese und Strukturen von Benzo-tetracarbahexaboran- und 1,3-Dihydro-1,3-diboranaphthalin-Metallkomplexen (B. Deobald, J. Hauss, H. Pritzkow, D. Steiner, A. Berndt und W. Siebert), 205

Synthesis of the novel bifunctional ligand, dicyclopentadienylsulfide (C_5H_5)₂S, and its dilithium salt (K.A. Rufanov, A.V. Churakov, N.B. Kazennova and D.A. Lemenovskii), C1

Isocyanide

Komplexe des 2-(Trimethylsilyloxy)phenylisocyanids als Vorstufen für die Darstellung von N,O-Heterocarben-Komplexen (F.E. Hahn und T. Lügger), 189

Lanthanum

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenyl-cyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Lead

Trifluormethyl-substituierte Plumbane—Darstellung, Eigenschaften und NMR-spektroskopische Charakterisierung von $\text{CF}_3\text{PbR}_2\text{H}$ ($\text{R} = \text{CH}_3, \text{C}_2\text{H}_5$) sowie von $\text{CF}_3\text{Pb(II)}$ -Derivaten (R. Eujen und A. Patorra), 75

Lilium

Ferrocene und Ferrocenophane mit dipolaren Strukturelementen (K. Pagel, A. Werner und W. Friedrichsen), 109

Lithium

Synthesis of the novel bifunctional ligand, dicyclopentadienylsulfide (C_5H_5)₂S, and its dilithium salt (K.A. Rufanov, A.V. Churakov, N.B. Kazennova and D.A. Lemenovskii), C1

Lutetium

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenyl-cyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Magnesium

The synthesis of olefin polymerization precatalysts: $[\text{TiCl}_4(\text{C}_4\text{H}_7\text{OCH}_2\text{CO}_2\text{CH}_3)]$ and $[(\text{C}_4\text{H}_7\text{OCH}_2\text{CO}_2\text{Et})_2\text{Mg}(\mu\text{-Cl})_2\text{TiCl}_4] \cdot 2\text{CH}_2\text{Cl}_2$. Crystal structures and properties (P. Sobota, M. Wróblewska, S. Szafert and T. Głowiak), 57

Manganese

Chemical and electrochemical studies on metal carbonyl/cobaltocene systems (G. Pampaloni and U. Koelle), 1

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Metal π complexes of benzene derivatives. XLIII. Intramolecular interactions between bis(benzene)chromium and cymantrene units in di- and tri-nuclear species containing PMe_2 spacers, as studied by CV and EPR (C. Elschenbroich, T. Isenburg, B. Metz, A. Behrendt and K. Harms), 153

Mercury

Cyclometallation of ferrocenylimines. Part II. Studies on the cyclomercuration of [1-(arylimino)ethyl] ferrocenes and related structure-reactivity relationships (Y.J. Wu, S.Q. Huo, Y. Zhu and L. Yang), 235

Metallacarborane

Steric effects in heteroboranes. Part 8. Sterically-induced *Exo*-skeletal isomerisation of di-copper carbametallaboranes: syntheses and crystal structures of $(\text{Ph}_3\text{PCu})_2\text{Ph}_2\text{C}_2\text{B}_9\text{H}_9$ and $(o\text{-tol})_3\text{PCu}_2\text{Ph}_2\text{C}_2\text{B}_9\text{H}_9$ (K.J. Adams, J. Cowie, S.G.D. Henderson, G.J. McCormick and A.J. Welch), C9

Molybdenum

Synthesis and properties of mixed-metal phosphido and phosphinidene clusters derived from reaction between $\text{Ru}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-PPh}_2)$ and $\text{Cp}^*\text{Mo}(\text{CO})_3\text{H}$ (J.-C. Wang, Y. Chi, S.-M. Peng, G.-H. Lee, S.-G. Shyu and F.-H. Tu), 143

Mössbauer

Asymmetric monocationic and dicationic gold(II) complexes: X-ray structure of $[\text{MePh}_2\text{PAu}(\text{CH}_2\text{PPh}_2\text{CH}_2)_2\text{AuOH}_2](\text{ClO}_4)_2 \cdot 2\text{CH}_2\text{Cl}_2 \cdot \text{H}_2\text{O}$ (M.C. Gimeno, J. Jiménez, A. Laguna, M. Laguna, P.G. Jones and R.V.D. Parish), 37

Naphthyl

Crystal and molecular structure of *N*-(ferrocenylcarbonyl)-*N'*-naphthyl thiourea (J.-T. Wang, Y.-F. Yuan, Y.-M. Xu, Y.-W. Zhang, R.-J. Wang and H.-G. Wang), 211

Neodymium

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturklärung neuer Cyclooctatetraenyl-cyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Niobium

Synthesis, electrocatalysis and structural studies of bis(silyl-cyclopentadienyl)niobium complexes with acetylene ligands (A. Antiñolo, A. Otero, M. Fajardo, M. Galakhov, R. Gil-Sanz, C. López-Mardomingo, D. Lucas, H. Chollet and Y. Mugnier), 27

NMR

Formation of dimeric 1-alkoxy-3-acyloxytetrabutylidistannoxanes by reaction of dibutyltin oxide with esters. I. Characterization in solution by multinuclear NMR spectroscopy and application to polymer crosslinking (J. Bonetti, C. Gondard, R. Petiaud, M.-F. Llauro and A. Michel), 7

Osmium

Dimerization of trimethylsilylpropyne on a triosmium cluster. Formation, crystal structure and rearrangement of $\text{Os}_3\text{H}[\mu_3\text{-C}(\text{SiMe}_3)\text{C}(\text{Me})\text{CC}(\text{SiMe}_3)\text{CH}_2](\text{CO})_8$ complex (A.A. Koridze, N.M. Astakhova, P.V. Petrovskii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 247

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Ligand substitution reaction of $(\mu\text{-H})\text{Os}_3(\text{CO})_{10}(\mu\text{-COMe})$ with 1,1'-bis(diphenylphosphino)ferrocene (W.-Y. Yeh, S.-B. Chen, S.-M. Peng and G.-H. Lee), 183

Oxidative addition

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. III. Phosphol-Komplexe des nullwertigen Palladiums (W.A. Herrmann, W.R. Thiel, T. Priermeier und E. Herdtweck), 253

Palladium

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. III. Phosphol-Komplexe des nullwertigen Palladiums (W.A. Herrmann, W.R. Thiel, T. Priermeier und E. Herdtweck), 253

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. II. Oxidative Addition von Chloraromaten an Pd^0 -Komplexe: Synthese, Struktur und Stabilität von Arylpalladium(II)-chloriden der Phosphanreihe (W.A. Herrmann, C. Broßmer, T. Priermeier und K. Öfele), 97

Komplexe des 2-(Trimethylsilyloxy)phenylisocyanids als Vorstufen für die Darstellung von N,O-Heterocarbon-Komplexen (F.E. Hahn und T. Lügger), 189

Synthesis of η^3 -2-stannylmethylallylpalladium complexes and their destannylation leading to trimethylenemethane-palladium species (S. Watanabe, S. Ogoshi, K. Kakiuchi and H. Kurosawa), 19

Synthesis of pinacol esters of 2,3-alkadienylboronic acid via the copper(I) mediated coupling reaction of Knochel's (dialkoxyboryl)methylzinc reagents with propargylic tosylates (I. Gridnev, G. Kanai, N. Miyaura and A. Suzuki), C4

Phosphane

Chemie polyfunktioneller Moleküle. CXIII. Komplexe des Dicoaltoctacarbonyls mit den Liganden Bis(diphenylphosphino)amin und -amid (D. Pohl, J. Ellermann, F.A. Knoch, M. Moll und W. Bauer), 259

Phosphane ligands

Reactions of hydridovanadium complexes: The formation of seven-coordinated σ -alkylvanadium(I) complexes by hydrovanadation of alkenes, and the molecular structure of $\text{trans-[V}(\text{CO})_2(\text{dppe})_2] \cdot 3\text{C}_6\text{D}_6$ (F. Süssmilch, F. Olbrich and D. Rehder), 125

Phosphido

Synthesis and properties of mixed-metal phosphido and phosphinidene clusters derived from reaction between $\text{Ru}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-PPh}_2)$ and $\text{Cp}^*\text{Mo}(\text{CO})_3\text{H}$ (J.-C. Wang, Y. Chi, S.-M. Peng, G.-H. Lee, S.-G. Shyu and F.-H. Tu), 143

Phosphines

Bis(alkoxycarbonyl) complexes of platinum: preparation, reactivity and their role in carbonylation reactions (G. Vasapollo, L. Toniolo, G. Cavinato, F. Bigoli, M. Lanfranchi and M.A. Pellinghelli), 173

Phosphinidene

Synthesis and properties of mixed-metal phosphido and phosphinidene clusters derived from reaction between $\text{Ru}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-PPh}_2)$ and $\text{Cp}^*\text{Mo}(\text{CO})_3\text{H}$ (J.-C. Wang, Y. Chi, S.-M. Peng, G.-H. Lee, S.-G. Shyu and F.-H. Tu), 143

Phosphole

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. III. Phosphol-Komplexe des nullwertigen Palladiums (W.A. Herrmann, W.R. Thiel, T. Priermeier und E. Herdtweck), 253

Phospholyl complexes

Dimeric uranium complexes with bridging phospholyl ligands. Crystal structure of $[(\text{U}(\eta^5\text{-C}_4\text{Me}_4\text{P})(\mu\text{-}\eta^5, \eta^1\text{-C}_4\text{Me}_4\text{P})(\text{BH}_4)_2)]_2$ (P. Gradoz, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 69

Phosphorus

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. III. Phosphol-Komplexe des nullwertigen Palladiums (W.A. Herrmann, W.R. Thiel, T. Priermeier und E. Herdtweck), 253

Photochemistry

Dark and photochemical reactions of $\text{Co}_3\text{Rh}(\text{CO})_{12}$ with diphenylacetylene. Crystal and molecular structure of the $\text{Co}_3\text{Rh}(\mu_2\text{-CO})_2(\text{CO})_8(\mu_4, \eta^2\text{-PhC}_2\text{Ph})$ cluster (S.P. Tunik, V.R. Krym, G.L. Starova, A.B. Nikol'skii, I.S. Podkorytov, S. Ooi, M. Yamasaki and M. Shiro), 83

Platinum

Bis(alkoxycarbonyl) complexes of platinum: preparation, reactivity and their role in carbonylation reactions (G. Vasapollo, L. Toniolo, G. Cavinato, F. Bigoli, M. Lanfranchi and M.A. Pellinghelli), 173

Six-membered cyclometallated derivatives of platinum(II) derived from 2-benzylpyridines. Crystal and molecular structure of $[\text{Pt}(\text{L})(\text{Ph}_3\text{P})\text{Cl}]$ (HL = 2-(1-methylbenzyl)pyridine) (G. Minghetti, A. Zucca, S. Stoccoro, M.A. Cinellu, M. Manassero and M. Sansoni), 195

Polarography

Synthesis, electrosynthesis and structural studies of bis(silylcyclopentadienyl)niobium complexes with acetylene ligands (A. Antiñolo, A. Otero, M. Fajardo, M. Galakhov, R. Gil-Sanz, C. López-Mardomingo, D. Lucas, H. Chollet and Y. Mugnier), 27

Polymer

Formation of dimeric 1-alkoxy-3-acyloxytetrabutylstannoxanes by reaction of dibutyltin oxide with esters. I. Characterization in solution by multinuclear NMR spectroscopy and application to polymer crosslinking (J. Bonetti, C. Gondard, R. Petiaud, M.-F. Llauro and A. Michel), 7

Polymerization

Formation of dimeric 1-alkoxy-3-acyloxytetrabutylstannoxanes by reaction of dibutyltin oxide with esters. I. Characterization in solution by multinuclear NMR spectroscopy and application to polymer crosslinking (J. Bonetti, C. Gondard, R. Petiaud, M.-F. Llauro and A. Michel), 7

The synthesis of olefin polymerization precatalysts: $[\text{TiCl}_4(\text{C}_4\text{H}_7\text{OCH}_2\text{CO}_2\text{CH}_3)]$ and $[(\text{C}_4\text{H}_7\text{OCH}_2\text{CO}_2\text{Et})_2\text{Mg}(\mu\text{-Cl})_2\text{TiCl}_4] \cdot 2\text{CH}_2\text{Cl}_2$. Crystal structures and properties (P. Sobota, M. Wróblewska, S. Szafert and T. Głowiak), 57

Praseodymium

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenylcyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Propargylic-bis-trimethylsilanes

Synthèse et protodésilylation de silanes α -alléniques hétérocycliques (J. Pomet, P. Aubert, B. Randrianoélina et L. Miginiac), 217

Pyrazolo[1,2-a]pyrazoolates

Ferrocene und Ferrocenophane mit dipolaren Strukturelementen (K. Pagel, A. Werner und W. Friedrichsen), 109

Rhenium

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Multiple bonds between main-group elements and transition metals. CXXXI. Allyl-, vinyl- and related rhenium(VII) trioxides: synthesis and degradation (W.A. Herrmann, F.E. Kühn, C.C. Romão and H.T. Huy), 227

Rhodium

Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $\text{RhCl}(\text{L}^R)_3$ and $[\text{RhCl}(\text{COD})\text{L}^R]$ ($\text{L}^R = \text{dCN}(\text{Me})\text{Cu}(\text{CH})_4\text{CNMe-o}$) and the preparation and X-ray structures of the enetetramine L_2^R and its salt $[\text{L}_2^R][\text{BF}_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), 89

Dark and photochemical reactions of $\text{Co}_3\text{Rh}(\text{CO})_{12}$ with diphenylacetylene. Crystal and molecular structure of the $\text{Co}_3\text{Rh}(\mu_2\text{-CO})_2(\text{CO})_8(\mu_4, \eta^2\text{-PhC}_2\text{Ph})$ cluster (S.P. Tunik, V.R. Krym, G.L. Starova, A.B. Nikol'skii, I.S. Podkorytov, S. Ooi, M. Yamasaki and M. Shiro), 83

Synthese und Strukturen von Benzo-tetracarbahexaboran- und 1,3-Dihydro-1,3-diboranaphthalin-Metallkomplexen (B. Deobald, J. Hauss, H. Pritzkow, D. Steiner, A. Berndt und W. Siebert), 205

Ruthenium

Dimerization of trimethylsilylpropyne on a triosmium cluster. Formation, crystal structure and rearrangement of $\text{Os}_3\text{H}[\mu_3\text{-C}(\text{SiMe}_3)\text{C}(\text{Me})\text{CC}(\text{SiMe}_3)\text{CH}_2]\text{CO}_8$ complex (A.A. Koridze, N.M. Astakhova, P.V. Petrovskii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 247

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Steric effects in heteroboranes. Part 7. The synthesis and characterisation of arene-ruthenium complexes of C-substituted carbaboranes. Molecular structures of 1-Ph-3-(mes)-3,1,2-closo-RuC₂B₉H₁₀ (mes = C₆H₃-1,3,5) and 1-Ph-2-Me-3-(p-cym)-3,1,2-closo-RuC₂B₉H₉ (p-cym = C₆H₄Me-1-'Pr-4), the latter showing an incipient deformation (J. Cowie, B.D. Reid, J.M.S. Watmough and A.J. Welch), 283

Ruthenium

Synthesis and properties of mixed-metal phosphido and phosphinidene clusters derived from reaction between $\text{Ru}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-PPh}_2)$ and $\text{Cp}^*\text{Mo}(\text{CO})_3\text{H}$ (J.-C. Wang, Y. Chi, S.-M. Peng, G.-H. Lee, S.-G. Shyu and F.-H. Tu), 143

Samarium

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenylcyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H.

Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Silazanes

Synthesis and chemical properties of 1,3-dichloro-1,3-dihydridodisilazanes (E. Bacqué, J.-P. Pillot, M. Birot, J. Dunoguès, G. Bourgeois and M. Pétraud), 167

Silicon

A useful method in organotin chemistry: diimine hydrogenation of 1,2-bis(trimethylstannyl)-1-alkenes, 1-trimethylsilyl-2-trimethylstannyl-1-alkenes and some distannacyclopentenes (T.N. Mitchell and B. Kowall), 137

Synthesis and chemical properties of 1,3-dichloro-1,3-dihydridodisilazanes (E. Bacqué, J.-P. Pillot, M. Birot, J. Dunoguès, G. Bourgeois and M. Pétraud), 167

Silver

Structure of the silver imidodi(sulphuryl fluoride)-benzene solvate $\text{AgN}(\text{SO}_2\text{F})_2 \cdot \text{C}_6\text{H}_6$ (M.J. Begley, D.B. Sowerby, R.D. Verma and A. Vig), 243

Stannanes

Formation of dimeric 1-alkoxy-3-acyloxytetrabutylidistannoxanes by reaction of dibutyltin oxide with esters. I. Characterization in solution by multinuclear NMR spectroscopy and application to polymer crosslinking (J. Bonetti, C. Gondard, R. Petiaud, M.-F. Llauro and A. Michel), 7

Stannyl

Synthesis of η^3 -2-stannylmethylallylpalladium complexes and their destannylation leading to trimethylenemethane-palladium species (S. Watanabe, S. Ogoshi, K. Kakiuchi and H. Kurosawa), 19

Stereospecific

Novel coupling between tricarbonyl(7-azabenzonorborene)iron complexes and cyclohexene to form stereospecifically a (C-5 substituted η^4 -cyclohexadiene) $\text{Fe}(\text{CO})_3$ moiety (C.-H. Sun, N.-C. Shang, L.-S. Liou and J.-C. Wang), 179

Structure

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. III. Phosphol-Komplexe des nullwertigen Palladiums (W.A. Herrmann, W.R. Thiel, T. Priermeier und E. Herdtweck), 253

Sulfur

Synthesis of the novel bifunctional ligand, dicyclopentadienylsulfide (C_5H_5)₂S, and its dilithium salt (K.A. Ruffanov, A.V. Churakov, N.B. Kazennova and D.A. Lemenovskii), C1

Synthesis

Multiple bonds between main-group elements and transition metals. CXXXI. Allyl-, vinyl- and related rhenium(VII) trioxides: synthesis and degradation (W.A. Herrmann, F.E. Kühn, C.C. Romão and H.T. Huy), 227

Synthesis and chemical properties of 1,3-dichloro-1,3-dihydridodisilazanes (E. Bacqué, J.-P. Pillot, M. Birot, J. Dunoguès, G. Bourgeois and M. Pétraud), 167

Thermochemistry

Multiple bonds between main-group elements and transition metals. CXXXI. Allyl-, vinyl- and related rhenium(VII) trioxides: synthesis and degradation (W.A. Herrmann, F.E. Kühn, C.C. Romão and H.T. Huy), 227

Thiourea

Crystal and molecular structure of *N*-(ferrocenylcarbonyl)-*N'*-naphthyl thiourea (J.-T. Wang, Y.-F. Yuan, Y.-M. Xu, Y.-W. Zhang, R.-J. Wang and H.-G. Wang), 211

Thulium

Metallorganische Verbindungen der Lanthanoide. LXXXV. Synthese und Strukturaufklärung neuer Cyclooctatetraenyl-

cyclopentadienyl-Sandwich-Komplexe der seltenen Erden (H. Schumann, J. Winterfeld, M. Glanz, R.D. Köhn und H. Hemling), 275

Tin

A useful method in organotin chemistry: diimine hydrogenation of 1,2-bis(trimethylstannyl)-1-alkenes, 1-trimethylsilyl-2-trimethylstannyl-1-alkenes and some distannacyclopentenes (T.N. Mitchell and B. Kowall), 137

Formation of dimeric 1-alkoxy-3-acyloxytetrabutylidistannoxanes by reaction of dibutyltin oxide with esters. I. Characterization in solution by multinuclear NMR spectroscopy and application to polymer crosslinking (J. Bonetti, C. Gondard, R. Petiaud, M.-F. Llauro and A. Michel), 7

The structure of $[\{\text{Co}(\eta^4\text{-C}_6\text{H}_{10})\text{XCO}\}_2\text{SnCl}_2]$ in the solid state ($\text{C}_6\text{H}_{10} \equiv 2,3$ -dimethylbuta-1,3-diene) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan, R. Foley and A.R. Manning), 63

Titanium

The synthesis of olefin polymerization precatalysts: $[\text{TiCl}_4(\text{C}_4\text{H}_7\text{OCH}_2\text{CO}_2\text{CH}_3)]$ and $[(\text{C}_4\text{H}_7\text{OCH}_2\text{CO}_2\text{Et})_2\text{Mg}(\mu\text{-Cl})_2\text{TiCl}_4] \cdot 2\text{CH}_2\text{Cl}_2$. Crystal structures and properties (P. Sobota, M. Wróblewska, S. Szafert and T. Głowiak), 57

Trifluoromethyl

Trifluormethyl-substituierte Plumbane—Darstellung, Eigenschaften und NMR-spektroskopische Charakterisierung von $\text{CF}_3\text{PbR}_2\text{H}$ ($\text{R} = \text{CH}_3, \text{C}_2\text{H}_5$) sowie von $\text{CF}_3\text{Pb(II)}$ -Derivaten (R. Eujen and A. Patorra), 75

Trimethylenemethane

Synthesis of η^3 -2-stannylmethylallylpalladium complexes and their destannylation leading to trimethylenemethane-palladium species (S. Watanabe, S. Ogoshi, K. Kakiuchi and H. Kurosawa), 19

4-trimethylsilyl-3-vinylidenepiperidines

Synthèse et protodésilylation de silanes α -alléniques hétérocycliques (J. Pomet, P. Aubert, B. Randrianoélina et L. Miginiac), 217

4-trimethylsilyl-3-vinylidenetetrahydropyranes

Synthèse et protodésilylation de silanes α -alléniques hétérocycliques (J. Pomet, P. Aubert, B. Randrianoélina et L. Miginiac), 217

Tungsten

Kohlenwasserstoffverbrückte Komplexe. XXIX. Nucleophile Addition von Carbonylmetallaten an kationische Allyl- und Alken-Komplexe von Wolfram, Mangan, Rhenium, Eisen, Ruthenium, Osmium, Cobalt und Iridium: Zwei-, drei- und vierkernige Komplexe mit σ, π -Allyl- und σ, σ -Alken-Brücken (S. Hüffer, M. Wieser, K. Polborn und W. Beck), 45

Uranium

Dimeric uranium complexes with bridging phospholyl ligands. Crystal structure of $[\{\text{U}(\eta^5\text{-C}_4\text{Me}_4\text{P})(\mu\text{-}\eta^5\text{-}\eta^1\text{-C}_4\text{Me}_4\text{P})(\text{BH}_4)\}_2]$ (P. Gradoz, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 69

Vanadium

Chemical and electrochemical studies on metal carbonyl/cobaltocene systems (G. Pampaloni and U. Koelle), 1

Metal π complexes of benzene derivatives. XLIII. Intramolecular interactions between bis(benzene)chromium and cymantrene units in di- and tri-nuclear species containing PMe_2 spacers, as studied by CV and EPR (C. Elschenbroich, T. Isenburg, B. Metz, A. Behrendt and K. Harms), 153

Reactions of hydridovanadium complexes: The formation of seven-coordinated σ -alkylvanadium(I) complexes by hy-

drovanadation of alkenes, and the molecular structure of *trans*-[V(CO)₂(dppe)₂]·3C₆D₆ (F. Süssmilch, F. Olbrich and D. Rehder), 125

Vinyl

Multiple bonds between main-group elements and transition metals. CXXXI. Allyl-, vinyl- and related rhenium(VII) trioxides: synthesis and degradation (W.A. Herrmann, F.E. Kühn, C.C. Romão and H.T. Huy), 227

⁵¹V NMR

Reactions of hydridovanadium complexes: The formation of seven-coordinated σ -alkylvanadium(I) complexes by hydrovanadation of alkenes, and the molecular structure of *trans*-[V(CO)₂(dppe)₂]·3C₆D₆ (F. Süssmilch, F. Olbrich and D. Rehder), 125

X-ray diffraction

Komplexchemie und Mechanismen metallkatalysierter CC-Kupplungsreaktionen. II. Oxidative Addition von Chloraromaten an Pd⁰-Komplexe: Synthese, Struktur und Stabilität von Arylpalladium(II)-chloriden der Phosphanreihe (W.A. Herrmann, C. Broßmer, T. Priermeier und K. Öfele), 97

Steric effects in heteroboranes. Part 8. Sterically-induced *Exo*-skeletal isomerisation of di-copper carbametallaboranes: syntheses and crystal structures of (Ph₃PCu)₂Ph₂C₂B₉H₉ and ((*o*-tol)₃PCu)₂Ph₂C₂B₉H₉ (K.J. Adams, J. Cowie, S.G.D. Henderson, G.J. McCormick and A.J. Welch), C9

X-ray structure

Asymmetric monocationic and dicationic gold(II) complexes: X-ray structure of [MePh₂PAu(CH₂PPh₂CH₂)₂AuOH₂]-

(ClO₄)₂·2CH₂Cl₂·H₂O (M.C. Gimeno, J. Jiménez, A. Laguna, M. Laguna, P.G. Jones and R.V.D. Parish), 37

Bis(alkoxycarbonyl) complexes of platinum: preparation, reactivity and their role in carbonylation reactions (G. Vasapollo, L. Toniolo, G. Cavinato, F. Bigoli, M. Lanfranchi and M.A. Pellinghelli), 173

Dimeric uranium complexes with bridging phospholyl ligands. Crystal structure of [(U(η^5 -C₄Me₄P)(μ - η^5 , η^1 -C₄Me₄P)(BH₄)₂)] (P. Gradoz, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 69

Six-membered cyclometallated derivatives of platinum(II) derived from 2-benzylpyridines. Crystal and molecular structure of [Pt(L)(Ph₃P)Cl] (HL = 2-(1-methylbenzyl)pyridine) (G. Minghetti, A. Zucca, S. Stoccoro, M.A. Cinellu, M. Manassero and M. Sansoni), 195

Ylide

Asymmetric monocationic and dicationic gold(II) complexes: X-ray structure of [MePh₂PAu(CH₂PPh₂CH₂)₂AuOH₂]- (ClO₄)₂·2CH₂Cl₂·H₂O (M.C. Gimeno, J. Jiménez, A. Laguna, M. Laguna, P.G. Jones and R.V.D. Parish), 37

Zinc

Synthesis of pinacol esters of 2,3-alkadienylboronic acid via the copper(I) mediated coupling reaction of Knochel's (dialkoxymethyl)methylzinc reagents with propargylic tosylates (I. Gridnev, G. Kanai, N. Miyaura and A. Suzuki), C4