

## Subject Index of Volume 469

### Acetylide

Synthesis of some bis(triphenylphosphine)(ethynylferrocenyl) platinum(II) complexes; molecular structure of  $[\text{PtH}(\text{C}\equiv\text{C}-\text{C}_5\text{H}_4\text{FeC}_5\text{H}_5)(\text{PPh}_3)_2]$  (M.V. Russo, A. Furlani, S. Licocchia, R. Paolesse, A. Chiesi Villa and C. Guastini), 245

### Alkene

Five-coordinate hydrido-complexes  $[\text{PtX}(\text{H})(N,N\text{-chelate})(\text{olefin})]$  ( $\text{X} = \text{Cl}, \text{Br}$  or  $\text{I}$ ). Crystal structure of  $[\text{PtCl}(\text{H})(2,9\text{-Me}_2\text{-1,10\text{-phenanthroline})(\text{dimethyl maleate})]$  (V.G. Albano, C. Castellari, M.L. Ferrara, A. Panunzi and F. Ruffo), 237

### Alkene reactivity

A theoretical study of isomerization of and chloride migration in representative 1-chloro-2-methyl-1-propenylmetals (D.J. Nelson and M.K.G. Matthews), 1

### Amine

Crown-ether-catalysed synthesis of amine borane and amine trideuterioborane adducts from  $\text{NaBH}_4\text{-NaBD}_4$  in ether (V. Kampel and A. Warshawsky), 15

### Aminocarbene

Halogeno(phenyl)-, Diphenyl-, Amino(phenyl)carben- und Phenylimido-Osmiumkomplexe durch Reaktion von  $[(\text{Mes})\text{Os}(\text{CNR})\text{Cl}_2]$  mit Phenyllithium und Phenyl-Grignardreagenzien (H. Werner, U. Wecker, K. Peters und H.G. Von Schnering), 205

### Antimony

Antimony(III) and phenylantimony(III) dimethyldithioarsinates: synthesis and mass spectral study. Crystal structure of  $\text{Ph}_2\text{SbS}_2\text{AsMe}_2$ , the first coordination polymer associated via bridging dimethyldithioarsinate ligands (D.B. Sowerby, M.J. Begley, L. Silaghi-Dumitrescu, I. Silaghi-Dumitrescu and I. Haiduc), 45

Biphenyl-2,2'-diylphenylantimony dibromide; a new square pyramidal antimony(V) compound (M.N. Gibbons, M.J. Begley and D.B. Sowerby), C25

### Arsenic

Antimony(III) and phenylantimony(III) dimethyldithioarsinates: synthesis and mass spectral study. Crystal structure of  $\text{Ph}_2\text{SbS}_2\text{AsMe}_2$ , the first coordination polymer associated via bridging dimethyldithioarsinate ligands (D.B. Sowerby, M.J. Begley, L. Silaghi-Dumitrescu, I. Silaghi-Dumitrescu and I. Haiduc), 45

### Benzamidinate

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. II. Neue Cyclooctatetraenyl-Halbsandwich-Komplexe des Yttriums (U. Kilimann und F.T. Edelmann), C5

### Beryllium

A theoretical study of isomerization of and chloride migration in representative 1-chloro-2-methyl-1-propenylmetals (D.J. Nelson and M.K.G. Matthews), 1

### Boron

A theoretical study of isomerization of and chloride migration in representative 1-chloro-2-methyl-1-propenylmetals (D.J. Nelson and M.K.G. Matthews), 1

Crown-ether-catalysed synthesis of amine borane and amine trideuterioborane adducts from  $\text{NaBH}_4\text{-NaBD}_4$  in ether (V. Kampel and A. Warshawsky), 15

$^1\text{H}$  and  $^{13}\text{C}$  NMR studies of  $\eta^6$ -benzo-bonded (boron–nitrogen heteroarene)tricarbonylchromium complexes and related  $\eta^6$ -phenyl-bonded ( $B, B', B''$ -trimethyl- $N, N', N''$ -triarylborazine)tricarbonylchromium complexes: crystallographic structure of a boron–nitrogen heteroarene (S. Allaoud, S. Conté, B. Fenet, B. Frange, F. Robert, F. Sécheresse and A. Karim), 59

### Bridging ligand

Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes  $\text{O}, \text{O}'$ -Dimethyldithiophosphat im Organosamarium-Komplex  $[(\text{C}_5\text{Me}_5)_2\text{Sm}\{\text{S}_2\text{P}(\text{OMe})_2\}_2]_2$  (M. Rieckhoff, M. Noltemeyer, F.T. Edelmann, I. Haiduc und I. Silaghi-Dumitrescu), C19

### Bromide

Biphenyl-2,2'-diylphenylantimony dibromide; a new square pyramidal antimony(V) compound (M.N. Gibbons, M.J. Begley and D.B. Sowerby), C25

### Cadmium

The synthesis and spectroscopic characterization of bis( $\gamma$ -methoxypropyl)cadmium (M.J. Almond, M.P. Beer, P. Heath, C.A. Heyburn, D.A. Rice and L.A. Sheridan), 11

### Cage compound

The structure of hexa(cyclohexylsquisiloxane),  $(\text{C}_6\text{H}_{11})_6\text{Si}_6\text{O}_9$  (H. Behbehani, B.J. Brisdon, M.F. Mahon and K.C. Molloy), 19

### Calorimetry

Organo-f-element thermochemistry. Absolute uranium–ligand bond disruption enthalpies of  $[\text{UL}_3\text{-SX}]$  complexes ( $\text{L} = \text{C}_5\text{H}_4^t\text{Bu}, \text{C}_5\text{H}_4\text{SiMe}_3$  or  $\text{C}_9\text{H}_6\text{SiMe}_3$  and  $\text{X} = \text{Et}$  or  $^t\text{Bu}$ ) (X. Jemine, J. Goffart, P.C. Leverd and M. Ephritikhine), 55

### Carbonyl

Cluster chemistry. XCIII. Reactions of  $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_{10}$  with benzyl halides: isolation and crystal structures of some unusual transformation products, including the  $\text{Ru}_4$  chain cluster  $\text{Ru}_4(\mu\text{-Br})_2\{\mu\text{-C}, P\text{-}P\text{-}(\text{C}_6\text{H}_4)\text{PPhCH}_2\text{PPh}_2\}_2(\mu\text{-CO})(\text{CO})_8$  (M.I. Bruce, J.R. Hinchliffe, R. Surynt, B.W. Skelton and A.H. White), 89

Convenient syntheses of  $[\text{RuCl}(\text{CO})_2(\text{Cp})]$  and  $[\text{OsCl}(\text{CO})_2(\text{Cp})]$  (S. Dev and J.P. Selegue), 107

$\eta^3$ -Ligation of tetrathiamacrocycles to Mo and W: structures of  $[\text{Wl}(\text{CO})_3\{\eta^3\text{-(Me}_8[16]\text{janeS}_4)\}][\text{Wl}_3(\text{CO})_4]$  and  $[\text{Wl}(\text{CO})_2\{\eta^4\text{-(Me}_8[16]\text{janeS}_4)\}][\text{Wl}_3(\text{CO})_4]$  ( $\text{Me}_8[16]\text{janeS}_4 = 3,3,7,7,11,11,15,15\text{-octamethyl-1,5,9,13-tetrathiacyclohexadecane}$ ) (P.K. Baker, M.C. Durrant, B. Goerd, S.D. Harris, D.L. Hughes and R.L. Richards), C22

### Carbonyl insertion

The unexpected formal insertion of a carbonyl group into a heterocyclic  $N\text{-Ir}$  bond (M.A. Ciriano, M. Lanfranchi, L.A. Oro, J.J. Pérez-Torrente, A. Tiripicchio and M.T. Camellini), C31

### Carbosilane

Neue modifizierte Polycarbosilane (W. Uhlig), C1

## Catalysis

Rhodium-catalysed hydroamination-hydroarylation of norbornene with aniline, toluidines or diphenylamine (J.-J. Brunet, G. Commenges, D. Neibecker and K. Philippot), 221

## Cerium

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. III. Cyclooctatetraenyl-Lanthanoidtriflate und -iodide: Neue Ausgangsmaterialien für die Organolanthanoid-Chemie (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelman), C10

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. IV. Strukturchemie des anionischen Sandwich-Komplexes  $[\text{Ce}(\text{COT})_2]^-$  (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelman), C15

## Chloride

Convenient syntheses of  $[\text{RuCl}(\text{CO})_2(\text{Cp})]$  and  $[\text{OsCl}(\text{CO})_2(\text{Cp})]$  (S. Dev and J.P. Selegue), 107

## Chromium

Fluorine migration in dimerization of tetrafluorodisilacyclobutene mediated by Group VI transition metal carbonyls (C.-Y. Lee and C.-S. Liu), 151

$^1\text{H}$  and  $^{13}\text{C}$  NMR studies of  $\eta^6$ -benzo-bonded (boron-nitrogen heteroarene)tricarbonylchromium complexes and related  $\eta^6$ -phenyl-bonded ( $B, B', B''$ -trimethyl- $N, N', N''$ -triarylborazine)tricarbonylchromium complexes: crystallographic structure of a boron-nitrogen heteroarene (S. Allaou, S. Conté, B. Fenet, B. Frange, F. Robert, F. Sécheresse and A. Karim), 59

## Circular dichroism

Conformational equilibrium in *trans,trans,trans*-cyclododecatriene (CDT). Studies on *trans*-dichloro(CDT) $\alpha$ -methylbenzylamine-platinum(II) (G. Paiaro and P. Ganis), C34

## Cluster

Cluster chemistry. XCIII. Reactions of  $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_{10}$  with benzyl halides: isolation and crystal structures of some unusual transformation products, including the  $\text{Ru}_4$  chain cluster  $\text{Ru}_4(\mu\text{-Br})_2(\mu\text{-C}, P:P\text{-}(\text{C}_6\text{H}_4)\text{PPhCH}_2\text{PPh}_2)_2(\mu\text{-CO})(\text{CO})_8$  (M.I. Bruce, J.R. Hinchliffe, R. Surynt, B.W. Skelton and A.H. White), 89

Ligandinduzierter Abbau von Dodecacarbonyltriruthenium mit Di-*tert*-butylphosphin: Synthese, Kristallstruktur und Struktur-dynamik von  $\text{HRu}_2(\text{CO})_4(\text{P}^t\text{Bu}_2)(\text{HP}^t\text{Bu}_2)_2$  (H.-C. Böttcher, G. Rheinwald, H. Stoekli-Evans, G. Süss-Fink und B. Walther), 163

## Cobalt

Synthese funktionalisierter *tripod*-Liganden: Aufbau, Veresterung und Koordinationsfähigkeit von  $\text{HOCH}_2\text{C}(\text{CH}_2\text{PPh}_2)_3$  (Th. Seitz, A. Muth, G. Huttner, Th. Klein, O. Walter, M. Fritz und L. Zsolnai), 155

## Correlation calculations

A theoretical study of isomerization of and chloride migration in representative 1-chloro-2-methyl-1-propenylmetals (D.J. Nelson and M.K.G. Matthews), 1

## Crystal structure

Biphenyl-2,2'-diylphenylantimony dibromide; a new square pyramidal antimony(V) compound (M.N. Gibbons, M.J. Begley and D.B. Sowerby), C25

Cyanide and methylisocyanide complexes of rhenium(I)  $[\text{NBu}_4][\text{ReX}(\text{CN})(\text{dppe})_2]$  (X = Cl or CN; dppe =  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ ) and *trans*- $[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  (X = H, F, Cl or CN): crystal structures of *trans*- $[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  (X = H or Cl) (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 79

$\eta^3$ -Ligation of tetrathiamacrocycles to Mo and W: structures of

$[\text{W}(\text{CO})_3(\eta^3\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  and  $[\text{W}(\text{CO})_2(\eta^4\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  ( $\text{Me}_8[16]\text{janeS}_4 = 3,3,7,7,11,11,15,15\text{-octamethyl-1,5,9,13-tetrathiacyclohexadecane}$ ) (P.K. Baker, M.C. Durrant, B. Goerd, S.D. Harris, D.L. Hughes and R.L. Richards), C22

Synthesis and redox properties of complexes of rhenium(I) with cyanoguanidine and some derivatives. Crystal structure of *trans*- $[\text{Re}(\text{NCNC}(\text{NH}_2)_2)(\text{CNMe})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]^- [\text{BF}_4]$  (M.F.N.N. Carvalho, A.J.L. Pombeiro, A. Hills, D.L. Hughes and R.L. Richards), 179

Synthesis of some bis(triphenylphosphine)ethynylferrocenyl platinum(II) complexes; molecular structure of  $[\text{PtH}(\text{C}\equiv\text{C}-\text{C}_5\text{H}_4\text{FeC}_5\text{H}_5)(\text{PPh}_3)_2]$  (M.V. Russo, A. Furlani, S. Licoccia, R. Paolesse, A. Chiesi Villa and C. Guastini), 245

The reaction of  $(\text{Me}_3\text{Si})_3\text{CBr}$  with Mg in tetrahydrofuran (THF) or diethyl ether. Crystal structure of  $(\text{Me}_3\text{Si})_3\text{CMg}(\mu\text{-Br})_3\text{Mg}(\text{THF})_3$  (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, A.J. Jagger and J.D. Smith), 129

Über Tetraaryl-Methan-Analoga in der Gruppe 14. III.  $\text{Ar}_4\text{Sn/Pb}$  (Ar = Ph, *p*-, *m*-, *o*-Tol, 2,4-Xyl und 2,5-Xyl): Gegenüberstellung von Bindungslängen und Winkeln, von NMR chemischen Verschiebungen und Kopplungskonstanten und von Schwingungsdaten (C. Schneider-Koglin, B. Mathiasch und M. Dräger), 25

## Cyanamide

Synthesis and redox properties of complexes of rhenium(I) with cyanoguanidine and some derivatives. Crystal structure of *trans*- $[\text{Re}(\text{NCNC}(\text{NH}_2)_2)(\text{CNMe})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]^- [\text{BF}_4]$  (M.F.N.N. Carvalho, A.J.L. Pombeiro, A. Hills, D.L. Hughes and R.L. Richards), 179

## Cyanide

Cyanide and methylisocyanide complexes of rhenium(I)  $[\text{NBu}_4][\text{ReX}(\text{CN})(\text{dppe})_2]$  (X = Cl or CN; dppe =  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ ) and *trans*- $[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  (X = H, F, Cl or CN): crystal structures of *trans*- $[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  (X = H or Cl) (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 79

## Cyanoguanidine

Synthesis and redox properties of complexes of rhenium(I) with cyanoguanidine and some derivatives. Crystal structure of *trans*- $[\text{Re}(\text{NCNC}(\text{NH}_2)_2)(\text{CNMe})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]^- [\text{BF}_4]$  (M.F.N.N. Carvalho, A.J.L. Pombeiro, A. Hills, D.L. Hughes and R.L. Richards), 179

## Cyclooctatetraene

Stereo- und regioselektive Mehrfachadditionen an komplexgebundenes Cyclooctatetraen in  $[\text{CpFe}(\eta^6\text{-Cot})]^+$  (P.T. Beurskens, W.P. Bosman, H.C. Brussaard, J. Heck, R.J.M. Klein Gebbink, M. Maters und J.M.M. Smits), 197

## Cyclooctatetraenyl

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. II. Neue Cyclooctatetraenyl-Halbsandwich-Komplexe des Yttriums (U. Kilimann und F.T. Edelman), C5

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. III. Cyclooctatetraenyl-Lanthanoidtriflate und -iodide: Neue Ausgangsmaterialien für die Organolanthanoid-Chemie (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelman), C10

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. IV. Strukturchemie des anionischen Sandwich-Komplexes  $[\text{Ce}(\text{COT})_2]^-$  (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelman), C15

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. V. Synthese und Struktur von Monocyclooctate-

traenyl-Komplexen des dreiwertigen Titans (U. Kilimann, M. Noltemeyer, M. Schäfer, R. Herbst-Irmer, H.-G. Schmidt und F.T. Edelmann), C27

#### Cyclopentadienyl

Convenient syntheses of  $[\text{RuCl}(\text{CO})_2(\text{Cp})]$  and  $[\text{OsCl}(\text{CO})_2(\text{Cp})]$  (S. Dev and J.P. Selegue), 107

The CO-substitution reactions of analogues of  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})_2]$  in which the two cyclopentadienyl ligands are linked by a two-carbon chain (M.G. Cox and A.R. Manning), 189

#### Diazo

A novel product pattern in the palladium(II)-catalyzed decomposition of a (1-diazo-2-oxoalkyl)silane (G. Maas, A. Fronda, D. Mayer and R. Brückmann), 115

#### Diazolymethane

Steric effects of bulky diazoly methane ligands (N-N) on syntheses and structures of  $[\text{Mo}(\text{N-N})(\text{CO})_4]$  (K.-B. Shiu, S.-T. Lin, C.-C. Chou, S.-M. Peng, M.-C. Cheng, S.-L. Wang and F.-L. Liao), 169

#### Dioxygen

The unexpected formal insertion of a carbonyl group into a heterocyclic *N-Ir* bond (M.A. Ciriano, M. Lanfranchi, L.A. Oro, J.J. Pérez-Torrente, A. Tiripicchio and M.T. Camellini), C31

#### Diphosphine

1,1'-Bis(diphenylphosphino)ferrocene complexes of gold(I). Polymeric  $[\text{AuCl}(\mu\text{-dppf})]_n$  and dimeric  $[\text{Au}_2(\text{dppf-P,P}')_2(\mu\text{-dppf})(\text{NO}_3)_2]$  (L.-T. Phang, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 253

#### Dithiophosphate

Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes O,O'-Dimethyldithiophosphat im Organosamarium-Komplex  $[(\text{C}_5\text{Me}_5)_2\text{Sm}(\text{S}_2\text{P}(\text{OMe})_2)_2]_2$  (M. Rieckhoff, M. Noltemeyer, F.T. Edelmann, I. Haiduc und I. Silaghi-Dumitrescu), C19

#### Early transition metals

Cyclooctetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. III. Cyclooctetraenyl-Lanthanoidtriflate und -iodide: Neue Ausgangsmaterialien für die Organolanthanoid-Chemie (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelmann), C10

Cyclooctetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. V. Synthese und Struktur von Monocyclooctetraenyl-Komplexen des dreiwertigen Titans (U. Kilimann, M. Noltemeyer, M. Schäfer, R. Herbst-Irmer, H.-G. Schmidt und F.T. Edelmann), C27

#### Electrochemistry

Cyanide and methylisocyanide complexes of rhenium(I)  $[\text{NBu}_4][\text{ReX}(\text{CN})(\text{dppe})_2]$  (X = Cl or CN; dppe =  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ ) and *trans*- $[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  (X = H, F, Cl or CN): crystal structures of *trans*- $[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  (X = H or Cl) (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 79

Synthesis and redox properties of complexes of rhenium(I) with cyanoguanidine and some derivatives. Crystal structure of *trans*- $[\text{Re}(\text{NCNC}(\text{NH}_2)_2)(\text{CNMe})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2][\text{BF}_4]$  (M.F.N.N. Carvalho, A.J.L. Pombeiro, A. Hills, D.L. Hughes and R.L. Richards), 179

#### Ethanol

Catalytic synthesis of ethanol from methyl formate (G. Jenner), 99

#### Ethynyl

Synthesis of some bis(triphenylphosphine)ethynylferrocenyl platinum(II) complexes; molecular structure of  $[\text{PtH}(\text{C}\equiv\text{C}-\text{C}_5\text{H}_4\text{FeC}_5\text{H}_5)(\text{PPh}_3)_2]$  (M.V. Russo, A. Furlani, S. Licoccia, R. Paolesse, A. Chiesi Villa and C. Guastini), 245

#### Ferrocene

1,1'-Bis(diphenylphosphino)ferrocene complexes of gold(I). Polymeric  $[\text{AuCl}(\mu\text{-dppf})]_n$  and dimeric  $[\text{Au}_2(\text{dppf-P,P}')_2(\mu\text{-dppf})(\text{NO}_3)_2]$  (L.-T. Phang, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 253

Synthesis of some bis(triphenylphosphine)ethynylferrocenyl platinum(II) complexes; molecular structure of  $[\text{PtH}(\text{C}\equiv\text{C}-\text{C}_5\text{H}_4\text{FeC}_5\text{H}_5)(\text{PPh}_3)_2]$  (M.V. Russo, A. Furlani, S. Licoccia, R. Paolesse, A. Chiesi Villa and C. Guastini), 245

#### Fluoromesityl

Synthesis of some phospho-alkenes with the fluoromesityl (2,4,6-( $\text{CF}_3$ ) $_3\text{C}_6\text{H}_2$ ) group on phosphorus and of their complexes with  $[\text{PtCl}_2(\text{PET}_3)_2]$  (K.B. Dillon and H.P. Goodwin), 125

#### Fluxionality

Stereoselective reaction of ( $\pm$ )-7-Phenyldinaphtho[2,1-b;1',2'-d]phosphole with an optically active palladium complex. Molecular structure and fluxional behavior of  $\text{Pd}((S)\text{-C}_6\text{H}_4\text{CH}(\text{CH}_3)\text{N}(\text{CH}_3)_2)((P)\text{-PPh}(\text{C}_{20}\text{H}_{12}))\text{Cl}$  (K. Tani, H. Tashiro, M. Yoshida and T. Yamagata), 229

The CO-substitution reactions of analogues of  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})_2]$  in which the two cyclopentadienyl ligands are linked by a two-carbon chain (M.G. Cox and A.R. Manning), 189

#### Gold

1,1'-Bis(diphenylphosphino)ferrocene complexes of gold(I). Polymeric  $[\text{AuCl}(\mu\text{-dppf})]_n$  and dimeric  $[\text{Au}_2(\text{dppf-P,P}')_2(\mu\text{-dppf})(\text{NO}_3)_2]$  (L.-T. Phang, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 253

#### Grignard reagent

The reaction of  $(\text{Me}_3\text{Si})_3\text{CBr}$  with Mg in tetrahydrofuran (THF) or diethyl ether. Crystal structure of  $(\text{Me}_3\text{Si})_3\text{CMg}(\mu\text{-Br})_3\text{Mg}(\text{THF})_3$  (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, A.J. Jaggard and J.D. Smith), 129

#### Group 14

Über Tetraaryl-Methan-Analoga in der Gruppe 14. III.  $\text{Ar}_4\text{Sn/Pb}$  (Ar = Ph, *p*-, *m*-, *o*-Tol, 2,4-Xyl und 2,5-Xyl): Gegenüberstellung von Bindungslängen und Winkeln, von NMR chemischen Verschiebungen und Kopplungskonstanten und von Schwingungsdaten (C. Schneider-Koglin, B. Mathiasch und M. Dräger), 25

#### Group 15

Biphenyl-2,2'-diylphenylantimony dibromide; a new square pyramidal antimony(V) compound (M.N. Gibbons, M.J. Begley and D.B. Sowerby), C25

#### Half-sandwich complexes

Cyclooctetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. V. Synthese und Struktur von Monocyclooctetraenyl-Komplexen des dreiwertigen Titans (U. Kilimann, M. Noltemeyer, M. Schäfer, R. Herbst-Irmer, H.-G. Schmidt und F.T. Edelmann), C27

#### Halogen

Reactions of rhenium trialkylphosphite complexes ( $\eta^5\text{-C}_5\text{Me}_5\text{Re}(\text{CO})_2\{\text{P}(\text{OR})_3\}$  (R = Me or Et) with halogens and  $\text{SbCl}_5$ : reversible Arbuzov-like dealkylation to form rhenium dialkylphosphonate complexes ( $\eta^5\text{-C}_5\text{Me}_5\text{ReX}(\text{CO})_2\text{-}\{\text{PO}(\text{OR})_2\}$ ) (C. Leiva, K. Mossert, A.H. Klahn and D. Sutton), 69

## Hydride

Crown-ether-catalysed synthesis of amine borane and amine trideuterioborane adducts from  $\text{NaBH}_4$ - $\text{NaBD}_4$  in ether (V. Kampel and A. Warshawsky), 15

Five-coordinate hydrido-complexes  $[\text{PtX}(\text{H})(\text{N}, \text{N}\text{-chelate})(\text{olefin})]$  ( $\text{X} = \text{Cl}, \text{Br}$  or  $\text{I}$ ). Crystal structure of  $[\text{PtCl}(\text{H})(2,9\text{-Me}_2\text{-}1,10\text{-phenanthroline})(\text{dimethyl maleate})]$  (V.G. Albano, C. Castellarì, M.L. Ferrara, A. Panunzi and F. Ruffo), 237

## Hydroamination

Rhodium-catalysed hydroamination-hydroarylation of norbornene with aniline, toluidines or diphenylamine (J.-J. Brunet, G. Commenges, D. Neibecker and K. Philippot), 221

## Hydroarylation

Rhodium-catalysed hydroamination-hydroarylation of norbornene with aniline, toluidines or diphenylamine (J.-J. Brunet, G. Commenges, D. Neibecker and K. Philippot), 221

## Hydrocarbonylation

Catalytic synthesis of ethanol from methyl formate (G. Jenner), 99

## Hydroformylation

Effects of changes in the ligands on the skeleton and the catalytic activity of some new rhodium complexes with pyrazolato moieties (H. Schumann, H. Hemling, V. Ravindar, Y. Badrieh and J. Blum), 213

## Infrared spectroscopy

The synthesis and spectroscopic characterization of bis( $\gamma$ -methoxypropyl)cadmium (M.J. Almond, M.P. Beer, P. Heath, C.A. Heyburn, D.A. Rice and L.A. Sheridan), 11

## Interconversion

Interconversion of  $\text{syn}-[(\text{Me}_3\text{C})_3\text{PRh}(\text{CO})]_2(\mu\text{-Cl})(\mu\text{-SR})$  and  $\text{syn}-[(\text{Me}_3\text{C})_3\text{PRh}(\text{CO})]_2(\mu\text{-Cl})(\mu\text{-PR}_2)$  through exchange of bridging ligands. A case of sterically inactivated chloro bridges in dirhodium complexes (E. Berkovich, J. Blum and H. Schumann), 111

## Iodide

$\eta^3$ -Ligation of tetrathiamacrocycles to Mo and W: structures of  $[\text{W}(\text{CO})_3(\eta^3\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  and  $[\text{W}(\text{CO})_2(\eta^4\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  ( $\text{Me}_8[16]\text{janeS}_4 = 3,3,7,7,11,11,15,15\text{-octamethyl-}1,5,9,13\text{-tetrathiacyclohexadecane}$ ) (P.K. Baker, M.C. Durrant, B. Goerdts, S.D. Harris, D.L. Hughes and R.L. Richards), C22

## Iridium

The unexpected formal insertion of a carbonyl group into a heterocyclic *N-Ir* bond (M.A. Ciriano, M. Lanfranchi, L.A. Oro, J.J. Pérez-Torrente, A. Tiripicchio and M.T. Camellini), C31

## Iron

1,1'-Bis(diphenylphosphino)ferrocene complexes of gold(I). Polymeric  $[\text{AuCl}(\mu\text{-dppf})]_n$  and dimeric  $[\text{Au}_2(\text{dppf-P}, \text{P}')_2(\mu\text{-dppf})(\text{NO}_3)_2]$  (L.-T. Phang, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 253

Stereo- und regioselektive Mehrfachadditionen an komplexgebundenes Cyclooctatetraen in  $[\text{CpFe}(\eta^6\text{-Cot})]^+$  (P.T. Beurskens, W.P. Bosman, H.C. Brussaard, J. Heck, R.J.M. Klein Gebbink, M. Maters and J.M.M. Smits), 197

The CO-substitution reactions of analogues of  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})_2]$  in which the two cyclopentadienyl ligands are linked by a two-carbon chain (M.G. Cox and A.R. Manning), 189

## Isocyanide

Cyanide and methylisocyanide complexes of rhenium(I)  $[\text{NBu}_4][\text{ReX}(\text{CN})(\text{dppe})_2]$  ( $\text{X} = \text{Cl}$  or  $\text{CN}$ ;  $\text{dppe} = \text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ ) and  $\text{trans}-[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  ( $\text{X} = \text{H}$ ,

$\text{F}, \text{Cl}$  or  $\text{CN}$ ): crystal structures of  $\text{trans}-[\text{ReX}(\text{CNMe})(\text{dppe})_2]$  ( $\text{X} = \text{H}$  or  $\text{Cl}$ ) (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 79

Halogeno(phenyl)-, Diphenyl-, Amino(phenyl)carben- und Phenylimido-Osmiumkomplexe durch Reaktion von  $[(\text{Mes})\text{Os}(\text{CNR})\text{Cl}_2]$  mit Phenyllithium und Phenyl-Grignardreagenzien (H. Werner, U. Wecker, K. Peters und H.G. Von Schnering), 205

## Isomerism

Stereoselective reaction of ( $\pm$ )-7-Phenyldinaphtho[2,1-*b*;1',2'-*d*]phosphole with an optically active palladium complex. Molecular structure and fluxional behavior of  $\text{Pd}((S)\text{-C}_6\text{H}_4\text{CH}(\text{CH}_3)\text{N}(\text{CH}_3)_2)((P)\text{-PPh}(\text{C}_{20}\text{H}_{12}))\text{Cl}$  (K. Tani, H. Tashiro, M. Yoshida and T. Yamagata), 229

## Lanthanides

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. V. Synthese und Struktur von Monocyclooctatetraenyl-Komplexen des dreiwertigen Titans (U. Kilimann, M. Noltemeyer, M. Schäfer, R. Herbst-Irmer, H.-G. Schmidt und F.T. Edelmann), C27

## Lead

Über Tetraaryl-Methan-Analoga in der Gruppe 14. III.  $\text{Ar}_4\text{Sn}/\text{Pb}$  ( $\text{Ar} = \text{Ph}, p\text{-}, m\text{-}, o\text{-Tol}, 2,4\text{-Xyl}$  und  $2,5\text{-Xyl}$ ): Gegenüberstellung von Bindungslängen und Winkeln, von NMR chemischen Verschiebungen und Kopplungskonstanten und von Schwingungsdaten (C. Schneider-Koglin, B. Mathiasch und M. Dräger), 25

## Lithium

A theoretical study of isomerization of and chloride migration in representative 1-chloro-2-methyl-1-propenylmetals (D.J. Nelson and M.K.G. Matthews), 1

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. IV. Strukturchemie des anionischen Sandwich-Komplexes  $[\text{Ce}(\text{COT})_2]^-$  (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelmann), C15

## Magnesium

The reaction of  $(\text{Me}_3\text{Si})_3\text{CBr}$  with Mg in tetrahydrofuran (THF) or diethyl ether. Crystal structure of  $(\text{Me}_3\text{Si})_3\text{CMg}(\mu\text{-Br})_3\text{Mg}(\text{THF})_3$  (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, A.J. Jaggar and J.D. Smith), 129

## Main group metals

The synthesis and spectroscopic characterization of bis( $\gamma$ -methoxypropyl)cadmium (M.J. Almond, M.P. Beer, P. Heath, C.A. Heyburn, D.A. Rice and L.A. Sheridan), 11

## Mass spectrometry

Antimony(III) and phenylantimony(III) dimethyldithioarsinates: synthesis and mass spectral study. Crystal structure of  $\text{Ph}_2\text{SbS}_2\text{AsMe}_2$ , the first coordination polymer associated via bridging dimethyldithioarsinate ligands (D.B. Sowerby, M.J. Begley, L. Silaghi-Dumitrescu, I. Silaghi-Dumitrescu and I. Haiduc), 45

## Mesitylene

Halogeno(phenyl)-, Diphenyl-, Amino(phenyl)carben- und Phenylimido-Osmiumkomplexe durch Reaktion von  $[(\text{Mes})\text{Os}(\text{CNR})\text{Cl}_2]$  mit Phenyllithium und Phenyl-Grignardreagenzien (H. Werner, U. Wecker, K. Peters und H.G. Von Schnering), 205

## Metallaheterocycle

Halogeno(phenyl)-, Diphenyl-, Amino(phenyl)carben- und Phenylimido-Osmiumkomplexe durch Reaktion von  $[(\text{Mes})\text{Os}(\text{CNR})\text{Cl}_2]$  mit Phenyllithium und Phenyl-Grignardreagenzien (H. Werner, U. Wecker, K. Peters und H.G. Von Schnering), 205

## Metallocenes

Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes O,O'-Dimethyldithiophosphat im Organosamarium-Komplex  $[(C_5Me_5)Sm(S_2P(OMe)_2)_2]_2$  (M. Rieckhoff, M. Noltemeyer, F.T. Edelman, I. Haiduc und I. Silaghi-Dumitrescu), C19

## Methyl formate

Catalytic synthesis of ethanol from methyl formate (G. Jenner), 99

## MNDO calculations

A theoretical study of isomerization of and chloride migration in representative 1-chloro-2-methyl-1-propenylmetals (D.J. Nelson and M.K.G. Matthews), 1

## MOCVD

The synthesis and spectroscopic characterization of bis( $\gamma$ -methoxypropyl)cadmium (M.J. Almond, M.P. Beer, P. Heath, C.A. Heyburn, D.A. Rice and L.A. Sheridan), 11

## Molybdenum

Fluorine migration in dimerization of tetrafluorodisilacyclobutene mediated by Group VI transition metal carbonyls (C.-Y. Lee and C.-S. Liu), 151

$\eta^3$ -Ligation of tetrathiamacrocycles to Mo and W: structures of  $[W(CO)_3(\eta^3-(Me_8[16]aneS_4))][W(CO)_4]$  and  $[W(CO)_2(\eta^4-(Me_8[16]aneS_4))][W(CO)_4]$  ( $Me_8[16]aneS_4 = 3,3,7,7,11,11,15,15$ -octamethyl-1,5,9,13-tetrathiacyclohexadecane) (P.K. Baker, M.C. Durrant, B. Goerd, S.D. Harris, D.L. Hughes and R.L. Richards), C22

Steric effects of bulky diazolylmethane ligands (N-N) on syntheses and structures of  $[Mo(N-N)(CO)_4]$  (K.-B. Shiu, S.-T. Lin, C.-C. Chou, S.-M. Peng, M.-C. Cheng, S.-L. Wang and F.-L. Liao), 169

Synthese funktionalisierter *tripod*-Liganden: Aufbau, Veresterung und Koordinationsfähigkeit von  $HOCH_2C(CH_2PPh_2)_3$  (Th. Seitz, A. Muth, G. Huttner, Th. Klein, O. Walter, M. Fritz und L. Zsolnai), 155

## Mössbauer spectroscopy

Transition metal Schiff-base complexes as ligands in tin chemistry. IV. Reactions of triphenyltin chloride with divalent metal salicylaldehyde complexes and the molecular structures of  $[SnPh_3Cl \cdot H_2O]-[Ni(3-MeOsall,3pn) \cdot H_2O]$  (1:1) and  $[SnPh_3Cl \cdot H_2O]-[Ni(3-MeOsall,3pren)]$  (1:1) [ $H_23-MeOsall,3pn = N,N'$ -bis(3-methoxysalicylidene)propane-1,3-diamine] (N. Clarke, D. Cunningham, T. Higgins, P. McArdle, J. McGinley and M. O'Gara), 33

## Neodymium

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. III. Cyclooctatetraenyl-Lanthanoidtriflate und -iodide: Neue Ausgangsmaterialien für die Organolanthanoid-Chemie (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelman), C10

## Norbornene

Rhodium-catalysed hydroamination-hydroarylation of norbornene with aniline, toluidines or diphenylamine (J.-J. Brunet, G. Commenges, D. Neibecker and K. Philippot), 221

## Nuclear magnetic resonance

Convenient syntheses of  $[RuCl(CO)_2(Cp)]$  and  $[OsCl(CO)_2(Cp)]$  (S. Dev and J.P. Selegue), 107

$^1H$  and  $^{13}C$  NMR studies of  $\eta^6$ -benzo-bonded (boron-nitrogen heteroarene)tricarbonylchromium complexes and related  $\eta^6$ -phenyl-bonded ( $B, B', B''$ -trimethyl- $N, N', N''$ -triarylborazine)tricarbonylchromium complexes: crystallographic structure of a boron-nitrogen heteroarene (S. Allaoud, S. Conté, B. Fenet, B. Frange, F. Robert, F. Sécheresse and A. Karim), 59

The synthesis and spectroscopic characterization of bis( $\gamma$ -methoxypropyl)cadmium (M.J. Almond, M.P. Beer, P. Heath, C.A. Heyburn, D.A. Rice and L.A. Sheridan), 11

Über Tetraaryl-Methan-Analoga in der Gruppe 14. III.  $Ar_4Sn/Pb$  ( $Ar = Ph, p-, m-, o-Tol, 2,4-Xyl$  und  $2,5-Xyl$ ): Gegenüberstellung von Bindungslängen und Winkeln, von NMR chemischen Verschiebungen und Kopplungskonstanten und von Schwingungsdaten (C. Schneider-Koglin, B. Mathiasch und M. Dräger), 25

## Olefin

Conformational equilibrium in *trans,trans,trans*-cyclododecatriene (CDT). Studies on *trans*-dichloro(CDT) $\alpha$ -methylbenzylamine-platinum(II) (G. Paiaro and P. Ganis), C34

## Onium salt

Catalytic synthesis of ethanol from methyl formate (G. Jenner), 99

## Osmium

Convenient syntheses of  $[RuCl(CO)_2(Cp)]$  and  $[OsCl(CO)_2(Cp)]$  (S. Dev and J.P. Selegue), 107

Halogeno(phenyl)-, Diphenyl-, Amino(phenyl)carben- und Phenylimido-Osmiumkomplexe durch Reaktion von  $[(Mes)Os(CNR)Cl_2]$  mit Phenyllithium und Phenyl-Grignardreagenzien (H. Werner, U. Wecker, K. Peters und H.G. Von Schnering), 205

## Oxidative addition

Five-coordinate hydrido-complexes  $[PtX(H)(N,N\text{-chelate})(olefin)]$  ( $X = Cl, Br$  or  $I$ ). Crystal structure of  $[PtCl(H)(2,9-Me_2-1,10\text{-phenanthroline})(dimethyl\ maleate)]$  (V.G. Albano, C. Castellari, M.L. Ferrara, A. Panunzi and F. Ruffo), 237

## Palladium

A novel product pattern in the palladium(II)-catalyzed decomposition of a (1-diazo-2-oxoalkyl)silane (G. Maas, A. Fronda, D. Mayer and R. Brückmann), 115

Stereoselective reaction of ( $\pm$ )-7-Phenyldinaphtho[2,1-b;1',2'-d]phosphole with an optically active palladium complex. Molecular structure and fluxional behavior of  $Pd((S)-C_6H_4CH(CH_3)N(CH_3)_2)(P)\text{-PPh}(C_{20}H_{12})Cl$  (K. Tani, H. Tashiro, M. Yoshida and T. Yamagata), 229

## Phospha-alkenes

Synthesis of some phospha-alkenes with the fluoromesityl ( $2,4,6-(CF_3)_3C_6H_2$ ) group on phosphorus and of their complexes with  $[PtCl_2(PEt_3)_2]$  (K.B. Dillon and H.P. Goodwin), 125

## Phosphine

1,1'-Bis(diphenylphosphino)ferrocene complexes of gold(I). Polymeric  $[AuCl(\mu\text{-dppf})]_n$  and dimeric  $[Au_2(dppf-P,P')_2(\mu\text{-dppf})(NO_3)_2]$  (L.-T. Phang, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 253

Catalytic synthesis of ethanol from methyl formate (G. Jenner), 99

Effects of changes in the ligands on the skeleton and the catalytic activity of some new rhodium complexes with pyrazolato moieties (H. Schumann, H. Hemling, V. Ravindar, Y. Badrieh and J. Blum), 213

Stereoselective reaction of ( $\pm$ )-7-Phenyldinaphtho[2,1-b;1',2'-d]phosphole with an optically active palladium complex. Molecular structure and fluxional behavior of  $Pd((S)-C_6H_4CH(CH_3)N(CH_3)_2)(P)\text{-PPh}(C_{20}H_{12})Cl$  (K. Tani, H. Tashiro, M. Yoshida and T. Yamagata), 229

The CO-substitution reactions of analogues of  $[Fe_2(\eta-C_5H_5)_2(CO)_2(\mu-CO)_2]$  in which the two cyclopentadienyl ligands are linked by a two-carbon chain (M.G. Cox and A.R. Manning), 189

- The unexpected formal insertion of a carbonyl group into a heterocyclic *N-Ir* bond (M.A. Ciriano, M. Lanfranchi, L.A. Oro, J.J. Pérez-Torrente, A. Tiripicchio and M.T. Camellini), C31
- Phosphite**  
Reactions of rhenium trialkylphosphite complexes ( $\eta^5$ - $C_5Me_5$ )Re(CO)<sub>2</sub>{P(OR)<sub>3</sub>} (R = Me or Et) with halogens and SbCl<sub>5</sub>; reversible Arbuzov-like dealkylation to form rhenium dialkylphosphonate complexes ( $\eta^5$ - $C_5Me_5$ )ReX(CO)<sub>2</sub>{PO(OR)<sub>2</sub>} (C. Leiva, K. Mossert, A.H. Klahn and D. Sutton), 69
- Phosphonate**  
Reactions of rhenium trialkylphosphite complexes ( $\eta^5$ - $C_5Me_5$ )Re(CO)<sub>2</sub>{P(OR)<sub>3</sub>} (R = Me or Et) with halogens and SbCl<sub>5</sub>; reversible Arbuzov-like dealkylation to form rhenium dialkylphosphonate complexes ( $\eta^5$ - $C_5Me_5$ )ReX(CO)<sub>2</sub>{PO(OR)<sub>2</sub>} (C. Leiva, K. Mossert, A.H. Klahn and D. Sutton), 69
- Phosphorus**  
Ligandinduzierter Abbau von Dodecacarbonyltriruthenium mit Di-*tert*-butylphosphin: Synthese, Kristallstruktur und Struktur­dynamik von HRu<sub>2</sub>(CO)<sub>4</sub>(P<sup>t</sup>Bu<sub>2</sub>)(HP<sup>t</sup>Bu<sub>2</sub>)<sub>2</sub> (H.-C. Böttcher, G. Rheinwald, H. Stoeckli-Evans, G. Süss-Fink und B. Walther), 163  
Synthese funktionalisierter *tripod*-Liganden: Aufbau, Veresterung und Koordinationsfähigkeit von HOCH<sub>2</sub>C(CH<sub>2</sub>-PPh<sub>2</sub>)<sub>3</sub> (Th. Seitz, A. Muth, G. Huttner, Th. Klein, O. Walter, M. Fritz und L. Zsolnai), 155
- Platinum**  
Conformational equilibrium in *trans,trans,trans*-cyclo­dodecatriene (CDT). Studies on *trans*-dichloro(CDT) $\alpha$ -methylbenzylamine-platinum(II) (G. Paiaro and P. Ganis), C34  
Five-coordinate hydrido-complexes [PtX(H)(*N,N*-chelate)(olefin)] (X = Cl, Br or I). Crystal structure of [PtCl(H)(2,9-Me<sub>2</sub>-1,10-phenanthroline)(dimethyl maleate)] (V.G. Albano, C. Castellari, M.L. Ferrara, A. Panunzi and F. Ruffo), 237  
Synthesis of some bis(triphenylphosphine)(ethynylferrocenyl) platinum(II) complexes; molecular structure of [PtH(C $\equiv$ C-C<sub>5</sub>H<sub>4</sub>FeC<sub>5</sub>H<sub>5</sub>)(PPh<sub>3</sub>)<sub>2</sub>] (M.V. Russo, A. Furlani, S. Licoccia, R. Paolesse, A. Chiesi Villa and C. Guastini), 245  
Synthesis of some phospho-alkenes with the fluoromesityl (2,4,6-(CF<sub>3</sub>)<sub>3</sub>C<sub>6</sub>H<sub>2</sub>) group on phosphorus and of their complexes with [PtCl<sub>2</sub>(PEt<sub>3</sub>)<sub>2</sub>] (K.B. Dillon and H.P. Goodwin), 125
- Polarimetry**  
Conformational equilibrium in *trans,trans,trans*-cyclo­dodecatriene (CDT). Studies on *trans*-dichloro(CDT) $\alpha$ -methylbenzylamine-platinum(II) (G. Paiaro and P. Ganis), C34
- Polymer**  
1,1'-Bis(diphenylphosphino)ferrocene complexes of gold(I). Polymeric [AuCl( $\mu$ -dppf)]<sub>n</sub> and dimeric [Au<sub>2</sub>(dppf-P,P')<sub>2</sub>( $\mu$ -dppf)](NO<sub>3</sub>)<sub>2</sub> (L.-T. Phang, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 253  
Neue modifizierte Polycarbosilane (W. Uhlig), C1
- Praseodymium**  
Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. III. Cyclooctatetraenyl-Lanthanoidtriflate und -iodide: Neue Ausgangsmaterialien für die Organolanthanoid-Chemie (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelmann), C10
- Pyrazolylborate**  
Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. V. Synthese und Struktur von Monocyclooctatetraenyl-Komplexen des dreiwertigen Titans (U. Kilimann, M. Noltemeyer, M. Schäfer, R. Herbst-Irmer, H.-G. Schmidt und F.T. Edelmann), C27
- Rhenium**  
Cyanide and methylisocyanide complexes of rhenium(I) [NBu<sub>4</sub>][ReX(CN)(dppe)<sub>2</sub>] (X = Cl or CN; dppe = Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>) and *trans*-[ReX(CNMe)(dppe)<sub>2</sub>] (X = H, F, Cl or CN): crystal structures of *trans*-[ReX(CNMe)(dppe)<sub>2</sub>] (X = H or Cl) (M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro), 79  
Reactions of rhenium trialkylphosphite complexes ( $\eta^5$ - $C_5Me_5$ )Re(CO)<sub>2</sub>{P(OR)<sub>3</sub>} (R = Me or Et) with halogens and SbCl<sub>5</sub>; reversible Arbuzov-like dealkylation to form rhenium dialkylphosphonate complexes ( $\eta^5$ - $C_5Me_5$ )ReX(CO)<sub>2</sub>{PO(OR)<sub>2</sub>} (C. Leiva, K. Mossert, A.H. Klahn and D. Sutton), 69  
Synthesis and redox properties of complexes of rhenium(I) with cyanoguanidine and some derivatives. Crystal structure of *trans*-[Re(NCNC(NH<sub>2</sub>)<sub>2</sub>)(CNMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]-[BF<sub>4</sub>] (M.F.N.N. Carvalho, A.J.L. Pombeiro, A. Hills, D.L. Hughes and R.L. Richards), 179
- Rhodium**  
Effects of changes in the ligands on the skeleton and the catalytic activity of some new rhodium complexes with pyrazolato moieties (H. Schumann, H. Hemling, V. Ravindar, Y. Badrieh and J. Blum), 213  
Interconversion of *syn*-[(Me<sub>3</sub>C)<sub>3</sub>Prh(CO)]<sub>2</sub>( $\mu$ -Cl)( $\mu$ -SR) and *syn*-[(Me<sub>3</sub>C)<sub>3</sub>Prh(CO)]<sub>2</sub>( $\mu$ -Cl)( $\mu$ -PR<sub>2</sub>) through exchange of bridging ligands. A case of sterically inactivated chloro bridges in dirhodium complexes (E. Berkovich, J. Blum and H. Schumann), 111  
Rhodium-catalysed hydroamination-hydroarylation of norbornene with aniline, toluidines or diphenylamine (J.-J. Brunet, G. Commenges, D. Neibecker and K. Philippot), 221
- Ruthenium**  
Catalytic synthesis of ethanol from methyl formate (G. Jenner), 99  
Cluster chemistry. XCIII. Reactions of Ru<sub>3</sub>( $\mu$ -dppm)(CO)<sub>10</sub> with benzyl halides: isolation and crystal structures of some unusual transformation products, including the Ru<sub>4</sub> chain cluster Ru<sub>4</sub>( $\mu$ -Br)<sub>2</sub>( $\mu$ -C, P:P-(C<sub>6</sub>H<sub>4</sub>)PPhCH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>( $\mu$ -CO)(CO)<sub>8</sub> (M.I. Bruce, J.R. Hinchliffe, R. Surynt, B.W. Skelton and A.H. White), 89  
Convenient syntheses of [RuCl(CO)<sub>2</sub>(Cp)] and [OsCl(CO)<sub>2</sub>(Cp)] (S. Dev and J.P. Selegue), 107  
Ligandinduzierter Abbau von Dodecacarbonyltriruthenium mit Di-*tert*-butylphosphin: Synthese, Kristallstruktur und Struktur­dynamik von HRu<sub>2</sub>(CO)<sub>4</sub>(P<sup>t</sup>Bu<sub>2</sub>)(HP<sup>t</sup>Bu<sub>2</sub>)<sub>2</sub> (H.-C. Böttcher, G. Rheinwald, H. Stoeckli-Evans, G. Süss-Fink und B. Walther), 163
- Samarium**  
Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. III. Cyclooctatetraenyl-Lanthanoidtriflate und -iodide: Neue Ausgangsmaterialien für die Organolanthanoid-Chemie (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelmann), C10  
Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes O,O'-Dimethyldithiophosphat im Organosamarium-Komplex [(C<sub>5</sub>Me<sub>5</sub>)Sm(S<sub>2</sub>P(OMe)<sub>2</sub>)<sub>2</sub>]<sub>2</sub> (M. Rieckhoff, M. Noltemeyer, F.T. Edelmann, I. Haiduc und I. Silaghi-Dumitrescu), C19
- Sandwich complexes**  
Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. II. Neue Cyclooctatetraenyl-Halbsandwich-

- Komplexe des Yttriums (U. Kilimann und F.T. Edelmann), C5
- Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. IV. Strukturchemie des anionischen Sandwich-Komplexes  $[\text{Ce}(\text{COT})_2]^-$  (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelmann), C15
- Selectivity**
- Stereo- und regioselektive Mehrfachadditionen an komplexgebundenes Cyclooctatetraen in  $[\text{CpFe}(\eta^6\text{-Cot})]^+$  (P.T. Beurskens, W.P. Bosman, H.C. Brussaard, J. Heck, R.J.M. Klein Gebbink, M. Maters und J.M.M. Smits), 197
- Sesquisiloxane**
- The structure of hexa(cyclohexylsesquisiloxane),  $(\text{C}_6\text{H}_{11})_6\text{Si}_6\text{O}_9$  (H. Behbehani, B.J. Brisdon, M.F. Mahon and K.C. Molloy), 19
- Silicon**
- A novel product pattern in the palladium(II)-catalyzed decomposition of a (1-diazo-2-oxoalkyl)silane (G. Maas, A. Fronda, D. Mayer and R. Brückmann), 115
- Fluorine migration in dimerization of tetrafluorodisilylclobutene mediated by Group VI transition metal carbonyls (C.-Y. Lee and C.-S. Liu), 151
- Heteroleptische Diorganylzink-Verbindungen des Typs  $(\text{Me}_3\text{Si})_3\text{-C-Zn-R}$  (M. Westerhausen, B. Rademacher, W. Schwarz, J. Weidlein und S. Henkel), 135
- Neue modifizierte Polycarbosilane (W. Uhlig), C1
- The reaction of  $(\text{Me}_3\text{Si})_3\text{CBr}$  with Mg in tetrahydrofuran (THF) or diethyl ether. Crystal structure of  $(\text{Me}_3\text{Si})_3\text{CMg}(\mu\text{-Br})_3\text{Mg}(\text{THF})_3$  (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, A.J. Jaggar and J.D. Smith), 129
- The structure of hexa(cyclohexylsesquisiloxane),  $(\text{C}_6\text{H}_{11})_6\text{Si}_6\text{O}_9$  (H. Behbehani, B.J. Brisdon, M.F. Mahon and K.C. Molloy), 19
- Siloxane**
- The structure of hexa(cyclohexylsesquisiloxane),  $(\text{C}_6\text{H}_{11})_6\text{Si}_6\text{O}_9$  (H. Behbehani, B.J. Brisdon, M.F. Mahon and K.C. Molloy), 19
- Sodium**
- Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. IV. Strukturchemie des anionischen Sandwich-Komplexes  $[\text{Ce}(\text{COT})_2]^-$  (U. Kilimann, M. Schäfer, R. Herbst-Irmer und F.T. Edelmann), C15
- Square pyramid**
- Biphenyl-2,2'-diylphenylantimony dibromide; a new square pyramidal antimony(V) compound (M.N. Gibbons, M.J. Begley and D.B. Sowerby), C25
- Stereoselectivity**
- Stereoselektive reaction of  $(\pm)$ -7-Phenyldinaphtho[2,1-b;1',2'-d]phosphole with an optically active palladium complex. Molecular structure and fluxional behavior of  $\text{Pd}\{(\text{S})\text{-C}_6\text{H}_4\text{CH}(\text{CH}_3)\text{N}(\text{CH}_3)_2\}\{(\text{P})\text{-PPh}(\text{C}_{20}\text{H}_{12})\}\text{Cl}$  (K. Tani, H. Tashiro, M. Yoshida and T. Yamagata), 229
- Structure**
- The structure of hexa(cyclohexylsesquisiloxane),  $(\text{C}_6\text{H}_{11})_6\text{Si}_6\text{O}_9$  (H. Behbehani, B.J. Brisdon, M.F. Mahon and K.C. Molloy), 19
- Substitution**
- The CO-substitution reactions of analogues of  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})_2]$  in which the two cyclopentadienyl ligands are linked by a two-carbon chain (M.G. Cox and A.R. Manning), 189
- Sulfur dioxide**
- The unexpected formal insertion of a carbonyl group into a heterocyclic *N-ir* bond (M.A. Ciriano, M. Lanfranchi, L.A. Oro, J.J. Pérez-Torrente, A. Tiripicchio and M.T. Camellini), C31
- Thiamacrocycles**
- $\eta^3$ -Ligation of tetrathiamacrocycles to Mo and W: structures of  $[\text{W}(\text{CO})_3(\eta^3\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  and  $[\text{W}(\text{CO})_2(\eta^4\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  ( $\text{Me}_8[16]\text{janeS}_4 = 3,3,7,7,11,11,15,15\text{-octamethyl-1,5,9,13-tetrathiacyclohexadecane}$ ) (P.K. Baker, M.C. Durrant, B. Goerd, S.D. Harris, D.L. Hughes and R.L. Richards), C22
- Tin**
- The crystal structure of tetraethylammonium trichlorodiphenylstannate(IV) (E. García Martínez, A. Sánchez González, A. Castiñeiras, J.S. Casas and J. Sordo), 41
- Transition metal Schiff-base complexes as ligands in tin chemistry. IV. Reactions of triphenyltin chloride with divalent metal salicylaldimine complexes and the molecular structures of  $[\text{SnPh}_3\text{Cl} \cdot \text{H}_2\text{O}]\text{-}[\text{Ni}(3\text{-MeOsal1,3pn}) \cdot \text{H}_2\text{O}]$  (1:1) and  $[\text{SnPh}_3\text{Cl} \cdot \text{H}_2\text{O}]\text{-}[\text{Ni}(3\text{-MeOsal1,3pren})$  (1:1) [ $\text{H}_2\text{3-MeOsal1,3pn} = N,N'$ -bis(3-methoxysalicylidene)propane-1,3-diamine] (N. Clarke, D. Cunningham, T. Higgins, P. McArdle, J. McGinley and M. O'Gara), 33
- Über Tetraaryl-Methan-Analoga in der Gruppe 14. III.  $\text{Ar}_4\text{Sn/Pb}$  (Ar = Ph, *p*-, *m*-, *o*-Tol, 2,4-Xyl und 2,5-Xyl): Gegenüberstellung von Bindungslängen und Winkeln, von NMR chemischen Verschiebungen und Kopplungskonstanten und von Schwingungsdaten (C. Schneider-Koglin, B. Mathiasch und M. Dräger), 25
- Titanium**
- Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. V. Synthese und Struktur von Monocyclooctatetraenyl-Komplexen des dreiwertigen Titans (U. Kilimann, M. Noltemeyer, M. Schäfer, R. Herbst-Irmer, H.-G. Schmidt und F.T. Edelmann), C27
- Trimethylsilyl**
- Heteroleptische Diorganylzink-Verbindungen des Typs  $(\text{Me}_3\text{Si})_3\text{-C-Zn-R}$  (M. Westerhausen, B. Rademacher, W. Schwarz, J. Weidlein und S. Henkel), 135
- Tungsten**
- Fluorine migration in dimerization of tetrafluorodisilylclobutene mediated by Group VI transition metal carbonyls (C.-Y. Lee and C.-S. Liu), 151
- $\eta^3$ -Ligation of tetrathiamacrocycles to Mo and W: structures of  $[\text{W}(\text{CO})_3(\eta^3\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  and  $[\text{W}(\text{CO})_2(\eta^4\text{-}(\text{Me}_8[16]\text{janeS}_4))][\text{W}_3(\text{CO})_4]$  ( $\text{Me}_8[16]\text{janeS}_4 = 3,3,7,7,11,11,15,15\text{-octamethyl-1,5,9,13-tetrathiacyclohexadecane}$ ) (P.K. Baker, M.C. Durrant, B. Goerd, S.D. Harris, D.L. Hughes and R.L. Richards), C22
- Uranium**
- Organo-f-element thermochemistry. Absolute uranium-ligand bond disruption enthalpies of  $[\text{UL}_3\text{-SX}]$  complexes ( $\text{L} = \text{C}_5\text{H}_4^1\text{Bu}$ ,  $\text{C}_5\text{H}_4\text{SiMe}_3$  or  $\text{C}_9\text{H}_6\text{SiMe}_3$  and  $\text{X} = \text{Et}$  or  $^1\text{Bu}$ ) (X. Jemine, J. Goffart, P.C. Leverd and M. Ephritikhine), 55
- Vibrational data**
- Über Tetraaryl-Methan-Analoga in der Gruppe 14. III.  $\text{Ar}_4\text{Sn/Pb}$  (Ar = Ph, *p*-, *m*-, *o*-Tol, 2,4-Xyl und 2,5-Xyl): Gegenüberstellung von Bindungslängen und Winkeln, von NMR chemischen Verschiebungen und Kopplungskonstanten und von Schwingungsdaten (C. Schneider-Koglin, B. Mathiasch und M. Dräger), 25

## X-ray diffraction

Antimony(III) and phenylantimony(III) dimethyldithioarsinates: synthesis and mass spectral study. Crystal structure of  $\text{Ph}_2\text{SbS}_2\text{AsMe}_2$ , the first coordination polymer associated via bridging dimethyldithioarsinate ligands (D.B. Sowerby, M.J. Begley, L. Silaghi-Dumitrescu, I. Silaghi-Dumitrescu and I. Haiduc), 45

Effects of changes in the ligands on the skeleton and the catalytic activity of some new rhodium complexes with pyrazolato moieties (H. Schumann, H. Hemling, V. Ravindar, Y. Badrieh and J. Blum), 213

Halogeno(phenyl)-, Diphenyl-, Amino(phenyl)carben- und Phenylimido-Osmiumkomplexe durch Reaktion von  $[(\text{Mes})\text{Os}(\text{CNR})\text{Cl}_2]$  mit Phenyllithium und Phenyl-Grignardreagenzien (H. Werner, U. Wecker, K. Peters und H.G. Von Schnering), 205

Stereoselective reaction of  $(\pm)$ -7-Phenyldinaphtho[2,1-b:1',2'-d]phosphole with an optically active palladium complex. Molecular structure and fluxional behavior of  $\text{Pd}((S)\text{-C}_6\text{H}_4\text{CH}(\text{CH}_3)\text{N}(\text{CH}_3)_2)((P)\text{-PPh}(\text{C}_{20}\text{H}_{12}))\text{Cl}$  (K. Tani, H. Tashiro, M. Yoshida and T. Yamagata), 229

The crystal structure of tetraethylammonium trichlorodiphenylstannate(IV) (E. García Martínez, A. Sánchez González, A. Castiñeiras, J.S. Casas and J. Sordo), 41

The structure of hexa(cyclohexylsesquisiloxane),  $(\text{C}_6\text{H}_{11})_6\text{Si}_6\text{O}_9$  (H. Behbehani, B.J. Brisdon, M.F. Mahon and K.C. Molloy), 19

The unexpected formal insertion of a carbonyl group into a heterocyclic *N-Ir* bond (M.A. Ciriano, M. Lanfranchi, L.A. Oro, J.J. Pérez-Torrente, A. Tiripicchio and M.T. Camellini), C31

## Yttrium

Cyclooctatetraenyl-Komplexe der frühen Übergangsmetalle und Lanthanoide. II. Neue Cyclooctatetraenyl-Halbsandwich-Komplexe des Yttriums (U. Kilmann und F.T. Edelman), C5

## Zinc

Heteroleptische Diorganylzink-Verbindungen des Typs  $(\text{Me}_3\text{Si})_3\text{-C-Zn-R}$  (M. Westerhausen, B. Rademacher, W. Schwarz, J. Weidlein und S. Henkel), 135