

Subject Index of Volume 488

Absolute configuration

Determination of the absolute configurations of the epimers of the P-chiral phosphine $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{P}^*\text{Ph}(L(-)\text{-menthyl})$ by use of two-dimensional NMR spectroscopy in combination with a palladium(II) "reporter complex" (Q. Jiang, H. Rüegger and L.M. Venanzi), 233

Acetylide

Donor–acceptor-based vinylidene and σ -acetylide complexes of ruthenium and osmium (A.J. Hodge, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long, D.G. Parker and P.R. Raithby), 205

Aldehyde hydrazones

Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde (S. Tollari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini), 79

Alkenyl complexes

Synthesis of methacrylate monomers from alkynes and arene-alkenylruthenium(II) catalyst (O. Lavastre and P.H. Dixneuf), C9

Alkoxide

The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles (H.-B. Kraatz and D. Milstein), 223

Alkylidene

Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*- $[\text{Ru}_2(\text{CO})_2(\text{Cp})_2(\mu\text{-C}(\text{CN})\text{N}(\text{Me})\text{Bz})_2](\text{Cp} = \eta\text{-C}_5\text{H}_5; \text{Bz} = \text{CH}_2\text{Ph})$ (V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti), 133

Allenylidene

Vinylidene transition metal complexes. XXXIV. The preparation and structure of neutral vinylidene and allenylidene ruthenium(II) compounds of the half-sandwich type containing ${}^i\text{Pr}_2\text{PCH}_2\text{CO}_2\text{Me}$ as supporting ligand (T. Braun, P. Steinert and H. Werner), 169

Allyl

New mono- and di-phosphido-bridged Pd^{I} dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine (P. Leoni, M. Pasquali, T. Beringhelli, G. D'Alfonso and A.P. Minoja), 39

Aminoalkylidene

Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*- $[\text{Ru}_2(\text{CO})_2(\text{Cp})_2(\mu\text{-C}(\text{CN})\text{N}(\text{Me})\text{Bz})_2](\text{Cp} = \eta\text{-C}_5\text{H}_5; \text{Bz} = \text{CH}_2\text{Ph})$ (V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti), 133

Anhydrous alkylammonium salts

Novel, CO_2 -promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and

inter-molecular proton-transfer agents (M. Aresta and E. Quaranta), 211

Arene complexes

Synthesis of methacrylate monomers from alkynes and arene-alkenylruthenium(II) catalyst (O. Lavastre and P.H. Dixneuf), C9

Azido complexes

Synthesis of cluster compounds by photolysis of azido complexes (J. Strähle), 15

Biphosphine

The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles (H.-B. Kraatz and D. Milstein), 223

Boron

Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the $({}^i\text{Pr}_2\text{NP})_2\text{Fe}_2(\text{CO})_6$ unit and a novel product from the reaction of $({}^i\text{Pr}_2\text{NP})_2\text{COFe}_2(\text{CO})_6$ with PhBCl_2 (Y.W. Li, M.G. Newton and R.B. King), 63

Novel, CO_2 -promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and inter-molecular proton-transfer agents (M. Aresta and E. Quaranta), 211

Oxidative η^2 -iminoacyl formation by reaction of amidozirconocene complexes with tris(pentafluorophenyl)borane (B. Temme and G. Erker), 177

Bridged species

Electronic interactions in organometallic dimers. An electrochemical approach (D. Osella, L. Milone, C. Nervi and M. Ravera), 1

Carbon monoxide

Novel, CO_2 -promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and inter-molecular proton-transfer agents (M. Aresta and E. Quaranta), 211

Carbonyl

Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the $({}^i\text{Pr}_2\text{NP})_2\text{Fe}_2(\text{CO})_6$ unit and a novel product from the reaction of $({}^i\text{Pr}_2\text{NP})_2\text{COFe}_2(\text{CO})_6$ with PhBCl_2 (Y.W. Li, M.G. Newton and R.B. King), 63

Reductive carbonylations reactions of primary phosphine mono- η -cyclopentadienyltungsten (V) compounds (M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega), 73

Ruthenium carbonyl complexes with polyfunctional phosphine ligands (U. Bodensieck, H. Vahrenkamp, G. Rheinwald and H. Stoeckli-Evans), 85

Carbonylation

Catalytic carbonylation of benzylic and allylic bromides by a rhodium zwitterionic complex under phase transfer catalysis conditions (S. Amaratunga and H. Alper), 25

Oxidative carbonylation of methanol to dimethyl carbonate (DMC): a new catalytic system (D. Delledonne, F. Rivetti and U. Romano), C15

Preparation of α -vinylidene- γ -lactones by palladium-catalyzed carbonylation of 5-hydroxy-2-alkynyl methyl carbonates under mild conditions (T. Mandai, Y. Tsujiguchi, S. Matsuoka, S. Saito and J. Tsuji), 127

Carbonyl clusters

Surface organometallic chemistry: the easy conversion of $[\text{Ir}_6(\text{CO})_{16}]$ supported on silica into $[\text{Ir}_4(\text{CO})_{12}]$ (D. Roberto, E. Cariati, R. Psaro and R. Ugo), 109

Carbonyls

Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster $[\text{Ir}_6(\text{CO})_{11}(\mu\text{-CO})_3\text{NO}]^-$ (R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi), 199

Catalysis

A new cyclopentadiene and its use as a ligand for catalytically active rhodium complexes (M. Costa, F.S. Dias, G.P. Chiusoli and G.L. Gazzola), 47

Hydroformylation of some functionalized olefins catalyzed by rhodium(I) complexes with pydiphos and its *P*-oxide (C. Basoli, C. Botteghi, M.A. Cabras, G. Chelucci and M. Marchetti), C20

Kinetics and mechanism of H_2 -hydrogenation of styrene catalyzed by $[\text{RuCl}(\text{dppb})(\mu\text{-Cl})_2]$ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species (A.M. Joshi, K.S. MacFarlane and B.R. James), 161

Oxidative carbonylation of methanol to dimethyl carbonate (DMC): a new catalytic system (D. Delledonne, F. Rivetti and U. Romano), C15

Charge-transfer salts

Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor (P.L. Veya and J.K. Kochi), C4

Chiral phosphine

Determination of the absolute configurations of the epimers of the *P*-chiral phosphine $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{P}^*\text{Ph}(L\text{-}(-)\text{-menthyl})$ by use of two-dimensional NMR spectroscopy in combination with a palladium(II) "reporter complex" (Q. Jiang, H. Rügger and L.M. Venanzi), 233

Chloride

Reductive carbonylation reactions of primary phosphine mono- η -cyclopentadienyltungsten (V) compounds (M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega), 73

Cluster

Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster $[\text{Ir}_6(\text{CO})_{11}(\mu\text{-CO})_3\text{NO}]^-$ (R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi), 199

Cluster core geometry

Pd_4 Clusters: the sensitivity of the cluster metal core geometry to the surrounding ligands (I.I. Moiseev), 183

Cluster core rearrangement

Pd_4 Clusters: the sensitivity of the cluster metal core geometry to the surrounding ligands (I.I. Moiseev), 183

Clusters

Pd_4 Clusters: the sensitivity of the cluster metal core geometry to the surrounding ligands (I.I. Moiseev), 183

Synthesis of cluster compounds by photolysis of azido complexes (J. Strähle), 15

Cobalt

Electronic interactions in organometallic dimers. An electrochemical approach (D. Osella, L. Milone, C. Nervi and M. Ravera), 1

Oxidative carbonylation of methanol to dimethyl carbonate (DMC): a new catalytic system (D. Delledonne, F. Rivetti and U. Romano), C15

Coupling

Vinyl-plus-vinyl coupling in rhodium complexes: formation of $[(\text{C}_5\text{Me}_5)\text{RhBr}(\eta^3\text{-syn-1-methylallyl})]$ by reaction of $[(\text{C}_5\text{Me}_5)\text{RhBr}_2(\text{Me}_2\text{SO})]$ with vinylmagnesium bromide in homogeneous solution (Z.-Q. Wang, M.L. Turner, A.R. Kunicki and P.M. Maitlis), C11

Crystal structure

A novel class of hexanuclear titanoxanes: synthesis, structure and electronic configuration (T. Carofiglio, C. Floriani, A. Roth, A. Sgamellotti, M. Rosi, A. Chiesi-Villa and C. Rizzoli), 141

A novel enantiopure proline-based organonickel(III) halide monocation with a pentadentate C, N₂, O₂-bonded bis(*ortho*-chelating) aryldiamine ligand (L.A. Van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. Van Koten), 191

Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound $[\text{Rh}(\text{cod})(\text{Hbztu})\text{Cl}]$ (D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa and R. Zanon), 115

Donor-acceptor-based vinylidene and σ -acetylide complexes of ruthenium and osmium (A.J. Hodge, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long, D.G. Parker and P.R. Raithby), 205

Instability of 15-electron $\text{Cp}^*\text{MoCl}_2\text{L}$ (L = 2-electron donor) derivatives. X-ray structure of $\text{Cp}^*\text{MoCl}_2(\text{PMe}_2\text{Ph})_2$ and $[\text{Cp}^*\text{MoCl}_2(\text{PMe}_2\text{Ph})_2]\text{AlCl}_4$ (F. Abugideiri, D.W. Keogh, H.-B. Kraatz, W. Pearson and R. Poli), 29

Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster $[\text{Ir}_6(\text{CO})_{11}(\mu\text{-CO})_3\text{NO}]^-$ (R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi), 199

Ruthenium carbonyl complexes with polyfunctional phosphine ligands (U. Bodensieck, H. Vahrenkamp, G. Rheinwald and H. Stoeckli-Evans), 85

Structures of polymetallaorganosiloxanates — a novel class of organosilicon metal complexes (Yu.T. Struchkov and S.V. Lindeman), 9

Synthesis of cluster compounds by photolysis of azido complexes (J. Strähle), 15

The geometry of SiOCN and SiNCO linkages. The crystal structures of $(\text{Me}_3\text{Si})_2(\text{Ph}_2\text{MeSi})\text{CSiMe}_2\text{OCN}$ and $(\text{PhMe}_2\text{Si})_3\text{CSiMe}_2\text{NCO}$ (S.S. Al-Juaid, A.A.K. Al-Nasr, G.A. Ayoko, C. Eaborn and P. Hitchcock), 155

The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles (H.-B. Kraatz and D. Milstein), 223

Transformation of the bis(trimethylsilyl)methyl into a 1,3-diaza-allyl ligand. Synthesis and crystal structures of $[\text{K}(\text{N}(\text{R})\text{C}(\text{Ar})\text{NC}(\text{Ar})\text{CHR})(\text{NCAr})_2]$ and $[\{\text{UCI}(\mu\text{-Cl})(\text{L})(\text{NR})\}_2][\text{UCI}_2(\text{L})(\text{L}')_2]$ [R = SiMe₃; Ar = C₆H₃Me₂-2,5; L = N(R)C(Ph)C(H)C(Ph)NR; L' = N(R)C(Ph)NC(Ph)CHR] (P.B. Hitchcock, M.F. Lappert and D.-S. Liu), 241

Vinylidene transition metal complexes. XXXIV. The preparation and structure of neutral vinylidene and allenylidene ruthenium(II) compounds of the half-sandwich type containing

- ⁱPr₂PCH₂CO₂Me as supporting ligand (T. Braun, P. Steinert and H. Werner), 169
- Water-soluble organometallic compounds. 5. The regio-selective catalytic hydrogenation of unsaturated aldehydes to saturated aldehydes in an aqueous two-phase solvent system using 1,3,5-triaza-7-phosphaadamantane complexes of rhodium (D.J. Darensbourg, N.W. Stafford, F. Joó and J.H. Reibenspies), 99
- Cyanate**
The geometry of SiOCN and SiNCO linkages. The crystal structures of (Me₃Si)₂(Ph₂MeSi)CSiMe₂OCN and (PhMe₂Si)₃CSiMe₂NCO (S.S. Al-Juaid, A.A.K. Al-Nasr, G.A. Ayoko, C. Eaborn and P. Hitchcock), 155
- Cyclization**
A new cyclopentadiene and its use as a ligand for catalytically active rhodium complexes (M. Costa, F.S. Dias, G.P. Chiusoli and G.L. Gazzola), 47
- 1,5,9-Cyclododecatriene
Rhodium(III) complexes of (*EEE*)-1,5,9-Cyclododecatriene. Syntheses, structures and absolute configurations of derivatives of *catena*-poly-[μ-dichloro-(1,2,12-η)-1,5,8 cyclododecatrienyl-rhodium] (G. Paiaro, L. Pandolfo, P. Ganis, G. Valle and S.D. Fioletto), 249
- Cyclopalladation**
Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde (S. Tollari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini), 79
- Cyclopentadienyl**
Instability of 15-electron Cp*MoCl₂L (L = 2-electron donor) derivatives. X-ray structure of Cp*MoCl₂(PMe₂Ph)₂ and [Cp*MoCl₂(PMe₂Ph)₂AlCl₄ (F. Abugideiri, D.W. Keogh, H.-B. Kraatz, W. Pearson and R. Poli), 29
Reductive carbonylations reactions of primary phosphine mono-η-cyclopentadienyltungsten (V) compounds (M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega), 73
Vinyl-plus-vinyl coupling in rhodium complexes: formation of [(C₅Me₅)RhBr(η³-*syn*-1-methylallyl)] by reaction of [(C₅Me₅)RhBr₂(Me₂SO)] with vinylmagnesium bromide in homogeneous solution (Z.-Q. Wang, M.L. Turner, A.R. Kunicki and P.M. Maitlis), C11
- Cyclopentadienyl complexes**
A new cyclopentadiene and its use as a ligand for catalytically active rhodium complexes (M. Costa, F.S. Dias, G.P. Chiusoli and G.L. Gazzola), 47
- Diamine**
A novel enantiopure proline-based organonickel(III) halide monocation with a pentadentate C, N₂, O₂-bonded bis(*ortho*-chelating) aryldiamine ligand (L.A. Van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. Van Koten), 191
- 1,3-Diaza-allylpotassium
Transformation of the bis(trimethylsilyl)methyl into a 1,3-diaza-allyl ligand. Synthesis and crystal structures of [K{N(R)C(Ar)NC-(Ar)CHR}(NCAr)]₂ and [{UCl(μ-Cl)(L)(NR)}₂][UCl₂(L)(L')]₂ [R = SiMe₃; Ar = C₆H₃Me₂-2,5; L = N(R)C(Ph)C(H)C(Ph)NR; L' = N(R)C(Ph)NC(Ph)CHR] (P.B. Hitchcock, M.F. Lappert and D.-S. Liu), 241
- Dihydrogen**
Kinetics and mechanism of H₂-hydrogenation of styrene catalyzed by [RuCl(dppb)(μ-Cl)]₂ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species (A.M. Joshi, K.S. MacFarlane and B.R. James), 161
- β-Diketiminates**
Transformation of the bis(trimethylsilyl)methyl into a 1,3-diaza-allyl ligand. Synthesis and crystal structures of [K{N(R)C(Ar)NC-(Ar)CHR}(NCAr)]₂ and [{UCl(μ-Cl)(L)(NR)}₂][UCl₂(L)(L')]₂ [R = SiMe₃; Ar = C₆H₃Me₂-2,5; L = N(R)C(Ph)C(H)C(Ph)NR; L' = N(R)C(Ph)NC(Ph)CHR] (P.B. Hitchcock, M.F. Lappert and D.-S. Liu), 241
- Dimers**
New mono- and di-phosphido-bridged Pd^I dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine (P. Leoni, M. Pasquali, T. Beringhelli, G. D'Alfonso and A.P. Minoja), 39
- Dimethyl carbonate**
Oxidative carbonylation of methanol to dimethyl carbonate (DMC): a new catalytic system (D. Delledonne, F. Rivetti and U. Romano), C15
- Electrochemistry**
Electronic interactions in organometallic dimers. An electrochemical approach (D. Osella, L. Milone, C. Nervi and M. Ravera), 1
- Electronic configuration**
A novel class of hexanuclear titanoxanes: synthesis, structure and electronic configuration (T. Carofiglio, C. Floriani, A. Roth, A. Sgamellotti, M. Rosi, A. Chiesi-Villa and C. Rizzoli), 141
- Electronic interaction**
Electronic interactions in organometallic dimers. An electrochemical approach (D. Osella, L. Milone, C. Nervi and M. Ravera), 1
- ESCA**
Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound [Rh(cod)(Hbztu)Cl] (D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa and R. Zanon), 115
- Ferrocene**
Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor (P.L. Veya and J.K. Kochi), C4
- Fischer-Tropsch reaction**
Vinyl-plus-vinyl coupling in rhodium complexes: formation of [(C₅Me₅)RhBr(η³-*syn*-1-methylallyl)] by reaction of [(C₅Me₅)RhBr₂(Me₂SO)] with vinylmagnesium bromide in homogeneous solution (Z.-Q. Wang, M.L. Turner, A.R. Kunicki and P.M. Maitlis), C11
- Gold**
Synthesis of cluster compounds by photolysis of azido complexes (J. Strähle), 15
- Group 1**
Novel, CO₂-promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and inter-molecular proton-transfer agents (M. Aresta and E. Quaranta), 211
- Hydrazone complex**
The different behaviour of the di-2-pyridylketone 2-thenoylhydrazone in two organotin compounds. Synthesis, X-ray structure and biological activity (M. Carcelli, C. Pelizzi, G. Pelizzi, P. Mazza and F. Zani), 55
- Hydrazones**
Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde (S. Tol-

- lari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini), 79
- Hydride**
Cis-(hydrido)hydrocarbylplatinum(IV) complexes as intermediates in the Pt^{II}–C bond breaking (V. De Felice, A. De Renzi, A. Panunzi and D. Tesaurò), C13
- Hydroformylation**
 A new cyclopentadiene and its use as a ligand for catalytically active rhodium complexes (M. Costa, F.S. Dias, G.P. Chiusoli and G.L. Gazzola), 47
 Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound [Rh(cod)(Hbztu)Cl] (D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa and R. Zanonì), 115
 Hydroformylation of some functionalized olefins catalyzed by rhodium(I) complexes with pydiphos and its *P*-oxide (C. Basoli, C. Botteghi, M.A. Cabras, G. Chelucci and M. Marchetti), C20
- Hydrogenation**
 Kinetics and mechanism of H₂-hydrogenation of styrene catalyzed by [RuCl(dppb)(μ -Cl)]₂ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species (A.M. Joshi, K.S. MacFarlane and B.R. James), 161
 Water-soluble organometallic compounds. 5. The regio-selective catalytic hydrogenation of unsaturated aldehydes to saturated aldehydes in an aqueous two-phase solvent system using 1,3,5-triaza-7-phosphaadamantane complexes of rhodium (D.J. Darensbourg, N.W. Stafford, F. Joó and J.H. Reibenspies), 99
- Hydrogen bond**
 Novel, CO₂-promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and inter-molecular proton-transfer agents (M. Aresta and E. Quaranta), 211
- Iminoacyl**
 Oxidative η^2 -iminoacyl formation by reaction of amidozirconocene complexes with tris(pentafluorophenyl)borane (B. Temme and G. Erker), 177
- Insertion**
 New mono- and di-phosphido-bridged Pd^I dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine (P. Leoni, M. Pasquali, T. Beringhelli, G. D'Alfonso and A.P. Minoja), 39
- Iridium**
 Chemoselective reduction of α,β -unsaturated ketones catalyzed by transition metal complexes with polydentate ligands (C. Bianchini, M. Peruzzini, E. Farnetti, J. Kašpar and M. Graziani), 91
 Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster [Ir₆(CO)₁₁(μ -CO)₃NO]⁻ (R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi), 199
 Surface organometallic chemistry: the easy conversion of [Ir₆(CO)₁₆] supported on silica into [Ir₄(CO)₁₂] (D. Roberto, E. Cariati, R. Psaro and R. Ugo), 109
- Iron**
 Chemoselective reduction of α,β -unsaturated ketones catalyzed by transition metal complexes with polydentate ligands (C. Bianchini, M. Peruzzini, E. Farnetti, J. Kašpar and M. Graziani), 91
 Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the (ⁱPr₂NP)₂Fe₂(CO)₆ unit and a novel product from the reaction of (ⁱPr₂NP)₂COFe₂(CO)₆ with PhBCl₂ (Y.W. Li, M.G. Newton and R.B. King), 63
 Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*-[Ru₂(CO)₂(Cp)₂{ μ -C(CN)N(Me)Bz}₂] (Cp = η -C₅H₅; Bz = CH₂Ph) (V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti), 133
- Isocyanate**
 The geometry of SiOCN and SiNCO linkages. The crystal structures of (Me₃Si)₂(Ph₂MeSi)CSiMe₂OCN and (PhMe₂Si)₃CSiMe₂NCO (S.S. Al-Juaid, A.A.K. Al-Nasr, G.A. Ayoko, C. Eaborn and P. Hitchcock), 155
- Isocyanide**
 Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*-[Ru₂(CO)₂(Cp)₂{ μ -C(CN)N(Me)Bz}₂] (Cp = η -C₅H₅; Bz = CH₂Ph) (V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti), 133
- Kinetics**
 Kinetics and mechanism of H₂-hydrogenation of styrene catalyzed by [RuCl(dppb)(μ -Cl)]₂ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species (A.M. Joshi, K.S. MacFarlane and B.R. James), 161
 The role of SO₂ as a ligand to mediate associative substitution reactions of some 18-electron molybdenum complexes (J.K. Shen, F. Basolo and G.J. Kubas), C1
- Lactones**
 Preparation of α -vinylidene- γ -lactones by palladium-catalyzed carbonylation of 5-hydroxy-2-alkynyl methyl carbonates under mild conditions (T. Mandai, Y. Tsujiguchi, S. Matsuoka, S. Saito and J. Tsuji), 127
- Laser-flash photolysis**
 Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor (P.L. Veya and J.K. Kochi), C4
- Ligand substitution**
 The role of SO₂ as a ligand to mediate associative substitution reactions of some 18-electron molybdenum complexes (J.K. Shen, F. Basolo and G.J. Kubas), C1
- Macrocyclic ligands**
 Structures of polymetallaorganosiloxanates — a novel class of organosilicon metal complexes (Yu.T. Struchkov and S.V. Lindeman), 9
- Mechanism**
 The role of SO₂ as a ligand to mediate associative substitution reactions of some 18-electron molybdenum complexes (J.K. Shen, F. Basolo and G.J. Kubas), C1
- Metallation**
 Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde (S. Tollari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini), 79
- Metal–metal bonds**
 New mono- and di-phosphido-bridged Pd^I dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine (P. Leoni, M. Pasquali, T. Beringhelli, G. D'Alfonso and A.P. Minoja), 39
- Metal organosiloxanates**
 Structures of polymetallaorganosiloxanates — a novel class of

- organosilicon metal complexes (Yu.T. Struchkov and S.V. Lindeman), 9
- Methacrylate monomers**
 Synthesis of methacrylate monomers from alkynes and arene-alkenylruthenium(II) catalyst (O. Lavastre and P.H. Dixneuf), C9
- Methanol**
 Oxidative carbonylation of methanol to dimethyl carbonate (DMC): a new catalytic system (D. Delledonne, F. Rivetti and U. Romano), C15
- Molecular structure**
 Structures of polymetallaorganosiloxanates — a novel class of organosilicon metal complexes (Yu.T. Struchkov and S.V. Lindeman), 9
- Molybdenum**
 Instability of 15-electron Cp*MoCl₂L (L = 2-electron donor) derivatives. X-ray structure of Cp*MoCl₂(PMe₂Ph)₂ and [Cp*MoCl₂(PMe₂Ph)₂]AlCl₄ (F. Abugideiri, D.W. Keogh, H.-B. Kraatz, W. Pearson and R. Poli), 29
 The role of SO₂ as a ligand to mediate associative substitution reactions of some 18-electron molybdenum complexes (J.K. Shen, F. Basolo and G.J. Kubas), C1
- Nickel**
 A novel enantiopure proline-based organonickel(III) halide monocation with a pentadentate C, N₂, O₂-bonded bis(*ortho*-chelating) arylidiamine ligand (L.A. Van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. Van Koten), 191
- Nitrosyl**
 Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster [Ir₆(CO)₁₁(μ-CO)₃NO]⁻ (R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi), 199
- N-P ligands**
 Hydroformylation of some functionalized olefins catalyzed by rhodium(I) complexes with pydiphos and its *P*-oxide (C. Basoli, C. Botteghi, M.A. Cabras, G. Chelucci and M. Marchetti), C20
- Nucleophile**
 The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles (H.-B. Kraatz and D. Milstein), 223
- Octahedron**
 Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster [Ir₆(CO)₁₁(μ-CO)₃NO]⁻ (R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi), 199
- Olefin complexes**
 The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles (H.-B. Kraatz and D. Milstein), 223
- Olefin isomerization**
 Rhodium(III) complexes of (*EEE*)-1,5,9-Cyclododecatriene. Syntheses, structures and absolute configurations of derivatives of *catena*-poly-[μ-dichloro-(1,2,12-η)-1,5,8 cyclododecatrienyl-rhodium] (G. Paiaro, L. Pandolfo, P. Ganis, G. Valle and S.D. Fioretto), 249
- Osmium**
 Chemoselective reduction of α,β-unsaturated ketones catalyzed by transition metal complexes with polydentate ligands (C. Bianchini, M. Peruzzini, E. Farnetti, J. Kašpar and M. Graziani), 91
 Donor-acceptor-based vinylidene and σ-acetylide complexes of ruthenium and osmium (A.J. Hodge, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long, D.G. Parker and P.R. Raithby), 205
- Oxidative addition**
Cis-(hydrido)hydrocarbylplatinum(IV) complexes as intermediates in the Pt^{II}-C bond breaking (V. De Felice, A. De Renzi, A. Panunzi and D. Tesauro), C13
- Palladium**
 Determination of the absolute configurations of the epimers of the *P*-chiral phosphine Ph₂PCH₂CH₂P*Ph(*L*-(-)-menthyl) by use of two-dimensional NMR spectroscopy in combination with a palladium(II) "reporter complex" (Q. Jiang, H. Rüegger and L.M. Venanzi), 233
 New mono- and di-phosphido-bridged Pd^I dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine (P. Leoni, M. Pasquali, T. Beringhelli, G. D'Alfonso and A.P. Minoja), 39
 Pd₄ Clusters: the sensitivity of the cluster metal core geometry to the surrounding ligands (I.I. Moiseev), 183
 Preparation of α-vinylidene-γ-lactones by palladium-catalyzed carbonylation of 5-hydroxy-2-alkynyl methyl carbonates under mild conditions (T. Mandai, Y. Tsujiguchi, S. Matsuoka, S. Saito and J. Tsuji), 127
 Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde (S. Tollari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini), 79
 The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles (H.-B. Kraatz and D. Milstein), 223
- Phase transfer catalysis**
 Catalytic carbonylation of benzylic and allylic bromides by a rhodium zwitterionic complex under phase transfer catalysis conditions (S. Amaratunga and H. Alper), 25
- Phosphide-bridges**
 New mono- and di-phosphido-bridged Pd^I dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine (P. Leoni, M. Pasquali, T. Beringhelli, G. D'Alfonso and A.P. Minoja), 39
- Phosphines**
 Reductive carbonylations reactions of primary phosphine mono-η-cyclopentadienyltungsten (V) compounds (M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega), 73
- Phosphinoester**
 Vinylidene transition metal complexes. XXXIV. The preparation and structure of neutral vinylidene and allenylidene ruthenium(II) compounds of the half-sandwich type containing ¹Pr₂PCH₂CO₂Me as supporting ligand (T. Braun, P. Steinert and H. Werner), 169
- Phosphorus**
 Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the (¹Pr₂NP)₂Fe₂(CO)₆ unit and a novel product from the reaction of (¹Pr₂NP)₂COFe₂(CO)₆ with PhBCl₂ (Y.W. Li, M.G. Newton and R.B. King), 63
- Photochemistry**
 Synthesis of cluster compounds by photolysis of azido complexes (J. Strähle), 15
- Platinum**
Cis-(hydrido)hydrocarbylplatinum(IV) complexes as intermediates in the Pt^{II}-C bond breaking (V. De Felice, A. De Renzi, A. Panunzi and D. Tesauro), C13
- Polyfunctional phosphines**
 Ruthenium carbonyl complexes with polyfunctional phosphine ligands (U. Bodensieck, H. Vahrenkamp, G. Rheinwald and H. Stoeckli-Evans), 85

Polyoxometalate

Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor (P.L. Veya and J.K. Kochi), C4

Proline

A novel enantiopure proline-based organonickel(III) halide monocation with a pentadentate C, N₂, O₂-bonded bis(*ortho*-chelating) aryldiamine ligand (L.A. Van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jennekens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. Van Koten), 191

Propargylic carbonates

Preparation of α -vinylidene- γ -lactones by palladium-catalyzed carbonylation of 5-hydroxy-2-alkynyl methyl carbonates under mild conditions (T. Mandai, Y. Tsujiguchi, S. Matsuoka, S. Saito and J. Tsuji), 127

Pyridylphosphines

Hydroformylation of some functionalized olefins catalyzed by rhodium(I) complexes with pydiphos and its *P*-oxide (C. Basoli, C. Botteghi, M.A. Cabras, G. Chelucci and M. Marchetti), C20

Reductive elimination

Cis-(hydrido)hydrocarbylplatinum(IV) complexes as intermediates in the Pt^{II}-C bond breaking (V. De Felice, A. De Renzi, A. Panunzi and D. Tesauro), C13

Rhodium

A new cyclopentadiene and its use as a ligand for catalytically active rhodium complexes (M. Costa, F.S. Dias, G.P. Chiusoli and G.L. Gazzola), 47

Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound [Rh(cod)(Hbztu)Cl] (D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa and R. Zanoni), 115

Catalytic carbonylation of benzylic and allylic bromides by a rhodium zwitterionic complex under phase transfer catalysis conditions (S. Amaratunga and H. Alper), 25

Hydroformylation of some functionalized olefins catalyzed by rhodium(I) complexes with pydiphos and its *P*-oxide (C. Basoli, C. Botteghi, M.A. Cabras, G. Chelucci and M. Marchetti), C20

Rhodium(III) complexes of (*EEE*)-1,5,9-Cyclododecatriene. Syntheses, structures and absolute configurations of derivatives of *catena*-poly- $[\mu$ -dichloro-(1,2,12- η)-1,5,8 cyclododecatrienyl-rhodium] (G. Paiaro, L. Pandolfo, P. Ganis, G. Valle and S.D. Fioretto), 249

Vinyl-plus-vinyl coupling in rhodium complexes: formation of [(C₅Me₅)RhBr(η^3 -*syn*-1-methylallyl)] by reaction of [(C₅Me₅)RhBr₂(Me₂SO)] with vinylmagnesium bromide in homogeneous solution (Z.-Q. Wang, M.L. Turner, A.R. Kunicki and P.M. Maitlis), C11

Water-soluble organometallic compounds. 5. The regio-selective catalytic hydrogenation of unsaturated aldehydes to saturated aldehydes in an aqueous two-phase solvent system using 1,3,5-triaza-7-phosphaadamantane complexes of rhodium (D.J. Darensbourg, N.W. Stafford, F. Joó and J.H. Reibenspies), 99

Ruthenium

Chemoselective reduction of α,β -unsaturated ketones catalyzed by transition metal complexes with polydentate ligands (C. Bianchini, M. Peruzzini, E. Farnetti, J. Kašpar and M. Graziani), 91

Donor-acceptor-based vinylidene and σ -acetylide complexes of ruthenium and osmium (A.J. Hodge, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long, D.G. Parker and P.R. Raithby), 205

Electronic interactions in organometallic dimers. An electrochemical approach (D. Osella, L. Milone, C. Nervi and M. Ravera), 1

Kinetics and mechanism of H₂-hydrogenation of styrene catalyzed by [RuCl(dppb)(μ -Cl)]₂ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species (A.M. Joshi, K.S. MacFarlane and B.R. James), 161

Ruthenium carbonyl complexes with polyfunctional phosphine ligands (U. Bodensieck, H. Vahrenkamp, G. Rheinwald and H. Stoeckli-Evans), 85

Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*-[Ru₂(CO)₂(Cp)₂{ μ -C(CN)N(Me)Bz}₂](Cp = η -C₅H₅; Bz = CH₂Ph) (V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti), 133

Synthesis of methacrylate monomers from alkynes and arene-alkenylruthenium(II) catalyst (O. Lavastre and P.H. Dixneuf), C9

Vinylidene transition metal complexes. XXXIV. The preparation and structure of neutral vinylidene and allenylidene ruthenium(II) compounds of the half-sandwich type containing ¹Pr₂PCH₂CO₂Me as supporting ligand (T. Braun, P. Steinert and H. Werner), 169

Selective reduction

Chemoselective reduction of α,β -unsaturated ketones catalyzed by transition metal complexes with polydentate ligands (C. Bianchini, M. Peruzzini, E. Farnetti, J. Kašpar and M. Graziani), 91

Selenium

Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the (¹Pr₂NP)₂Fe₂(CO)₆ unit and a novel product from the reaction of (¹Pr₂NP)₂COFe₂(CO)₆ with PhBCl₂ (Y.W. Li, M.G. Newton and R.B. King), 63

Silicon

The geometry of SiOCN and SiNCO linkages. The crystal structures of (Me₃Si)₂(Ph₂MeSi)CSiMe₂OCN and (PhMe₂Si)₃CSiMe₂NCO (S.S. Al-Juaid, A.A.K. Al-Nasr, G.A. Ayoko, C. Eaborn and P. Hitchcock), 155

Transformation of the bis(trimethylsilyl)methyl into a 1,3-diaza-allyl ligand. Synthesis and crystal structures of [K(N(R)C(Ar)NC-(Ar)CHR)(NCAr)₂] and [{UCl(μ -Cl)(L)(NR)₂][UCl₂(L)(L')]₂] [R = SiMe₃; Ar = C₆H₃Me₂-2,5; L = N(R)C(Ph)C(H)C(Ph)NR; L' = N(R)C(Ph)NC(Ph)CHR] (P.B. Hitchcock, M.F. Lappert and D.-S. Liu), 241

Solution structure

Determination of the absolute configurations of the epimers of the *P*-chiral phosphine Ph₂PCH₂CH₂P*Ph(*L*-(-)-menthyl) by use of two-dimensional NMR spectroscopy in combination with a palladium(II) "reporter complex" (Q. Jiang, H. Rüegger and L.M. Venanzi), 233

Spectral CT transients

Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor (P.L. Veya and J.K. Kochi), C4

Styrene

Kinetics and mechanism of H₂-hydrogenation of styrene catalyzed by [RuCl(dppb)(μ -Cl)]₂ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species (A.M. Joshi, K.S. MacFarlane and B.R. James), 161

- Sulfur**
 Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the $(^i\text{Pr}_2\text{NP})_2\text{Fe}_2(\text{CO})_6$ unit and a novel product from the reaction of $(^i\text{Pr}_2\text{NP})_2\text{COFe}_2(\text{CO})_6$ with PhBCl_2 (Y.W. Li, M.G. Newton and R.B. King), 63
- Sulfur dioxide**
 The role of SO_2 as a ligand to mediate associative substitution reactions of some 18-electron molybdenum complexes (J.K. Shen, F. Basolo and G.J. Kubas), C1
- Supported catalyst**
 Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound $[\text{Rh}(\text{cod})(\text{Hbztu})\text{Cl}]$ (D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa and R. Zandoni), 115
- Supported clusters**
 Surface organometallic chemistry: the easy conversion of $[\text{Ir}_6(\text{CO})_{16}]$ supported on silica into $[\text{Ir}_4(\text{CO})_{12}]$ (D. Roberto, E. Cariati, R. Psaro and R. Ugo), 109
- Synthesis**
 Rhodium(III) complexes of (*EEE*)-1,5,9-Cyclododecatriene. Syntheses, structures and absolute configurations of derivatives of *catena*-poly- $[\mu$ -dichloro-(1,2,12- η)-1,5,8 cyclododecatrienyl-rhodium] (G. Paiaro, L. Pandolfo, P. Ganis, G. Valle and S.D. Fioretto), 249
 Synthesis of methacrylate monomers from alkynes and arene-alkenylruthenium(II) catalyst (O. Lavastre and P.H. Dixneuf), C9
- Tetraphenylborate**
 Novel, CO_2 -promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and inter-molecular proton-transfer agents (M. Aresta and E. Quaranta), 211
- Time-resolved spectrum**
 Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor (P.L. Veya and J.K. Kochi), C4
- Tin**
 The different behaviour of the di-2-pyridylketone 2-thenoylhydrazone in two organotin compounds. Synthesis, X-ray structure and biological activity (M. Carcelli, C. Pelizzi, G. Pelizzi, P. Mazza and F. Zani), 55
- Titanium**
 A novel class of hexanuclear titanoxanes: synthesis, structure and electronic configuration (T. Carofiglio, C. Floriani, A. Roth, A. Sgamellotti, M. Rosi, A. Chiesi-Villa and C. Rizzoli), 141
- Titanoxanes**
 A novel class of hexanuclear titanoxanes: synthesis, structure and electronic configuration (T. Carofiglio, C. Floriani, A. Roth, A. Sgamellotti, M. Rosi, A. Chiesi-Villa and C. Rizzoli), 141
- Transition metals**
 Synthesis of cluster compounds by photolysis of azido complexes (J. Strähle), 15
- Tungsten**
 Reductive carbonylations reactions of primary phosphine mono- η -cyclopentadienyltungsten (V) compounds (M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega), 73
- Two-dimensional NMR**
 Determination of the absolute configurations of the epimers of the P-chiral phosphine $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{P}^*\text{Ph}(L(-)-\text{menthyl})$ by use of two-dimensional NMR spectroscopy in combination with a palladium(II) "reporter complex" (Q. Jiang, H. Rügger and L.M. Venanzi), 233
- α,β -unsaturated ketones
 Chemoselective reduction of α,β -unsaturated ketones catalyzed by transition metal complexes with polydentate ligands (C. Bianchini, M. Peruzzini, E. Farnetti, J. Kašpar and M. Graziani), 91
- Uranium**
 Transformation of the bis(trimethylsilyl)methyl into a 1,3-diaza-allyl ligand. Synthesis and crystal structures of $[\text{K}\{\text{N}(\text{R})\text{C}(\text{Ar})\text{NC}-(\text{Ar})\text{CHR}\}(\text{NCAR})_2]$ and $[\{\text{UCl}(\mu\text{-Cl})(\text{L})(\text{NR})\}_2][\text{UCl}_2(\text{L})(\text{L}')_2]$ ($\text{R} = \text{SiMe}_3$; $\text{Ar} = \text{C}_6\text{H}_3\text{Me}_2$ -2,5; $\text{L} = \text{N}(\text{R})\text{C}(\text{Ph})\text{C}(\text{H})\text{C}(\text{Ph})\text{NR}$; $\text{L}' = \text{N}(\text{R})\text{C}(\text{Ph})\text{NC}(\text{Ph})\text{CHR}$) (P.B. Hitchcock, M.F. Lappert and D.-S. Liu), 241
- Vinyl**
 Vinyl-plus-vinyl coupling in rhodium complexes: formation of $[(\text{C}_5\text{Me}_5)\text{RhBr}(\eta^3\text{-syn-1-methylallyl})]$ by reaction of $[(\text{C}_5\text{Me}_5)\text{RhBr}_2(\text{Me}_2\text{SO})]$ with vinylmagnesium bromide in homogeneous solution (Z.-Q. Wang, M.L. Turner, A.R. Kunicki and P.M. Maitlis), C11
- Vinylidene**
 Donor-acceptor-based vinylidene and σ -acetylide complexes of ruthenium and osmium (A.J. Hodge, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long, D.G. Parker and P.R. Raithby), 205
 Vinylidene transition metal complexes. XXXIV. The preparation and structure of neutral vinylidene and allenylidene ruthenium(II) compounds of the half-sandwich type containing $^i\text{Pr}_2\text{PCH}_2\text{CO}_2\text{Me}$ as supporting ligand (T. Braun, P. Steinert and H. Werner), 169
- Xerogel**
 Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound $[\text{Rh}(\text{cod})(\text{Hbztu})\text{Cl}]$ (D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa and R. Zandoni), 115
- X-ray diffraction**
 Reductive carbonylations reactions of primary phosphine mono- η -cyclopentadienyltungsten (V) compounds (M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega), 73
 Structures of polymetallaorganosiloxanates — a novel class of organosilicon metal complexes (Yu.T. Struchkov and S.V. Lindeman), 9
 Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*- $[\text{Ru}_2(\text{CO})_2(\text{Cp})_2\{\mu\text{-C}(\text{CN})\text{N}(\text{Me})\text{Bz}\}_2]$ ($\text{Cp} = \eta\text{-C}_5\text{H}_5$; $\text{Bz} = \text{CH}_2\text{Ph}$) (V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti), 133
- X-ray structure**
 Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde (S. Tollari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini), 79
 The different behaviour of the di-2-pyridylketone 2-thenoylhydrazone in two organotin compounds. Synthesis, X-ray structure and biological activity (M. Carcelli, C. Pelizzi, G. Pelizzi, P. Mazza and F. Zani), 55
 X-ray structure η^3 -allylic complexes
 Rhodium(III) complexes of (*EEE*)-1,5,9-Cyclododecatriene. Syntheses, structures and absolute configurations of derivatives of *catena*-poly- $[\mu$ -dichloro-(1,2,12- η)-1,5,8 cyclododecatrienyl-rhodium] (G. Paiaro, L. Pandolfo, P. Ganis, G. Valle and S.D. Fioretto), 249

Zirconocene

Oxidative η^2 -iminoacyl formation by reaction of amidozirconocene complexes with tris(pentafluorophenyl)borane (B. Temme and G. Erker), 177

Zwitterionic complex

Catalytic carbonylation of benzylic and allylic bromides by a rhodium zwitterionic complex under phase transfer catalysis conditions (S. Amaratunga and H. Alper), 25